
Steffen H Keiter

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3523810/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Microplastics as Vehicles of Environmental PAHs to Marine Organisms: Combined Chemical and Physical Hazards to the Mediterranean Mussels, Mytilus galloprovincialis. Frontiers in Marine Science, 2018, 5, .	1.2	248
2	A new sediment contact assay to assess particle-bound pollutants using zebrafish (danio rerio) embryos. Journal of Soils and Sediments, 2003, 3, 197-207.	1.5	195
3	Ingestion and contact with polyethylene microplastics does not cause acute toxicity on marine zooplankton. Journal of Hazardous Materials, 2018, 360, 452-460.	6.5	155
4	Environmentally relevant microplastic exposure affects sediment-dwelling bivalves. Environmental Pollution, 2018, 236, 652-660.	3.7	147
5	Ecotoxicological Effects of Chemical Contaminants Adsorbed to Microplastics in the Clam Scrobicularia plana. Frontiers in Marine Science, 2018, 5, .	1.2	126
6	Ecotoxicological Assessment of Sediment, Suspended Matter and Water Samples in the Upper Danube River. A pilot study in search for the causes for the decline of fish catches (12 pp). Environmental Science and Pollution Research, 2006, 13, 308-319.	2.7	116
7	Activities and identification of aryl hydrocarbon receptor agonists in sediments from the Danube river. Analytical and Bioanalytical Chemistry, 2008, 390, 2009-2019.	1.9	89
8	Organic contaminants sorbed to microplastics affect marine medaka fish early life stages development. Marine Pollution Bulletin, 2020, 154, 111059.	2.3	77
9	Comparison of in vitro and in situ genotoxicity in the Danube River by means of the comet assay and the micronucleus test. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2010, 700, 11-17.	0.9	75
10	Bioassay battery interlaboratory investigation of emerging contaminants in spiked water extracts – Towards the implementation of bioanalytical monitoring tools in water quality assessment and monitoring. Water Research, 2016, 104, 473-484.	5.3	71
11	Quantitative assessment of the embryotoxic potential of NSO-heterocyclic compounds using zebrafish (Danio rerio). Reproductive Toxicology, 2012, 33, 224-232.	1.3	60
12	A novel contact assay for testing aryl hydrocarbon receptor (AhR)-mediated toxicity of chemicals and whole sediments in zebrafish (Danio rerio) embryos. Environmental Science and Pollution Research, 2015, 22, 16305-16318.	2.7	53
13	A novel statistical approach for the evaluation of comet assay data. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2008, 652, 38-45.	0.9	48
14	Histological, enzymatic and chemical analyses of the potential effects of differently sized microplastic particles upon long-term ingestion in zebrafish (Danio rerio). Marine Pollution Bulletin, 2020, 153, 111022.	2.3	48
15	The NORMAN Association and the European Partnership for Chemicals Risk Assessment (PARC): let's cooperate!. Environmental Sciences Europe, 2020, 32, .	2.6	46
16	The value of zebrafish as an integrative model in effect-directed analysis - a review. Environmental Sciences Europe, 2015, 27, .	2.6	45
17	Chronic feeding exposure to virgin and spiked microplastics disrupts essential biological functions in teleost fish. Journal of Hazardous Materials, 2021, 415, 125626.	6.5	45
18	Examining multi- and transgenerational behavioral and molecular alterations resulting from parental exposure to an environmental PCB and PBDE mixture. Aquatic Toxicology, 2019, 208, 29-38.	1.9	42

STEFFEN H KEITER

#	Article	IF	CITATIONS
19	Perfluorooctane sulfonic acid (PFOS) adsorbed to polyethylene microplastics: Accumulation and ecotoxicological effects in the clam Scrobicularia plana. Marine Environmental Research, 2021, 164, 105249.	1.1	40
20	Perfluorooctane Sulfonate Increases the Genotoxicity of Cyclophosphamide in the Micronucleus Assay with V79 Cells: Further Proof of Alterations in Cell Membrane Properties Caused by PFOS (3 pp). Environmental Science and Pollution Research, 2007, 14, 85-87.	2.7	39
21	Time-dependent expression and activity of cytochrome P450 1s in early life-stages of the zebrafish (Danio rerio). Environmental Science and Pollution Research, 2015, 22, 16319-16328.	2.7	36
22	In vivo EROD assays with the zebrafish (Danio rerio) as rapid screening tools for the detection of dioxin-like activity. Science of the Total Environment, 2017, 590-591, 269-280.	3.9	35
23	A combined DNA-microarray and mechanism-specific toxicity approach with zebrafish embryos to investigate the pollution of river sediments. Reproductive Toxicology, 2012, 33, 245-253.	1.3	31
24	Contribution of Priority PAHs and POPs to Ah Receptor-Mediated Activities in Sediment Samples from the River Elbe Estuary, Germany. PLoS ONE, 2013, 8, e75596.	1.1	30
25	Multi-Laboratory Hazard Assessment of Contaminated Microplastic Particles by Means of Enhanced Fish Embryo Test With the Zebrafish (Danio rerio). Frontiers in Environmental Science, 2019, 7, .	1.5	28
26	DanTox—a novel joint research project using zebrafish (Danio rerio) to identify specific toxicity and molecular modes of action of sediment-bound pollutants. Journal of Soils and Sediments, 2010, 10, 714-717.	1.5	26
27	Does perfluorooctane sulfonate (PFOS) act as chemosensitizer in zebrafish embryos?. Science of the Total Environment, 2016, 548-549, 317-324.	3.9	26
28	Assessment of fish health status in the Upper Danube River by investigation of ultrastructural alterations in the liver of barbel Barbus barbus. Diseases of Aquatic Organisms, 2010, 88, 235-248.	0.5	26
29	Investigations on sediment toxicity of German rivers applying a standardized bioassay battery. Environmental Science and Pollution Research, 2015, 22, 16358-16370.	2.7	25
30	Danio rerio as a model in aquatic toxicology and sediment research. Environmental Science and Pollution Research, 2015, 22, 16243-16246.	2.7	23
31	Sorption and desorption kinetics of PFOS to pristine microplastic. Environmental Science and Pollution Research, 2022, 29, 4497-4507.	2.7	23
32	An environmentally relevant mixture of polychlorinated biphenyls (PCBs) and polybrominated diphenylethers (PBDEs) disrupts mitochondrial function, lipid metabolism and neurotransmission in the brain of exposed zebrafish and their unexposed F2 offspring. Science of the Total Environment, 2021, 754, 142097.	3.9	21
33	A bioassay approach to determine the dioxin-like activity in sediment extracts from the Danube River: Ethoxyresorufin-O-deethylase induction in gill filaments and liver of three-spined sticklebacks (Gasterosteus aculeatus L.). Environment International, 2008, 34, 1176-1184.	4.8	20
34	The insecticide permethrin induces transgenerational behavioral changes linked to transcriptomic and epigenetic alterations in zebrafish (Danio rerio). Science of the Total Environment, 2021, 779, 146404.	3.9	20
35	A fuzzy logic-classification of sediments based on data from in vitro biotests. Journal of Soils and Sediments, 2009, 9, 168-179.	1.5	19
36	Mixture-specific gene expression in zebrafish (Danio rerio) embryos exposed to perfluorooctane sulfonic acid (PFOS), perfluorohexanoic acid (PFHxA) and 3,3′,4,4′,5-pentachlorobiphenyl (PCB126). Science of the Total Environment, 2017, 590-591, 249-257.	3.9	19

STEFFEN H KEITER

#	Article	IF	CITATIONS
37	Environmental chemicals differentially affect epigenetic-related mechanisms in the zebrafish liver (ZF-L) cell line and in zebrafish embryos. Aquatic Toxicology, 2019, 215, 105272.	1.9	19
38	Genotoxic and teratogenic effect of freshwater sediment samples from the Rhine and Elbe River (Germany) in zebrafish embryo using a multi-endpoint testing strategy. Environmental Science and Pollution Research, 2015, 22, 16341-16357.	2.7	16
39	Multi- and transgenerational effects following early-life exposure of zebrafish to permethrin and coumarin 47: Impact on growth, fertility, behavior and lipid metabolism. Ecotoxicology and Environmental Safety, 2020, 205, 111348.	2.9	16
40	Impacts of Different Exposure Scenarios on Transcript Abundances in Danio rerio Embryos when Investigating the Toxicological Burden of Riverine Sediments. PLoS ONE, 2014, 9, e106523.	1.1	13
41	Looking back - Looking forward: A novel multi-time slice weight-of-evidence approach for defining reference conditions to assess the impact of human activities on lake systems. Science of the Total Environment, 2018, 626, 1036-1046.	3.9	9
42	A temporal high-resolution investigation of the Ah-receptor pathway during early development of zebrafish (Danio rerio). Aquatic Toxicology, 2018, 204, 117-129.	1.9	9
43	Toxizitäund Risk Assessment fluvialer Sedimente und Schwebstoffe: Eine kurze Übersicht bisheriger und neuerer Entwicklungen. Environmental Sciences Europe, 2010, 22, 651-655.	0.1	8
44	Benzo[a]pyrene and 2,3-benzofuran induce divergent temporal patterns of AhR-regulated responses in zebrafish embryos (Danio rerio). Ecotoxicology and Environmental Safety, 2019, 183, 109505.	2.9	7
45	Influence of Particle Size on Ecotoxicity of Low-Density Polyethylene Microplastics, with and without Adsorbed Benzo-a-Pyrene, in Clam Scrobicularia plana. Biomolecules, 2022, 12, 78.	1.8	7
46	Observed and predicted embryotoxic and teratogenic effects of organic and inorganic environmental pollutants and their mixtures in zebrafish (Danio rerio). Aquatic Toxicology, 2022, 248, 106175.	1.9	7
47	Fishing for contaminants: identification of three mechanism specific transcriptome signatures using Danio rerio embryos. Environmental Science and Pollution Research, 2018, 25, 4023-4036.	2.7	6
48	Fuzzy logic and adaptive neuro-fuzzy inference system for characterization of contaminant exposure through selected biomarkers in African catfish. Environmental Science and Pollution Research, 2013, 20, 1586-1595.	2.7	5
49	Fold-change threshold screening: a robust algorithm to unmask hidden gene expression patterns in noisy aggregated transcriptome data. Environmental Science and Pollution Research, 2015, 22, 16384-16392.	2.7	4
50	Gene-TEQ—a standardized comparative assessment of effects in the comet assay using genotoxicity equivalents. Journal of Environmental Monitoring, 2012, 14, 1325.	2.1	3
51	Industrial sludge containing pharmaceutical residues and explosives alters inherent toxic properties when co-digested with oat and post-treated in reed beds. Environmental Sciences Europe, 2014, 26, .	2.6	1
52	A new sediment contact assay to assess particle-bound pollutants using zebrafish (danio rerio) embryos. Journal of Soils and Sediments, 2004, 4, 94-94.	1.5	0
53	Insights on Ecotoxicological Effects of Microplastics in Marine Ecosystems: The EPHEMARE Project. Springer Water, 2020, , 12-19.	0.2	0