

Kenichi Kohashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3524837/publications.pdf>

Version: 2024-02-01

158
papers

2,953
citations

201385

27
h-index

223531

46
g-index

161
all docs

161
docs citations

161
times ranked

3996
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | <i><scp>ALK</scp></i>, <i><scp>ROS</scp>1</i> and <i><scp>NTRK</scp>3</i> gene rearrangements in inflammatory myofibroblastic tumours. <i>Histopathology</i> , 2016, 69, 72-83. | 1.6 | 164 |
| 2 | Oncogenic roles of <scp>SMARCB1</scp>/<scp>INI1</scp> and its deficient tumors. <i>Cancer Science</i> , 2017, 108, 547-552. | 1.7 | 147 |
| 3 | SMARCB1/INI1 Protein Expression in Round Cell Soft Tissue Sarcomas Associated With Chromosomal Translocations Involving EWS: A Special Reference to SMARCB1/INI1 Negative Variant Extraskeletal Myxoid Chondrosarcoma. <i>American Journal of Surgical Pathology</i> , 2008, 32, 1168-1174. | 2.1 | 132 |
| 4 | Infrequent SMARCB1/INI1 gene alteration in epithelioid sarcoma: a useful tool in distinguishing epithelioid sarcoma from malignant rhabdoid tumor. <i>Human Pathology</i> , 2009, 40, 349-355. | 1.1 | 119 |
| 5 | Reduced expression of SMARCB1/INI1 protein in synovial sarcoma. <i>Modern Pathology</i> , 2010, 23, 981-990. | 2.9 | 111 |
| 6 | Histological and immunohistochemical characteristics of undifferentiated small round cell sarcomas associated with CIC-DUX4 and BCOR-CCNB3 fusion genes. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 373-380. | 1.4 | 84 |
| 7 | Diagnostic utility of histone H3.3 G34W, G34R, and G34V mutant-specific antibodies for giant cell tumors of bone. <i>Human Pathology</i> , 2018, 73, 41-50. | 1.1 | 81 |
| 8 | Cancer-testis antigen expression in synovial sarcoma: NY-ESO-1, PRAME, MAGEA4, and MAGEA1. <i>Human Pathology</i> , 2017, 61, 130-139. | 1.1 | 80 |
| 9 | Impact of Immune Response on Outcomes in Hepatocellular Carcinoma: Association With Vascular Formation. <i>Hepatology</i> , 2020, 72, 1987-1999. | 3.6 | 78 |
| 10 | Management of T1 colorectal cancers after endoscopic treatment based on the risk stratification of lymph node metastasis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1126-1132. | 1.4 | 73 |
| 11 | CNS high-grade neuroepithelial tumor with <i>BCOR</i> internal tandem duplication: a comparison with its counterparts in the kidney and soft tissue. <i>Brain Pathology</i> , 2018, 28, 710-720. | 2.1 | 67 |
| 12 | Cancer-associated fibroblasts promote hepatocellular carcinoma progression through downregulation of exosomal miR-150-3p. <i>European Journal of Surgical Oncology</i> , 2021, 47, 384-393. | 0.5 | 59 |
| 13 | The incidence and outcome of allied disorders of Hirschsprung's disease in Japan: Results from a nationwide survey. <i>Asian Journal of Surgery</i> , 2017, 40, 29-34. | 0.2 | 51 |
| 14 | PD-L1 expression according to the EGFR status in primary lung adenocarcinoma. <i>Lung Cancer</i> , 2018, 116, 1-6. | 0.9 | 51 |
| 15 | Navigation surgery using indocyanine green fluorescent imaging for hepatoblastoma patients. <i>Pediatric Surgery International</i> , 2019, 35, 551-557. | 0.6 | 50 |
| 16 | ERG and SALL4 expressions in SMARCB1/INI1-deficient tumors: a useful tool for distinguishing epithelioid sarcoma from malignant rhabdoid tumor. <i>Human Pathology</i> , 2015, 46, 225-230. | 1.1 | 44 |
| 17 | Highly aggressive behavior of malignant rhabdoid tumor: a special reference to SMARCB1/INI1 gene alterations using molecular genetic analysis including quantitative real-time PCR. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007, 133, 817-824. | 1.2 | 40 |
| 18 | Clinicopathological review of solitary fibrous tumors: dedifferentiation is a major cause of patient death. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 467-477. | 1.4 | 40 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Phase I study of glypican-3-derived peptide vaccine therapy for patients with refractory pediatric solid tumors. <i>Oncimmunology</i> , 2018, 7, e1377872. | 2.1 | 39 |
| 20 | Alterations of RB1 gene in embryonal and alveolar rhabdomyosarcoma: special reference to utility of pRB immunoreactivity in differential diagnosis of rhabdomyosarcoma subtype. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008, 134, 1097-1103. | 1.2 | 36 |
| 21 | A novel fusion gene CRTC3-MAML2 in hidradenoma: histopathological significance. <i>Human Pathology</i> , 2017, 70, 55-61. | 1.1 | 36 |
| 22 | Immunohistochemical evaluation of H3K27 trimethylation in malignant peripheral nerve sheath tumors. <i>Pathology Research and Practice</i> , 2018, 214, 417-425. | 1.0 | 36 |
| 23 | Indoleamine 2,3-dioxygenase 1 and programmed cell death-ligand 1 co-expression correlates with aggressive features in lung adenocarcinoma. <i>European Journal of Cancer</i> , 2018, 101, 20-29. | 1.3 | 35 |
| 24 | Histological spectrum of angiofibroma of soft tissue: histological and genetic analysis of 13 cases. <i>Histopathology</i> , 2016, 69, 459-469. | 1.6 | 33 |
| 25 | SMARCA4-deficient thoracic sarcoma: report of a case and insights into how to reach the diagnosis using limited samples and resources. <i>Human Pathology</i> , 2017, 70, 92-97. | 1.1 | 32 |
| 26 | MAGEA4 expression in bone and soft tissue tumors: its utility as a target for immunotherapy and diagnostic marker combined with NY-ESO-1. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 383-392. | 1.4 | 32 |
| 27 | Soft tissue sarcomas: From a morphological to a molecular biological approach. <i>Pathology International</i> , 2017, 67, 435-446. | 0.6 | 32 |
| 28 | Association Between PD-L1 Expression and Metabolic Activity on 18F-FDG PET/CT in Patients with Small-sized Lung Cancer. <i>Anticancer Research</i> , 2017, 37, 7073-7082. | 0.5 | 32 |
| 29 | Integrated multiomics analysis of hepatoblastoma unravels its heterogeneity and provides novel druggable targets. <i>Npj Precision Oncology</i> , 2020, 4, 20. | 2.3 | 30 |
| 30 | Glypican 3 expression in tumors with loss of SMARCB1/INI1 protein expression. <i>Human Pathology</i> , 2013, 44, 526-533. | 1.1 | 28 |
| 31 | Differential microRNA expression profiles between malignant rhabdoid tumor and epithelioid sarcoma: miR193a-5p is suggested to downregulate SMARCB1 mRNA expression. <i>Modern Pathology</i> , 2014, 27, 832-839. | 2.9 | 28 |
| 32 | Glypican 3 Expression in Pediatric Malignant Solid Tumors. <i>European Journal of Pediatric Surgery</i> , 2015, 25, 138-144. | 0.7 | 28 |
| 33 | Prognostic significance of forkhead box M1 (FoxM1) expression and antitumour effect of FoxM1 inhibition in melanoma. <i>Histopathology</i> , 2016, 69, 63-71. | 1.6 | 27 |
| 34 | Prognostic impact of tumor microvessels in intrahepatic cholangiocarcinoma: association with tumor-infiltrating lymphocytes. <i>Modern Pathology</i> , 2021, 34, 798-807. | 2.9 | 27 |
| 35 | Co-expression of IDO1 and PD-L1 in lung squamous cell carcinoma: Potential targets of novel combination therapy. <i>Lung Cancer</i> , 2019, 128, 26-32. | 0.9 | 24 |
| 36 | Morphological, immunohistochemical, and genomic analyses of papillary renal neoplasm with reverse polarity. <i>Human Pathology</i> , 2021, 112, 48-58. | 1.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Solitary fibrous tumor in the liver: case report and literature review. <i>Surgical Case Reports</i> , 2019, 5, 68. | 0.2 | 23 |
| 38 | Diagnostic utility of pan- α - Trk immunohistochemistry for inflammatory myofibroblastic tumours. <i>Histopathology</i> , 2020, 76, 774-778. | 1.6 | 23 |
| 39 | The outcome of real-time evaluation of biliary flow using near-infrared fluorescence cholangiography with Indocyanine green in biliary atresia surgery. <i>Journal of Pediatric Surgery</i> , 2019, 54, 2574-2578. | 0.8 | 22 |
| 40 | Inflammatory myofibroblastic tumors of the lung carrying a chimeric A2M-ALK gene: report of 2 infantile cases and review of the differential diagnosis of infantile pulmonary lesions. <i>Human Pathology</i> , 2017, 66, 177-182. | 1.1 | 21 |
| 41 | Alteration of PDGFR β -Akt-mTOR pathway signaling in fibrosarcomatous transformation of dermatofibrosarcoma protuberans. <i>Human Pathology</i> , 2017, 67, 60-68. | 1.1 | 21 |
| 42 | PD-L1 and IDO1 expression and tumor-infiltrating lymphocytes in osteosarcoma patients: comparative study of primary and metastatic lesions. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2607-2620. | 1.2 | 21 |
| 43 | Multifocal metanephric adenoma in childhood. <i>Pathology International</i> , 2009, 59, 49-52. | 0.6 | 20 |
| 44 | Reclassification of rhabdoid tumor and pediatric undifferentiated/unclassified sarcoma with complete loss of SMARCB1/INI1 protein expression: three subtypes of rhabdoid tumor according to their histological features. <i>Modern Pathology</i> , 2016, 29, 1232-1242. | 2.9 | 19 |
| 45 | Primary extraskeletal osteosarcoma: a clinicopathological study of 18 cases focusing on MDM2 amplification status. <i>Human Pathology</i> , 2017, 63, 63-69. | 1.1 | 19 |
| 46 | Close correlation between CXCR4 and VEGF expression and frequent CXCR7 expression in rhabdomyosarcoma. <i>Human Pathology</i> , 2014, 45, 1900-1909. | 1.1 | 18 |
| 47 | Elevated expression of HSP90 and the antitumor effect of an HSP90 inhibitor via inactivation of the Akt/mTOR pathway in undifferentiated pleomorphic sarcoma. <i>BMC Cancer</i> , 2015, 15, 804. | 1.1 | 18 |
| 48 | Prognostic Significance of Forkhead Box M1 (FOXM1) Expression and Antitumor Effect of FOXM1 Inhibition in Angiosarcoma. <i>Journal of Cancer</i> , 2016, 7, 823-830. | 1.2 | 18 |
| 49 | Coexpression of SALL4 with HDAC1 and/or HDAC2 is associated with underexpression of PTEN and poor prognosis in patients with hepatocellular carcinoma. <i>Human Pathology</i> , 2017, 64, 69-75. | 1.1 | 18 |
| 50 | Pancreatic acinar cell carcinoma presenting with panniculitis, successfully treated with FOLFIRINOX: A case report. <i>Molecular and Clinical Oncology</i> , 2017, 6, 866-870. | 0.4 | 18 |
| 51 | Malignant transformation of phosphaturic mesenchymal tumor: a case report and literature review. <i>Clinical Pediatric Endocrinology</i> , 2020, 29, 69-75. | 0.4 | 18 |
| 52 | Obesity is a risk factor for intrahepatic cholangiocarcinoma progression associated with alterations of metabolic activity and immune status. <i>Scientific Reports</i> , 2021, 11, 5845. | 1.6 | 17 |
| 53 | FOXM1 expression in rhabdomyosarcoma: a novel prognostic factor and therapeutic target. <i>Tumor Biology</i> , 2016, 37, 5213-5223. | 0.8 | 16 |
| 54 | Combined primary hepatic neuroendocrine carcinoma and hepatocellular carcinoma with aggressive biological behavior (adverse clinical course): A case report. <i>Pathology Research and Practice</i> , 2017, 213, 1322-1326. | 1.0 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Mucinous phenotype and CD10 expression of primary adenocarcinoma of the small intestine. <i>World Journal of Gastroenterology</i> , 2015, 21, 2700. | 1.4 | 16 |
| 56 | Prognostic significance of FOXM1 expression and antitumor effect of FOXM1 inhibition in synovial sarcomas. <i>BMC Cancer</i> , 2016, 16, 511. | 1.1 | 15 |
| 57 | Spalt-like transcription factor 4 immunopositivity is associated with epithelial cell adhesion molecule expression in combined hepatocellular carcinoma and cholangiocarcinoma. <i>Histopathology</i> , 2016, 68, 693-701. | 1.6 | 15 |
| 58 | Osteogenic differentiation in dedifferentiated liposarcoma: a study of 36 cases in comparison to the cases without ossification. <i>Histopathology</i> , 2018, 72, 729-738. | 1.6 | 15 |
| 59 | PD-L1 and IDO-1 expression in undifferentiated pleomorphic sarcoma: The associations with tumor infiltrating lymphocytes, dMMR and HLA class I. <i>Oncology Reports</i> , 2020, 45, 379-389. | 1.2 | 15 |
| 60 | Insulin-like growth factor II messenger RNA-binding protein 3 expression in gastrointestinal mesenchymal tumors. <i>Human Pathology</i> , 2014, 45, 481-487. | 1.1 | 14 |
| 61 | Elevated non-invasive liver fibrosis markers and risk of liver carcinoma in adult patients after repair of tetralogy of Fallot. <i>International Journal of Cardiology</i> , 2019, 287, 121-126. | 0.8 | 14 |
| 62 | Solid-type poorly differentiated adenocarcinoma of the stomach: Deficiency of mismatch repair and SWI/SNF complex. <i>Cancer Science</i> , 2020, 111, 1008-1019. | 1.7 | 14 |
| 63 | Histological and immunohistochemical features and genetic alterations in the malignant progression of giant cell tumor of bone: a possible association with TP53 mutation and loss of H3K27 trimethylation. <i>Modern Pathology</i> , 2022, 35, 640-648. | 2.9 | 13 |
| 64 | Activation of the Akt/mammalian target of rapamycin pathway in myxofibrosarcomas. <i>Human Pathology</i> , 2014, 45, 984-993. | 1.1 | 12 |
| 65 | A case of intracranial solitary fibrous tumor/hemangiopericytoma with dedifferentiated component. <i>Neuropathology</i> , 2015, 35, 260-265. | 0.7 | 12 |
| 66 | Expression of Forkhead box M1 in soft tissue leiomyosarcoma: Clinicopathologic and <i>in vitro</i> study using a newly established cell line. <i>Cancer Science</i> , 2016, 107, 95-102. | 1.7 | 11 |
| 67 | Soft Tissue Special Issue: Skeletal Muscle Tumors: A Clinicopathological Review. <i>Head and Neck Pathology</i> , 2020, 14, 12-20. | 1.3 | 11 |
| 68 | Lymphocyte-C-reactive protein ratio as a prognostic marker associated with the tumor immune microenvironment in intrahepatic cholangiocarcinoma. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1901-1910. | 1.0 | 11 |
| 69 | Myeloid-derived suppressor cell infiltration is associated with a poor prognosis in patients with hepatocellular carcinoma. <i>Oncology Letters</i> , 2022, 23, 93. | 0.8 | 11 |
| 70 | Malignant solitary fibrous tumor with high-grade nuclear atypia: An alternate entity for the undetermined tumor group. <i>Pathology Research and Practice</i> , 2015, 211, 117-124. | 1.0 | 10 |
| 71 | Activation of the Akt-mTOR and MAPK pathways in dedifferentiated liposarcomas. <i>Tumor Biology</i> , 2016, 37, 4767-4776. | 0.8 | 10 |
| 72 | Programmed death-ligand 1 expression is associated with fibrosarcomatous transformation of dermatofibrosarcoma protuberans. <i>Molecular and Clinical Oncology</i> , 2017, 6, 665-668. | 0.4 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | FOXO3a Expression Regulated by ERK Signaling is Inversely Correlated With β -Box Binding Protein α 1 Expression in Prostate Cancer. <i>Prostate</i> , 2017, 77, 145-153. | 1.2 | 10 |
| 74 | Insulin α -like growth factor β messenger β -RNA β -binding protein β is an independent prognostic factor in uterine leiomyosarcoma. <i>Histopathology</i> , 2018, 72, 739-748. | 1.6 | 10 |
| 75 | Expression of PD-L1, PD-L2, and IDO1 on tumor cells and density of CD8-positive tumor-infiltrating lymphocytes in early-stage lung adenocarcinoma according to histological subtype. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2639-2650. | 1.2 | 10 |
| 76 | Association of PD-L1 and IDO1 expression with JAK α -STAT pathway activation in soft-tissue leiomyosarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1451-1463. | 1.2 | 10 |
| 77 | Impact of Nuclear Factor Erythroid 2 α -Related Factor 2 in Hepatocellular Carcinoma: Cancer Metabolism and Immune Status. <i>Hepatology Communications</i> , 2022, 6, 665-678. | 2.0 | 10 |
| 78 | STAT6-positive intraorbital papillary tumor: A rare variant of solitary fibrous tumor?. <i>Pathology Research and Practice</i> , 2014, 210, 450-453. | 1.0 | 9 |
| 79 | Programmed death ligand 1/indoleamine 2,3-dioxygenase 1 expression and tumor-infiltrating lymphocyte status in renal cell carcinoma with sarcomatoid changes and rhabdoid features. <i>Human Pathology</i> , 2020, 101, 31-39. | 1.1 | 9 |
| 80 | Merkel cell polyomavirus α -negative Merkel cell carcinoma is associated with JAK α -STAT and MEK α -ERK pathway activation. <i>Cancer Science</i> , 2022, 113, 251-260. | 1.7 | 9 |
| 81 | IL α 34 in hepatoblastoma cells potentially promote tumor progression via autocrine and paracrine mechanisms. <i>Cancer Medicine</i> , 2022, 11, 1441-1453. | 1.3 | 9 |
| 82 | Prognostic impact of 8 α -hydroxy α -deoxyguanosine and its repair enzyme 8 α -hydroxy α -deoxyguanosine DNA glycosylase in hepatocellular carcinoma. <i>Pathology International</i> , 2020, 70, 533-541. | 0.6 | 8 |
| 83 | Prognostic significance of the MDM2 / HMG2 ratio and histological tumor grade in dedifferentiated liposarcoma. <i>Genes Chromosomes and Cancer</i> , 2021, 60, 26-37. | 1.5 | 8 |
| 84 | The association between the expression of PD-L1 and CMTM6 in undifferentiated pleomorphic sarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 2003-2011. | 1.2 | 8 |
| 85 | The SWI/SNF chromatin-remodeling complex status in renal cell carcinomas with sarcomatoid or rhabdoid features. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 651-660. | 1.4 | 8 |
| 86 | Efficacy of the NCCV Cocktail α vaccine for refractory pediatric solid tumors: A phase I clinical trial. <i>Cancer Science</i> , 2019, 110, 3650-3662. | 1.7 | 8 |
| 87 | Expression of adhesion molecules and epithelial-mesenchymal transition factors in medullary carcinoma of the colorectum. <i>Human Pathology</i> , 2015, 46, 1257-1266. | 1.1 | 7 |
| 88 | A exceptional collision tumor of primary adrenal angiosarcoma and non-functioning adrenocortical adenoma. <i>Pathology Research and Practice</i> , 2017, 213, 702-705. | 1.0 | 7 |
| 89 | Vocal cord inflammatory myofibroblastic tumor with mucoid deposits harboring TIMP3 α -ALK fusion: A potential diagnostic pitfall. <i>Pathology International</i> , 2019, 69, 366-371. | 0.6 | 7 |
| 90 | Myxoid type and non-myxoid type of intimal sarcoma in large vessels and heart: review of histological and genetic profiles of 20 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 919-925. | 1.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Primary Cardiac T-Cell Lymphoma Localized in the Mitral Valve. <i>Annals of Thoracic Surgery</i> , 2016, 101, 2363-2365. | 0.7 | 6 |
| 92 | Neuronal leucine-rich repeat 1 negatively regulates anaplastic lymphoma kinase in neuroblastoma. <i>Scientific Reports</i> , 2016, 6, 32682. | 1.6 | 6 |
| 93 | Claudin 6 expression is useful to distinguish myxofibrosarcomas from other myxoid soft tissue tumors. <i>Pathology Research and Practice</i> , 2017, 213, 674-679. | 1.0 | 6 |
| 94 | HIF-1 α , MDM2, CDK4, and p16 expression in ischemic fasciitis, focusing on its ischemic condition. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 117-122. | 1.4 | 6 |
| 95 | Radiological Features of IDO1 ⁺ /PDL1 ⁺ Lung Adenocarcinoma: A Retrospective Single-institution Study. <i>Anticancer Research</i> , 2018, 38, 5295-5303. | 0.5 | 6 |
| 96 | Glypican α 3 expression in malignant small round cell tumors. <i>Oncology Letters</i> , 2019, 17, 3523-3528. | 0.8 | 6 |
| 97 | HuCD expression in small round cell tumors and neuroendocrine tumors: a useful tool for distinguishing neuroblastoma from childhood small round cell tumors. <i>Human Pathology</i> , 2019, 85, 162-167. | 1.1 | 6 |
| 98 | Myxoepithelioid tumour with chordoid features: a clinicopathological, immunohistochemical and genetic study of 14 cases of SMARCB1/INI1 α -deficient soft tissue neoplasm. <i>Histopathology</i> , 2021, 79, 629-641. | 1.6 | 6 |
| 99 | Tumor microenvironment in giant cell tumor of bone: evaluation of PD-L1 expression and SIRP α infiltration after denosumab treatment. <i>Scientific Reports</i> , 2021, 11, 14821. | 1.6 | 6 |
| 100 | Clinicopathological and prognostic significance of H3K27 methylation status in malignant peripheral nerve sheath tumor: correlation with skeletal muscle differentiation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 1233-1244. | 1.4 | 6 |
| 101 | Pathological review of cardiac amyloidosis using autopsy cases in a single Japanese institution. <i>Pathology Research and Practice</i> , 2021, 227, 153635. | 1.0 | 6 |
| 102 | Renal cell carcinoma with rhabdoid-like features lack intracytoplasmic inclusion bodies and show aggressive behavior. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 357-367. | 1.4 | 5 |
| 103 | Association between peripheral blood markers and immune-related factors on tumor cells in patients with resected primary lung adenocarcinoma. <i>PLoS ONE</i> , 2019, 14, e0217991. | 1.1 | 5 |
| 104 | The forkhead box M1 (FOXM1) expression and antitumor effect of FOXM1 inhibition in malignant rhabdoid tumor. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1499-1518. | 1.2 | 5 |
| 105 | Brachyury expression in intracranial SMARCB1-deficient tumors: important points for distinguishing poorly differentiated chordoma from atypical teratoid/rhabdoid tumor. <i>Human Pathology</i> , 2021, 112, 1-8. | 1.1 | 5 |
| 106 | Relationship between cellular morphology and abnormality of SWI/SNF complex subunits in pancreatic undifferentiated carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 2945-2957. | 1.2 | 5 |
| 107 | A Retroperitoneal Isolated Enteric Duplication Cyst Mimicking a Teratoma: A Case Report and Literature Review. <i>Case Reports in Radiology</i> , 2016, 2016, 1-5. | 0.5 | 4 |
| 108 | Primary intrahepatic cholangiocarcinoma with sarcomatous stroma: case report and review of the literature. <i>Surgical Case Reports</i> , 2018, 4, 138. | 0.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Anastomosing haemangioma with fatty changes in the perirenal space: a lesion mimicking liposarcoma. <i>BJR case Reports</i> , 2018, 4, 20170022. | 0.1 | 4 |
| 110 | Schizophyllum commune sinusitis after allogeneic bone marrow transplantation for myelodysplastic syndrome: A case report and literature review. <i>Transplant Infectious Disease</i> , 2020, 22, e13205. | 0.7 | 4 |
| 111 | Retroperitoneal Myxofibrosarcoma: A Controversial Entity. <i>Pathology Research and Practice</i> , 2020, 216, 152969. | 1.0 | 4 |
| 112 | Activation of the Akt/mammalian target of rapamycin pathway in combined hepatocellular carcinoma and cholangiocarcinoma: significant correlation between p-4E-BP1 expression in cholangiocarcinoma component and prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 881-890. | 1.4 | 4 |
| 113 | Surgically resected hepatic mass caused by fascioliasis. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 662-667. | 0.4 | 4 |
| 114 | Three cases of synovial sarcoma of gastric wall: A case report and review of the literature. <i>Pathology Research and Practice</i> , 2021, 219, 153352. | 1.0 | 4 |
| 115 | Histological background of dedifferentiated solitary fibrous tumour. <i>Journal of Clinical Pathology</i> , 2022, 75, 397-403. | 1.0 | 4 |
| 116 | Reevaluation of concurrent acetylcholinesterase and hematoxylin and eosin staining for Hirschsprung's disease. <i>Pediatrics International</i> , 2021, 63, 1095-1102. | 0.2 | 4 |
| 117 | Does the Use of Peripheral Immune-Related Markers Indicate Whether to Administer Pazopanib, Trabectedin, or Eribulin to Advanced Soft Tissue Sarcoma Patients?. <i>Journal of Clinical Medicine</i> , 2021, 10, 4972. | 1.0 | 4 |
| 118 | Tumor progression by epithelial-mesenchymal transition in ARID1A- and SMARCA4-aberrant solid-type poorly differentiated gastric adenocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 1063-1075. | 1.4 | 4 |
| 119 | M-CSFR expression in the embryonal component of hepatoblastoma and cell-to-cell interaction between macrophages and hepatoblastoma. <i>Medical Molecular Morphology</i> , 2022, 55, 236-247. | 0.4 | 4 |
| 120 | Comparison between retroperitoneal leiomyosarcoma and dedifferentiated liposarcoma. <i>Pathology Research and Practice</i> , 2017, 213, 634-638. | 1.0 | 3 |
| 121 | The Utility of Muscle-Sparing Axillar Skin Crease Incision with Thoracoscopic Surgery in Children. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2018, 28, 1378-1382. | 0.5 | 3 |
| 122 | Clinicopathological and histopathological review of dedifferentiated liposarcoma: a comprehensive study of 123 primary tumours. <i>Histopathology</i> , 2022, 80, 538-557. | 1.6 | 3 |
| 123 | Approach for reclassification of collecting duct carcinoma and comparative histopathological analysis with SMARCB1/INI1-deficient renal cell carcinoma and fumarate hydratase-deficient renal cell carcinoma. <i>Human Pathology</i> , 2022, 124, 36-44. | 1.1 | 3 |
| 124 | Cancer genomic profiling identified dihydropyrimidine dehydrogenase deficiency in bladder cancer promotes sensitivity to gemcitabine. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 3 |
| 125 | Pancreatic hamartoma: detection of harbouring <i>NAB2::STAT6</i> fusion gene. <i>Histopathology</i> , 0, , . | 1.6 | 3 |
| 126 | Systemic chemotherapy with pronounced efficacy and neutropenia in a granulocyte-colony stimulating factor-producing advanced gastric neuroendocrine carcinoma. <i>Oncology Letters</i> , 2017, 14, 1500-1504. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | A case of autonomous cortisol secretion in a patient with subclinical Cushing's syndrome, GNAS mutation, and paradoxical cortisol response to dexamethasone. <i>BMC Endocrine Disorders</i> , 2019, 19, 13. | 0.9 | 2 |
| 128 | Mitochondrial expression of the DNA repair enzyme OGG1 improves the prognosis of pancreatic ductal adenocarcinoma. <i>Pancreatology</i> , 2020, 20, 1175-1182. | 0.5 | 2 |
| 129 | Acute isolated <i>Aspergillus</i> appendicitis in pediatric leukemia. <i>Journal of Infection and Chemotherapy</i> , 2020, 26, 1229-1231. | 0.8 | 2 |
| 130 | Combined hepatocellular-cholangiocarcinoma after tetralogy of Fallot repair: a case report and review of literature. <i>Pathology Research and Practice</i> , 2020, 216, 152908. | 1.0 | 2 |
| 131 | Establishment and Characterization of a Novel Primitive Yolk Sac Tumour Cell Line, TC587. <i>Anticancer Research</i> , 2020, 40, 759-766. | 0.5 | 2 |
| 132 | Pleuropulmonary Paragonimiasis with Multiple Nodules in the Pleura. <i>Internal Medicine</i> , 2020, 59, 1879-1881. | 0.3 | 2 |
| 133 | Spontaneous Regression of Metachronous Intra-Abdominal Desmoid Tumor in a Patient with Familial Adenomatous Polyposis. <i>Case Reports in Oncology</i> , 2022, 15, 71-77. | 0.3 | 2 |
| 134 | Clinical significance of signal regulatory protein alpha and T cell immunoreceptor with immunoglobulin and immunoreceptor tyrosine-based inhibition motif domain expression in undifferentiated pleomorphic sarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 0, , . | 1.2 | 2 |
| 135 | Aggressive Angiomyxoma of the Pelvis with a Cellular Nodule Composed of Tumor Cells showing Epithelioid Features. <i>Rare Tumors</i> , 2014, 6, 101-104. | 0.3 | 1 |
| 136 | Cancer-testis antigens are predominantly expressed in uterine leiomyosarcoma compared with non-uterine leiomyosarcoma. <i>Oncology Letters</i> , 2017, 15, 441-446. | 0.8 | 1 |
| 137 | Highlighted version successful resection of a tracheal metastasis of rectal cancer: a case report. <i>Journal of Thoracic Disease</i> , 2017, 9, E797-E800. | 0.6 | 1 |
| 138 | Clinicopathological Significance and Antitumor Effect of MPHOSPH1 in Testicular Germ Cell Tumor. <i>Journal of Cancer</i> , 2018, 9, 4440-4448. | 1.2 | 1 |
| 139 | A newborn case of jejunal ALK-negative inflammatory myofibroblastic tumor with <i>ETV6-NTRK3</i> fusion. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27902. | 0.8 | 1 |
| 140 | Successful management to prevent early graft loss due to Seventh-day Syndrome after liver retransplantation: A case report and literature review. <i>Pediatric Transplantation</i> , 2020, 25, e13907. | 0.5 | 1 |
| 141 | Frequent MN1 Gene Mutations in Malignant Peripheral Nerve Sheath Tumor. <i>Anticancer Research</i> , 2020, 40, 6221-6228. | 0.5 | 1 |
| 142 | Limb arteriolar vasculitis induced by pembrolizumab plus chemotherapy in a patient with lung cancer. <i>International Cancer Conference Journal</i> , 2021, 10, 83-86. | 0.2 | 1 |
| 143 | Late recurrence of cancer stem cell-positive colorectal cancer liver metastases after 15 years. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 613-616. | 0.4 | 1 |
| 144 | Salvage robot-assisted radical prostatectomy after carbon ion radiotherapy: a case report. <i>International Cancer Conference Journal</i> , 2021, 10, 96-99. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | Parosteal osteosarcoma with a manifestation of subperiosteal low-grade central osteosarcoma. <i>Skeletal Radiology</i> , 2021, 50, 1903-1907. | 1.2 | 1 |
| 146 | A case of focal nodular hyperplasia with hepatic failure treated with liver transplantation. <i>Clinical Journal of Gastroenterology</i> , 2021, , 1. | 0.4 | 1 |
| 147 | Palisading-like arrangement of immature ganglion cell in myenteric ganglia is a unique pathological feature of immaturity of ganglia. <i>Journal of Pediatric Surgery</i> , 2022, 57, 1269-1273. | 0.8 | 1 |
| 148 | Prediction of Liver Fibrosis Using CT Under Respiratory Control: New Attempt Using Deformation Vectors Obtained by Non-rigid Registration Technique. <i>Anticancer Research</i> , 2019, 39, 1417-1424. | 0.5 | 0 |
| 149 | Successful Urgent Living Donor Liver Transplantation for Massive Liver Necrosis Accompanied by Nonocclusive Mesenteric Ischemia in a Biliary Atresia Infant: A Case Report. <i>Transplantation Proceedings</i> , 2020, 52, 2802-2808. | 0.3 | 0 |
| 150 | Obstructive rectal endometriosis treated by robot-assisted laparoscopic surgery: a case report. <i>Surgical Case Reports</i> , 2020, 6, 211. | 0.2 | 0 |
| 151 | A rare case of esophageal adenocarcinoma with urinary bladder metastasis. <i>International Cancer Conference Journal</i> , 2020, 9, 231-234. | 0.2 | 0 |
| 152 | Surgical Extirpation of a Huge Desmoid Fibromatosis of the Right Buttock: Case Report of a Successful International Collaboration. <i>SN Comprehensive Clinical Medicine</i> , 2021, 3, 1746-1751. | 0.3 | 0 |
| 153 | Successful management of Wilms tumor accompanied by traumatic renal injury: a case report. <i>International Cancer Conference Journal</i> , 2021, 10, 300-304. | 0.2 | 0 |
| 154 | Lenvatinib for poorly differentiated carcinoma of the anterior mediastinum. <i>Respiratory Medicine Case Reports</i> , 2021, 33, 101477. | 0.2 | 0 |
| 155 | Prognostic implication of desmoplastic stroma in synovial sarcoma: a histological review. <i>Pathology Research and Practice</i> , 2021, 228, 153668. | 1.0 | 0 |
| 156 | Autopsy Case of Kawasaki Vasculitis: A Case Report. <i>The Journal of Japanese College of Angiology</i> , 2020, 60, 71-73. | 0.1 | 0 |
| 157 | Clinical, Radiological, and Histopathological Characteristics of Periosteal Chondrosarcoma with a Focus on the Frequency of Medullary Invasion. <i>Journal of Clinical Medicine</i> , 2022, 11, 2062. | 1.0 | 0 |
| 158 | The utility of coreâ€needle tumor biopsy for pediatric patients. <i>Pediatrics International</i> , 2022, 64, . | 0.2 | 0 |