

Kenichi Kohashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3524837/publications.pdf>

Version: 2024-02-01

158
papers

2,953
citations

201385

27
h-index

223531

46
g-index

161
all docs

161
docs citations

161
times ranked

3996
citing authors

#	ARTICLE	IF	CITATIONS
1	Histological background of dedifferentiated solitary fibrous tumour. <i>Journal of Clinical Pathology</i> , 2022, 75, 397-403.	1.0	4
2	Clinicopathological and histopathological review of dedifferentiated liposarcoma: a comprehensive study of 123 primary tumours. <i>Histopathology</i> , 2022, 80, 538-557.	1.6	3
3	Impact of Nuclear Factor Erythroid 2-Related Factor 2 in Hepatocellular Carcinoma: Cancer Metabolism and Immune Status. <i>Hepatology Communications</i> , 2022, 6, 665-678.	2.0	10
4	Merkel cell polyomavirus-negative Merkel cell carcinoma is associated with JAK-STAT and MEK-ERK pathway activation. <i>Cancer Science</i> , 2022, 113, 251-260.	1.7	9
5	Histological and immunohistochemical features and genetic alterations in the malignant progression of giant cell tumor of bone: a possible association with TP53 mutation and loss of H3K27 trimethylation. <i>Modern Pathology</i> , 2022, 35, 640-648.	2.9	13
6	Relationship between cellular morphology and abnormality of SWI/SNF complex subunits in pancreatic undifferentiated carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 2945-2957.	1.2	5
7	Tumor progression by epithelial-mesenchymal transition in ARID1A- and SMARCA4-aberrant solid-type poorly differentiated gastric adenocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 1063-1075.	1.4	4
8	Myeloid-derived suppressor cell infiltration is associated with a poor prognosis in patients with hepatocellular carcinoma. <i>Oncology Letters</i> , 2022, 23, 93.	0.8	11
9	Spontaneous Regression of Metachronous Intra-Abdominal Desmoid Tumor in a Patient with Familial Adenomatous Polyposis. <i>Case Reports in Oncology</i> , 2022, 15, 71-77.	0.3	2
10	IL-34 in hepatoblastoma cells potentially promote tumor progression via autocrine and paracrine mechanisms. <i>Cancer Medicine</i> , 2022, 11, 1441-1453.	1.3	9
11	Myxoid type and non-myxoid type of intimal sarcoma in large vessels and heart: review of histological and genetic profiles of 20 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 919-925.	1.4	7
12	Palisading-like arrangement of immature ganglion cell in myenteric ganglia is a unique pathological feature of immaturity of ganglia. <i>Journal of Pediatric Surgery</i> , 2022, 57, 1269-1273.	0.8	1
13	Approach for reclassification of collecting duct carcinoma and comparative histopathological analysis with SMARCB1/INI1-deficient renal cell carcinoma and fumarate hydratase-deficient renal cell carcinoma. <i>Human Pathology</i> , 2022, 124, 36-44.	1.1	3
14	Clinical, Radiological, and Histopathological Characteristics of Periosteal Chondrosarcoma with a Focus on the Frequency of Medullary Invasion. <i>Journal of Clinical Medicine</i> , 2022, 11, 2062.	1.0	0
15	The utility of core-needle tumor biopsy for pediatric patients. <i>Pediatrics International</i> , 2022, 64, .	0.2	0
16	M-CSFR expression in the embryonal component of hepatoblastoma and cell-to-cell interaction between macrophages and hepatoblastoma. <i>Medical Molecular Morphology</i> , 2022, 55, 236-247.	0.4	4
17	Cancer genomic profiling identified dihydropyrimidine dehydrogenase deficiency in bladder cancer promotes sensitivity to gemcitabine. <i>Scientific Reports</i> , 2022, 12, .	1.6	3
18	Cancer-associated fibroblasts promote hepatocellular carcinoma progression through downregulation of exosomal miR-150-3p. <i>European Journal of Surgical Oncology</i> , 2021, 47, 384-393.	0.5	59

#	ARTICLE	IF	CITATIONS
19	Prognostic impact of tumor microvessels in intrahepatic cholangiocarcinoma: association with tumor-infiltrating lymphocytes. <i>Modern Pathology</i> , 2021, 34, 798-807.	2.9	27
20	The forkhead box M1 (FOXM1) expression and antitumor effect of FOXM1 inhibition in malignant rhabdoid tumor. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1499-1518.	1.2	5
21	Limb arteriolar vasculitis induced by pembrolizumab plus chemotherapy in a patient with lung cancer. <i>International Cancer Conference Journal</i> , 2021, 10, 83-86.	0.2	1
22	Prognostic significance of the MDM2 / HMGA2 ratio and histological tumor grade in dedifferentiated liposarcoma. <i>Genes Chromosomes and Cancer</i> , 2021, 60, 26-37.	1.5	8
23	Association of PD-L1 and IDO1 expression with JAK-STAT pathway activation in soft-tissue leiomyosarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1451-1463.	1.2	10
24	Late recurrence of cancer stem cell-positive colorectal cancer liver metastases after 15 years. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 613-616.	0.4	1
25	Surgically resected hepatic mass caused by fascioliasis. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 662-667.	0.4	4
26	Salvage robot-assisted radical prostatectomy after carbon ion radiotherapy: a case report. <i>International Cancer Conference Journal</i> , 2021, 10, 96-99.	0.2	1
27	Three cases of synovial sarcoma of gastric wall: A case report and review of the literature. <i>Pathology Research and Practice</i> , 2021, 219, 153352.	1.0	4
28	Obesity is a risk factor for intrahepatic cholangiocarcinoma progression associated with alterations of metabolic activity and immune status. <i>Scientific Reports</i> , 2021, 11, 5845.	1.6	17
29	Parosteal osteosarcoma with a manifestation of subperiosteal low-grade central osteosarcoma. <i>Skeletal Radiology</i> , 2021, 50, 1903-1907.	1.2	1
30	Surgical Extirpation of a Huge Desmoid Fibromatosis of the Right Buttock: Case Report of a Successful International Collaboration. <i>SN Comprehensive Clinical Medicine</i> , 2021, 3, 1746-1751.	0.3	0
31	The association between the expression of PD-L1 and CMTM6 in undifferentiated pleomorphic sarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 2003-2011.	1.2	8
32	Brachyury expression in intracranial SMARCB1-deficient tumors: important points for distinguishing poorly differentiated chordoma from atypical teratoid/rhabdoid tumor. <i>Human Pathology</i> , 2021, 112, 1-8.	1.1	5
33	Morphological, immunohistochemical, and genomic analyses of papillary renal neoplasm with reverse polarity. <i>Human Pathology</i> , 2021, 112, 48-58.	1.1	24
34	Lymphocyte-C-reactive protein ratio as a prognostic marker associated with the tumor immune microenvironment in intrahepatic cholangiocarcinoma. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1901-1910.	1.0	11
35	Successful management of Wilms tumor accompanied by traumatic renal injury: a case report. <i>International Cancer Conference Journal</i> , 2021, 10, 300-304.	0.2	0
36	Reevaluation of concurrent acetylcholinesterase and hematoxylin and eosin staining for Hirschsprung's disease. <i>Pediatrics International</i> , 2021, 63, 1095-1102.	0.2	4

#	ARTICLE	IF	CITATIONS
37	Myxoeipithelioid tumour with chordoid features: a clinicopathological, immunohistochemical and genetic study of 14 cases of SMARCB1/INI1-deficient soft-tissue neoplasm. <i>Histopathology</i> , 2021, 79, 629-641.	1.6	6
38	Tumor microenvironment in giant cell tumor of bone: evaluation of PD-L1 expression and SIRP α infiltration after denosumab treatment. <i>Scientific Reports</i> , 2021, 11, 14821.	1.6	6
39	Clinicopathological and prognostic significance of H3K27 methylation status in malignant peripheral nerve sheath tumor: correlation with skeletal muscle differentiation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 1233-1244.	1.4	6
40	Pathological review of cardiac amyloidosis using autopsy cases in a single Japanese institution. <i>Pathology Research and Practice</i> , 2021, 227, 153635.	1.0	6
41	Lenvatinib for poorly differentiated carcinoma of the anterior mediastinum. <i>Respiratory Medicine Case Reports</i> , 2021, 33, 101477.	0.2	0
42	Prognostic implication of desmoplastic stroma in synovial sarcoma: a histological review. <i>Pathology Research and Practice</i> , 2021, 228, 153668.	1.0	0
43	Does the Use of Peripheral Immune-Related Markers Indicate Whether to Administer Pazopanib, Trabectedin, or Eribulin to Advanced Soft Tissue Sarcoma Patients?. <i>Journal of Clinical Medicine</i> , 2021, 10, 4972.	1.0	4
44	A case of focal nodular hyperplasia with hepatic failure treated with liver transplantation. <i>Clinical Journal of Gastroenterology</i> , 2021, , 1.	0.4	1
45	Schizophyllum commune sinusitis after allogeneic bone marrow transplantation for myelodysplastic syndrome: A case report and literature review. <i>Transplant Infectious Disease</i> , 2020, 22, e13205.	0.7	4
46	Diagnostic utility of pan- α -Trk immunohistochemistry for inflammatory myofibroblastic tumours. <i>Histopathology</i> , 2020, 76, 774-778.	1.6	23
47	Integrated multiomics analysis of hepatoblastoma unravels its heterogeneity and provides novel druggable targets. <i>Npj Precision Oncology</i> , 2020, 4, 20.	2.3	30
48	Successful Urgent Living Donor Liver Transplantation for Massive Liver Necrosis Accompanied by Nonocclusive Mesenteric Ischemia in a Biliary Atresia Infant: A Case Report. <i>Transplantation Proceedings</i> , 2020, 52, 2802-2808.	0.3	0
49	Mitochondrial expression of the DNA repair enzyme OGG1 improves the prognosis of pancreatic ductal adenocarcinoma. <i>Pancreatology</i> , 2020, 20, 1175-1182.	0.5	2
50	Acute isolated Aspergillus appendicitis in pediatric leukemia. <i>Journal of Infection and Chemotherapy</i> , 2020, 26, 1229-1231.	0.8	2
51	Successful management to prevent early graft loss due to Seventh-day Syndrome after liver retransplantation: A case report and literature review. <i>Pediatric Transplantation</i> , 2020, 25, e13907.	0.5	1
52	Obstructive rectal endometriosis treated by robot-assisted laparoscopic surgery: a case report. <i>Surgical Case Reports</i> , 2020, 6, 211.	0.2	0
53	A rare case of esophageal adenocarcinoma with urinary bladder metastasis. <i>International Cancer Conference Journal</i> , 2020, 9, 231-234.	0.2	0
54	Frequent MN1 Gene Mutations in Malignant Peripheral Nerve Sheath Tumor. <i>Anticancer Research</i> , 2020, 40, 6221-6228.	0.5	1

#	ARTICLE	IF	CITATIONS
55	Prognostic impact of 8-hydroxydeoxyguanosine and its repair enzyme 8-hydroxydeoxyguanosine DNA glycosylase in hepatocellular carcinoma. <i>Pathology International</i> , 2020, 70, 533-541.	0.6	8
56	PD-L1 and IDO1 expression and tumor-infiltrating lymphocytes in osteosarcoma patients: comparative study of primary and metastatic lesions. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2607-2620.	1.2	21
57	Expression of PD-L1, PD-L2, and IDO1 on tumor cells and density of CD8-positive tumor-infiltrating lymphocytes in early-stage lung adenocarcinoma according to histological subtype. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2639-2650.	1.2	10
58	Programmed death ligand 1/indoleamine 2,3-dioxygenase 1 expression and tumor-infiltrating lymphocyte status in renal cell carcinoma with sarcomatoid changes and rhabdoid features. <i>Human Pathology</i> , 2020, 101, 31-39.	1.1	9
59	Combined hepatocellular-cholangiocarcinoma after tetralogy of Fallot repair: a case report and review of literature. <i>Pathology Research and Practice</i> , 2020, 216, 152908.	1.0	2
60	Retroperitoneal Myxofibrosarcoma: A Controversial Entity. <i>Pathology Research and Practice</i> , 2020, 216, 152969.	1.0	4
61	Solid-type poorly differentiated adenocarcinoma of the stomach: Deficiency of mismatch repair and SWI/SNF complex. <i>Cancer Science</i> , 2020, 111, 1008-1019.	1.7	14
62	Establishment and Characterization of a Novel Primitive Yolk Sac Tumour Cell Line, TC587. <i>Anticancer Research</i> , 2020, 40, 759-766.	0.5	2
63	Impact of Immune Response on Outcomes in Hepatocellular Carcinoma: Association With Vascular Formation. <i>Hepatology</i> , 2020, 72, 1987-1999.	3.6	78
64	Soft Tissue Special Issue: Skeletal Muscle Tumors: A Clinicopathological Review. <i>Head and Neck Pathology</i> , 2020, 14, 12-20.	1.3	11
65	Activation of the Akt/mammalian target of rapamycin pathway in combined hepatocellular carcinoma and cholangiocarcinoma: significant correlation between p-4E-BP1 expression in cholangiocarcinoma component and prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 881-890.	1.4	4
66	Malignant transformation of phosphaturic mesenchymal tumor: a case report and literature review. <i>Clinical Pediatric Endocrinology</i> , 2020, 29, 69-75.	0.4	18
67	The SWI/SNF chromatin-remodeling complex status in renal cell carcinomas with sarcomatoid or rhabdoid features. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 651-660.	1.4	8
68	PD-L1 and IDO-1 expression in undifferentiated pleomorphic sarcoma: The associations with tumor infiltrating lymphocytes, dMMR and HLA class I. <i>Oncology Reports</i> , 2020, 45, 379-389.	1.2	15
69	Autopsy Case of Kawasaki Vasculitis: A Case Report. <i>The Journal of Japanese College of Angiology</i> , 2020, 60, 71-73.	0.1	0
70	Pleuropulmonary Paragonimiasis with Multiple Nodules in the Pleura. <i>Internal Medicine</i> , 2020, 59, 1879-1881.	0.3	2
71	Clinicopathological review of solitary fibrous tumors: dedifferentiation is a major cause of patient death. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 467-477.	1.4	40
72	Solitary fibrous tumor in the liver: case report and literature review. <i>Surgical Case Reports</i> , 2019, 5, 68.	0.2	23

#	ARTICLE	IF	CITATIONS
73	A newborn case of jejunal ALK-negative inflammatory myofibroblastic tumor with <i>ETV6-NTRK3</i> fusion. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27902.	0.8	1
74	The outcome of real-time evaluation of biliary flow using near-infrared fluorescence cholangiography with Indocyanine green in biliary atresia surgery. <i>Journal of Pediatric Surgery</i> , 2019, 54, 2574-2578.	0.8	22
75	A case of autonomous cortisol secretion in a patient with subclinical Cushing's syndrome, GNAS mutation, and paradoxical cortisol response to dexamethasone. <i>BMC Endocrine Disorders</i> , 2019, 19, 13.	0.9	2
76	Vocal cord inflammatory myofibroblastic tumor with mucoid deposits harboring <i>TIMP3-ALK</i> fusion: A potential diagnostic pitfall. <i>Pathology International</i> , 2019, 69, 366-371.	0.6	7
77	Association between peripheral blood markers and immune-related factors on tumor cells in patients with resected primary lung adenocarcinoma. <i>PLoS ONE</i> , 2019, 14, e0217991.	1.1	5
78	Elevated non-invasive liver fibrosis markers and risk of liver carcinoma in adult patients after repair of tetralogy of Fallot. <i>International Journal of Cardiology</i> , 2019, 287, 121-126.	0.8	14
79	Prediction of Liver Fibrosis Using CT Under Respiratory Control: New Attempt Using Deformation Vectors Obtained by Non-rigid Registration Technique. <i>Anticancer Research</i> , 2019, 39, 1417-1424.	0.5	0
80	Navigation surgery using indocyanine green fluorescent imaging for hepatoblastoma patients. <i>Pediatric Surgery International</i> , 2019, 35, 551-557.	0.6	50
81	Glypican-3 expression in malignant small round cell tumors. <i>Oncology Letters</i> , 2019, 17, 3523-3528.	0.8	6
82	HuC/D expression in small round cell tumors and neuroendocrine tumors: a useful tool for distinguishing neuroblastoma from childhood small round cell tumors. <i>Human Pathology</i> , 2019, 85, 162-167.	1.1	6
83	Co-expression of IDO1 and PD-L1 in lung squamous cell carcinoma: Potential targets of novel combination therapy. <i>Lung Cancer</i> , 2019, 128, 26-32.	0.9	24
84	Efficacy of the NCCV Cocktail vaccine for refractory pediatric solid tumors: A phase I clinical trial. <i>Cancer Science</i> , 2019, 110, 3650-3662.	1.7	8
85	PD-L1 expression according to the EGFR status in primary lung adenocarcinoma. <i>Lung Cancer</i> , 2018, 116, 1-6.	0.9	51
86	Immunohistochemical evaluation of H3K27 trimethylation in malignant peripheral nerve sheath tumors. <i>Pathology Research and Practice</i> , 2018, 214, 417-425.	1.0	36
87	Osteogenic differentiation in dedifferentiated liposarcoma: a study of 36 cases in comparison to the cases without ossification. <i>Histopathology</i> , 2018, 72, 729-738.	1.6	15
88	Insulin-like growth factor messenger RNA-binding protein-3 is an independent prognostic factor in uterine leiomyosarcoma. <i>Histopathology</i> , 2018, 72, 739-748.	1.6	10
89	CNS high-grade neuroepithelial tumor with <i>BCOR</i> internal tandem duplication: a comparison with its counterparts in the kidney and soft tissue. <i>Brain Pathology</i> , 2018, 28, 710-720.	2.1	67
90	Diagnostic utility of histone H3.3 G34W, G34R, and G34V mutant-specific antibodies for giant cell tumors of bone. <i>Human Pathology</i> , 2018, 73, 41-50.	1.1	81

#	ARTICLE	IF	CITATIONS
91	Phase I study of glypican-3-derived peptide vaccine therapy for patients with refractory pediatric solid tumors. <i>Oncolmmunology</i> , 2018, 7, e1377872.	2.1	39
92	Primary intrahepatic cholangiocarcinoma with sarcomatous stroma: case report and review of the literature. <i>Surgical Case Reports</i> , 2018, 4, 138.	0.2	4
93	Clinicopathological Significance and Antitumor Effect of MPHOSPH1 in Testicular Germ Cell Tumor. <i>Journal of Cancer</i> , 2018, 9, 4440-4448.	1.2	1
94	Radiological Features of IDO1⁺/PDL1⁺ Lung Adenocarcinoma: A Retrospective Single-institution Study. <i>Anticancer Research</i> , 2018, 38, 5295-5303.	0.5	6
95	Anastomosing haemangioma with fatty changes in the perirenal space: a lesion mimicking liposarcoma. <i>BJR case Reports</i> , 2018, 4, 20170022.	0.1	4
96	Indoleamine 2,3-dioxygenase 1 and programmed cell death-ligand 1 co-expression correlates with aggressive features in lung adenocarcinoma. <i>European Journal of Cancer</i> , 2018, 101, 20-29.	1.3	35
97	The Utility of Muscle-Sparing Axillar Skin Crease Incision with Thoracoscopic Surgery in Children. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2018, 28, 1378-1382.	0.5	3
98	The incidence and outcome of allied disorders of Hirschsprung's disease in Japan: Results from a nationwide survey. <i>Asian Journal of Surgery</i> , 2017, 40, 29-34.	0.2	51
99	Claudin 6 expression is useful to distinguish myxofibrosarcomas from other myxoid soft tissue tumors. <i>Pathology Research and Practice</i> , 2017, 213, 674-679.	1.0	6
100	Primary extraskeletal osteosarcoma: a clinicopathological study of 18 cases focusing on MDM2 amplification status. <i>Human Pathology</i> , 2017, 63, 63-69.	1.1	19
101	Histological and immunohistochemical characteristics of undifferentiated small round cell sarcomas associated with CIC-DUX4 and BCOR-CCNB3 fusion genes. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 373-380.	1.4	84
102	Oncogenic roles of <sc>SMARCB</sc>1<sc>INI</sc>1 and its deficient tumors. <i>Cancer Science</i> , 2017, 108, 547-552.	1.7	147
103	Coexpression of SALL4 with HDAC1 and/or HDAC2 is associated with underexpression of PTEN and poor prognosis in patients with hepatocellular carcinoma. <i>Human Pathology</i> , 2017, 64, 69-75.	1.1	18
104	HIF-1 \pm , MDM2, CDK4, and p16 expression in ischemic fasciitis, focusing on its ischemic condition. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 117-122.	1.4	6
105	Programmed death-ligand 1 expression is associated with fibrosarcomatous transformation of dermatofibrosarcoma protuberans. <i>Molecular and Clinical Oncology</i> , 2017, 6, 665-668.	0.4	10
106	A exceptional collision tumor of primary adrenal angiosarcoma and non-functioning adrenocortical adenoma. <i>Pathology Research and Practice</i> , 2017, 213, 702-705.	1.0	7
107	Pancreatic acinar cell carcinoma presenting with panniculitis, successfully treated with FOLFIRINOX: A case report. <i>Molecular and Clinical Oncology</i> , 2017, 6, 866-870.	0.4	18
108	Comparison between retroperitoneal leiomyosarcoma and dedifferentiated liposarcoma. <i>Pathology Research and Practice</i> , 2017, 213, 634-638.	1.0	3

#	ARTICLE	IF	CITATIONS
109	SMARCA4-deficient thoracic sarcoma: report of a case and insights into how to reach the diagnosis using limited samples and resources. <i>Human Pathology</i> , 2017, 70, 92-97.	1.1	32
110	Cancer-testis antigen expression in synovial sarcoma: NY-ESO-1, PRAME, MAGEA4, and MAGEA1. <i>Human Pathology</i> , 2017, 61, 130-139.	1.1	80
111	Inflammatory myofibroblastic tumors of the lung carrying a chimeric A2M-ALK gene: report of 2 infantile cases and review of the differential diagnosis of infantile pulmonary lesions. <i>Human Pathology</i> , 2017, 66, 177-182.	1.1	21
112	Alteration of PDGFR ^β -Akt-mTOR pathway signaling in fibrosarcomatous transformation of dermatofibrosarcoma protuberans. <i>Human Pathology</i> , 2017, 67, 60-68.	1.1	21
113	MAGEA4 expression in bone and soft tissue tumors: its utility as a target for immunotherapy and diagnostic marker combined with NY-ESO-1. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 383-392.	1.4	32
114	Soft tissue sarcomas: From a morphological to a molecular biological approach. <i>Pathology International</i> , 2017, 67, 435-446.	0.6	32
115	Systemic chemotherapy with pronounced efficacy and neutropenia in a granulocyte-colony stimulating factor-producing advanced gastric neuroendocrine carcinoma. <i>Oncology Letters</i> , 2017, 14, 1500-1504.	0.8	2
116	A novel fusion gene CRTC3-MAML2 in hidradenoma: histopathological significance. <i>Human Pathology</i> , 2017, 70, 55-61.	1.1	36
117	Combined primary hepatic neuroendocrine carcinoma and hepatocellular carcinoma with aggressive biological behavior (adverse clinical course): A case report. <i>Pathology Research and Practice</i> , 2017, 213, 1322-1326.	1.0	16
118	FOXO3a Expression Regulated by ERK Signaling is Inversely Correlated With Fox Binding Protein1 Expression in Prostate Cancer. <i>Prostate</i> , 2017, 77, 145-153.	1.2	10
119	Cancer-testis antigens are predominantly expressed in uterine leiomyosarcoma compared with non-uterine leiomyosarcoma. <i>Oncology Letters</i> , 2017, 15, 441-446.	0.8	1
120	Highlighted version successful resection of a tracheal metastasis of rectal cancer: a case report. <i>Journal of Thoracic Disease</i> , 2017, 9, E797-E800.	0.6	1
121	Association Between PD-L1 Expression and Metabolic Activity on 18F-FDG PET/CT in Patients with Small-sized Lung Cancer. <i>Anticancer Research</i> , 2017, 37, 7073-7082.	0.5	32
122	Prognostic Significance of Forkhead Box M1 (FOXM1) Expression and Antitumor Effect of FOXM1 Inhibition in Angiosarcoma. <i>Journal of Cancer</i> , 2016, 7, 823-830.	1.2	18
123	A Retroperitoneal Isolated Enteric Duplication Cyst Mimicking a Teratoma: A Case Report and Literature Review. <i>Case Reports in Radiology</i> , 2016, 2016, 1-5.	0.5	4
124	Prognostic significance of FOXM1 expression and antitumor effect of FOXM1 inhibition in synovial sarcomas. <i>BMC Cancer</i> , 2016, 16, 511.	1.1	15
125	Prognostic significance of forkhead box M1 (FoxM1) expression and antitumour effect of FoxM1 inhibition in melanoma. <i>Histopathology</i> , 2016, 69, 63-71.	1.6	27
126	<i>ALK</i> , <i>ROS1</i> and <i>NTRK3</i> gene rearrangements in inflammatory myofibroblastic tumours. <i>Histopathology</i> , 2016, 69, 72-83.	1.6	164

#	ARTICLE	IF	CITATIONS
127	Spaltin transcription factor 4 immunopositivity is associated with epithelial cell adhesion molecule expression in combined hepatocellular carcinoma and cholangiocarcinoma. <i>Histopathology</i> , 2016, 68, 693-701.	1.6	15
128	Histological spectrum of angiofibroma of soft tissue: histological and genetic analysis of 13 cases. <i>Histopathology</i> , 2016, 69, 459-469.	1.6	33
129	Primary Cardiac T-Cell Lymphoma Localized in the Mitral Valve. <i>Annals of Thoracic Surgery</i> , 2016, 101, 2363-2365.	0.7	6
130	Management of T1 colorectal cancers after endoscopic treatment based on the risk stratification of lymph node metastasis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1126-1132.	1.4	73
131	Neuronal leucine-rich repeat 1 negatively regulates anaplastic lymphoma kinase in neuroblastoma. <i>Scientific Reports</i> , 2016, 6, 32682.	1.6	6
132	Reclassification of rhabdoid tumor and pediatric undifferentiated/unclassified sarcoma with complete loss of SMARCB1/INI1 protein expression: three subtypes of rhabdoid tumor according to their histological features. <i>Modern Pathology</i> , 2016, 29, 1232-1242.	2.9	19
133	Activation of the Akt-mTOR and MAPK pathways in dedifferentiated liposarcomas. <i>Tumor Biology</i> , 2016, 37, 4767-4776.	0.8	10
134	Renal cell carcinoma with rhabdoid-like features lack intracytoplasmic inclusion bodies and show aggressive behavior. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 357-367.	1.4	5
135	FOXM1 expression in rhabdomyosarcoma: a novel prognostic factor and therapeutic target. <i>Tumor Biology</i> , 2016, 37, 5213-5223.	0.8	16
136	Expression of Forkhead box M1 in soft tissue leiomyosarcoma: Clinicopathologic and <i>in vitro</i> study using a newly established cell line. <i>Cancer Science</i> , 2016, 107, 95-102.	1.7	11
137	Elevated expression of HSP90 and the antitumor effect of an HSP90 inhibitor via inactivation of the Akt/mTOR pathway in undifferentiated pleomorphic sarcoma. <i>BMC Cancer</i> , 2015, 15, 804.	1.1	18
138	Expression of adhesion molecules and epithelial-mesenchymal transition factors in medullary carcinoma of the colorectum. <i>Human Pathology</i> , 2015, 46, 1257-1266.	1.1	7
139	ERG and SALL4 expressions in SMARCB1/INI1-deficient tumors: a useful tool for distinguishing epithelioid sarcoma from malignant rhabdoid tumor. <i>Human Pathology</i> , 2015, 46, 225-230.	1.1	44
140	Malignant solitary fibrous tumor with high-grade nuclear atypia: An alternate entity for the undetermined tumor group. <i>Pathology Research and Practice</i> , 2015, 211, 117-124.	1.0	10
141	A case of intracranial solitary fibrous tumor/hemangiopericytoma with dedifferentiated component. <i>Neuropathology</i> , 2015, 35, 260-265.	0.7	12
142	Glypican 3 Expression in Pediatric Malignant Solid Tumors. <i>European Journal of Pediatric Surgery</i> , 2015, 25, 138-144.	0.7	28
143	Mucinous phenotype and CD10 expression of primary adenocarcinoma of the small intestine. <i>World Journal of Gastroenterology</i> , 2015, 21, 2700.	1.4	16
144	Aggressive Angiomyxoma of the Pelvis with a Cellular Nodule Composed of Tumor Cells showing Epithelioid Features. <i>Rare Tumors</i> , 2014, 6, 101-104.	0.3	1

#	ARTICLE	IF	CITATIONS
145	Insulin-like growth factor II messenger RNA-binding protein 3 expression in gastrointestinal mesenchymal tumors. <i>Human Pathology</i> , 2014, 45, 481-487.	1.1	14
146	Differential microRNA expression profiles between malignant rhabdoid tumor and epithelioid sarcoma: miR193a-5p is suggested to downregulate SMARCB1 mRNA expression. <i>Modern Pathology</i> , 2014, 27, 832-839.	2.9	28
147	Close correlation between CXCR4 and VEGF expression and frequent CXCR7 expression in rhabdomyosarcoma. <i>Human Pathology</i> , 2014, 45, 1900-1909.	1.1	18
148	Activation of the Akt/mammalian target of rapamycin pathway in myxofibrosarcomas. <i>Human Pathology</i> , 2014, 45, 984-993.	1.1	12
149	STAT6-positive intraorbital papillary tumor: A rare variant of solitary fibrous tumor?. <i>Pathology Research and Practice</i> , 2014, 210, 450-453.	1.0	9
150	Glypican 3 expression in tumors with loss of SMARCB1/INI1 protein expression. <i>Human Pathology</i> , 2013, 44, 526-533.	1.1	28
151	Reduced expression of SMARCB1/INI1 protein in synovial sarcoma. <i>Modern Pathology</i> , 2010, 23, 981-990.	2.9	111
152	Multifocal metanephric adenoma in childhood. <i>Pathology International</i> , 2009, 59, 49-52.	0.6	20
153	Infrequent SMARCB1/INI1 gene alteration in epithelioid sarcoma: a useful tool in distinguishing epithelioid sarcoma from malignant rhabdoid tumor. <i>Human Pathology</i> , 2009, 40, 349-355.	1.1	119
154	Alterations of RB1 gene in embryonal and alveolar rhabdomyosarcoma: special reference to utility of pRB immunoreactivity in differential diagnosis of rhabdomyosarcoma subtype. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008, 134, 1097-1103.	1.2	36
155	SMARCB1/INI1 Protein Expression in Round Cell Soft Tissue Sarcomas Associated With Chromosomal Translocations Involving EWS: A Special Reference to SMARCB1/INI1 Negative Variant Extraskeletal Myxoid Chondrosarcoma. <i>American Journal of Surgical Pathology</i> , 2008, 32, 1168-1174.	2.1	132
156	Highly aggressive behavior of malignant rhabdoid tumor: a special reference to SMARCB1/INI1 gene alterations using molecular genetic analysis including quantitative real-time PCR. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007, 133, 817-824.	1.2	40
157	Clinical significance of signal regulatory protein alpha and T cell immunoreceptor with immunoglobulin and immunoreceptor tyrosine-based inhibition motif domain expression in undifferentiated pleomorphic sarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 0, , .	1.2	2
158	Pancreatic hamartoma: detection of harbouring <i>NAB2::STAT6</i> fusion gene. <i>Histopathology</i> , 0, , .	1.6	3