List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3524898/publications.pdf Version: 2024-02-01



Ενιλ ΡΔανιμαρκ

#	Article	IF	CITATIONS
1	Increased prevalence of allergic asthma from 1996 to 2006 and further to 2016—results from three population surveys. Clinical and Experimental Allergy, 2017, 47, 1426-1435.	1.4	176
2	Allergy to furry animals: New insights, diagnostic approaches, and challenges. Journal of Allergy and Clinical Immunology, 2015, 135, 616-625.	1.5	145
3	Is asthma prevalence still increasing?. Expert Review of Respiratory Medicine, 2016, 10, 39-51.	1.0	134
4	Large scale questionnaire survey on respiratory health in Sweden: Effects of late- and non-response. Respiratory Medicine, 2009, 103, 1807-1815.	1.3	128
5	Age-specific incidence of allergic and non-allergic asthma. BMC Pulmonary Medicine, 2020, 20, 9.	0.8	109
6	Remission and Persistence of Asthma Followed From 7 to 19 Years of Age. Pediatrics, 2013, 132, e435-e442.	1.0	94
7	Prevalence trends in respiratory symptoms and asthma in relation to smoking - two cross-sectional studies ten years apart among adults in northern Sweden. World Allergy Organization Journal, 2014, 7, 1.	1.6	91
8	Passive Smoking Exposure Is Associated With Increased Risk of COPD in Never Smokers. Chest, 2014, 145, 1298-1304.	0.4	88
9	Association of Electronic Cigarette Use With Smoking Habits, Demographic Factors, and Respiratory Symptoms. JAMA Network Open, 2018, 1, e180789.	2.8	86
10	Outcome and severity of adult onset asthma—Report from the obstructive lung disease in northern Sweden studies (OLIN). Respiratory Medicine, 2007, 101, 2370-2377.	1.3	78
11	Low incidence and high remission of allergic sensitization among adults. Journal of Allergy and Clinical Immunology, 2012, 129, 136-142.	1.5	76
12	Remission of asthma in the middle aged and elderly: report from the Obstructive Lung Disease in Northern Sweden study. Thorax, 1999, 54, 611-613.	2.7	72
13	Severe asthma—A population study perspective. Clinical and Experimental Allergy, 2019, 49, 819-828.	1.4	70
14	Evaluation of the global lung function initiative 2012 reference values for spirometry in a Swedish population sample. BMC Pulmonary Medicine, 2015, 15, 26.	0.8	66
15	Allergic sensitization is age-dependently associated with rhinitis, but less so with asthma. Journal of Allergy and Clinical Immunology, 2015, 136, 1559-1565.e2.	1.5	56
16	Restrictive spirometric pattern in the general adult population: Methods of defining the condition and consequences on prevalence. Respiratory Medicine, 2016, 120, 116-123.	1.3	52
17	Decreased prevalence of moderate to severe COPD over 15 years in northern Sweden. Respiratory Medicine, 2016, 114, 103-110.	1.3	51
18	Increase in sensitization to common airborne allergens among adults – two population-based studies 15Âyears apart. Allergy, Asthma and Clinical Immunology, 2013, 9, 20.	0.9	49

#	Article	IF	CITATIONS
19	Relevance of specific IgE antibody titer to the prevalence, severity, and persistence of asthma among 19-year-olds in northern Sweden. Journal of Allergy and Clinical Immunology, 2016, 138, 1582-1590.	1.5	48
20	No further increase of incidence of asthma: Incidence, remission and relapse of adult asthma in Sweden. Respiratory Medicine, 2008, 102, 1730-1736.	1.3	46
21	Adult-onset asthma in west Sweden – Incidence, sex differences and impact of occupational exposures. Respiratory Medicine, 2011, 105, 1622-1628.	1.3	45
22	Physical activity and fatigue in chronic obstructive pulmonary disease – A population based study. Respiratory Medicine, 2015, 109, 1048-1057.	1.3	44
23	Conventional epidemiology underestimates the incidence of asthma and wheezeâ€a longitudinal populationâ€based study among teenagers. Clinical and Translational Allergy, 2012, 2, 1.	1.4	42
24	Prevalence and risk factors of COPD among never-smokers in two areas of Sweden – Occupational exposure to gas, dust or fumes is an important risk factor. Respiratory Medicine, 2015, 109, 1439-1445.	1.3	42
25	Age- and gender-specific incidence of new asthma diagnosis from childhood to late adulthood. Respiratory Medicine, 2019, 154, 56-62.	1.3	42
26	Subjects with COPD and productive cough have an increased risk for exacerbations and death. Respiratory Medicine, 2015, 109, 88-95.	1.3	38
27	Occupational exposure to chemicals drives the increased risk of asthma and rhinitis observed for exposure to vapours, gas, dust and fumes: a cross-sectional population-based study. Occupational and Environmental Medicine, 2016, 73, 663-669.	1.3	36
28	Survival in individuals with severe alpha 1-antitrypsin deficiency (PiZZ) in comparison to a general population with known smoking habits. European Respiratory Journal, 2017, 50, 1700198.	3.1	36
29	Increase in Allergic Sensitization in Schoolchildren: Two Cohorts Compared 10 Years Apart. Journal of Allergy and Clinical Immunology: in Practice, 2017, 5, 457-463.e1.	2.0	35
30	Different risk factor patterns for adult asthma, rhinitis and eczema: results from West Sweden Asthma Study. Clinical and Translational Allergy, 2016, 6, 28.	1.4	33
31	Assessment of Allergy to Milk, Egg, Cod, and Wheat in Swedish Schoolchildren: A Population Based Cohort Study. PLoS ONE, 2015, 10, e0131804.	1.1	33
32	Reference values for spirometry – report from the Obstructive Lung Disease in Northern Sweden studies. European Clinical Respiratory Journal, 2015, 2, 26375.	0.7	30
33	Characterization of sensitization to furry animal allergen components in an adult population. Clinical and Experimental Allergy, 2019, 49, 495-505.	1.4	28
34	Furry Animal Allergen Component Sensitization and Clinical Outcomes in Adult Asthma and Rhinitis. Journal of Allergy and Clinical Immunology: in Practice, 2019, 7, 1230-1238.e4.	2.0	26
35	Swimming pool attendance is related to asthma among atopic school children: a population-based study. Environmental Health, 2015, 14, 37.	1.7	25
36	Adolescent girls with asthma have worse asthma control and healthâ€related quality of life than boys—A population based study. Pediatric Pulmonology, 2017, 52, 866-872.	1.0	24

#	Article	IF	CITATIONS
37	Decreased COPD prevalence in Sweden after decades of decrease in smoking. Respiratory Research, 2020, 21, 283.	1.4	24
38	Asthma Remission by Age at Diagnosis and Gender in a Population-Based Study. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 1950-1959.e4.	2.0	23
39	A population-based cohort of adults with asthma: mortality and participation in a long-term follow-up. European Clinical Respiratory Journal, 2017, 4, 1334508.	0.7	22
40	The impact of comorbidities on mortality among men and women with COPD: report from the OLIN COPD study. Therapeutic Advances in Respiratory Disease, 2019, 13, 175346661986005.	1.0	22
41	A dynamic relationship between two regional causes of IgE-mediated anaphylaxis: α-Gal syndrome and imported fire ant. Journal of Allergy and Clinical Immunology, 2021, 147, 643-652.e7.	1.5	22
42	Only severe COPD is associated with being underweight : results from a population survey. ERJ Open Research, 2016, 2, 00051-2015.	1.1	19
43	Chronic airway obstruction in a population-based adult asthma cohort: Prevalence, incidence and prognostic factors. Respiratory Medicine, 2018, 138, 115-122.	1.3	19
44	Severe asthma is related to high societal costs and decreased health related quality of life. Respiratory Medicine, 2020, 162, 105860.	1.3	19
45	FEV1 decline in relation to blood eosinophils and neutrophils in a population-based asthma cohort. World Allergy Organization Journal, 2020, 13, 100110.	1.6	19
46	Changes in lung function in European adults born between 1884 and 1996 and implications for the diagnosis of lung disease: a cross-sectional analysis of ten population-based studies. Lancet Respiratory Medicine,the, 2022, 10, 83-94.	5.2	19
47	Remission of adult-onset asthma is rare: a 15-year follow-up study. ERJ Open Research, 2020, 6, 00620-2020.	1.1	18
48	High incidence and remission of reported food hypersensitivity in Swedish children followed from 8 to 12 years of age – a population based cohort study. Clinical and Translational Allergy, 2014, 4, 32.	1.4	15
49	Early life swimming pool exposure and asthma onset in children – a case-control study. Environmental Health, 2018, 17, 34.	1.7	15
50	Low socioeconomic status relates to asthma and wheeze, especially in women. ERJ Open Research, 2020, 6, 00258-2019.	1.1	15
51	Milk allergy is a minor cause of milk avoidance due to perceived hypersensitivity among schoolchildren in <scp>N</scp> orthern <scp>S</scp> weden. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, 206-214.	0.7	14
52	Subjects with well-controlled asthma have similar health-related quality of life as subjects without asthma. Respiratory Medicine, 2016, 120, 64-69.	1.3	14
53	α-Gal specific-IgE prevalence and levels in Ecuador and Kenya: Relation to diet, parasites, and IgG4. Journal of Allergy and Clinical Immunology, 2021, 147, 1393-1401.e7.	1.5	13
54	Spirometric phenotypes from early childhood to young adulthood: a Chronic Airway Disease Early Stratification study. ERJ Open Research, 2021, 7, 00457-2021.	1.1	13

#	Article	IF	CITATIONS
55	Dynamics of cytokine mRNA expression and fecal biomarkers in school-children undergoing a double-blind placebo-controlled food challenge series. Cytokine, 2016, 88, 259-266.	1.4	12
56	Targeted high-throughput sequencing of candidate genes for chronic obstructive pulmonary disease. BMC Pulmonary Medicine, 2016, 16, 146.	0.8	12
57	Populationâ€based study shows that teenage girls with asthma had impaired healthâ€related quality of life. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 1128-1135.	0.7	12
58	Evaluation of a tobacco prevention programme among teenagers in Sweden. BMJ Open, 2015, 5, e007673-e007673.	0.8	11
59	Respiratory symptoms increase health care consumption and affect everyday life – a cross-sectional population-based study from Finland, Estonia, and Sweden. European Clinical Respiratory Journal, 2016, 3, 31024.	0.7	11
60	Pre- and post-bronchodilator airway obstruction are associated with similar clinical characteristics but different prognosis – report from a population-based study. International Journal of COPD, 2017, Volume 12, 1269-1277.	0.9	11
61	Level of education and asthma control in adult-onset asthma. Journal of Asthma, 2022, 59, 840-849.	0.9	11
62	Severe alphaâ€1â€antitrypsin deficiency increases the risk of venous thromboembolism. Journal of Thrombosis and Haemostasis, 2021, 19, 1519-1525.	1.9	11
63	Central arterial stiffness is increased among subjects with severe and very severe COPD: report from a population-based cohort study. European Clinical Respiratory Journal, 2015, 2, 27023.	0.7	10
64	Health Related Quality of Life among schoolchildren aged 12–13Âyears in relation to food hypersensitivity phenotypes: a population-based study. Clinical and Translational Allergy, 2017, 7, 20.	1.4	9
65	The Majority of Children Sensitized Before School-Age Develop Allergic Disease Before Adulthood: A Longitudinal Population-Based Study. Journal of Allergy and Clinical Immunology: in Practice, 2022, 10, 577-585.e3.	2.0	9
66	Proteolytic biomarkers are related to prognosis in COPD- report from a population-based cohort. Respiratory Research, 2018, 19, 64.	1.4	8
67	Cancer risk in severe alpha-1-antitrypsin deficiency. European Respiratory Journal, 2022, 60, 2103200.	3.1	8
68	Pattern of Cardiovascular Comorbidity in COPD in a Country with Low-smoking Prevalence: Results from Two-population-based Cohorts from Sweden. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2018, 15, 454-463.	0.7	7
69	Job titles classified into socioeconomic and occupational groups identify subjects with increased risk for respiratory symptoms independent of occupational exposure to vapour, gas, dust, or fumes. European Clinical Respiratory Journal, 2018, 5, 1468715.	0.7	7
70	Dyspnea has an association with lifestyle: differences between Swedish and Finnish speaking persons in Western Finland. European Clinical Respiratory Journal, 2021, 8, 1855702.	0.7	6
71	Multimorbidity in Finnish and Swedish speaking Finns; association with daily habits and socioeconomic status – Nordic EpiLung cross-sectional study. Preventive Medicine Reports, 2021, 22, 101338.	0.8	6
72	Childhood onset asthma is associated with lower educational level in young adults – A prospective cohort study. Respiratory Medicine, 2021, 186, 106514.	1.3	6

#	Article	IF	CITATIONS
73	Influence of Childhood Exposure to a Farming Environment on Age at Asthma Diagnosis in a Population-Based Study. Journal of Asthma and Allergy, 2021, Volume 14, 1081-1091.	1.5	6
74	>Decreased Risk of Ischemic Heart Disease in Individuals with Severe Alpha 1-Antitrypsin Deficiency (PiZZ) in Comparison with the General Population. International Journal of COPD, 2020, Volume 15, 1245-1252.	0.9	5
75	High but stable incidence of adult-onset asthma in northern Sweden over the last decades. ERJ Open Research, 2021, 7, 00262-2021.	1.1	5
76	NSAID-exacerbated respiratory disease: a population study. ERJ Open Research, 2022, 8, 00462-2021.	1.1	5
77	Restrictive spirometry versus restrictive lung function using the GLI reference values. Clinical Physiology and Functional Imaging, 2022, 42, 181-189.	0.5	5
78	Self-Reported Physician Diagnosed Asthma with COPD is Associated with Higher Mortality than Self-Reported Asthma or COPD Alone – A Prospective 24-Year Study in the Population of Helsinki, Finland. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2022, 19, 226-235.	0.7	5
79	From COPD epidemiology to studies of pathophysiological disease mechanisms: challenges with regard to study design and recruitment process. European Clinical Respiratory Journal, 2017, 4, 1415095.	0.7	4
80	Cardiac biomarkers of prognostic importance in chronic obstructive pulmonary disease. Respiratory Research, 2020, 21, 162.	1.4	4
81	Reply. Journal of Allergy and Clinical Immunology, 2015, 135, 1666-1667.	1.5	3
82	Socioeconomic inequalities in asthma and respiratory symptoms in a high-income country: changes from 1996 to 2016. Journal of Asthma, 2023, 60, 185-194.	0.9	3
83	Parallel gradients in FENO and in the prevalences of asthma and atopy in adult general populations of Sweden, Finland and Estonia — A Nordic EpiLung study. Respiratory Medicine, 2020, 173, 106160.	1.3	2
84	Differences in diagnostic patterns of obstructive airway disease between areas and sex in Sweden and Finland - the Nordic EpiLung study. Journal of Asthma, 2020, 58, 1-12.	0.9	2
85	The combined effect of exposures to vapours, gases, dusts, fumes and tobacco smoke on current asthma. Clinical Respiratory Journal, 0, , .	0.6	2
86	Among respiratory symptoms, wheeze associates most strongly with impaired lung function in adults with asthma: a long-term prospective cohort study. BMJ Open Respiratory Research, 2021, 8, e000981.	1.2	1
87	Cancer risk in severe alpha-1 antitrypsin deficiency: the importance of early identification. European Respiratory Journal, 2022, 60, 2200846.	3.1	1
88	Multiâ€symptom asthma as an indication of disease severity in epidemiology. Clinical and Translational Allergy, 2013, 3, P6.	1.4	0
89	Longitudinal studies based on the general population – Important studies becoming rare nowadays. Respiratory Medicine, 2019, 158, 114-115.	1.3	0
90	Bronchial hyperresponsiveness is common in Hanoi, Vietnam: Asthma probably underdiagnosed. Respiratory Medicine, 2021, 186, 106513.	1.3	0