Ana Fernandez-Teijeiro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3525423/publications.pdf

Version: 2024-02-01

623188 525886 31 822 14 27 citations g-index h-index papers 34 34 34 1258 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The Global Retinoblastoma Outcome Study: a prospective, cluster-based analysis of 4064 patients from 149 countries. The Lancet Global Health, 2022, 10, e1128-e1140.	2.9	24
2	Travel burden and clinical presentation of retinoblastoma: analysis of 1024 patients from 43 African countries and 518 patients from 40 European countries. British Journal of Ophthalmology, 2021, 105, 1435-1443.	2.1	19
3	Comparison of Interim PET Response to Second-Line Versus First-Line Treatment in Classic Hodgkin Lymphoma: Contribution to the Development of Response Criteria for Relapsed or Progressive Disease. Journal of Nuclear Medicine, 2021, 62, 338-341.	2.8	7
4	Assessment of Waldeyer's ring in pediatric and adolescent Hodgkin lymphoma patientsâ€"Importance of multimodality imaging: Results from the EuroNetâ€PHL 1 trial. Pediatric Blood and Cancer, 2021, 68, e28903.	0.8	4
5	Incidence of Retinoblastoma Has Increased: Results from 40 European Countries. Ophthalmology, 2021, 128, 1369-1371.	2.5	26
6	Frequency of low-level and high-level mosaicism in sporadic retinoblastoma: genotype–phenotype relationships. Journal of Human Genetics, 2020, 65, 165-174.	1.1	16
7	Initial report on Spanish pediatric oncologic, hematologic, and post stem cell transplantation patients during SARSâ€CoVâ€2 pandemic. Pediatric Blood and Cancer, 2020, 67, e28557.	0.8	31
8	Global Retinoblastoma Presentation and Analysis by National Income Level. JAMA Oncology, 2020, 6, 685.	3.4	192
9	Clinical research tools in pediatric oncology: challenges and opportunities. Cancer and Metastasis Reviews, 2020, 39, 149-160.	2.7	9
10	Risk and Response Adapted Treatment Guidelines for Managing First Relapsed and Refractory Classical Hodgkin Lymphoma in Children and Young People. Recommendations from the EuroNet Pediatric Hodgkin Lymphoma Group. HemaSphere, 2020, 4, e329.	1.2	31
11	ECLIM-SEHOP, a new platform to set up and develop international academic clinical trials for childhood cancer and blood disorders in Spain. Clinical and Translational Oncology, 2019, 21, 1763-1770.	1.2	2
12	Tumor \tilde{A}^3 seo de c \tilde{A} ©lulas gigantes en techo orbitario de paciente con retinoblastoma bilateral. Archivos De La Sociedad Espanola De Oftalmologia, 2019, 94, 200-203.	0.1	1
13	18F-FDG PET Response of Skeletal (Bone Marrow and Bone) Involvement After Induction Chemotherapy in Pediatric Hodgkin Lymphoma: Are Specific Response Criteria Required?. Journal of Nuclear Medicine, 2018, 59, 1524-1530.	2.8	1
14	Childhood and adolescent lymphoma in Spain: incidence and survival trends over 20Âyears. Clinical and Translational Oncology, 2018, 20, 1289-1301.	1.2	6
15	Management and outcome of children and adolescents with non-medulloblastoma CNS embryonal tumors in Spain: room for improvement in standards of care. Journal of Neuro-Oncology, 2018, 137, 205-213.	1.4	8
16	New wind for the Spanish Federation of Scientific Oncological Societies (FESEO). Clinical and Translational Oncology, 2018, 20, 805-807.	1.2	1
17	Familial retinoblastoma due to intronic LINE-1 insertion causes aberrant and noncanonical mRNA splicing of the RB1 gene. Journal of Human Genetics, 2016, 61, 463-466.	1.1	33
18	HB Puerta del Sol [HBA1:c.148A>C], HB Valdecilla [HBA2:c.3G>T], HB Gran VÃa [HBA2:c.98T>G], HB Macarena [HBA2:c.358C>T] and HB El Retiro [HBA2:c.364_366dupGTG]: description of five new hemoglobinopathies. Clinical Chemistry and Laboratory Medicine, 2016, 54, 553-60.	1.4	4

#	Article	IF	CITATIONS
19	Inter-Reader Reliability of Early FDG-PET/CT Response Assessment Using the Deauville Scale after 2 Cycles of Intensive Chemotherapy (OEPA) in Hodgkin's Lymphoma. PLoS ONE, 2016, 11, e0149072.	1.1	42
20	Retrospective study of feasibility of high-dose methotrexate in adult osteosarcoma patients over 40 years Journal of Clinical Oncology, 2016, 34, e22509-e22509.	0.8	0
21	qPET – a quantitative extension of the Deauville scale to assess response in interim FDG-PET scans in lymphoma. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 1301-1308.	3.3	133
22	Longer followâ€up confirms major improvement in outcome in children and adolescents with <scp>P</scp> hiladelphia chromosome acute lymphoblastic leukaemia treated with continuous imatinib and haematopoietic stem cell transplantation. Results from the <scp>S</scp> panish <scp>C</scp> ooperative <scp>S</scp> tudy <scp>SHOP</scp> / <scp>ALL</scp> â€2005. British Journal of Haematology, 2013, 162, 419-421.	1.2	9
23	A prospective biological study in relation to a family with Li-Fraumeni syndrome. Clinical and Translational Oncology, 2012, 14, 396-398.	1.2	O
24	L-Asparaginase and Steroids-associated Hypertriglyceridemia Successfully Treated With Plasmapheresis in a Child With Acute Lymphoblastic Leukemia. Journal of Pediatric Hematology/Oncology, 2011, 33, e122-e124.	0.3	21
25	Intermediate dose of imatinib in combination with chemotherapy followed by allogeneic stem cell transplantation improves early outcome in paediatric Philadelphia chromosomeâ€positive acute lymphoblastic leukaemia (ALL): results of the Spanish Cooperative Group SHOP studies ALLâ€94, ALLâ€99 and ALLâ€2005. British lournal of Haematology. 2011. 154. 600-611.	1.2	50
26	Combining Gene Expression Profiles and Clinical Parameters for Risk Stratification in Medulloblastomas. Journal of Clinical Oncology, 2004, 22, 994-998.	0.8	81
27	Near fatal cerebellar swelling in familial hemophagocytic lymphohistiocytosis. Pediatric Neurology, 2004, 30, 361-364.	1.0	17
28	Application of Microarrays to Neurological Disease. Archives of Neurology, 2003, 60, 676.	4.9	11
29	Reversible Cardiomyopathy Secondary to \hat{l}_{\pm} -Interferon in an Infant. Pediatric Cardiology, 1999, 20, 293-294.	0.6	19
30	Secondary central nervous system metastases in children with neuroblastoma., 1996, 27, 529-533.		22
31	The novel p.Gly306Asp perforin mutation causes Familial Hemophagocytic Lymphohistiocytosis type 2 (FHL-2) probably due to a critical role of Gly306 in the pore-forming perforin domain LymphoSign Journal, 0, , .	0.1	0