

Laura Helena Andrade

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3526581/laura-helena-andrade-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|--------------------------|----------------|-----------------|
| 131 papers | 9,542 citations | 42 h-index | 97 g-index |
| 144 ext. papers | 11,851 ext. citations | 5.5 avg, IF | 5.29 L-index |

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 131 | Prevalence and correlates of bipolar spectrum disorder in the world mental health survey initiative. <i>Archives of General Psychiatry</i> , 2011 , 68, 241-51 | | 1430 |
| 130 | Cross-national epidemiology of DSM-IV major depressive episode. <i>BMC Medicine</i> , 2011 , 9, 90 | 11.4 | 1107 |
| 129 | Barriers to mental health treatment: results from the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2014 , 44, 1303-17 | 6.9 | 509 |
| 128 | Mental disorders among college students in the World Health Organization World Mental Health Surveys. <i>Psychological Medicine</i> , 2016 , 46, 2955-2970 | 6.9 | 490 |
| 127 | Twelve-month prevalence of and risk factors for suicide attempts in the World Health Organization World Mental Health Surveys. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1617-28 | 4.6 | 430 |
| 126 | Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , 2017 , 210, 119-124 | 5.4 | 397 |
| 125 | Development of lifetime comorbidity in the World Health Organization world mental health surveys. <i>Archives of General Psychiatry</i> , 2011 , 68, 90-100 | | 328 |
| 124 | Age differences in the prevalence and co-morbidity of DSM-IV major depressive episodes: results from the WHO World Mental Health Survey Initiative. <i>Depression and Anxiety</i> , 2010 , 27, 351-64 | 8.4 | 295 |
| 123 | The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017 , 9, 47-65 | 3.1 | 284 |
| 122 | Childhood adversities as risk factors for onset and persistence of suicidal behaviour. <i>British Journal of Psychiatry</i> , 2010 , 197, 20-7 | 5.4 | 230 |
| 121 | Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 210-26 | 5.1 | 208 |
| 120 | Mental disorders in megacities: findings from the S  Paulo megacity mental health survey, Brazil. <i>PLoS ONE</i> , 2012 , 7, e31879 | 3.7 | 208 |
| 119 | Validation of the Brazilian Portuguese version of the Beck Depression Inventory-II in a community sample. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 389-94 | 2.6 | 206 |
| 118 | Prevalence of ICD-10 mental disorders in a catchment area in the city of S  Paulo, Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 316-25 | 4.5 | 161 |
| 117 | Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018 , 35, 195-208 | 8.4 | 160 |
| 116 | Cross-sectional Comparison of the Epidemiology of DSM-5 Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , 2017 , 74, 465-475 | 14.5 | 149 |
| 115 | Parent psychopathology and offspring mental disorders: results from the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2012 , 200, 290-9 | 5.4 | 137 |

| | | | |
|-----|---|------|-----|
| 114 | Subthreshold posttraumatic stress disorder in the world health organization world mental health surveys. <i>Biological Psychiatry</i> , 2015 , 77, 375-84 | 7.9 | 124 |
| 113 | The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. <i>American Journal of Psychiatry</i> , 2016 , 173, 997-1006 | 11.9 | 124 |
| 112 | Association of DSM-IV Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 270-281 | 14.5 | 120 |
| 111 | A multinational study of mental disorders, marriage, and divorce. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 474-86 | 6.5 | 104 |
| 110 | Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017 , 16, 299-307 | 14.4 | 98 |
| 109 | Psychometric properties of the Portuguese version of the State-Trait Anxiety Inventory applied to college students: factor analysis and relation to the Beck Depression Inventory. <i>Brazilian Journal of Medical and Biological Research</i> , 2001 , 34, 367-74 | 2.8 | 86 |
| 108 | Lifetime Prevalence, age and gender distribution and age-of-onset of psychiatric disorders in the S  Paulo Metropolitan Area, Brazil: results from the S  Paulo Megacity Mental Health Survey. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 249-60 | 2.6 | 77 |
| 107 | Associations between subjective social status and DSM-IV mental disorders: results from the World Mental Health surveys. <i>JAMA Psychiatry</i> , 2014 , 71, 1400-8 | 14.5 | 75 |
| 106 | The cross-national epidemiology of specific phobia in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017 , 47, 1744-1760 | 6.9 | 74 |
| 105 | Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. <i>American Journal of Psychiatry</i> , 2015 , 172, 647-56 | 11.9 | 68 |
| 104 | Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. <i>Psycho-Oncology</i> , 2014 , 23, 40-51 | 3.9 | 66 |
| 103 | Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , 2016 , 42, 933-41 | 1.3 | 66 |
| 102 | Epidemiology of alcohol and drug use in the elderly. <i>Current Opinion in Psychiatry</i> , 2013 , 26, 343-8 | 4.9 | 63 |
| 101 | The role of criterion A2 in the DSM-IV diagnosis of posttraumatic stress disorder. <i>Biological Psychiatry</i> , 2010 , 68, 465-73 | 7.9 | 63 |
| 100 | Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 115-25 | 2.6 | 61 |
| 99 | Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012 , 200, 454-61 | 5.4 | 59 |
| 98 | Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011 , 16, 1221-33 | 15.1 | 57 |
| 97 | Trauma and psychotic experiences: transnational data from the World Mental Health Survey. <i>British Journal of Psychiatry</i> , 2017 , 211, 373-380 | 5.4 | 56 |

| | | | |
|----|--|------|----|
| 96 | São Paulo Megacity Mental Health Survey - a population-based epidemiological study of psychiatric morbidity in the São Paulo metropolitan area: aims, design and field implementation. <i>Revista Brasileira De Psiquiatria</i> , 2009 , 31, 375-86 | 2.6 | 53 |
| 95 | The effects of co-morbidity on the onset and persistence of generalized anxiety disorder in the ICPE surveys. International Consortium in Psychiatric Epidemiology. <i>Psychological Medicine</i> , 2002 , 32, 1213-25 | 6.9 | 53 |
| 94 | Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. <i>Psychological Medicine</i> , 2013 , 43, 865-79 | 6.9 | 51 |
| 93 | Major depressive disorder subtypes to predict long-term course. <i>Depression and Anxiety</i> , 2014 , 31, 765-78 | 8.4 | 47 |
| 92 | Does income inequality get under the skin? A multilevel analysis of depression, anxiety and mental disorders in Sao Paulo, Brazil. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 966-72 | 5.1 | 46 |
| 91 | Gender differences in symptomatic profiles of depression: results from the São Paulo Megacity Mental Health Survey. <i>Journal of Affective Disorders</i> , 2013 , 147, 355-64 | 6.6 | 45 |
| 90 | The association between psychotic experiences and disability: results from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 74-84 | 6.5 | 42 |
| 89 | Subtyping social anxiety disorder in developed and developing countries. <i>Depression and Anxiety</i> , 2010 , 27, 390-403 | 8.4 | 42 |
| 88 | A comparative analysis of role attainment and impairment in binge-eating disorder and bulimia nervosa: results from the WHO World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 27-41 | 5.1 | 39 |
| 87 | The lifetime prevalence, health services utilization and risk of suicide of bipolar spectrum subjects, including subthreshold categories in the São Paulo ECA study. <i>Journal of Affective Disorders</i> , 2005 , 87, 231-41 | 6.6 | 35 |
| 86 | Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 552-567 | 5.1 | 31 |
| 85 | The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018 , 113, 924-934 | 4.6 | 31 |
| 84 | The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , 2020 , 102, 106128 | 4.2 | 30 |
| 83 | The cross-national structure of mental disorders: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 2073-2084 | 6.9 | 29 |
| 82 | Psychiatry: life events and social support in late life depression. <i>Clinics</i> , 2011 , 66, 233-8 | 2.3 | 29 |
| 81 | Rapid-cycling bipolar disorder: cross-national community study. <i>British Journal of Psychiatry</i> , 2010 , 196, 217-25 | 5.4 | 29 |
| 80 | Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2020 , 77, 830-841 | 14.5 | 28 |
| 79 | Premarital mental disorders and physical violence in marriage: cross-national study of married couples. <i>British Journal of Psychiatry</i> , 2011 , 199, 330-7 | 5.4 | 27 |

| | | | |
|----|---|------|----|
| 78 | The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019 , 71, 103-112 | 5.5 | 25 |
| 77 | Drinking patterns and alcohol use disorders in S  Paulo, Brazil: the role of neighborhood social deprivation and socioeconomic status. <i>PLoS ONE</i> , 2014 , 9, e108355 | 3.7 | 25 |
| 76 | The psychosis continuum in the general population: findings from the S  Paulo Epidemiologic Catchment Area Study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261, 519-27 | 5.1 | 25 |
| 75 | Prevalence and clinical profile of chronic pain and its association with mental disorders. <i>Revista De Saude Publica</i> , 2017 , 51, 96 | 2.4 | 24 |
| 74 | Response pattern of depressive symptoms among college students: What lies behind items of the Beck Depression Inventory-II?. <i>Journal of Affective Disorders</i> , 2018 , 234, 124-130 | 6.6 | 23 |
| 73 | Sociodemographic correlates of transitions from alcohol use to disorders and remission in the S  Paulo megacity mental health survey, Brazil. <i>Alcohol and Alcoholism</i> , 2011 , 46, 324-32 | 3.5 | 22 |
| 72 | Heavy episodic drinking in the S  Paulo epidemiologic catchment area study in Brazil: gender and sociodemographic correlates. <i>Journal of Studies on Alcohol and Drugs</i> , 2007 , 68, 18-27 | 1.9 | 22 |
| 71 | Disability mediates the impact of common conditions on perceived health. <i>PLoS ONE</i> , 2013 , 8, e65858 | 3.7 | 20 |
| 70 | Gender differences in drinking patterns and alcohol-related problems in a community sample in S  Paulo, Brazil. <i>Clinics</i> , 2012 , 67, 205-12 | 2.3 | 20 |
| 69 | Childhood adversity and adult onset of hypertension and heart disease in S  Paulo, Brazil. <i>Preventing Chronic Disease</i> , 2013 , 10, E205 | 3.7 | 18 |
| 68 | Days out-of-role due to common physical and mental health problems: results from the S  Paulo Megacity Mental Health Survey, Brazil. <i>Clinics</i> , 2013 , 68, 1392-9 | 2.3 | 18 |
| 67 | Somatization in Latin America: a review of the classification of somatoform disorders, functional syndromes and medically unexplained symptoms. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33 Suppl 1, S59-80 | 3.6 | 18 |
| 66 | Influence of psychiatric morbidity and sociodemographic determinants on use of service in a catchment area in the city of S  Paulo, Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 45-53 | 4.5 | 18 |
| 65 | Determinants of the use of health care services: multilevel analysis in the Metropolitan Region of Sao Paulo. <i>Revista De Saude Publica</i> , 2015 , 49, 15 | 2.4 | 17 |
| 64 | Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICD-11 and other classification systems: analysis of data from the WHO's World Mental Health Surveys. <i>Addiction</i> , 2019 , 114, 534-552 | 4.6 | 17 |
| 63 | Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder: Findings From the World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2019 , 76, 708-720 | 14.5 | 16 |
| 62 | Under-reporting bipolar disorder in large-scale epidemiologic studies. <i>Journal of Affective Disorders</i> , 2014 , 159, 147-54 | 6.6 | 16 |
| 61 | The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 353-367 | 4.5 | 14 |

| | | | |
|----|---|-----|----|
| 60 | The Influence of Parental Psychopathology on Offspring Suicidal Behavior across the Lifespan. <i>PLoS ONE</i> , 2015 , 10, e0134970 | 3.7 | 14 |
| 59 | Premenstrual dysphoric symptoms amongst Brazilian college students: factor structure and methodological appraisal. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 51-6 | 5.1 | 14 |
| 58 | Patterns and predictors of health service use among people with mental disorders in S  Paulo metropolitan area, Brazil. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 89-101 | 5.1 | 13 |
| 57 | Multilevel Analysis of the Patterns of Physical-Mental Multimorbidity in General Population of S  Paulo Metropolitan Area, Brazil. <i>Scientific Reports</i> , 2019 , 9, 2390 | 4.9 | 13 |
| 56 | Investigating dimensionality and measurement bias of DSM-5 alcohol use disorder in a representative sample of the largest metropolitan area in South America. <i>Drug and Alcohol Dependence</i> , 2015 , 152, 123-30 | 4.9 | 13 |
| 55 | Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. <i>American Journal on Addictions</i> , 2014 , 23, 145-55 | 3.7 | 13 |
| 54 | Symptomatic expression of depression among Jewish adolescents: effects of gender and age. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 79-86 | 4.5 | 13 |
| 53 | Do Childhood Adversities Predict Suicidality? Findings from the General Population of the Metropolitan Area of S  Paulo, Brazil. <i>PLoS ONE</i> , 2016 , 11, e0155639 | 3.7 | 12 |
| 52 | DSM-5 latent classes of alcohol users in a population-based sample: results from the S  Paulo Megacity Mental Health Survey, Brazil. <i>Drug and Alcohol Dependence</i> , 2014 , 136, 92-9 | 4.9 | 11 |
| 51 | Latent class analysis of manic and depressive symptoms in a population-based sample in S  Paulo, Brazil. <i>Journal of Affective Disorders</i> , 2010 , 123, 208-15 | 6.6 | 11 |
| 50 | The influence of the comorbidity between depression and alcohol use disorder on suicidal behaviors in the S  Paulo Epidemiologic Catchment Area Study, Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 396-408 | 2.6 | 11 |
| 49 | Differences between unipolar mania and bipolar-I disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , 2019 , 21, 437-448 | 3.8 | 11 |
| 48 | Mood changes in the course of preparation for the Brazilian university admission exam - a longitudinal study. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 30-6 | 2.6 | 10 |
| 47 | Patterns of psychopathological manifestations among ethnic Chinese living in Brazil. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004 , 254, 36-42 | 5.1 | 10 |
| 46 | Can Gender and Age Impact on Response Pattern of Depressive Symptoms Among College Students? A Differential Item Functioning Analysis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 50 | 5 | 10 |
| 45 | The epidemiology of personality disorders in the Sao Paulo Megacity general population. <i>PLoS ONE</i> , 2018 , 13, e0195581 | 3.7 | 9 |
| 44 | Use of psychotropic medications in S  Paulo Metropolitan Area, Brazil: pattern of healthcare provision to general population. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1207-14 | 2.6 | 9 |
| 43 | An updated global picture of cigarette smoking persistence among adults. <i>Journal of Epidemiology and Global Health</i> , 2012 , 2, 135-44 | 5.5 | 8 |

| | | | |
|----|--|------|---|
| 42 | Treatment of anxiety disorders in clinical practice: a critical overview of recent systematic evidence. <i>Clinics</i> , 2019 , 74, e1316 | 2.3 | 8 |
| 41 | Dual burden of chronic physical diseases and anxiety/mood disorders among SŁ Paulo Megacity Mental Health Survey Sample, Brazil. <i>Journal of Affective Disorders</i> , 2017 , 220, 1-7 | 6.6 | 7 |
| 40 | The latent trait of ICD-11 nicotine dependence criteria: Dimensional and categorical phenotypes. <i>Psychiatry Research</i> , 2018 , 266, 275-283 | 9.9 | 6 |
| 39 | Exploring the latent trait of opioid use disorder criteria among frequent nonmedical prescription opioid users. <i>Journal of Psychiatric Research</i> , 2016 , 80, 79-86 | 5.2 | 6 |
| 38 | Attention deficit/hyperactivity disorder symptoms in indigenous children from the Brazilian Amazon. <i>Arquivos De Neuro-Psiquiatria</i> , 2010 , 68, 541-4 | 1.6 | 6 |
| 37 | Investigating the dimensional diagnosis of ICD-11 nicotine dependence. <i>Psychology of Addictive Behaviors</i> , 2018 , 32, 415-425 | 3.4 | 6 |
| 36 | The relationship between neighborhood-level socioeconomic characteristics and individual mental disorders in five cities in Latin America: multilevel models from the World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 157-170 | 4.5 | 6 |
| 35 | Incremental health expenditure and lost days of normal activity for individuals with mental disorders: results from the SŁ Paulo Megacity Study. <i>BMC Public Health</i> , 2015 , 15, 745 | 4.1 | 5 |
| 34 | Mental disorders and employment status in the SŁ Paulo Metropolitan Area, Brazil: gender differences and use of health services. <i>Cadernos De Saude Publica</i> , 2017 , 33, e00154116 | 3.2 | 5 |
| 33 | Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 207-219 | 4.5 | 5 |
| 32 | Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021 , 288, 199-209 | 6.6 | 5 |
| 31 | Gender-related dimensions of childhood adversities in the general population. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 394-402 | 2.6 | 5 |
| 30 | Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2020 , 1-13 | 6.9 | 4 |
| 29 | Prevalence of psychotic symptoms in the general population varies across 52 countries. <i>Evidence-Based Mental Health</i> , 2012 , 15, 105 | 11.1 | 4 |
| 28 | Absenteeism and Presenteeism Associated With Common Health Conditions in Brazilian Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2019 , 61, 303-313 | 2 | 4 |
| 27 | "I don't need any treatment" - barriers to mental health treatment in the general population of a megacity. <i>Revista Brasileira De Psiquiatria</i> , 2021 , | 2.6 | 3 |
| 26 | Assessing the impact of urban environment and green infrastructure on mental health: results from the SŁ Paulo Megacity Mental Health Survey. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2021 , | 6.7 | 3 |
| 25 | Major Depressive Disorder | | 2 |

| | | | |
|----|--|------|---|
| 24 | Major Cardiac-Psychiatric Drug-Drug Interactions: a Systematic Review of the Consistency of Drug Databases. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 35, 441-454 | 3.9 | 2 |
| 23 | Benzodiazepine use in Sao Paulo, Brazil. <i>Clinics</i> , 2020 , 75, e1610 | 2.3 | 2 |
| 22 | The role of gender in the structure of networks of childhood adversity. <i>Psychiatry Research</i> , 2018 , 270, 348-356 | 9.9 | 2 |
| 21 | Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys.. <i>World Psychiatry</i> , 2022 , 21, 272-286 | 14.4 | 2 |
| 20 | Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys.. <i>International Journal of Mental Health Systems</i> , 2022 , 16, 6 | 3.6 | 1 |
| 19 | Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109158 | 4.9 | 1 |
| 18 | Epidemiologia dos transtornos de ansiedade em regiões do Brasil 2019 , 98, 415-422 | 0.1 | 1 |
| 17 | Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 393-405 | 4.5 | 1 |
| 16 | Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021 , 21, 392 | 4.2 | 1 |
| 15 | Individual and population level estimates of work loss and related economic costs due to mental and substance use disorders in Metropolitan Sã Paulo, Brazil. <i>Journal of Affective Disorders</i> , 2022 , 296, 198-207 | 6.6 | 1 |
| 14 | Antidepressant use in low- middle- and high-income countries: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 1-9 | 6.9 | 1 |
| 13 | Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1 | 4.5 | 1 |
| 12 | Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys.. <i>Journal of Affective Disorders</i> , 2022 , 303, 168-168 | 6.6 | 0 |
| 11 | Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020 , 1-10 | 6.9 | 0 |
| 10 | Alcohol use patterns and disorders among individuals with personality disorders in the Sao Paulo Metropolitan Area. <i>PLoS ONE</i> , 2021 , 16, e0248403 | 3.7 | 0 |
| 9 | (Re) thinking urban mental health from the periphery of Sã Paulo in times of the COVID-19 pandemic.. <i>International Review of Psychiatry</i> , 2022 , 34, 78-88 | 3.6 | 0 |
| 8 | Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys.. <i>Journal of Affective Disorders</i> , 2022 , 303, 273-285 | 6.6 | 0 |
| 7 | Perspectives on a psychiatric outpatient service for immigrants and refugees in Sã Paulo, Brazil over a 15-year period. <i>International Journal of Social Psychiatry</i> , 2021 , 207640211027207 | 8.5 | |

| | | |
|---|--|-----|
| 6 | Prevalence and psychiatric comorbidities of intermittent explosive disorders in Metropolitan S  Paulo, Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 687-694 | 4.5 |
| 5 | Association between childhood adversities and psychopathology onset throughout the lifespan: Findings from a large metropolitan population. <i>Journal of Psychiatric Research</i> , 2021 , 135, 8-14 | 5.2 |
| 4 | The Effects of Trauma Type, Timing, Accumulation, and Sequencing153-162 | |
| 3 | Cardiovascular risk factors and major depressive disorder: a cross-sectional study in S  Paulo, Brazil. <i>Sao Paulo Medical Journal</i> , 2021 , 139, 364-371 | 1.6 |
| 2 | Treatment Gap of Mental Disorders in S  Paulo Metropolitan Area, Brazil: Failure and Delay in Initiating Treatment Contact After First Onset of Mental and Substance Use Disorders. <i>International Journal of Mental Health and Addiction</i> ,1 | 8.8 |
| 1 | Could dehydroepiandrosterone (DHEA) be a novel target for depression?. <i>Journal of Affective Disorders Reports</i> , 2022 , 8, 100340 | 1.4 |