

Jun Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3526670/jun-chen-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

901
citations

16
h-index

27
g-index

89
ext. papers

1,158
ext. citations

3.4
avg, IF

4.25
L-index

#	Paper	IF	Citations
71	Pyroptosis-Related LncRNA Signatures Correlate With Lung Adenocarcinoma Prognosis.. <i>Frontiers in Oncology</i> , 2022 , 12, 850943	5.3	0
70	Molecular Features of a Primary Transmural Tracheal Schwannoma: Clinical Experience and Review of the Literature.. <i>Cancer Management and Research</i> , 2022 , 14, 1125-1129	3.6	0
69	Combining EGFR-TKI With SAHA Overcomes EGFR-TKI-Acquired Resistance by Reducing the Protective Autophagy in Non-Small Cell Lung Cancer.. <i>Frontiers in Chemistry</i> , 2022 , 10, 837987	5	0
68	Construction of a circular RNA-microRNA-messenger RNA regulatory network of hsa_circ_0043256 in lung cancer by integrated analysis. <i>Thoracic Cancer</i> , 2021 ,	3.2	1
67	The analysis of surgical prognostic factors and molecular typing of locally advanced lung squamous cell carcinomas. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2021 , 17, e226-e237	1.9	0
66	Mucinous adenocarcinoma caused by cancerization from a ciliated multinodular papilloma tumor: A case report. <i>Thoracic Cancer</i> , 2021 , 12, 1629-1633	3.2	2
65	Prognostic value of ferroptosis-related genes in patients with lung adenocarcinoma. <i>Thoracic Cancer</i> , 2021 , 12, 1890-1899	3.2	9
64	Silencing HIPPI Suppresses Tumor Progression in Non-Small-Cell Lung Cancer by Inhibiting DNA Replication. <i>OncoTargets and Therapy</i> , 2021 , 14, 3467-3480	4.4	1
63	EML4-ALK-mediated activation of the JAK2-STAT pathway is critical for non-small cell lung cancer transformation. <i>BMC Pulmonary Medicine</i> , 2021 , 21, 190	3.5	0
62	HOTAIR promotes gefitinib resistance through modification of EZH2 and silencing p16 and p21 in non-small cell lung cancer. <i>Journal of Cancer</i> , 2021 , 12, 5562-5572	4.5	6
61	Identification of small proline-rich protein 1B (SPRR1B) as a prognostically predictive biomarker for lung adenocarcinoma by integrative bioinformatic analysis. <i>Thoracic Cancer</i> , 2021 , 12, 796-806	3.2	5
60	PD-0332991 combined with cisplatin inhibits nonsmall cell lung cancer and reversal of cisplatin resistance. <i>Thoracic Cancer</i> , 2021 , 12, 924-931	3.2	1
59	Lung microbiota: Unexploited treasure hidden in the immune microenvironment of lung cancer. <i>Thoracic Cancer</i> , 2021 , 12, 2964-2966	3.2	2
58	Outcomes of lobectomy on pulmonary function for early stage non-small cell lung cancer (NSCLC) patients with chronic obstructive pulmonary disease (COPD). <i>Thoracic Cancer</i> , 2020 , 11, 1784-1789	3.2	5
57	Advances in immune neoadjuvant/adjuvant therapy-related adverse events of non-small cell lung cancer. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020 ,	1.9	2
56	Risk Factors and Clinical Significance of D-Dimer in the Development of Postoperative Venous Thrombosis in Patients with Lung Tumor. <i>Cancer Management and Research</i> , 2020 , 12, 5169-5179	3.6	6
55	A regulatory element modulates glioma cell sensitivity to temozolomide through long-range regulation of multiple target genes. <i>Genome Research</i> , 2020 , 30, 155-163	9.7	14

54	Secretagogen, a marker for neuroendocrine cells, is more sensitive and specific in large cell neuroendocrine carcinoma compared with the markers CD56, CgA, Syn and Napsin A. <i>Oncology Letters</i> , 2020 , 19, 2223-2230	2.6	6
53	Clinical study of apatinib combined with EGFR-TKI in the treatment of chronic progression after EGFR-TKI treatment in non-small cell lung cancer (ChiCTR1800019185). <i>Thoracic Cancer</i> , 2020 , 11, 819-826	3.2	2
52	EZH2 inhibitors reverse resistance to gefitinib in primary EGFR wild-type lung cancer cells. <i>BMC Cancer</i> , 2020 , 20, 1189	4.8	11
51	Impact of genetic alterations on outcomes of patients with stage I nonsmall cell lung cancer: An analysis of the cancer genome atlas data. <i>Cancer Medicine</i> , 2020 , 9, 7686-7694	4.8	2
50	Pulmonary sarcomatoid carcinoma: progress, treatment and expectations. <i>Therapeutic Advances in Medical Oncology</i> , 2020 , 12, 1758835920950207	5.4	8
49	Validation of stage groupings in the eighth edition of the tumor node metastasis classification for lung adenocarcinoma. <i>Thoracic Cancer</i> , 2019 , 10, 483-491	3.2	4
48	Ureteral metastasis of non-small-cell lung cancer: a case report. <i>OncoTargets and Therapy</i> , 2019 , 12, 619-623	4.4	1
47	Design of a Targeted Sequencing Assay to Detect Rare Mutations in Circulating Tumor DNA. <i>Genetic Testing and Molecular Biomarkers</i> , 2019 , 23, 264-269	1.6	3
46	Successful surgical management of invasive pulmonary fungal infection in patients with leukemia. <i>Infection and Drug Resistance</i> , 2019 , 12, 1675-1681	4.2	5
45	Immune checkpoint inhibitors for small cell lung cancer: opportunities and challenges. <i>OncoTargets and Therapy</i> , 2019 , 12, 4605-4620	4.4	14
44	Lymph node metastasis in lung squamous cell carcinoma and identification of metastasis-related genes based on the Cancer Genome Atlas. <i>Cancer Medicine</i> , 2019 , 8, 6280-6294	4.8	5
43	Prevalence of DLL3, CTLA-4 and MSTN Expression in Patients with Small Cell Lung Cancer. <i>OncoTargets and Therapy</i> , 2019 , 12, 10043-10055	4.4	13
42	Mechanisms of the CDK4/6 inhibitor palbociclib (PD 0332991) and its future application in cancer treatment (Review). <i>Oncology Reports</i> , 2018 , 39, 901-911	3.5	26
41	Clinicopathological characteristics and molecular analysis of primary pulmonary mucoepidermoid carcinoma: Case report and literature review. <i>Thoracic Cancer</i> , 2018 , 9, 316-323	3.2	7
40	MiR-182 inhibits the epithelial to mesenchymal transition and metastasis of lung cancer cells by targeting the Met gene. <i>Molecular Carcinogenesis</i> , 2018 , 57, 125-136	5	43
39	Molecular features of giant-cell carcinoma of the lung: a case report and literature review. <i>OncoTargets and Therapy</i> , 2018 , 11, 751-756	4.4	3
38	miR-182 suppresses invadopodia formation and metastasis in non-small cell lung cancer by targeting cortactin gene. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018 , 37, 141	12.8	32
37	Efficacy and mechanism of steep pulse irreversible electroporation technology on xenograft model of nude mice: a preclinical study. <i>World Journal of Surgical Oncology</i> , 2018 , 16, 84	3.4	1

36	Intralobar pulmonary sequestration originating from the intercostal arteries treated with surgical resection. <i>Thoracic Cancer</i> , 2018 , 9, 877-880	3.2	3
35	Gastric carcinoma with a gastrointestinal stromal tumor - A case report and literature review. <i>Medecine/Sciences</i> , 2018 , 34 Focus issue F1, 15-19		1
34	Serum microRNA-139-5p is downregulated in lung cancer patients with lytic bone metastasis. <i>Oncology Reports</i> , 2018 , 39, 2376-2384	3.5	12
33	Primary chondroma of posterior mediastinum with Horner's syndrome: a case report. <i>World Journal of Surgical Oncology</i> , 2018 , 16, 209	3.4	4
32	HOTAIR, a long noncoding RNA, is a marker of abnormal cell cycle regulation in lung cancer. <i>Cancer Science</i> , 2018 , 109, 2717-2733	6.9	48
31	The investigation for potential modifier genes in patients with neurofibromatosis type 1 based on next-generation sequencing. <i>OncoTargets and Therapy</i> , 2018 , 11, 919-932	4.4	4
30	Lymphangioliomyomatosis: a case report and review of diagnosis and treatment. <i>OncoTargets and Therapy</i> , 2018 , 11, 5339-5347	4.4	3
29	HOTAIR lncRNA SNPs rs920778 and rs1899663 are associated with smoking, male gender, and squamous cell carcinoma in a Chinese lung cancer population. <i>Acta Pharmacologica Sinica</i> , 2018 , 39, 1797-1803 ²³	8.8	23
28	Comparison and discussion of the treatment guidelines for small cell lung cancer. <i>Thoracic Cancer</i> , 2018 , 9, 769-774	3.2	29
27	Detection of circulating tumor DNA in patients with advanced non-small cell lung cancer. <i>Oncotarget</i> , 2017 , 8, 2130-2140	3.3	34
26	Clinical Significance and Next-Generation Sequencing of Chinese Pulmonary Sarcomatoid Carcinoma. <i>Scientific Reports</i> , 2017 , 7, 3947	4.9	13
25	Primary pulmonary malignant fibrous histiocytoma: case report and literature review. <i>Journal of Thoracic Disease</i> , 2017 , 9, E702-E708	2.6	7
24	MiR-146b-5p functions as a suppressor miRNA and prognosis predictor in non-small cell lung cancer. <i>Journal of Cancer</i> , 2017 , 8, 1704-1716	4.5	51
23	Circulating tumor DNA identified by targeted sequencing in advanced-stage non-small cell lung cancer patients. <i>Cancer Letters</i> , 2016 , 370, 324-31	9.9	78
22	Expression levels of microRNA-145 and microRNA-10b are associated with metastasis in non-small cell lung cancer. <i>Cancer Biology and Therapy</i> , 2016 , 17, 272-9	4.6	35
21	PD 0332991, a selective cyclin D kinase 4/6 inhibitor, sensitizes lung cancer cells to treatment with epidermal growth factor receptor tyrosine kinase inhibitors. <i>Oncotarget</i> , 2016 , 7, 84951-84964	3.3	27
20	Complete transthoracic resection of giant posterior mediastinal goiter: case report and review of surgical strategies. <i>OncoTargets and Therapy</i> , 2016 , 9, 2415-9	4.4	3
19	Resveratrol Inhibited Non-small Cell Lung Cancer Through Inhibiting STAT-3 Signaling. <i>American Journal of the Medical Sciences</i> , 2016 , 352, 524-530	2.2	21

18	Next Generation Sequencing Uncovers Potential Genetic Driver Mutations of Malignant Pulmonary Granular Cell Tumor. <i>Journal of Thoracic Oncology</i> , 2015 , 10, e106-9	8.9	7
17	Sarcoidosis misdiagnosed as malignant tumors: a case report. <i>World Journal of Surgical Oncology</i> , 2015 , 13, 333	3.4	6
16	Thyroid transcription factor-1 expression is significantly associated with mutations in exon 21 of the epidermal growth factor receptor gene in Chinese patients with lung adenocarcinoma. <i>OncoTargets and Therapy</i> , 2015 , 8, 2469-78	4.4	7
15	Primary Multiple Pulmonary Primitive Neuroectodermal Tumor: Case Report and Literature Review. <i>Medicine (United States)</i> , 2015 , 94, e1136	1.8	12
14	Mesenchymal stem cells in lung cancer tumor microenvironment: their biological properties, influence on tumor growth and therapeutic implications. <i>Cancer Letters</i> , 2014 , 353, 145-52	9.9	39
13	Primary diffuse large B-cell lymphoma of the chest wall: a case report. <i>World Journal of Surgical Oncology</i> , 2014 , 12, 104	3.4	7
12	Primary pulmonary leiomyosarcoma. <i>Journal of the Chinese Medical Association</i> , 2014 , 77, 49-51	2.8	11
11	Critical appraisal of pemetrexed in the treatment of NSCLC and metastatic pulmonary nodules. <i>OncoTargets and Therapy</i> , 2014 , 7, 937-45	4.4	6
10	Intrapulmonary unicentric Castleman disease mimicking peripheral pulmonary malignancy. <i>Thoracic Cancer</i> , 2014 , 5, 576-80	3.2	5
9	Primary mediastinal pleomorphic liposarcoma involving the superior vena cava. <i>Thoracic Cancer</i> , 2014 , 5, 265-70	3.2	2
8	Inactivated Sendai virus strain Tianjin induces apoptosis in human breast cancer MDA-MB-231 cells. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 5023-8	1.7	5
7	Inactivated Sendai virus strain Tianjin, a novel genotype of Sendai virus, inhibits growth of murine colon carcinoma through inducing immune responses and apoptosis. <i>Journal of Translational Medicine</i> , 2013 , 11, 205	8.5	7
6	Extrathoracic malignant peripheral nerve sheath tumor of the lateral chest wall locally recurred and metastasized to peritoneum: Report of a case. <i>Thoracic Cancer</i> , 2013 , 4, 323-326	3.2	
5	Association between clinical pathology and multiple genes mRNA expression in Chinese patients with NSCLC. <i>Journal of Cancer Research and Therapeutics</i> , 2013 , 9 Suppl 2, S98-100	1.2	3
4	Pulmonary nodular amyloidosis in a patient undergoing lobectomy: a case report. <i>Journal of Medical Case Reports</i> , 2013 , 7, 248	1.2	2
3	Clinical significance of EML4-ALK fusion gene and association with EGFR and KRAS gene mutations in 208 Chinese patients with non-small cell lung cancer. <i>PLoS ONE</i> , 2013 , 8, e52093	3.7	82
2	Gene silencing of BAG-1 modulates apoptotic genes and sensitizes lung cancer cell lines to cisplatin-induced apoptosis. <i>Cancer Biology and Therapy</i> , 2010 , 9, 832-40	4.6	17
1	HGAL, a lymphoma prognostic biomarker, interacts with the cytoskeleton and mediates the effects of IL-6 on cell migration. <i>Blood</i> , 2007 , 110, 4268-77	2.2	29

