

Sébastien Villager

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3526768/publications.pdf>

Version: 2024-02-01

99
papers

12,132
citations

61945

43
h-index

36008

97
g-index

104
all docs

104
docs citations

104
times ranked

12029
citing authors

#	ARTICLE	IF	CITATIONS
1	Ranking the biases: The choice of OTUs vs. ASVs in 16S rRNA amplicon data analysis has stronger effects on diversity measures than rarefaction and OTU identity threshold. <i>PLoS ONE</i> , 2022, 17, e0264443.	1.1	49
2	Contemporary environment and historical legacy explain functional diversity of freshwater fishes in the world rivers. <i>Global Ecology and Biogeography</i> , 2022, 31, 700-713.	2.7	14
3	Biological trade-offs underpin coral reef ecosystem functioning. <i>Nature Ecology and Evolution</i> , 2022, 6, 701-708.	3.4	18
4	Similar trait structure and vulnerability in pelagic fish faunas on two remote island systems. <i>Marine Biology</i> , 2022, 169, 1.	0.7	0
5	mFD: an R package to compute and illustrate the multiple facets of functional diversity. <i>Ecography</i> , 2022, 2022, .	2.1	77
6	Linking key human-environment theories to inform the sustainability of coral reefs. <i>Current Biology</i> , 2022, 32, 2610-2620.e4.	1.8	5
7	Mesophotic coral ecosystems of French Polynesia are hotspots of alpha and beta generic diversity for scleractinian assemblages. <i>Diversity and Distributions</i> , 2022, 28, 1391-1403.	1.9	5
8	An invasive herbivorous fish (<i>Siganus rivulatus</i>) influences both benthic and planktonic microbes through defecation and nutrient excretion. <i>Science of the Total Environment</i> , 2022, 838, 156207.	3.9	5
9	Global patterns and predictors of trophic position, body size and jaw size in fishes. <i>Global Ecology and Biogeography</i> , 2021, 30, 414-428.	2.7	9
10	Ecological Specialization Within a Carnivorous Fish Family Is Supported by a Herbivorous Microbiome Shaped by a Combination of Gut Traits and Specific Diet. <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	31
11	Human impacts on global freshwater fish biodiversity. <i>Science</i> , 2021, 371, 835-838.	6.0	262
12	Trait similarity in reef fish faunas across the world's oceans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	50
13	The dimensionality and structure of species trait spaces. <i>Ecology Letters</i> , 2021, 24, 1988-2009.	3.0	63
14	Underwater robots provide similar fish biodiversity assessments as divers on coral reefs. <i>Remote Sensing in Ecology and Conservation</i> , 2021, 7, 567-578.	2.2	7
15	Predation Cues Lead to Reduced Foraging of Invasive <i>Siganus rivulatus</i> in the Mediterranean. <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	5
16	Automatic underwater fish species classification with limited data using few-shot learning. <i>Ecological Informatics</i> , 2021, 63, 101320.	2.3	23
17	Microbial Shift in the Enteric Bacteriome of Coral Reef Fish Following Climate-Driven Regime Shifts. <i>Microorganisms</i> , 2021, 9, 1711.	1.6	6
18	Use of environmental DNA in assessment of fish functional and phylogenetic diversity. <i>Conservation Biology</i> , 2021, 35, 1944-1956.	2.4	25

#	ARTICLE	IF	CITATIONS
19	Phylogenetic conservatism drives nutrient dynamics of coral reef fishes. <i>Nature Communications</i> , 2021, 12, 5432.	5.8	10
20	FISHMORPH: A global database on morphological traits of freshwater fishes. <i>Global Ecology and Biogeography</i> , 2021, 30, 2330-2336.	2.7	45
21	Coral reef fishes reveal strong divergence in the prevalence of traits along the global diversity gradient. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20211712.	1.2	6
22	A global database for metacommunity ecology, integrating species, traits, environment and space. <i>Scientific Data</i> , 2020, 7, 6.	2.4	28
23	A new method to control error rates in automated species identification with deep learning algorithms. <i>Scientific Reports</i> , 2020, 10, 10972.	1.6	18
24	Exceptional but vulnerable microbial diversity in coral reef animal surface microbiomes. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20200642.	1.2	12
25	Nutrient limitation, bioenergetics and stoichiometry: A new model to predict elemental fluxes mediated by fishes. <i>Functional Ecology</i> , 2020, 34, 1857-1869.	1.7	25
26	Morphological sorting of introduced freshwater fish species within and between donor realms. <i>Global Ecology and Biogeography</i> , 2020, 29, 803-813.	2.7	17
27	Global changes threaten functional and taxonomic diversity of insular species worldwide. <i>Diversity and Distributions</i> , 2020, 26, 402-414.	1.9	25
28	Meeting fisheries, ecosystem function, and biodiversity goals in a human-dominated world. <i>Science</i> , 2020, 368, 307-311.	6.0	99
29	High intraspecific variability in morphology and diet in tropical stream fish communities. <i>Ecology of Freshwater Fish</i> , 2019, 28, 41-52.	0.7	14
30	Fish communities diverge in species but converge in traits over three decades of warming. <i>Global Change Biology</i> , 2019, 25, 3972-3984.	4.2	41
31	Interspecific differences in environmental response blur trait dynamics in classic statistical analyses. <i>Marine Biology</i> , 2019, 166, 1.	0.7	1
32	Trait structure and redundancy determine sensitivity to disturbance in marine fish communities. <i>Global Change Biology</i> , 2019, 25, 3424-3437.	4.2	68
33	Species diversity and composition drive the aesthetic value of coral reef fish assemblages. <i>Biology Letters</i> , 2019, 15, 20190703.	1.0	19
34	Morphological diversity of freshwater fishes differs between realms, but morphologically extreme species are widespread. <i>Global Ecology and Biogeography</i> , 2019, 28, 211-221.	2.7	36
35	An attributeâ€diversity approach to functional diversity, functional beta diversity, and related (dis)similarity measures. <i>Ecological Monographs</i> , 2019, 89, e01343.	2.4	80
36	Accounting for intraspecific diversity when examining relationships between non-native species and functional diversity. <i>Oecologia</i> , 2019, 189, 171-183.	0.9	20

#	ARTICLE	IF	CITATIONS
37	Interspecific differences in the effect of fish on marine microbial plankton. <i>Aquatic Microbial Ecology</i> , 2019, 82, 289-298.	0.9	3
38	Complementarity of the multidimensional functional and the taxonomic approaches to study phytoplankton communities in three Mediterranean coastal lagoons of different trophic status. <i>Hydrobiologia</i> , 2018, 815, 207-227.	1.0	17
39	Functional diversity measures revealed impacts of non-native species and habitat degradation on species-poor freshwater fish assemblages. <i>Science of the Total Environment</i> , 2018, 625, 861-871.	3.9	50
40	Disentangling the pathways of land use impacts on the functional structure of fish assemblages in Amazon streams. <i>Ecography</i> , 2018, 41, 219-232.	2.1	166
41	A Climate-Driven Functional Inversion of Connected Marine Ecosystems. <i>Current Biology</i> , 2018, 28, 3654-3660.e3.	1.8	39
42	Functional biodiversity loss along natural CO ₂ gradients. <i>Nature Communications</i> , 2018, 9, 5149.	5.8	77
43	Non-native species led to marked shifts in functional diversity of the world freshwater fish faunas. <i>Ecology Letters</i> , 2018, 21, 1649-1659.	3.0	74
44	A Deep learning method for accurate and fast identification of coral reef fishes in underwater images. <i>Ecological Informatics</i> , 2018, 48, 238-244.	2.3	147
45	Functional rarity of coral reef fishes at the global scale: Hotspots and challenges for conservation. <i>Biological Conservation</i> , 2018, 226, 288-299.	1.9	35
46	Confronting species aesthetics with ecological functions in coral reef fish. <i>Scientific Reports</i> , 2018, 8, 11733.	1.6	18
47	Community-wide scan identifies fish species associated with coral reef services across the Indo-Pacific. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20181167.	1.2	13
48	Skin microbiome of coral reef fish is highly variable and driven by host phylogeny and diet. <i>Microbiome</i> , 2018, 6, 147.	4.9	123
49	Biogeographical region and environmental conditions drive functional traits of estuarine fish assemblages worldwide. <i>Fish and Fisheries</i> , 2017, 18, 752-771.	2.7	55
50	On the risks of using dendrograms to measure functional diversity and multidimensional spaces to measure phylogenetic diversity: a comment on Sobral <i>et al.</i> (2016). <i>Ecology Letters</i> , 2017, 20, 554-557.	3.0	28
51	A global database of nitrogen and phosphorus excretion rates of aquatic animals. <i>Ecology</i> , 2017, 98, 1475-1475.	1.5	26
52	Functional ecology of fish: current approaches and future challenges. <i>Aquatic Sciences</i> , 2017, 79, 783-801.	0.6	270
53	Biogeographical, environmental and anthropogenic determinants of global patterns in bird taxonomic and trait turnover. <i>Global Ecology and Biogeography</i> , 2017, 26, 1190-1200.	2.7	33
54	Captive bottlenose dolphins and killer whales harbor a species-specific skin microbiota that varies among individuals. <i>Scientific Reports</i> , 2017, 7, 15269.	1.6	31

#	ARTICLE	IF	CITATIONS
55	Quaternion based control for robotic observation of marine diversity. , 2017, , .		3
56	Mare Incognitum: A Glimpse into Future Plankton Diversity and Ecology Research. <i>Frontiers in Marine Science</i> , 2017, 4, .	1.2	10
57	Formal Method for Mission Controller Generation of a Mobile Robot. <i>Lecture Notes in Computer Science</i> , 2017, , 586-600.	1.0	0
58	Taxonomic and functional diversity increase the aesthetic value of coralligenous reefs. <i>Scientific Reports</i> , 2016, 6, 34229.	1.6	45
59	Unexpected high vulnerability of functions in wilderness areas: evidence from coral reef fishes. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20160128.	1.2	35
60	Rare species contribute disproportionately to the functional structure of species assemblages. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20160084.	1.2	277
61	Increased taxonomic and functional similarity does not increase the trophic similarity of communities. <i>Global Ecology and Biogeography</i> , 2016, 25, 46-54.	2.7	19
62	Coral Reef Fish Detection and Recognition in Underwater Videos by Supervised Machine Learning: Comparison Between Deep Learning and HOG+SVM Methods. <i>Lecture Notes in Computer Science</i> , 2016, , 160-171.	1.0	72
63	Global functional diversity of freshwater fish is concentrated in the Neotropics while functional vulnerability is widespread. <i>Scientific Reports</i> , 2016, 6, 22125.	1.6	162
64	Worldwide freshwater fish homogenization is driven by a few widespread non-native species. <i>Biological Invasions</i> , 2016, 18, 1295-1304.	1.2	63
65	Mapping biodiversity in three-dimensions challenges marine conservation strategies: The example of coralligenous assemblages in North-Western Mediterranean Sea. <i>Ecological Indicators</i> , 2016, 61, 1042-1054.	2.6	37
66	Non-native species modify the isotopic structure of freshwater fish communities across the globe. <i>Ecography</i> , 2015, 38, 979-985.	2.1	52
67	High diversity of skin-associated bacterial communities of marine fishes is promoted by their high variability among body parts, individuals and species. <i>FEMS Microbiology Ecology</i> , 2015, 91, fiv061.	1.3	90
68	From current distinctiveness to future homogenization of the world's freshwater fish faunas. <i>Diversity and Distributions</i> , 2015, 21, 223-235.	1.9	32
69	Quantifying the multiple facets of isotopic diversity: New metrics for stable isotope ecology. <i>Ecological Indicators</i> , 2015, 56, 152-160.	2.6	124
70	How many dimensions are needed to accurately assess functional diversity? A pragmatic approach for assessing the quality of functional spaces. <i>Global Ecology and Biogeography</i> , 2015, 24, 728-740.	2.7	338
71	Combinations of biological attributes predict temporal dynamics of fish species in response to environmental changes. <i>Ecological Indicators</i> , 2015, 48, 147-156.	2.6	33
72	Coral-associated viruses and bacteria in the Ha Long Bay, Vietnam. <i>Aquatic Microbial Ecology</i> , 2015, 76, 149-161.	0.9	1

#	ARTICLE	IF	CITATIONS
73	Historical assemblage distinctiveness and the introduction of widespread non-native species explain worldwide changes in freshwater fish taxonomic dissimilarity. <i>Global Ecology and Biogeography</i> , 2014, 23, 574-584.	2.7	44
74	Functional homogenization exceeds taxonomic homogenization among European fish assemblages. <i>Global Ecology and Biogeography</i> , 2014, 23, 1450-1460.	2.7	127
75	Functional over-redundancy and high functional vulnerability in global fish faunas on tropical reefs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 13757-13762.	3.3	391
76	Species contribute differently to the taxonomic, functional, and phylogenetic alpha and beta diversity of freshwater fish communities. <i>Diversity and Distributions</i> , 2014, 20, 1235-1244.	1.9	55
77	Temporal changes in the taxonomic and functional diversity of fish communities in shallow Chinese lakes: the effects of river-lake connections and aquaculture. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2014, 24, 23-34.	0.9	21
78	Global mismatch between species richness and vulnerability of reef fish assemblages. <i>Ecology Letters</i> , 2014, 17, 1101-1110.	3.0	78
79	High intraspecific variability in the functional niche of a predator is associated with ontogenetic shift and individual specialization. <i>Ecology and Evolution</i> , 2014, 4, 4649-4657.	0.8	64
80	A functional approach reveals community responses to disturbances. <i>Trends in Ecology and Evolution</i> , 2013, 28, 167-177.	4.2	1,341
81	Fish-SPRICH: a database of freshwater fish species richness throughout the World. <i>Hydrobiologia</i> , 2013, 700, 343-349.	1.0	73
82	Toward a loss of functional diversity in stream fish assemblages under climate change. <i>Global Change Biology</i> , 2013, 19, 387-400.	4.2	160
83	Decomposing functional β -diversity reveals that low functional β -diversity is driven by low functional turnover in European fish assemblages. <i>Global Ecology and Biogeography</i> , 2013, 22, 671-681.	2.7	318
84	Intra- and interspecific differences in nutrient recycling by European freshwater fish. <i>Freshwater Biology</i> , 2012, 57, 2330-2341.	1.2	21
85	Measuring changes in taxonomic dissimilarity following species introductions and extirpations. <i>Ecological Indicators</i> , 2012, 18, 552-558.	2.6	22
86	Low Functional β -Diversity Despite High Taxonomic β -Diversity among Tropical Estuarine Fish Communities. <i>PLoS ONE</i> , 2012, 7, e40679.	1.1	126
87	Nutrient recycling by coastal macrofauna: intra- versus interspecific differences. <i>Marine Ecology - Progress Series</i> , 2012, 452, 297-303.	0.9	11
88	Functional Structure of Biological Communities Predicts Ecosystem Multifunctionality. <i>PLoS ONE</i> , 2011, 6, e17476.	1.1	348
89	Predicting trophic guild and diet overlap from functional traits: statistics, opportunities and limitations for marine ecology. <i>Marine Ecology - Progress Series</i> , 2011, 436, 17-28.	0.9	69
90	The multidimensionality of the niche reveals functional diversity changes in benthic marine biotas across geological time. <i>Ecology Letters</i> , 2011, 14, 561-568.	3.0	177

#	ARTICLE	IF	CITATIONS
91	Homogenization patterns of the world's freshwater fish faunas. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 18003-18008.	3.3	197
92	Colossal Aggregations of Giant Alien Freshwater Fish as a Potential Biogeochemical Hotspot. PLoS ONE, 2011, 6, e25732.	1.1	34
93	Contrasting changes in taxonomic vs. functional diversity of tropical fish communities after habitat degradation. Ecological Applications, 2010, 20, 1512-1522.	1.8	452
94	Functional diversity measures: an overview of their redundancy and their ability to discriminate community assembly rules. Functional Ecology, 2010, 24, 867-876.	1.7	1,105
95	Defining and measuring ecological specialization. Journal of Applied Ecology, 2010, 47, 15-25.	1.9	568
96	Towards a consensus for calculating dendrogram-based functional diversity indices. Oikos, 2008, 117, 794-800.	1.2	143
97	Additive partitioning of diversity including species differences: a comment on Hardy & Senterre (2007). Journal of Ecology, 2008, 96, 845-848.	1.9	32
98	NEW MULTIDIMENSIONAL FUNCTIONAL DIVERSITY INDICES FOR A MULTIFACETED FRAMEWORK IN FUNCTIONAL ECOLOGY. Ecology, 2008, 89, 2290-2301.	1.5	2,318
99	Stable trophic structure across coastal nekton assemblages despite high species turnover. Marine Ecology - Progress Series, 2008, 364, 135-146.	0.9	19