

# Sbastien Villger

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3526768/sebastien-villeger-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93  
papers

8,078  
citations

35  
h-index

89  
g-index

104  
ext. papers

10,305  
ext. citations

6.4  
avg, IF

6.33  
L-index

#	Paper	IF	Citations
93	Ranking the biases: The choice of OTUs vs. ASVs in 16S rRNA amplicon data analysis has stronger effects on diversity measures than rarefaction and OTU identity threshold.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0264443	2.7	4
92	Contemporary environment and historical legacy explain functional diversity of freshwater fishes in the world rivers. <i>Global Ecology and Biogeography</i> , <b>2022</b> , 31, 700-713	6.1	1
91	Similar trait structure and vulnerability in pelagic fish faunas on two remote island systems. <i>Marine Biology</i> , <b>2022</b> , 169, 1	2.5	
90	mFD: an R package to compute and illustrate the multiple facets of functional diversity. <i>Ecography</i> , <b>2022</b> , 2022,	6.5	5
89	Coral reef fishes reveal strong divergence in the prevalence of traits along the global diversity gradient. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2021</b> , 288, 20211712	4.4	1
88	Trait similarity in reef fish faunas across the world's oceans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	9
87	The dimensionality and structure of species trait spaces. <i>Ecology Letters</i> , <b>2021</b> , 24, 1988-2009	10	3
86	Global patterns and predictors of trophic position, body size and jaw size in fishes. <i>Global Ecology and Biogeography</i> , <b>2021</b> , 30, 414-428	6.1	2
85	Ecological Specialization Within a Carnivorous Fish Family Is Supported by a Herbivorous Microbiome Shaped by a Combination of Gut Traits and Specific Diet. <i>Frontiers in Marine Science</i> , <b>2021</b> , 8,	4.5	6
84	Human impacts on global freshwater fish biodiversity. <i>Science</i> , <b>2021</b> , 371, 835-838	33.3	65
83	Automatic underwater fish species classification with limited data using few-shot learning. <i>Ecological Informatics</i> , <b>2021</b> , 63, 101320	4.2	4
82	Microbial Shift in the Enteric Bacteriome of Coral Reef Fish Following Climate-Driven Regime Shifts. <i>Microorganisms</i> , <b>2021</b> , 9,	4.9	1
81	Use of environmental DNA in assessment of fish functional and phylogenetic diversity. <i>Conservation Biology</i> , <b>2021</b> , 35, 1944-1956	6	4
80	Phylogenetic conservatism drives nutrient dynamics of coral reef fishes. <i>Nature Communications</i> , <b>2021</b> , 12, 5432	17.4	2
79	Exceptional but vulnerable microbial diversity in coral reef animal surface microbiomes. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2020</b> , 287, 20200642	4.4	5
78	Nutrient limitation, bioenergetics and stoichiometry: A new model to predict elemental fluxes mediated by fishes. <i>Functional Ecology</i> , <b>2020</b> , 34, 1857-1869	5.6	12
77	Morphological sorting of introduced freshwater fish species within and between donor realms. <i>Global Ecology and Biogeography</i> , <b>2020</b> , 29, 803-813	6.1	6

76	Global changes threaten functional and taxonomic diversity of insular species worldwide. <i>Diversity and Distributions</i> , <b>2020</b> , 26, 402-414	5	11
75	A global database for metacommunity ecology, integrating species, traits, environment and space. <i>Scientific Data</i> , <b>2020</b> , 7, 6	8.2	10
74	A new method to control error rates in automated species identification with deep learning algorithms. <i>Scientific Reports</i> , <b>2020</b> , 10, 10972	4.9	8
73	Meeting fisheries, ecosystem function, and biodiversity goals in a human-dominated world. <i>Science</i> , <b>2020</b> , 368, 307-311	33.3	45
72	Trait structure and redundancy determine sensitivity to disturbance in marine fish communities. <i>Global Change Biology</i> , <b>2019</b> , 25, 3424-3437	11.4	28
71	High intraspecific variability in morphology and diet in tropical stream fish communities. <i>Ecology of Freshwater Fish</i> , <b>2019</b> , 28, 41-52	2.1	5
70	Fish communities diverge in species but converge in traits over three decades of warming. <i>Global Change Biology</i> , <b>2019</b> , 25, 3972-3984	11.4	17
69	Interspecific differences in environmental response blur trait dynamics in classic statistical analyses. <i>Marine Biology</i> , <b>2019</b> , 166, 1	2.5	1
68	Interspecific differences in the effect of fish on marine microbial plankton. <i>Aquatic Microbial Ecology</i> , <b>2019</b> , 82, 289-298	1.1	0
67	Species diversity and composition drive the aesthetic value of coral reef fish assemblages. <i>Biology Letters</i> , <b>2019</b> , 15, 20190703	3.6	7
66	Morphological diversity of freshwater fishes differs between realms, but morphologically extreme species are widespread. <i>Global Ecology and Biogeography</i> , <b>2019</b> , 28, 211-221	6.1	16
65	An attribute-diversity approach to functional diversity, functional beta diversity, and related (dis)similarity measures. <i>Ecological Monographs</i> , <b>2019</b> , 89, e01343	9	30
64	Accounting for intraspecific diversity when examining relationships between non-native species and functional diversity. <i>Oecologia</i> , <b>2019</b> , 189, 171-183	2.9	9
63	Complementarity of the multidimensional functional and the taxonomic approaches to study phytoplankton communities in three Mediterranean coastal lagoons of different trophic status. <i>Hydrobiologia</i> , <b>2018</b> , 815, 207-227	2.4	10
62	Functional diversity measures revealed impacts of non-native species and habitat degradation on species-poor freshwater fish assemblages. <i>Science of the Total Environment</i> , <b>2018</b> , 625, 861-871	10.2	37
61	Disentangling the pathways of land use impacts on the functional structure of fish assemblages in Amazon streams. <i>Ecography</i> , <b>2018</b> , 41, 219-232	6.5	100
60	Confronting species aesthetics with ecological functions in coral reef fish. <i>Scientific Reports</i> , <b>2018</b> , 8, 11733	4.9	10
59	Community-wide scan identifies fish species associated with coral reef services across the Indo-Pacific. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2018</b> , 285,	4.4	9

58	Skin microbiome of coral reef fish is highly variable and driven by host phylogeny and diet. <i>Microbiome</i> , <b>2018</b> , 6, 147	16.6	59
57	A Climate-Driven Functional Inversion of Connected Marine Ecosystems. <i>Current Biology</i> , <b>2018</b> , 28, 3654-3660.e37	6.6	37
56	Functional biodiversity loss along natural CO gradients. <i>Nature Communications</i> , <b>2018</b> , 9, 5149	17.4	44
55	Non-native species led to marked shifts in functional diversity of the world freshwater fish faunas. <i>Ecology Letters</i> , <b>2018</b> , 21, 1649-1659	10	42
54	A Deep learning method for accurate and fast identification of coral reef fishes in underwater images. <i>Ecological Informatics</i> , <b>2018</b> , 48, 238-244	4.2	67
53	Functional rarity of coral reef fishes at the global scale: Hotspots and challenges for conservation. <i>Biological Conservation</i> , <b>2018</b> , 226, 288-299	6.2	21
52	Biogeographical region and environmental conditions drive functional traits of estuarine fish assemblages worldwide. <i>Fish and Fisheries</i> , <b>2017</b> , 18, 752-771	6	31
51	On the risks of using dendrograms to measure functional diversity and multidimensional spaces to measure phylogenetic diversity: a comment on Sobral et al. (2016). <i>Ecology Letters</i> , <b>2017</b> , 20, 554-557	10	19
50	A global database of nitrogen and phosphorus excretion rates of aquatic animals. <i>Ecology</i> , <b>2017</b> , 98, 1475-1486	15.6	23
49	Functional ecology of fish: current approaches and future challenges. <i>Aquatic Sciences</i> , <b>2017</b> , 79, 783-801	1.5	141
48	Biogeographical, environmental and anthropogenic determinants of global patterns in bird taxonomic and trait turnover. <i>Global Ecology and Biogeography</i> , <b>2017</b> , 26, 1190-1200	6.1	17
47	Captive bottlenose dolphins and killer whales harbor a species-specific skin microbiota that varies among individuals. <i>Scientific Reports</i> , <b>2017</b> , 7, 15269	4.9	19
46	Mare Incognitum: A Glimpse into Future Plankton Diversity and Ecology Research. <i>Frontiers in Marine Science</i> , <b>2017</b> , 4,	4.5	4
45	Formal Method for Mission Controller Generation of a Mobile Robot. <i>Lecture Notes in Computer Science</i> , <b>2017</b> , 586-600	0.9	
44	Coral Reef Fish Detection and Recognition in Underwater Videos by Supervised Machine Learning: Comparison Between Deep Learning and HOG+SVM Methods. <i>Lecture Notes in Computer Science</i> , <b>2016</b> , 160-171	0.9	35
43	Global functional diversity of freshwater fish is concentrated in the Neotropics while functional vulnerability is widespread. <i>Scientific Reports</i> , <b>2016</b> , 6, 22125	4.9	116
42	Worldwide freshwater fish homogenization is driven by a few widespread non-native species. <i>Biological Invasions</i> , <b>2016</b> , 18, 1295-1304	2.7	45
41	Mapping biodiversity in three-dimensions challenges marine conservation strategies: The example of coralligenous assemblages in North-Western Mediterranean Sea. <i>Ecological Indicators</i> , <b>2016</b> , 61, 1042-1054	5.8	30

40	Taxonomic and functional diversity increase the aesthetic value of coralligenous reefs. <i>Scientific Reports</i> , <b>2016</b> , 6, 34229	4.9	32
39	Unexpected high vulnerability of functions in wilderness areas: evidence from coral reef fishes. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2016</b> , 283,	4.4	31
38	Rare species contribute disproportionately to the functional structure of species assemblages. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2016</b> , 283,	4.4	184
37	Increased taxonomic and functional similarity does not increase the trophic similarity of communities. <i>Global Ecology and Biogeography</i> , <b>2016</b> , 25, 46-54	6.1	16
36	From current distinctiveness to future homogenization of the world's freshwater fish faunas. <i>Diversity and Distributions</i> , <b>2015</b> , 21, 223-235	5	27
35	Quantifying the multiple facets of isotopic diversity: New metrics for stable isotope ecology. <i>Ecological Indicators</i> , <b>2015</b> , 56, 152-160	5.8	73
34	How many dimensions are needed to accurately assess functional diversity? A pragmatic approach for assessing the quality of functional spaces. <i>Global Ecology and Biogeography</i> , <b>2015</b> , 24, 728-740	6.1	222
33	Combinations of biological attributes predict temporal dynamics of fish species in response to environmental changes. <i>Ecological Indicators</i> , <b>2015</b> , 48, 147-156	5.8	24
32	Non-native species modify the isotopic structure of freshwater fish communities across the globe. <i>Ecography</i> , <b>2015</b> , 38, 979-985	6.5	35
31	High diversity of skin-associated bacterial communities of marine fishes is promoted by their high variability among body parts, individuals and species. <i>FEMS Microbiology Ecology</i> , <b>2015</b> , 91,	4.3	55
30	Coral-associated viruses and bacteria in the Ha Long Bay, Vietnam. <i>Aquatic Microbial Ecology</i> , <b>2015</b> , 76, 149-161	1.1	0
29	Functional homogenization exceeds taxonomic homogenization among European fish assemblages. <i>Global Ecology and Biogeography</i> , <b>2014</b> , 23, 1450-1460	6.1	92
28	Functional over-redundancy and high functional vulnerability in global fish faunas on tropical reefs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 13757-62	11.5	279
27	Species contribute differently to the taxonomic, functional, and phylogenetic alpha and beta diversity of freshwater fish communities. <i>Diversity and Distributions</i> , <b>2014</b> , 20, 1235-1244	5	38
26	Temporal changes in the taxonomic and functional diversity of fish communities in shallow Chinese lakes: the effects of river-lake connections and aquaculture. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , <b>2014</b> , 24, 23-34	2.6	13
25	Global mismatch between species richness and vulnerability of reef fish assemblages. <i>Ecology Letters</i> , <b>2014</b> , 17, 1101-10	10	62
24	High intraspecific variability in the functional niche of a predator is associated with ontogenetic shift and individual specialization. <i>Ecology and Evolution</i> , <b>2014</b> , 4, 4649-57	2.8	49
23	Historical assemblage distinctiveness and the introduction of widespread non-native species explain worldwide changes in freshwater fish taxonomic dissimilarity. <i>Global Ecology and Biogeography</i> , <b>2014</b> , 23, 574-584	6.1	34

22	A functional approach reveals community responses to disturbances. <i>Trends in Ecology and Evolution</i> , <b>2013</b> , 28, 167-77	10.9	946
21	Fish-SPRICH: a database of freshwater fish species richness throughout the World. <i>Hydrobiologia</i> , <b>2013</b> , 700, 343-349	2.4	60
20	Toward a loss of functional diversity in stream fish assemblages under climate change. <i>Global Change Biology</i> , <b>2013</b> , 19, 387-400	11.4	130
19	Decomposing functional diversity reveals that low functional diversity is driven by low functional turnover in European fish assemblages. <i>Global Ecology and Biogeography</i> , <b>2013</b> , 22, 671-681	6.1	222
18	Intra- and interspecific differences in nutrient recycling by European freshwater fish. <i>Freshwater Biology</i> , <b>2012</b> , 57, 2330-2341	3.1	19
17	Measuring changes in taxonomic dissimilarity following species introductions and extirpations. <i>Ecological Indicators</i> , <b>2012</b> , 18, 552-558	5.8	18
16	Low functional diversity despite high taxonomic diversity among tropical estuarine fish communities. <i>PLoS ONE</i> , <b>2012</b> , 7, e40679	3.7	96
15	Nutrient recycling by coastal macrofauna: intra- versus interspecific differences. <i>Marine Ecology - Progress Series</i> , <b>2012</b> , 452, 297-303	2.6	10
14	Functional structure of biological communities predicts ecosystem multifunctionality. <i>PLoS ONE</i> , <b>2011</b> , 6, e17476	3.7	275
13	Predicting trophic guild and diet overlap from functional traits: statistics, opportunities and limitations for marine ecology. <i>Marine Ecology - Progress Series</i> , <b>2011</b> , 436, 17-28	2.6	52
12	The multidimensionality of the niche reveals functional diversity changes in benthic marine biotas across geological time. <i>Ecology Letters</i> , <b>2011</b> , 14, 561-8	10	139
11	Homogenization patterns of the world's freshwater fish faunas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 18003-8	11.5	150
10	Colossal aggregations of giant alien freshwater fish as a potential biogeochemical hotspot. <i>PLoS ONE</i> , <b>2011</b> , 6, e25732	3.7	27
9	Functional diversity measures: an overview of their redundancy and their ability to discriminate community assembly rules. <i>Functional Ecology</i> , <b>2010</b> , 24, 867-876	5.6	827
8	Defining and measuring ecological specialization. <i>Journal of Applied Ecology</i> , <b>2010</b> , 47, 15-25	5.8	458
7	Contrasting changes in taxonomic vs. functional diversity of tropical fish communities after habitat degradation <b>2010</b> , 20, 1512-22		343
6	Additive partitioning of diversity including species differences: a comment on Hardy & Senterre (2007). <i>Journal of Ecology</i> , <b>2008</b> , 96, 845-848	6	27
5	New multidimensional functional diversity indices for a multifaceted framework in functional ecology. <i>Ecology</i> , <b>2008</b> , 89, 2290-301	4.6	1647

4	Towards a consensus for calculating dendrogram-based functional diversity indices. <i>Oikos</i> , <b>2008</b> , 117, 794-800	4	119
3	Stable trophic structure across coastal nekton assemblages despite high species turnover. <i>Marine Ecology - Progress Series</i> , <b>2008</b> , 364, 135-146	2.6	16
2	Strong functional divergence of tropical reef fish assemblages along the global diversity gradient		1
1	FISHMORPH: A global database on morphological traits of freshwater fishes. <i>Global Ecology and Biogeography</i> ,	6.1	4