

# Eugene O'Riordan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3527249/publications.pdf>

Version: 2024-02-01

81  
papers

2,776  
citations

236925

25  
h-index

233421

45  
g-index

86  
all docs

86  
docs citations

86  
times ranked

596  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Error Analysis of a Finite Difference Method on Graded Meshes for a Time-Fractional Diffusion Equation. <i>SIAM Journal on Numerical Analysis</i> , 2017, 55, 1057-1079.  | 2.3 | 577       |
| 2  | A Uniformly Convergent Galerkin Method on a Shishkin Mesh for a Convection-Diffusion Problem. <i>Journal of Mathematical Analysis and Applications</i> , 1997, 214, 36-54.  | 1.0 | 108       |
| 3  | A numerical method for a system of singularly perturbed reaction-diffusion equations. <i>Journal of Computational and Applied Mathematics</i> , 2002, 145, 151-166.   | 2.0 | 83        |
| 4  | Global maximum norm parameter-uniform numerical method for a singularly perturbed convection-diffusion problem with discontinuous convection coefficient. <i>Mathematical and Computer Modelling</i> , 2004, 40, 1375-1392. | 2.0 | 71        |
| 5  | Singularly perturbed convection-diffusion problems with boundary and weak interior layers. <i>Journal of Computational and Applied Mathematics</i> , 2004, 166, 133-151.  | 2.0 | 71        |
| 6  | A parameter robust numerical method for a two dimensional reaction-diffusion problem. <i>Mathematics of Computation</i> , 2005, 74, 1743-1759.  | 2.1 | 70        |
| 7  | A parameter robust second order numerical method for a singularly perturbed two-parameter problem. <i>Applied Numerical Mathematics</i> , 2006, 56, 962-980.  | 2.1 | 61        |
| 8  | Numerical methods for time-dependent convection-diffusion equations. <i>Journal of Computational and Applied Mathematics</i> , 1988, 21, 289-310.   | 2.0 | 58        |
| 9  | Parameter-uniform finite difference schemes for singularly perturbed parabolic diffusion-convection-reaction problems. <i>Mathematics of Computation</i> , 2006, 75, 1135-1155.   | 2.1 | 54        |
| 10 | Singularly Perturbed Problems Modeling Reaction-convection-diffusion Processes. <i>Computational Methods in Applied Mathematics</i> , 2003, 3, 424-442.   | 0.8 | 51        |
| 11 | A parameter robust numerical method for a system of two singularly perturbed convection-diffusion equations. <i>Applied Numerical Mathematics</i> , 2004, 51, 171-186.  | 2.1 | 49        |
| 12 | Uniformly convergent difference schemes for singularly perturbed parabolic diffusion-convection problems without turning points. <i>Numerische Mathematik</i> , 1989, 55, 521-544.  | 1.9 | 48        |
| 13 | A finite element method for a singularly perturbed boundary value problem. <i>Numerische Mathematik</i> , 1986, 50, 1-15.   | 1.9 | 47        |
| 14 | A Uniformly Accurate Finite-Element Method for a Singularly Perturbed One-Dimensional Reaction-Diffusion Problem. <i>Mathematics of Computation</i> , 1986, 47, 555.  | 2.1 | 46        |
| 15 | On piecewise-uniform meshes for upwind- and central-difference operators for solving singularly perturbed problems. <i>IMA Journal of Numerical Analysis</i> , 1995, 15, 89-99.   | 2.9 | 46        |
| 16 | A Globally Uniformly Convergent Finite Element Method for a Singularly Perturbed Elliptic Problem in Two Dimensions. <i>Mathematics of Computation</i> , 1991, 57, 47.  | 2.1 | 43        |
| 17 | Singularly perturbed parabolic problems with non-smooth data. <i>Journal of Computational and Applied Mathematics</i> , 2004, 166, 233-245.   | 2.0 | 43        |
| 18 | Convergence in Positive Time for a Finite Difference Method Applied to a Fractional Convection-Diffusion Problem. <i>Computational Methods in Applied Mathematics</i> , 2018, 18, 33-42.                                    | 0.8 | 41        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | A Comparison of Uniformly Convergent Difference Schemes for Two-Dimensional Convection-Diffusion Problems. <i>Journal of Computational Physics</i> , 1993, 105, 24-32.                             | 3.8 | 37        |
| 20 | Special Meshes for Finite Difference Approximations to an Advection-Diffusion Equation with Parabolic Layers. <i>Journal of Computational Physics</i> , 1995, 117, 47-54.                          | 3.8 | 34        |
| 21 | A Uniformly Convergent Finite Difference Scheme for a Singularly Perturbed Semilinear Equation. <i>SIAM Journal on Numerical Analysis</i> , 1996, 33, 1135-1149.                                   | 2.3 | 34        |
| 22 | A coupled system of singularly perturbed parabolic reaction-diffusion equations. <i>Advances in Computational Mathematics</i> , 2010, 32, 43-61.   | 1.6 | 30        |
| 23 | On the non-existence of $\epsilon$ -uniform finite difference methods on uniform meshes for semilinear two-point boundary value problems. <i>Mathematics of Computation</i> , 1998, 67, 603-618.   | 2.1 | 28        |
| 24 | A class of singularly perturbed semilinear differential equations with interior layers. <i>Mathematics of Computation</i> , 2005, 74, 1759-1777.   | 2.1 | 28        |
| 25 | Numerical analysis of a strongly coupled system of two singularly perturbed convection-diffusion problems. <i>Advances in Computational Mathematics</i> , 2009, 30, 101-121.                       | 1.6 | 27        |
| 26 | A Fitted Scheme for a Caputo Initial-Boundary Value Problem. <i>Journal of Scientific Computing</i> , 2018, 76, 583-609.   | 2.3 | 27        |
| 27 | A parameter-uniform Schwarz method for a singularly perturbed reaction-diffusion problem with an interior layer. <i>Applied Numerical Mathematics</i> , 2000, 35, 323-337.                         | 2.1 | 26        |
| 28 | A Fitted Mesh Method for a Class of Singularly Perturbed Parabolic Problems with a Boundary Turning Point. <i>Computational Methods in Applied Mathematics</i> , 2003, 3, 361-372.                 | 0.8 | 25        |
| 29 | A Uniformly Accurate Finite Element Method for a Singular Perturbation Problem in Conservative Form. <i>SIAM Journal on Numerical Analysis</i> , 1986, 23, 369-375.                                | 2.3 | 24        |
| 30 | An Analysis of a Superconvergence Result for a Singularly Perturbed Boundary Value Problem. <i>Mathematics of Computation</i> , 1986, 46, 81.  | 2.1 | 22        |
| 31 | A second-order parameter-uniform overlapping Schwarz method for reaction-diffusion problems with boundary layers. <i>Journal of Computational and Applied Mathematics</i> , 2001, 130, 231-244.    | 2.0 | 22        |
| 32 | Parameter-uniform numerical methods for some linear and nonlinear singularly perturbed convection diffusion boundary turning point problems. <i>BIT Numerical Mathematics</i> , 2011, 51, 317-337. | 2.0 | 22        |
| 33 | Singularly perturbed finite element methods. <i>Numerische Mathematik</i> , 1984, 44, 425-434.   | 1.9 | 20        |
| 34 | Parameter uniform numerical methods for singularly perturbed elliptic problems with parabolic boundary layers. <i>Applied Numerical Mathematics</i> , 2008, 58, 1761-1772.                         | 2.1 | 19        |
| 35 | A defect-correction parameter-uniform numerical method for a singularly perturbed convection-diffusion problem in one dimension. <i>Numerical Algorithms</i> , 2006, 41, 359-385.                  | 1.9 | 16        |
| 36 | A technique to prove parameter-uniform convergence for a singularly perturbed convection-diffusion equation. <i>Journal of Computational and Applied Mathematics</i> , 2007, 206, 136-145.         | 2.0 | 16        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | L1 and L <sup>2</sup> Uniform convergence of a difference scheme for a semilinear singular perturbation problem. <i>Numerische Mathematik</i> , 1987, 50, 519-531.  | 1.9 | 14        |
| 38 | A linearised singularly perturbed convection-diffusion problem with an interior layer. <i>Applied Numerical Mathematics</i> , 2015, 98, 1-17.   | 2.1 | 13        |
| 39 | The convergence of classical Schwarz methods applied to convection-diffusion problems with regular boundary layers. <i>Applied Numerical Mathematics</i> , 2002, 43, 297-313.                               | 2.1 | 11        |
| 40 | A class of singularly perturbed quasilinear differential equations with interior layers. <i>Mathematics of Computation</i> , 2009, 78, 103-103.   | 2.1 | 11        |
| 41 | A parameter-uniform numerical method for a singularly perturbed two parameter elliptic problem. <i>Advances in Computational Mathematics</i> , 2011, 35, 57-82.   | 1.6 | 11        |
| 42 | Numerical approximation of solution derivatives in the case of singularly perturbed time dependent reaction-diffusion problems. <i>Journal of Computational and Applied Mathematics</i> , 2015, 273, 13-24. | 2.0 | 11        |
| 43 | Numerical approximations to the scaled first derivatives of the solution to a two parameter singularly perturbed problem. <i>Journal of Computational and Applied Mathematics</i> , 2019, 347, 128-149.     | 2.0 | 11        |
| 44 | A Shishkin mesh for a singularly perturbed Riccati equation. <i>Journal of Computational and Applied Mathematics</i> , 2005, 182, 372-387.  | 2.0 | 10        |
| 45 | A parameter robust Petrov-Galerkin scheme for advection-diffusion-reaction equations. <i>Numerical Algorithms</i> , 2011, 56, 107-127.  | 1.9 | 10        |
| 46 | A singularly perturbed parabolic problem with a layer in the initial condition. <i>Applied Mathematics and Computation</i> , 2012, 219, 498-510.  | 2.2 | 10        |
| 47 | A Singularly Perturbed Convection Diffusion Turning Point Problem with an Interior Layer. <i>Computational Methods in Applied Mathematics</i> , 2012, 12, 206-220.  | 0.8 | 10        |
| 48 | Fitted mesh numerical methods for singularly perturbed elliptic problems with mixed derivatives. <i>IMA Journal of Numerical Analysis</i> , 2009, 29, 712-730.  | 2.9 | 9         |
| 49 | Numerical approximation of solution derivatives of singularly perturbed parabolic problems of convection-diffusion type. <i>Mathematics of Computation</i> , 2015, 85, 581-599.                             | 2.1 | 9         |
| 50 | Convergence analysis of a finite difference scheme for a two-point boundary value problem with a Riemann-Liouville-Caputo fractional derivative. <i>BIT Numerical Mathematics</i> , 2020, 60, 411-439.      | 2.0 | 9         |
| 51 | A System of Singularly Perturbed Semilinear Equations. <i>Lecture Notes in Computational Science and Engineering</i> , 2009, , 163-172.   | 0.3 | 9         |
| 52 | A uniform finite element method for a conservative singularly perturbed problem. <i>Journal of Computational and Applied Mathematics</i> , 1987, 18, 163-174.   | 2.0 | 8         |
| 53 | Parameter-uniform Fitted Mesh Method for Quasilinear Differential Equations with Boundary Layers. <i>Computational Methods in Applied Mathematics</i> , 2001, 1, 154-172.                                   | 0.8 | 8         |
| 54 | Use of central-difference operators for solution of singularly perturbed problems. <i>Communications in Numerical Methods in Engineering</i> , 1994, 10, 297-302.   | 1.3 | 7         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | On a novel mesh for the regular boundary layers arising in advection-dominated transport in two dimensions. <i>Communications in Numerical Methods in Engineering</i> , 1995, 11, 435-441.   | 1.3 | 5         |
| 56 | Parameter-uniform numerical methods for singularly perturbed parabolic problems with incompatible boundary-initial data. <i>Applied Numerical Mathematics</i> , 2019, 146, 436-451.  | 2.1 | 5         |
| 57 | A parameter-uniform numerical method for a singularly perturbed convection-diffusion problem posed on an annulus. <i>Computers and Mathematics With Applications</i> , 2019, 78, 3329-3344.  | 2.7 | 5         |
| 58 | Parameter-uniform numerical methods for some singularly perturbed nonlinear initial value problems. <i>Numerical Algorithms</i> , 2012, 61, 579-611.   | 1.9 | 4         |
| 59 | Opposing flows in a one dimensional convection-diffusion problem. <i>Central European Journal of Mathematics</i> , 2012, 10, 85-100.   | 0.7 | 4         |
| 60 | Singularly perturbed reaction-diffusion problems with discontinuities in the initial and/or the boundary data. <i>Journal of Computational and Applied Mathematics</i> , 2020, 370, 112638.  | 2.0 | 4         |
| 61 | Petrov-Galerkin finite element methods with a hinged test space for singularly perturbed problems. <i>International Journal for Numerical Methods in Engineering</i> , 1985, 21, 1803-1812.  | 2.8 | 3         |
| 62 | Numerical experiments for advection-diffusion problems in a channel with a 180° bend. <i>Applied Mathematics and Computation</i> , 2001, 118, 223-246.   | 2.2 | 3         |
| 63 | An experimental technique for computing parameter-uniform error estimates for numerical solutions of singular perturbation problems, with an application to Prandtl's problem at high Reynolds number. <i>Applied Numerical Mathematics</i> , 2002, 40, 143-149. | 2.1 | 3         |
| 64 | A singularly perturbed convection-diffusion problem with a moving pulse. <i>Journal of Computational and Applied Mathematics</i> , 2017, 321, 371-388.   | 2.0 | 3         |
| 65 | Parameter-uniform numerical method for singularly perturbed convection-diffusion problem on a circular domain. <i>Advances in Computational Mathematics</i> , 2017, 43, 885-909.   | 1.6 | 3         |
| 66 | Numerical Solution of a Singularly Perturbed Problem on a Circular Domain. <i>Modelirovanie I Analiz Informacionnyh Sistem</i> , 2016, 23, 349-356.  | 0.3 | 3         |
| 67 | Parameter-Uniform Numerical Methods for a Class of Singularly Perturbed Problems with a Neumann Boundary Condition. <i>Lecture Notes in Computer Science</i> , 2001, , 292-303.  | 1.3 | 2         |
| 68 | Numerical techniques for flow problems with singularities. <i>International Journal for Numerical Methods in Fluids</i> , 2003, 43, 915-936.   | 1.6 | 2         |
| 69 | A numerical method for a singular perturbation problem arising in the modelling of plasma sheaths. <i>International Journal of Computing Science and Mathematics</i> , 2007, 1, 322.   | 0.3 | 2         |
| 70 | A Singularly Perturbed Reaction-Diffusion Problem with Incompatible Boundary-Initial Data. <i>Lecture Notes in Computer Science</i> , 2013, , 303-310.   | 1.3 | 2         |
| 71 | Scaled discrete derivatives of singularly perturbed elliptic problems. <i>Numerical Methods for Partial Differential Equations</i> , 2015, 31, 225-252.  | 3.6 | 2         |
| 72 | Necessary conditions for convergence of difference schemes for fractional-derivative two-point boundary value problems. <i>BIT Numerical Mathematics</i> , 2016, 56, 1455-1477.  | 2.0 | 2         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Parameter-uniform approximations for a singularly perturbed convection-diffusion problem with a discontinuous initial condition. Applied Numerical Mathematics, 2021, 162, 106-123.                                  | 2.1 | 2         |
| 74 | Numerical approximations to a singularly perturbed convection-diffusion problem with a discontinuous initial condition. Numerical Algorithms, 2021, 88, 1851-1873.   | 1.9 | 2         |
| 75 | A Patched Mesh Method for Singularly Perturbed Reaction-Diffusion Equations. Lecture Notes in Computational Science and Engineering, 2009, , 117-127.  | 0.3 | 2         |
| 76 | John Miller - 65. Computational Methods in Applied Mathematics, 2003, 3, 359-360.  | 0.8 | 2         |
| 77 | Computing realistic Reynolds-uniform error bounds for discrete derivatives of flow velocities in the boundary layer for Prandtl's problem. International Journal for Numerical Methods in Fluids, 2003, 43, 895-902. | 1.6 | 1         |
| 78 | Examination of the Performance of Robust Numerical Methods for Singularly Perturbed Quasilinear Problems with Interior Layers. Lecture Notes in Computational Science and Engineering, 2009, , 141-151.              | 0.3 | 0         |
| 79 | Singularly Perturbed Reaction-Diffusion Problem with a Boundary Turning Point. Lecture Notes in Computational Science and Engineering, 2009, , 129-139.  | 0.3 | 0         |
| 80 | A numerical algorithm to computationally solve the Hemker problem using Shishkin meshes. Journal of Computational and Applied Mathematics, 2022, 409, 114155.  | 2.0 | 0         |
| 81 | Parameter-uniform numerical methods for singularly perturbed linear transport problems. Mathematical Methods in the Applied Sciences, 0, , .   | 2.3 | 0         |