Takeshi Takarada

List of Publications by Citations

Source: https://exaly.com/author-pdf/3527274/takeshi-takarada-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

2,449
citations

h-index

44
g-index

117
2,929
ext. papers

6.2
avg, IF

L-index

#	Paper	IF	Citations
106	Glucose Uptake and Runx2 Synergize to Orchestrate Osteoblast Differentiation and Bone Formation. <i>Cell</i> , 2015 , 161, 1576-1591	56.2	255
105	Glutamate signaling in peripheral tissues. FEBS Journal, 2004, 271, 1-13		149
104	An analysis of skeletal development in osteoblast-specific and chondrocyte-specific runt-related transcription factor-2 (Runx2) knockout mice. <i>Journal of Bone and Mineral Research</i> , 2013 , 28, 2064-9	6.3	113
103	Clock genes influence gene expression in growth plate and endochondral ossification in mice. <i>Journal of Biological Chemistry</i> , 2012 , 287, 36081-95	5.4	67
102	Bone Resorption Is Regulated by Circadian Clock in Osteoblasts. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 872-881	6.3	56
101	Disruption of Bmal1 Impairs Blood-Brain Barrier Integrity via Pericyte Dysfunction. <i>Journal of Neuroscience</i> , 2017 , 37, 10052-10062	6.6	55
100	Up-regulation of per mRNA expression by parathyroid hormone through a protein kinase A-CREB-dependent mechanism in chondrocytes. <i>Journal of Biological Chemistry</i> , 2006 , 281, 23632-42	5.4	53
99	Genetic analysis of Runx2 function during intramembranous ossification. <i>Development (Cambridge)</i> , 2016 , 143, 211-8	6.6	51
98	Functional expression of beta2 adrenergic receptors responsible for protection against oxidative stress through promotion of glutathione synthesis after Nrf2 upregulation in undifferentiated mesenchymal C3H10T1/2 stem cells. <i>Journal of Cellular Physiology</i> , 2009 , 218, 268-75	7	51
97	Nuclear factor E2 p45-related factor 2 negatively regulates chondrogenesis. <i>Bone</i> , 2007 , 40, 337-44	4.7	51
96	Facilitation of glutamate release by ionotropic glutamate receptors in osteoblasts. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 297, 452-8	3.4	51
95	Circadian Clock Regulates Bone Resorption in Mice. Journal of Bone and Mineral Research, 2016, 31, 134	446535	50
94	Glutamate signaling system in bone. <i>Journal of Pharmacological Sciences</i> , 2004 , 94, 215-20	3.7	50
93	Possible protection by notoginsenoside R1 against glutamate neurotoxicity mediated by N-methyl-D-aspartate receptors composed of an NR1/NR2B subunit assembly. <i>Journal of Neuroscience Research</i> , 2009 , 87, 2145-56	4.4	48
92	Deletion of Runx2 in Articular Chondrocytes Decelerates the Progression of DMM-Induced Osteoarthritis in Adult Mice. <i>Scientific Reports</i> , 2017 , 7, 2371	4.9	45
91	Positive regulation of osteoclastic differentiation by growth differentiation factor 15 upregulated in osteocytic cells under hypoxia. <i>Journal of Bone and Mineral Research</i> , 2012 , 27, 938-49	6.3	45
90	Neurogenesis mediated by gamma-aminobutyric acid and glutamate signaling. <i>Journal of Pharmacological Sciences</i> , 2009 , 110, 133-49	3.7	45

(2008-2006)

89	A molecular mechanism of pyruvate protection against cytotoxicity of reactive oxygen species in osteoblasts. <i>Molecular Pharmacology</i> , 2006 , 70, 925-35	4.3	41	
88	The intrinsic microglial clock system regulates interleukin-6 expression. <i>Glia</i> , 2017 , 65, 198-208	9	34	
87	Abolition of chondral mineralization by group III metabotropic glutamate receptors expressed in rodent cartilage. <i>British Journal of Pharmacology</i> , 2005 , 146, 732-43	8.6	32	
86	Glutamate suppresses osteoclastogenesis through the cystine/glutamate antiporter. <i>American Journal of Pathology</i> , 2007 , 170, 1277-90	5.8	30	
85	Glutamate transporters as drug targets. CNS and Neurological Disorders, 2005, 4, 211-20		29	
84	Selective upregulation of Per1 mRNA expression by ATP through activation of P2X7 purinergic receptors expressed in microglial cells. <i>Journal of Pharmacological Sciences</i> , 2011 , 116, 350-61	3.7	28	
83	Excitatory amino acid transporters expressed by synovial fibroblasts in rats with collagen-induced arthritis. <i>Biochemical Pharmacology</i> , 2005 , 70, 1744-55	6	27	
82	Predominant promotion by tacrolimus of chondrogenic differentiation to proliferating chondrocytes. <i>Journal of Pharmacological Sciences</i> , 2009 , 109, 413-23	3.7	26	
81	Possible neuroprotective property of nicotinic acetylcholine receptors in association with predominant upregulation of glial cell line-derived neurotrophic factor in astrocytes. <i>Journal of Neuroscience Research</i> , 2012 , 90, 2074-85	4.4	25	
80	Accumulation of [3H] glutamate in cultured rat calvarial osteoblasts. <i>Biochemical Pharmacology</i> , 2004 , 68, 177-84	6	25	
79	ATF3 deficiency in chondrocytes alleviates osteoarthritis development. <i>Journal of Pathology</i> , 2016 , 239, 426-37	9.4	25	
78	Inhibition by 2-methoxy-4-ethylphenol of Ca2+ influx through acquired and native N-methyl-D-aspartate-receptor channels. <i>Journal of Pharmacological Sciences</i> , 2010 , 112, 273-81	3.7	24	
77	NR2-reactive antibody decreases cell viability through augmentation of Ca(2+) influx in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2011 , 63, 3952-9		23	
76	Interference with cellular differentiation by D-serine through antagonism at N-methyl-D-aspartate receptors composed of NR1 and NR3A subunits in chondrocytes. <i>Journal of Cellular Physiology</i> , 2009 , 220, 756-64	7	23	
75	Pharmacological topics of bone metabolism: glutamate as a signal mediator in bone. <i>Journal of Pharmacological Sciences</i> , 2008 , 106, 536-41	3.7	23	
74	Promoted neuronal differentiation after activation of alpha4/beta2 nicotinic acetylcholine receptors in undifferentiated neural progenitors. <i>PLoS ONE</i> , 2012 , 7, e46177	3.7	22	
73	Promotion of both proliferation and neuronal differentiation in pluripotent P19 cells with stable overexpression of the glutamine transporter slc38a1. <i>PLoS ONE</i> , 2012 , 7, e48270	3.7	22	
72	A critical importance of polyamine site in NMDA receptors for neurite outgrowth and fasciculation at early stages of P19 neuronal differentiation. <i>Experimental Cell Research</i> , 2008 , 314, 2603-17	4.2	21	

71	Suppression by glutamate of proliferative activity through glutathione depletion mediated by the cystine/glutamate antiporter in mesenchymal C3H10T1/2 stem cells. <i>Journal of Cellular Physiology</i> , 2007 , 213, 721-9	7	20
70	Exacerbated vulnerability to oxidative stress in astrocytic C6 glioma cells with stable overexpression of the glutamine transporter slc38a1. <i>Neurochemistry International</i> , 2011 , 58, 504-11	4.4	19
69	Osteoblastic Eminobutyric acid, type B receptors negatively regulate osteoblastogenesis toward disturbance of osteoclastogenesis mediated by receptor activator of nuclear factor B ligand in mouse bone. <i>Journal of Biological Chemistry</i> , 2011 , 286, 32906-17	5.4	19
68	Transactivation by Runt related factor-2 of matrix metalloproteinase-13 in astrocytes. <i>Neuroscience Letters</i> , 2009 , 451, 99-104	3.3	19
67	Counteraction by repetitive daily exposure to static magnetism against sustained blockade of N-methyl-D-aspartate receptor channels in cultured rat hippocampal neurons. <i>Journal of Neuroscience Research</i> , 2005 , 80, 491-500	4.4	19
66	The Transcriptional Modulator Interferon-Related Developmental Regulator 1 in Osteoblasts Suppresses Bone Formation and Promotes Bone Resorption. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 573-84	6.3	19
65	Inhibition of the glutamine transporter SNAT1 confers neuroprotection in mice by modulating the mTOR-autophagy system. <i>Communications Biology</i> , 2019 , 2, 346	6.7	18
64	A protein-protein interaction of stress-responsive myosin VI endowed to inhibit neural progenitor self-replication with RNA binding protein, TLS, in murine hippocampus. <i>Journal of Neurochemistry</i> , 2009 , 110, 1457-68	6	18
63	A possible pivotal role of mitochondrial free calcium in neurotoxicity mediated by N-methyl-d-aspartate receptors in cultured rat hippocampal neurons. <i>Neurochemistry International</i> , 2011 , 59, 10-20	4.4	17
62	Glutamate preferentially suppresses osteoblastogenesis than adipogenesis through the cystine/glutamate antiporter in mesenchymal stem cells. <i>Journal of Cellular Physiology</i> , 2011 , 226, 652-	-65	17
61	Possible promotion of neuronal differentiation in fetal rat brain neural progenitor cells after sustained exposure to static magnetism. <i>Journal of Neuroscience Research</i> , 2009 , 87, 2406-17	4.4	17
60	Interference by adrenaline with chondrogenic differentiation through suppression of gene transactivation mediated by Sox9 family members. <i>Bone</i> , 2009 , 45, 568-78	4.7	17
59	Serine racemase suppresses chondrogenic differentiation in cartilage in a Sox9-dependent manner. Journal of Cellular Physiology, 2008 , 215, 320-8	7	17
58	A negative correlation between expression profiles of runt-related transcription factor-2 and cystine/glutamate antiporter xCT subunit in ovariectomized mouse bone. <i>Journal of Pharmacological Sciences</i> , 2011 , 115, 309-19	3.7	16
57	A RUNX2 stabilization pathway mediates physiologic and pathologic bone formation. <i>Nature Communications</i> , 2020 , 11, 2289	17.4	15
56	Osteoblast protects osteoclast devoid of sodium-dependent vitamin C transporters from oxidative cytotoxicity of ascorbic acid. <i>European Journal of Pharmacology</i> , 2007 , 575, 1-11	5.3	15
55	Differential regulation of cellular maturation in chondrocytes and osteoblasts by glycine. <i>Cell and Tissue Research</i> , 2008 , 333, 91-103	4.2	15
54	Uptake of [3H]L-serine in rat brain synaptosomal fractions. <i>Brain Research</i> , 2003 , 983, 36-47	3.7	15

(2010-2016)

53	Transcriptional Modulator Ifrd1 Regulates Osteoclast Differentiation through Enhancing the NF-B/NFATc1 Pathway. <i>Molecular and Cellular Biology</i> , 2016 , 36, 2451-63	4.8	15	
52	Glutamatergic neurons in the medial prefrontal cortex mediate the formation and retrieval of cocaine-associated memories in mice. <i>Addiction Biology</i> , 2020 , 25, e12723	4.6	15	
51	ATF3 controls proliferation of osteoclast precursor and bone remodeling. <i>Scientific Reports</i> , 2016 , 6, 30918	4.9	14	
50	The MAPK Erk5 is necessary for proper skeletogenesis involving a Smurf-Smad-Sox9 molecular axis. <i>Development (Cambridge)</i> , 2018 , 145,	6.6	13	
49	Postnatal Runx2 deletion leads to low bone mass and adipocyte accumulation in mice bone tissues. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 516, 1229-1233	3.4	13	
48	Transferrin receptor-1 suppresses neurite outgrowth in neuroblastoma Neuro2A cells. <i>Neurochemistry International</i> , 2012 , 60, 448-57	4.4	13	
47	Induced tolerance to glutamate neurotoxicity through down-regulation of NR2 subunits of N-methyl-D-aspartate receptors in cultured rat striatal neurons. <i>Journal of Neuroscience Research</i> , 2010 , 88, 2177-87	4.4	13	
46	Runx2 is required for postnatal intervertebral disc tissue growth and development. <i>Journal of Cellular Physiology</i> , 2019 , 234, 6679-6687	7	13	
45	Core Binding Factor Expression in Ovarian Granulosa Cells Is Essential for Female Fertility. <i>Endocrinology</i> , 2018 , 159, 2094-2109	4.8	12	
44	Glutamate is a determinant of cellular proliferation through modulation of nuclear factor E2 p45-related factor-2 expression in osteoblastic MC3T3-E1 cells. <i>Journal of Cellular Physiology</i> , 2007 , 213, 105-14	7	12	
43	Physiological role of urothelial cancer-associated one long noncoding RNA in human skeletogenic cell differentiation. <i>Journal of Cellular Physiology</i> , 2018 , 233, 4825-4840	7	12	
42	RUNX2 Promotes Malignant Progression in Glioma. <i>Neurochemical Research</i> , 2018 , 43, 2047-2054	4.6	12	
41	Type IV collagen B chain is a regulator of keratin 10 in keratinization of oral mucosal epithelium. <i>Scientific Reports</i> , 2018 , 8, 2612	4.9	11	
40	Selective inhibition by ethanol of mitochondrial calcium influx mediated by uncoupling protein-2 in relation to N-methyl-D-aspartate cytotoxicity in cultured neurons. <i>PLoS ONE</i> , 2013 , 8, e69718	3.7	11	
39	Positive regulation by GABA(B)R1 subunit of leptin expression through gene transactivation in adipocytes. <i>PLoS ONE</i> , 2011 , 6, e20167	3.7	11	
38	Oral administration of phenolic antidiarrheic ingredients prevents ovariectomy-induced bone loss. <i>Biochemical Pharmacology</i> , 2007 , 73, 385-93	6	11	
37	Daily oral intake of theanine prevents the decline of 5-bromo-2Tdeoxyuridine incorporation in hippocampal dentate gyrus with concomitant alleviation of behavioral abnormalities in adult mice with severe traumatic stress. <i>Journal of Pharmacological Sciences</i> , 2015 , 127, 292-7	3.7	10	
36	Requirement of both NR3A and NR3B subunits for dominant negative properties on Ca2+ mobilization mediated by acquired N-methyl-D-aspartate receptor channels into mitochondria. Neurochemistry International, 2010, 57, 730-7	4.4	10	

35	Positive regulation by Eminobutyric acid B receptor subunit-1 of chondrogenesis through acceleration of nuclear translocation of activating transcription factor-4. <i>Journal of Biological Chemistry</i> , 2012 , 287, 33293-303	5.4	10
34	Upregulation of Slc38a1 Gene Along with Promotion of Neurosphere Growth and Subsequent Neuronal Specification in Undifferentiated Neural Progenitor Cells Exposed to Theanine. Neurochemical Research, 2016, 41, 5-15	4.6	9
33	Runx2 function in cells of neural crest origin during intramembranous ossification. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 509, 1028-1033	3.4	9
32	Possible activation by the green tea amino acid theanine of mammalian target of rapamycin signaling in undifferentiated neural progenitor cells. <i>Biochemistry and Biophysics Reports</i> , 2016 , 5, 89-95	2.2	9
31	Osteoclastogenesis is negatively regulated by D-serine produced by osteoblasts. <i>Journal of Cellular Physiology</i> , 2012 , 227, 3477-87	7	9
30	Protective upregulation of activating transcription factor-3 against glutamate neurotoxicity in neuronal cells under ischemia. <i>Journal of Neuroscience Research</i> , 2016 , 94, 378-88	4.4	8
29	Establishment of a tTA-dependent photoactivatable Cre recombinase knock-in mouse model for optogenetic genome engineering. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 526, 213	3 ⁻³ 2 ⁴ 7	7
28	Synthesis and evaluation of radioiodinated 1-{2-[5-(2-methoxyethoxy)-1H-benzo[d]imidazol-1-yl]quinolin-8-yl}piperidin-4-amine derivatives for platelet-derived growth factor receptor [PDGFR] imaging. <i>Bioorganic and Medicinal Chemistry</i> ,	3.4	7
27	Possible modulation of process extension by N-methyl-D-aspartate receptor expressed in osteocytic MLO-Y4 cells. <i>Journal of Pharmacological Sciences</i> , 2012 , 119, 112-6	3.7	7
26	Negative correlation between Per1 and Sox6 expression during chondrogenic differentiation in pre-chondrocytic ATDC5 cells. <i>Journal of Pharmacological Sciences</i> , 2013 , 122, 318-25	3.7	7
25	Gradual downregulation of protein expression of the partner GABA(B)R2 subunit during postnatal brain development in mice defective of GABA(B)R1 subunit. <i>Journal of Pharmacological Sciences</i> , 2011 , 115, 45-55	3.7	7
24	Negative regulation of osteoblastogenesis through downregulation of runt-related transcription factor-2 in osteoblastic MC3T3-E1 cells with stable overexpression of the cystine/glutamate antiporter xCT subunit. <i>Journal of Cellular Physiology</i> , 2011 , 226, 2953-64	7	7
23	Design, synthesis, and biological evaluation of radioiodinated benzo[d]imidazole-quinoline derivatives for platelet-derived growth factor receptor [PDGFR]imaging. <i>Bioorganic and Medicinal Chemistry</i> , 2019 , 27, 383-393	3.4	7
22	Bone Marrow Cells Inhibit BMP-2-Induced Osteoblast Activity in the Marrow Environment. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 327-332	6.3	7
21	The transcriptional modulator Ifrd1 controls PGC-1lexpression under short-term adrenergic stimulation in brown adipocytes. <i>FEBS Journal</i> , 2017 , 284, 784-795	5.7	6
20	Radiobrominated benzimidazole-quinoline derivatives as Platelet-derived growth factor receptor beta (PDGFR) imaging probes. <i>Scientific Reports</i> , 2018 , 8, 10369	4.9	6
19	Upregulation of Runt-Related Transcription Factor-2 Through CCAAT Enhancer Binding Protein- Signaling Pathway in Microglial BV-2 Cells Exposed to ATP. <i>Journal of Cellular Physiology</i> , 2015 , 230, 257	10-21	6
18	Potential interactions of calcium-sensitive reagents with zinc ion in different cultured cells. <i>PLoS ONE</i> , 2015 , 10, e0127421	3.7	6

LIST OF PUBLICATIONS

17	Constitutive and functional expression of runt-related transcription factor-2 by microglial cells. Neurochemistry International, 2014 , 74, 24-35	4.4	6
16	Preferential inhibition by antidiarrheic 2-methoxy-4-methylphenol of Ca(2+) influx across acquired N-methyl-D-aspartate receptor channels composed of NR1/NR2B subunit assembly. <i>Journal of Neuroscience Research</i> , 2010 , 88, 2483-93	4.4	6
15	RUNX2 regulates leukemic cell metabolism and chemotaxis in high-risk T cell acute lymphoblastic leukemia. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	6
14	Possible involvement of mitochondrial uncoupling protein-2 in cytotoxicity mediated by acquired N-methyl-D-aspartate receptor channels. <i>Neurochemistry International</i> , 2012 , 61, 498-505	4.4	5
13	Myosin VI reduces proliferation, but not differentiation, in pluripotent P19 cells. <i>PLoS ONE</i> , 2013 , 8, e63	9,47	5
12	BMP-2/ETCP Local Delivery for Bone Regeneration in MRONJ-Like Mouse Model. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
11	PRRX1 promotes malignant properties in human osteosarcoma. <i>Translational Oncology</i> , 2021 , 14, 10096	64 .9	5
10	Core Binding Factors are essential for ovulation, luteinization, and female fertility in mice. <i>Scientific Reports</i> , 2020 , 10, 9921	4.9	4
9	Delayed mitochondrial membrane potential disruption by ATP in cultured rat hippocampal neurons exposed to N-methyl-D-aspartate. <i>Journal of Pharmacological Sciences</i> , 2012 , 119, 20-9	3.7	4
8	Possible expression of a particular gamma-aminobutyric acid transporter isoform responsive to upregulation by hyperosmolarity in rat calvarial osteoblasts. <i>European Journal of Pharmacology</i> , 2006 , 550, 24-32	5.3	4
7	Glucose Uptake and Runx2 Synergize to Orchestrate Osteoblast Differentiation and Bone Formation. <i>Cell</i> , 2015 , 162, 1169	56.2	3
6	Induction and expansion of human PRRX1 limb-bud-like mesenchymal cells from pluripotent stem cells. <i>Nature Biomedical Engineering</i> , 2021 , 5, 926-940	19	3
5	Nuclear condensation of cyclic adenosine monophosphate responsive element-binding protein in discrete murine brain structures. <i>Journal of Neuroscience Research</i> , 2005 , 80, 667-76	4.4	2
4	Oncogenic potential of human pluripotent stem cell-derived lung organoids with HER2 overexpression. <i>International Journal of Cancer</i> , 2021 , 149, 1593-1604	7.5	2
3	Selective downregulation of N-methyl-D-aspartate receptor (NMDAR) rather than non-NMDAR subunits in ipsilateral cerebral hemispheres in rats with middle cerebral artery occlusion. <i>Japanese Journal of Psychopharmacology</i> , 2011 , 31, 187-94		1
2	Neuropsychiatric systemic lupus erythematosus: pathophysiology and the future of treatment. <i>International Journal of Clinical Rheumatology</i> , 2013 , 8, 585-595	1.5	
1	Understanding the mesenchymal stem cell and its application to the study of human pluripotent stem cells. <i>Okayama Igakkai Zasshi</i> , 2021 , 133, 158-165	0	