## Joanna Lenik

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3527600/publications.pdf

Version: 2024-02-01

		1163117	996975
15	209	8	15
papers	citations	h-index	g-index
16	16	16	256
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Functionalized $\hat{l}^2$ -cyclodextrin based potentiometric sensor for naproxen determination. Materials Science and Engineering C, 2016, 61, 149-157.	7.3	31
2	Cyclodextrins Based Electrochemical Sensors for Biomedical and Pharmaceutical Analysis. Current Medicinal Chemistry, 2017, 24, 2359-2391.	2.4	28
3	Construction of a glassy carbon ibuprofen electrode modified with multi-walled carbon nanotubes and cyclodextrins. Sensors and Actuators B: Chemical, 2018, 255, 2282-2289.	7.8	24
4	A new potentiometric electrode incorporating functionalized $\hat{l}^2$ -cyclodextrins for diclofenac determination. Materials Science and Engineering C, 2014, 45, 109-116.	7.3	22
5	Utilization of Ethylcellulose Microparticles with Rupatadine Fumarate in Designing Orodispersible Minitablets with Taste Masking Effect. Materials, 2020, 13, 2715.	2.9	17
6	Ethylcellulose in Organic Solution or Aqueous Dispersion Form in Designing Taste-Masked Microparticles by the Spray Drying Technique with a Model Bitter Drug: Rupatadine Fumarate. Polymers, 2019, 11, 522.	4.5	14
7	Preparation and study of a naproxen ion-selective electrode. Materials Science and Engineering C, 2013, 33, 311-316.	<b>7.</b> 3	13
8	Properties of ibuprofen ion-selective electrodes based on the ion pair complex of tetraoctylammonium cation. Open Chemistry, 2010, 8, 382-391.	1.9	9
9	Orodispersible Films with Rupatadine Fumarate Enclosed in Ethylcellulose Microparticles as Drug Delivery Platform with Taste-Masking Effect. Materials, 2022, 15, 2126.	2.9	9
10	Preparation and characterization of a sulindac sensor based on PVC/TOA–SUL membrane. Materials Science and Engineering C, 2014, 37, 383-389.	7.3	8
11	Naproxen ion-selective electrode and its application to pharmaceutical analysis. Acta Poloniae Pharmaceutica, 2002, 59, 171-6.	0.1	8
12	Properties of naproxen ion-selective electrodes. Open Chemistry, 2008, 6, 513-519.	1.9	7
13	Fabrication of a Developed Potentiometric Ibuprofen Electrode Based on New Functionalized \$eta\$-Cyclodextrins for Pharmaceuticals Determination. IEEE Sensors Journal, 2017, 17, 1215-1221.	4.7	6
14	Ketoprofen ion-selective electrode and its application to pharmaceutical analysis. Acta Poloniae Pharmaceutica, 2006, 63, 239-44.	0.1	6
15	Studies on Influence of (2-Hydroxypropyl)-\$eta\$-Cyclodextrin on Properties of a New Indomethacin Electrode. IEEE Sensors Journal, 2013, 13, 4638-4647.	4.7	5