Zabihollah Zamani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3528143/publications.pdf

Version: 2024-02-01

88 papers 2,072 citations

279487 23 h-index 264894 42 g-index

88 all docs 88 docs citations

88 times ranked 2237 citing authors

#	Article	IF	Citations
1	Morphological, Phenological, and Pomological Diversity Among 130 Seed-Propagated Walnut (Juglans) Tj ETQq1	1 8:78431	4 ₂ gBT /Over
2	Combination effects of preharvest tree net-shading and postharvest fruit treatments with salicylic acid or hot water on attributes of pomegranate fruit. Scientia Horticulturae, 2022, 304, 111257.	1.7	5
3	Influence of kaolin application on most important fruit and leaf characteristics of two apple cultivars under sustained deficit irrigation. Biological Research, 2021, 54, 1.	1.5	15
4	Salicylic acid and kaolin effects on pomological, physiological, and phytochemical characters of hazelnut (Corylus avellana) at warm summer condition. Scientific Reports, 2021, 11, 4568.	1.6	8
5	Optimization in vitro conditions for plumÂ×Âapricot embryo rescue and modeling some critical factors by using artificial neural networks technology. Scientia Horticulturae, 2021, 289, 110487.	1.7	3
6	Effect of Salicylic Acid and Methyl Jasmonate on Stress Indices in Papaver bracteatum Lindl., 2021, 11,.		0
7	Study of physiological and biochemical responses to freezing stress in pomegranate (<i>Punica) Tj ETQq1 1 0.78-and Biotechnology, 2020, 95, 341-355.</i>	4314 rgBT 0.9	/Overlock 10 4
8	Evaluation of the salinity tolerance of Iranian citrus rootstocks using morph-physiological and molecular methods. Scientia Horticulturae, 2020, 261, 109012.	1.7	6
9	Effects of deficit irrigation and kaolin application on vegetative growth and fruit traits of two early ripening apple cultivars. Biological Research, 2019, 52, 43.	1.5	19
10	Effect of foliar application with sodium selenate on selenium biofortification and fruit quality maintenance of â€~Starking Delicious' apple during storage. Journal of the Science of Food and Agriculture, 2019, 99, 5149-5156.	1.7	31
11	Genetic characterization of Allium stipitatum accessions: an economically wild edible Allium species with unique flavor. Revista Brasileira De Botanica, 2019, 42, 83-96.	0.5	2
12	Effects of alternate bearing and 2,4-D application on fruit growth pattern, abscission enzymes activity, ACC content of calyx and carbohydrates partitioning of fruits in Satsuma mandarin (Citrus) Tj ETQq0 0 C) r g.B T /Ove	erBock 10 Tf 5
13	5-Aminolevulinic acid moderates environmental stress-induced bunch wilting and stress markers in date palm. Acta Physiologiae Plantarum, 2018, 40, 1.	1.0	5
14	Effects of deficit irrigation on some physiological traits, production and fruit quality of  Mazafati' date palm and the fruit wilting and dropping disorder. Agricultural Water Management, 2018, 209, 219-227.	2.4	29
15	Comparison of Chloroplast DNA Diversity in Some Iranian Apple Genotypes, Commercial Cultivars and Rootstocks. Plant Genetic Researches, 2018, 5, 77-86.	0.4	1
16	Effect of deficit irrigation on flowering and fruit properties of pomegranate (Punica granatum cv.) Tj ETQq0 0 0 rg	BT Overlo	ock 10 Tf 50
17	Comparative Different DNA Isolation Protocols from Ziziphus spina-christi (L.) Leaves through RAPD and ISSR Markers. Journal of Agricultural Science, 2016, 8, 49.	0.1	1
18	Differential expression of cell wall related genes in the seeds of soft- and hard-seeded pomegranate genotypes. Scientia Horticulturae, 2016, 205, 7-16.	1.7	31

#	Article	IF	CITATIONS
19	Analysis of the Phenylpropanoid Enzyme Activities and Products in the Soft- and Hard-Seeded Pomegranate Genotypes During Fruit Development. International Journal of Fruit Science, 2016, 16, 242-258.	1.2	8
20	Introduction of New Promising Apple Genotypes: A Study of Quality Attributes of Apple in Crosses between Iranian Early Ripening and Exotic Late Ripening Apple Cultivars. International Journal of Fruit Science, 2016, 16, 210-224.	1.2	4
21	Effect of foliar and soil application of urea on leaf nutrients concentrations, yield and fruit quality of pomegranate. Journal of Plant Nutrition, 2016, 39, 749-755.	0.9	12
22	Genetic diversity among melon accessions from Iran and their relationships with melon germplasm of diverse origins using microsatellite markers. Plant Systematics and Evolution, 2014, 300, 139-151.	0.3	40
23	Gene expression in opening and senescing petals of rose (Rosa hybrida L.). Acta Physiologiae Plantarum, 2014, 36, 199-206.	1.0	8
24	Genetic variation in wild Prunus L. subgen. Cerasus germplasm from Iran characterized by nuclear and chloroplast SSR markers. Trees - Structure and Function, 2014, 28, 471-485.	0.9	24
25	Influence of hotâ€air treatment, superatmospheric O ₂ and elevated CO ₂ on bioactive compounds and storage properties of freshâ€cut pomegranate arils. International Journal of Food Science and Technology, 2014, 49, 153-159.	1.3	14
26	Seed morphogenesis and effect of pretreatments on seed germination of Persian shallot (Allium) Tj ETQq0 0 0 rg 2014, 55, 19-26.	gBT /Overlo 0.7	ock 10 Tf 50 4 20
27	S-allele diversity in Prunus L. Cerasus subgenus from Iran. Biochemical Systematics and Ecology, 2014, 53, 1-7.	0.6	1
28	Genetic identity and relationships of hazelnut (Corylus avellana L.) landraces as revealed by morphological characteristics and molecular markers. Scientia Horticulturae, 2014, 167, 17-26.	1.7	15
29	Seed washing, exogenous application of gibberellic acid, and cold stratification enhance the germination of sweet cherry (<i>Prunus avium</i> L.) seed. Journal of Horticultural Science and Biotechnology, 2014, 89, 74-78.	0.9	2
30	Long-term Yield and Harvest Time Fruit Quality Attributes in Various Fuji Apple Strains. Hortscience: A Publication of the American Society for Hortcultural Science, 2014, 49, 281-284.	0.5	1
31	GENETIC VARIATION AND FREQUENCY OF S-ALLELES IN IRANIAN ALMOND CULTIVARS. Acta Horticulturae, 2014, , 45-48.	0.1	4
32	IDENTIFICATION OF SIMPLE SEQUENCE REPEAT (SSR) MARKERS LINKED TO FLOWERING TIME IN ALMOND BY BULKED SEGREGANT ANALYSIS (BSA). Acta Horticulturae, 2014, , 53-56.	0.1	3
33	Combined effect of heat treatment, UV-C and superatmospheric oxygen packing on phenolics and browning related enzymes of fresh-cut pomegranate arils. LWT - Food Science and Technology, 2013, 54, 389-396.	2.5	60
34	Effects of Hot Water Treatments on Antioxidant Enzymatic System in Reducing Flesh Browning of Persimmon. Food and Bioprocess Technology, 2013, 6, 3038-3046.	2.6	24
35	Phenotypic and genotypic variation in Iranian sour and duke cherries. Trees - Structure and Function, 2013, 27, 1455-1466.	0.9	30
36	A new biotechnological source of rosmarinic acid and surface flavonoids: Hairy root cultures of Dracocephalum kotschyi Boiss. Industrial Crops and Products, 2013, 50, 256-263.	2.5	47

#	Article	IF	CITATIONS
37	Comparative analysis of genetic structure and variability in wild and cultivated pomegranates as revealed by morphological variables and molecular markers. Plant Systematics and Evolution, 2013, 299, 1967-1980.	0.3	22
38	A Mechanical Method of Determining Seed-Hardness in Pomegranate. Journal of Crop Improvement, 2013, 27, 444-459.	0.9	16
39	Identification and quantification of leaf surface flavonoids in wild-growing populations of Dracocephalum kotschyi by LC–DAD–ESI-MS. Food Chemistry, 2013, 141, 139-146.	4.2	57
40	Evaluation of the photocatalytic antimicrobial effects of a TiO2 nanocomposite food packaging film by inÂvitro and inÂvivo tests. LWT - Food Science and Technology, 2013, 50, 702-706.	2.5	155
41	A pomegranate (<i>Punica granatum</i> L.) linkage map based on AFLP markers. Journal of Horticultural Science and Biotechnology, 2012, 87, 1-6.	0.9	9
42	DEFINING THE SUITABLE COLD STORAGE TEMPERATURE FOR 'KARAJ' PERSIMMON. Acta Horticulturae, 2012, , 769-774.	0.1	4
43	Morphological characterization of Prunus incana Pall. by multivariate analysis. Plant Systematics and Evolution, 2012, 298, 1805-1814.	0.3	5
44	Evaluation of genetic diversity among some genotypes of Kentucky bluegrass by RAPD molecular markers. Horticulture Environment and Biotechnology, 2012, 53, 298-303.	0.7	11
45	Multivariate analysis of Prunus subgen. Cerasus germplasm in Iran using morphological variables. Genetic Resources and Crop Evolution, 2012, 59, 909-926.	0.8	69
46	Changes in anthocyanins in arils of chitosan-coated pomegranate (Punica granatum L. cv.) Tj ETQq0 0 0 rgBT /O	verlock 10 4.2	Tf 50 382 To
47	Genetic relatedness among some wild cherry (Prunus subgenus Cerasus) genotypes native to Iran assayed by morphological traits and random amplified polymorphic DNA analysis. Plant Systematics and Evolution, 2012, 298, 499-509.	0.3	6
48	Chemical Composition of Essential Oil of <i>Origanum vulgare </i> ssp. <i>viride </i> from Iran. Journal of Essential Oil-bearing Plants: JEOP, 2011, 14, 805-809.	0.7	5
49	EFFECTS OF WATER SALINITY ON GROWTH INDICES AND PHYSIOLOGICAL PARAMETERS IN SOME PISTACHIO ROOTSTOCKS. Journal of Plant Nutrition, 2011, 34, 935-944.	0.9	23
50	Identification and characterization of genes differentially displayed in Rosa hybrida petals during flower senescence. Scientia Horticulturae, 2011, 128, 320-324.	1.7	10
51	Analysis of genetic diversity among some Persian walnut genotypes (Juglans regia L.) using morphological traits and SSRs markers. Scientia Horticulturae, 2011, 130, 146-151.	1.7	61
52	Cropping effects on the loss of apple fruit firmness during storage: The relationship between texture retention and fruit dry matter concentration. Scientia Horticulturae, 2011, 130, 256-265.	1.7	56
53	EFFECTS OF WATER SALINITY ON GROWTH INDICES AND PHYSIOLOGICAL PARAMETERS IN SOME PISTACHIO ROOTSTOCKS. Acta Horticulturae, 2011, , 171-178.	0.1	1
54	A SURVEY ON PRUNUS SPECIES FROM SUBGENUS CERASUS NATURALLY GROWING IN IRAN. Acta Horticulturae, 2011, , 731-734.	0.1	0

#	Article	IF	CITATIONS
55	MORPHOLOGICAL TRAITS OF FOUR IRANIAN CERASUS. Acta Horticulturae, 2011, , 735-740.	0.1	O
56	MORPHOLOGICAL AND MOLECULAR CHARACTERIZATION OF IRANIAN ALMOND CULTIVARS AND THEIR IMPLICATIONS FOR BREEDING. Acta Horticulturae, 2011 , , 601 - 606 .	0.1	0
57	Estimation of genetic diversity in some Iranian wild Prunus subgenus Cerasus accessions using inter-simple sequence repeat (ISSR) markers. Biochemical Systematics and Ecology, 2011, 39, 826-833.	0.6	19
58	The effect of pre-sowing treatments and light on seed germination of Dracocephalum kotschyi Boiss: An endangered medicinal plant in Iran. Horticulture Environment and Biotechnology, 2011, 52, 559-566.	0.7	17
59	Genetic diversity of Iranian soft-seed pomegranate genotypes as revealed by fluorescent-AFLP markers. Physiology and Molecular Biology of Plants, 2011, 17, 305-311.	1.4	16
60	EFFECT OF PHOTOPERIOD ON VEGETATIVE TRAITS, FEMALE FLOWER NUMBER AND STOMATAL CONDUCTIVITY OF IRANIAN FLEXUOSUS AND DUDAIM GENOTYPES. Acta Horticulturae, 2010, , 283-290.	0.1	0
61	Characterization of Iranian melon landraces of Cucumis melo L. Groups Flexuosus and Dudaim by analysis of morphological characters and random amplified polymorphic DNA. Breeding Science, 2010, 60, 34-45.	0.9	36
62	SCREENING OF DAMASK ROSE GENOTYPES FOR POWDERY MILDEW RESISTANCE. Acta Horticulturae, 2010, , 171-174.	0.1	2
63	A UNIQUE GERMPLASM OF DAMASK ROSES IN IRAN. Acta Horticulturae, 2010, , 131-136.	0.1	1
64	Characterization of progenies derived from pollination of pomegranate cv. Malase-Tourshe-Saveh using fruit traits and RAPD molecular marker. Scientia Horticulturae, 2010, 124, 67-73.	1.7	26
65	Genetic relationships among Pistacia species using AFLP markers. Plant Systematics and Evolution, 2009, 279, 21-28.	0.3	23
66	Morphological diversity of Pistacia species in Iran. Genetic Resources and Crop Evolution, 2009, 56, 561-571.	0.8	64
67	Genetic identity and relationships of Iranian apple (MalusÂ×Âdomestica Borkh.) cultivars and landraces, wild Malus species and representative old apple cultivars based on simple sequence repeat (SSR) marker analysis. Genetic Resources and Crop Evolution, 2009, 56, 829-842.	0.8	80
68	Microsatellite analysis of Iranian Damask rose (Rosa damascena Mill.) germplasm. Plant Breeding, 2009, 129, no-no.	1.0	7
69	Genetic diversity evaluation of wild Persian shallot (Allium hirtifolium Boiss.) using morphological and RAPD markers. Scientia Horticulturae, 2009, 119, 345-351.	1.7	52
70	Evaluation of genetic diversity among Iranian soft-seed pomegranate accessions by fruit characteristics and RAPD markers. Scientia Horticulturae, 2009, 121, 313-319.	1.7	82
71	POMEGRANATE QUALITY EVALUATION USING MACHINE VISION. Acta Horticulturae, 2009, , 347-352.	0.1	5
72	STUDY ON RELATIONSHIPS AMONG QUANTITATIVE AND QUALITATIVE CHARACTERISTICS OF FRUIT COMPONENTS OF POMEGRANATE GENOTYPES. Acta Horticulturae, 2009, , 233-238.	0.1	2

#	Article	IF	CITATIONS
73	EVALUATION OF THE MOST IMPORTANT FRUIT CHARACTERISTICS OF SOME COMMERCIAL POMEGRANATE (PUNICA GRANATUM L.) CULTIVARS GROWN IN IRAN. Acta Horticulturae, 2009, , 103-108.	0.1	24
74	Wide genetic diversity of Rosa damascena Mill. germplasm in Iran as revealed by RAPD analysis. Scientia Horticulturae, 2008, 115, 386-392.	1.7	35
75	Delay expression of limonoid UDP-glucosyltransferase makes delayed bitterness in citrus. Biochemical and Biophysical Research Communications, 2008, 371, 59-62.	1.0	20
76	PHYSICO-CHEMICAL SEASONAL CHANGES OF POMEGRANATE (PUNICA GRANATUM L.) FRUIT 'MALAS-E-TORSH-E-SAVEH' IN IRAN. Acta Horticulturae, 2008, , 255-258.	0.1	7
77	STOMATAL BEHAVIOR OF OLIVE CV. ZARD UNDER DROUGHT STRESS CONDITIONS. Acta Horticulturae, 2008, , 507-511.	0.1	1
78	Genetic relationships among pomegranate genotypes studied by fruit characteristics and RAPD markers. Journal of Horticultural Science and Biotechnology, 2007, 82, 11-18.	0.9	71
79	Evaluation of Iranian Garlic (Allium sativum L.) Genotypes Using Multivariate Analysis Methods Based on Morphological Characteristics. Biotechnology, 2007, 6, 353-356.	0.5	7
80	RAPD markers reveal polymorphism among some Iranian pomegranate (Punica granatum L.) genotypes. Scientia Horticulturae, 2006, 111, 24-29.	1.7	215
81	EFFECTS OF SUMMER PRUNING ON GROWTH INDICES OF TWO IMPORTANT IRANIAN APPLE CULTIVARS â€~GOLAB' AND â€~SHAFI-ABADI'. Acta Horticulturae, 2006, , 269-274.	0.1	3
82	Isolation and characterization of microsatellites loci in the lemon (Citrus limon). Molecular Ecology Notes, 2005, 5, 253-255.	1.7	1
83	RELATIONSHIP AMONG QUANTITATIVE AND QUALITATIVE CHARACTERS IN 90 GRAPEVINE (VITIS VINIFERA) CULTIVARS. Acta Horticulturae, 2004, , 275-282.	0.1	6
84	EFFECT OF MALE PARENT AND APPLICATION OF BORIC ACID ON EMBRYO RESCUE IN SOME SEEDLESS GRAPEVINE (VITIS VINIFERA) CULTIVARS. Acta Horticulturae, 2004, , 255-260.	0.1	4
85	THE INHERITANCE OF SEEDLESS SCC8-SCAR AND SSRS LOCI ALLELES IN PROGENY OF 'MUSCAT HAMBURG' x 'BIDANE QUERMEZ' GRAPES. Acta Horticulturae, 2004, , 329-335.	0.1	7
86	Rooting and Acclimatization of In Vitro-grown Shoots from Mature Trees of Three Persian Walnut Cultivars. Hortscience: A Publication of the American Society for Hortcultural Science, 2004, 39, 324-327.	0.5	42
87	PROLINE CONTENT AND STOMATAL RESISTANCE OF ALMOND SEEDLINGS AS AFFECTED BY IRRIGATION INTERVALS. Acta Horticulturae, 2002, , 411-416.	0.1	3
88	INFLUENCE OF CARBOHYDRATE FORM AND NITROGEN SOURCE ON GROWTH OF PERSIAN WALNUT SHOOTS IN VITRO. Acta Horticulturae, 2001, , 537-541.	0.1	2