

Concepció Rovira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3528343/publications.pdf>

Version: 2024-02-01

393
papers

14,170
citations

21215

62
h-index

38517

99
g-index

426
all docs

426
docs citations

426
times ranked

12407
citing authors

#	ARTICLE	IF	CITATIONS
1	Photoswitching activation of a ferrocenyl-stilbene analogue by its covalent grafting to gold. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 6185-6192.	1.3	4
2	Functionalising the gate dielectric of organic field-effect transistors with self-assembled monolayers: effect of molecular electronic structure on device performance. <i>Applied Physics A: Materials Science and Processing</i> , 2022, 128, 1.	1.1	3
3	Allocation of Ambipolar Charges on an Organic Diradical with a Vinylene-Phenylenediene Bridge. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 6159-6164.	2.1	2
4	Bias-Polarity-Dependent Direct and Inverted Marcus Charge Transport Affecting Rectification in a Redox-Active Molecular Junction. <i>Advanced Science</i> , 2021, 8, e2100055.	5.6	14
5	Tetramethylbenzidine-TetrafluoroTCNQ (TMB-TCNQF ₄): A Narrow-Gap Semiconducting Salt with Room-Temperature Relaxor Ferroelectric Behavior. <i>Journal of Physical Chemistry C</i> , 2021, 125, 25816-25824.	1.5	2
6	Exploiting the versatile alkyne-based chemistry for expanding the applications of a stable triphenylmethyl organic radical on surfaces. <i>Chemical Science</i> , 2020, 11, 516-524.	3.7	20
7	Reversal of the Direction of Rectification Induced by Fermi Level Pinning at Molecule-Electrode Interfaces in Redox-Active Tunneling Junctions. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 55044-55055.	4.0	21
8	Stability of radical-functionalized gold surfaces by self-assembly and on-surface chemistry. <i>Chemical Science</i> , 2020, 11, 9162-9172.	3.7	12
9	Electrocatalytic oxidative Z/E isomerization of a stilbene favoured by the presence of an electroactive persistent radical. <i>Chemical Communications</i> , 2020, 56, 14211-14214.	2.2	1
10	Molecular Approach to Electrochemically Switchable Monolayer MoS ₂ Transistors. <i>Advanced Materials</i> , 2020, 32, e2000740.	11.1	37
11	Neutral Organic Radical Formation by Chemisorption on Metal Surfaces. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 3897-3904.	2.1	11
12	On the Sensing Mechanisms of a Hydroresistive Flexible Film Based on an Organic Molecular Metal. <i>ACS Applied Electronic Materials</i> , 2019, 1, 1781-1791.	2.0	1
13	Perylene Bridges Equally Delocalize Anions and Cations: Proportioned Quinoidal and Aromatic Content. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 14467-14471.	7.2	21
14	Perylene Bridges Equally Delocalize Anions and Cations: Proportioned Quinoidal and Aromatic Content. <i>Angewandte Chemie</i> , 2019, 131, 14609-14613.	1.6	10
15	EGOFET Gated by a Molecular Electronic Switch: A Single-Device Memory Cell. <i>Advanced Electronic Materials</i> , 2019, 5, 1800875.	2.6	7
16	Two-dimensional self-assembly and electrical properties of the donor-acceptor tetrathiafulvalene-polychlorotriphenylmethyl radical on graphite substrates. <i>Journal of Applied Physics</i> , 2019, 125, 142909.	1.1	5
17	Synthesis of a vinylogue tetrathiafulvalene derivative and study of its charge transfer complex with TCNQF ₄ . <i>Synthetic Metals</i> , 2019, 247, 144-150.	2.1	17
18	Role of the Open-Shell Character on the Pressure-Induced Conductivity of an Organic Donor-Acceptor Radical Dyad. <i>Chemistry - A European Journal</i> , 2018, 24, 5500-5505.	1.7	14

#	ARTICLE	IF	CITATIONS
19	Electrochemically driven host-guest interactions on patterned donor/acceptor self-assembled monolayers. <i>Chemical Communications</i> , 2018, 54, 3038-3041.	2.2	5
20	Extensive study of the electron donor 1,1,4,4-tetrathiabutadiene (TTB) and of its charge transfer crystal with TCNQ. <i>Synthetic Metals</i> , 2018, 235, 29-33.	2.1	4
21	Fluid Mixing for Low-Power Digital Microfluidics™ Using Electroactive Molecular Monolayers. <i>Small</i> , 2018, 14, 1703344.	5.2	10
22	Robust Organic Radical Molecular Junctions Using Acetylene Terminated Groups for Au Bond Formation. <i>Journal of the American Chemical Society</i> , 2018, 140, 1691-1696.	6.6	79
23	Oligothiophenevinylene Polarons and Bipolarons Confined between Electron-Accepting Perchlorotriphenylmethyl Radicals. <i>Chemistry - A European Journal</i> , 2018, 24, 3776-3783.	1.7	4
24	Synergistic Exploitation of the Superoxide Scavenger Properties of Reduced Graphene Oxide and a Trityl Organic Radical for the Impedimetric Sensing of Xanthine. <i>Advanced Materials Interfaces</i> , 2018, 5, 1701072.	1.9	8
25	2D organic molecular metallic soft material derived from BEDO-TTF with electrochromic and rectifying properties. <i>Npj Flexible Electronics</i> , 2018, 2, .	5.1	4
26	Self-Assembly of an Organic Radical Thin Film and Its Memory Function Investigated Using a Liquid-Metal Electrode. <i>Journal of Physical Chemistry C</i> , 2018, 122, 17784-17791.	1.5	11
27	Design of Perchlorotriphenylmethyl (PTM) Radical-Based Compounds for Optoelectronic Applications: The Role of Orbital Delocalization. <i>ChemPhysChem</i> , 2018, 19, 2572-2578.	1.0	17
28	Mixed stack charge transfer crystals: Crossing the neutral-ionic borderline by chemical substitution. <i>Physical Review Materials</i> , 2018, 2, .	0.9	16
29	Investigation of sensing capabilities of organic bi-layer thermistor in wearable e-textile and wireless sensing devices. <i>Organic Electronics</i> , 2017, 42, 146-152.	1.4	28
30	Bis(aminoaryl) Carbon-Bridged Oligo(phenylenevinylene)s Expand the Limits of Electronic Couplings. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 2898-2902.	7.2	50
31	Study of the E-Z stilbene isomerisation in perchlorotriphenyl-methane (PTM) derivatives. <i>RSC Advances</i> , 2017, 7, 15278-15283.	1.7	7
32	Visible and near-IR spectroscopy of endohedral Gd@C82(C 2v) and Ho@C82(C 2v) metallofullerenes and their monoanions. <i>Russian Journal of Physical Chemistry A</i> , 2017, 91, 536-542.	0.1	2
33	Redox-Induced Gating of the Exchange Interactions in a Single Organic Diradical. <i>ACS Nano</i> , 2017, 11, 5879-5883.	7.3	50
34	A four-state capacitance molecular switch based on a redox active tetrathiafulvalene self-assembled monolayer. <i>RSC Advances</i> , 2017, 7, 5636-5641.	1.7	20
35	Direct covalent grafting of an organic radical core on gold and silver. <i>RSC Advances</i> , 2017, 7, 20076-20083.	1.7	10
36	Proximity-Induced Shiba States in a Molecular Junction. <i>Physical Review Letters</i> , 2017, 118, 117001.	2.9	44

#	ARTICLE	IF	CITATIONS
37	Operative Mechanism of Hole-Assisted Negative Charge Motion in Ground States of Radical-Anion Molecular Wires. <i>Journal of the American Chemical Society</i> , 2017, 139, 686-692.	6.6	25
38	Gold and nickel alkyl substituted bis-thiophenedithiolene complexes: anionic and neutral forms. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 270-280.	3.0	13
39	Mixed Stack Organic Semiconductors: The Anomalous Case of the BTBT-TCNQF Series. <i>Crystal Growth and Design</i> , 2017, 17, 6255-6261.	1.4	18
40	Covalent Modification of Highly Ordered Pyrolytic Graphite with a Stable Organic Free Radical by Using Diazonium Chemistry. <i>Chemistry - A European Journal</i> , 2017, 23, 1415-1421.	1.7	14
41	TTF-PTM dyads: from switched molecular self assembly in solution to radical conductors in solid state. <i>CrystEngComm</i> , 2017, 19, 197-206.	1.3	18
42	Highly sensitive multi-layer pressure sensor with an active nanostructured layer of an organic molecular metal. <i>IOP Conference Series: Materials Science and Engineering</i> , 2016, 108, 012038.	0.3	1
43	Synthesis and Characterization of Ethylenedithio-MPTTF-PTM Radical Dyad as a Potential Neutral Radical Conductor. <i>Magnetochemistry</i> , 2016, 2, 46.	1.0	4
44	Structural and electronic characterisation of π -extended tetrathiafulvalene derivatives as active components in field-effect transistors. <i>CrystEngComm</i> , 2016, 18, 6149-6152.	1.3	10
45	Single Crystal-Like Performance in Solution-Coated Thin-Film Organic Field-Effect Transistors. <i>Advanced Functional Materials</i> , 2016, 26, 2379-2386.	7.8	87
46	Donor/Acceptor Mixed Self-Assembled Monolayers for Realising a Multi-Redox State Surface. <i>ChemPhysChem</i> , 2016, 17, 1810-1814.	1.0	15
47	Determination of molar extinction coefficients for endohedral metallofullerene Dy@C82(C2v). <i>Russian Chemical Bulletin</i> , 2016, 65, 2421-2424.	0.4	0
48	Understanding the Influence of the Electronic Structure on the Crystal Structure of a TTF-PTM Radical Dyad. <i>Journal of Physical Chemistry A</i> , 2016, 120, 10297-10303.	1.1	5
49	Attractive mechanical properties of a lightweight highly sensitive bi layer thermistor: polycarbonate/organic molecular conductor. <i>IOP Conference Series: Materials Science and Engineering</i> , 2016, 108, 012050.	0.3	2
50	A redox-active radical as an effective nanoelectronic component: stability and electrochemical tunnelling spectroscopy in ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 27733-27737.	1.3	7
51	Chemical control over the energy-level alignment in a two-terminal junction. <i>Nature Communications</i> , 2016, 7, 12066.	5.8	50
52	Pressure-Induced Conductivity in a Neutral Nonplanar Spin-Localized Radical. <i>Journal of the American Chemical Society</i> , 2016, 138, 11517-11525.	6.6	38
53	DT-TTF Salts with [Cu(dcdmp) ₂] ⁺ : The Richness of Different Stoichiometries. <i>Crystal Growth and Design</i> , 2016, 16, 3924-3931.	1.4	7
54	Tuning Crystal Ordering, Electronic Structure, and Morphology in Organic Semiconductors: Tetrathiafulvalenes as a Model Case. <i>Advanced Functional Materials</i> , 2016, 26, 2256-2275.	7.8	50

#	ARTICLE	IF	CITATIONS
55	Exchange Coupling Inversion in a High-Spin Organic Triradical Molecule. <i>Nano Letters</i> , 2016, 16, 2066-2071.	4.5	60
56	Fabrication and Application of Low Cost Flexible Film-Based Sensors to Environmental and Biomedical Monitoring Scenarios. <i>Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering</i> , 2016, , 203-216.	0.2	0
57	Approach to Engineering the Temperature Sensing E-textile: A Lightweight Thermistor as an Active Sensing Element. <i>Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering</i> , 2016, , 223-234.	0.2	1
58	Synthesis and characterization of endohedral metallofulleride K(18-crown-6)[Ho@C82(C 2v)]. <i>Russian Chemical Bulletin</i> , 2015, 64, 2473-2476.	0.4	3
59	A Methyl-Substituted Thiophene-Tetra-thiafulvalene Donor and Its Salts. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 5003-5010.	1.0	2
60	A Highly Sensitive Pyroresistive All-Organic Infrared Bolometer. <i>Advanced Electronic Materials</i> , 2015, 1, 1500090.	2.6	21
61	Pyrene-Based Dyad and Triad Leading to a Reversible Chemical and Redox Optical and Magnetic Switch. <i>Chemistry - A European Journal</i> , 2015, 21, 5504-5509.	1.7	5
62	Dithiophene-TTF Salts; New Ladder Structures and Spin-Ladder Behavior. <i>Inorganic Chemistry</i> , 2015, 54, 7000-7006.	1.9	8
63	Changes of the Molecular Structure in Organic Thin Film Transistors during Operation. <i>Journal of Physical Chemistry C</i> , 2015, 119, 15912-15918.	1.5	10
64	Kondo Effect in a Neutral and Stable All Organic Radical Single Molecule Break Junction. <i>Nano Letters</i> , 2015, 15, 3109-3114.	4.5	117
65	Self-Assembled Architectures with Segregated Donor and Acceptor Units of a Dyad Based on a Monopyrrolo-Annulated TTF-PTM Radical. <i>Chemistry - A European Journal</i> , 2015, 21, 8816-8825.	1.7	25
66	Organic metal engineering for enhanced field-effect transistor performance. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 26545-26552.	1.3	37
67	Deposition of composite materials using a wire-bar coater for achieving processability and air-stability in Organic Field-Effect Transistors (OFETs). <i>Proceedings of SPIE</i> , 2015, , .	0.8	0
68	Multi-layer Pressure Sensor Designed for Pressure Ranges up to 500 Bars: Polycrystalline Organic Molecular Metal is at Play. <i>Procedia Engineering</i> , 2014, 87, 1135-1138.	1.2	4
69	HOMO Stabilisation in -Extended Dibenzotetrathiafulvalene Derivatives for Their Application in Organic Field-Effect Transistors. <i>Chemistry - A European Journal</i> , 2014, 20, 16672-16679.	1.7	14
70	Intramolecular electron transfer and charge delocalization in bistable donor-acceptor systems based on perchlorotriphenylmethyl radicals linked to ferrocene and tetrathiafulvalene units. <i>Journal of Physical Organic Chemistry</i> , 2014, 27, 465-469.	0.9	14
71	A Compact Tetrathiafulvalene-Benzothiadiazole Dyad and Its Highly Symmetrical Charge-Transfer Salt: Ordered Donor -Stacks Closely Bound to Their Acceptors. <i>Chemistry - A European Journal</i> , 2014, 20, 7136-7143.	1.7	29
72	Diradicals acting through diamagnetic phenylene vinylene bridges: Raman spectroscopy as a probe to characterize spin delocalization. <i>Journal of Chemical Physics</i> , 2014, 140, 164903.	1.2	6

#	ARTICLE	IF	CITATIONS
73	A new (TTF) ₁₁ I ₈ organic molecular conductor: from single crystals to flexible all-organic piezoresistive films. <i>Journal of Materials Chemistry C</i> , 2014, 2, 139-146.	2.7	6
74	Silk/molecular conductor bilayer thin-films: properties and sensing functions. <i>Materials Horizons</i> , 2014, 1, 522-528.	6.4	17
75	Tuning the Electronic Properties of Piezoresistive Bilayer Films Based on $\hat{\Gamma}$ -BEDT-TTF ₂ I ₃ . <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 3927-3932.	1.0	8
76	Restrains in low dimensional organic semiconductor devices at high current densities. <i>Organic Electronics</i> , 2014, 15, 211-215.	1.4	1
77	Wireless Sensor Node with Ultrasensitive Film Sensors for Emergency Applications. <i>Procedia Engineering</i> , 2014, 87, 520-523.	1.2	3
78	Conductive Fabric Responding to Extremely Small Temperature Changes. <i>Procedia Engineering</i> , 2014, 87, 144-147.	1.2	5
79	COMMON SENSE: Cost-effective sensors, interoperable with international existing ocean observing systems, to meet EU policies requirements. , 2014, , .		3
80	Surface-Confined Electroactive Molecules for Multistate Charge Storage Information. <i>Advanced Materials</i> , 2013, 25, 462-468.	11.1	54
81	Electrochemical and magnetic properties of a surface-grafted novel endohedral metallofullerene derivative. <i>Chemical Communications</i> , 2013, 49, 8145.	2.2	9
82	Electrochemical and chemical tuning of the surface wettability of tetrathiafulvalene self-assembled monolayers. <i>Chemical Communications</i> , 2013, 49, 8084.	2.2	17
83	Intramolecular electron transfer in the photodimerisation product of a tetrathiafulvalene derivative in solution and on a surface. <i>Chemical Science</i> , 2013, 4, 307-310.	3.7	15
84	Solid state photodimerisation of tetrathiafulvalene derivatives bearing carboxylate and carboxylic acid substituents. <i>CrystEngComm</i> , 2013, 15, 9878.	1.3	12
85	Robust molecular micro-capsules for encapsulating and releasing hydrophilic contents. <i>Chemical Communications</i> , 2013, 49, 7827.	2.2	3
86	Photo-induced intramolecular charge transfer in an ambipolar field-effect transistor based on a Γ -conjugated donor-acceptor dyad. <i>Journal of Materials Chemistry C</i> , 2013, 1, 3985.	2.7	45
87	Self-Assembled Tetragonal Prismatic Molecular Cage Highly Selective for Anionic Γ Guests. <i>Chemistry - A European Journal</i> , 2013, 19, 1445-1456.	1.7	38
88	Harnessing Electron Transfer from the Perchlorotriphenylmethide Anion to Y@C ₈₂ (<i>C</i>) ₂ v to Engineer an Endometallofullerene-Based Salt. <i>ChemPhysChem</i> , 2013, 14, 1670-1675.	1.0	13
89	($\hat{\Gamma}$ -DT-TTF) ₂ [Au(mnt) ₂]: A Weakly Disordered Molecular Spin-Ladder System. <i>Inorganic Chemistry</i> , 2013, 52, 5300-5306.	1.9	20
90	Intra- and Intermolecular Charge Transfer in Aggregates of Tetrathiafulvalene-Triphenylmethyl Radical Derivatives in Solution. <i>Journal of the American Chemical Society</i> , 2013, 135, 6958-6967.	6.6	62

#	ARTICLE	IF	CITATIONS
91	Thermomagnetic Molecular System Based on TTF-PTM Radical: Switching the Spin and Charge Delocalization. <i>Journal of Physical Chemistry Letters</i> , 2013, 4, 2721-2726.	2.1	32
92	1,1'-Dithiophene-tetrathiafulvalene: a Detailed Study of an Electronic Donor and Its Derivatives. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 2440-2446.	1.0	9
93	The perchlorotriphenylmethyl (PTM) radical. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2013, 69, 255-257.	0.4	10
94	Hybrid contact lens capable of intraocular pressure monitoring in noninvasive way. , 2013, , .		2
95	Tetrathiafulvalene-Based Mixed Valence Acceptor-Donor-Acceptor Triads: A Joint Theoretical and Experimental Approach. <i>Chemistry - A European Journal</i> , 2013, 19, 16656-16664.	1.7	13
96	PTM Radicals for Molecular-Based Electronic Devices. <i>Advances in Atom and Single Molecule Machines</i> , 2013, , 71-85.	0.0	0
97	Induced Self-Assembly of a Tetrathiafulvalene-Based Open-Shell Dyad through Intramolecular Electron Transfer. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 11024-11028.	7.2	43
98	All-Organic Humidity Sensing Films with Electrical Detection Principle Suitable to Biomedical Applications. <i>Procedia Engineering</i> , 2012, 47, 603-606.	1.2	4
99	Microstructured objects produced by the supramolecular hierarchical assembly of an organic free radical gathering hydrophobic-amphiphilic characteristics. <i>Chemical Science</i> , 2012, 3, 1958.	3.7	17
100	Organic metal-organic semiconductor blended contacts in single crystal field-effect transistors. <i>Journal of Materials Chemistry</i> , 2012, 22, 16011.	6.7	14
101	Attaching Persistent Organic Free Radicals to Surfaces: How and Why. <i>Chemical Reviews</i> , 2012, 112, 2506-2527.	23.0	166
102	Detection of the Early Stage of Recombinational DNA Repair by Silicon Nanowire Transistors. <i>Nano Letters</i> , 2012, 12, 1275-1281.	4.5	31
103	Evidence of intrinsic ambipolar charge transport in a high band gap organic semiconductor. <i>Journal of Materials Chemistry</i> , 2012, 22, 345-348.	6.7	11
104	Charge transport through unpaired spin-containing molecules on surfaces. <i>Journal of Materials Chemistry</i> , 2012, 22, 13883.	6.7	16
105	Towards Flexible Lightweight Strain Sensors with Low Temperature Coefficient of Resistance. <i>Procedia Engineering</i> , 2012, 47, 857-860.	1.2	0
106	(DTT) ₂ [Pd(mnt) ₂]: An unusual ionic salt. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2012, 9, 1134-1136.	0.8	8
107	Phase recognition by lattice phonon Raman spectra: The triclinic structure of the organic semiconductor dibenzo-tetrathiafulvalene. <i>Chemical Physics Letters</i> , 2012, 523, 74-77.	1.2	12
108	Role of geometry, substrate and atmosphere on performance of OFETs based on TTF derivatives. <i>Organic Electronics</i> , 2012, 13, 121-128.	1.4	18

#	ARTICLE	IF	CITATIONS
109	Polycarbonate films metalized with a single component molecular conductor suited to strain and stress sensing applications. <i>Organic Electronics</i> , 2012, 13, 894-898.	1.4	8
110	Three-Dimensional Porous Metal-Radical Frameworks Based on Triphenylmethyl Radicals. <i>Chemistry - A European Journal</i> , 2012, 18, 152-162.	1.7	38
111	Electronic and structural characterisation of a tetrathiafulvalene compound as a potential candidate for ambipolar transport properties. <i>CrystEngComm</i> , 2011, 13, 6597.	1.3	19
112	Negative differential resistance (NDR) in similar molecules with distinct redox behaviour. <i>Chemical Communications</i> , 2011, 47, 4664.	2.2	30
113	Multichannel Molecular Switch with a Surface-Confined Electroactive Radical Exhibiting Tunable Wetting Properties. <i>Nano Letters</i> , 2011, 11, 4382-4385.	4.5	45
114	Tunneling versus Hopping in Mixed-Valence Oligo- <i>p</i> -phenylenevinylene Polychlorinated Bis(triphenylmethyl) Radical Anions. <i>Journal of the American Chemical Society</i> , 2011, 133, 5818-5833.	6.6	81
115	Electron-Withdrawing Substituted Tetrathiafulvalenes as Ambipolar Semiconductors. <i>Chemistry of Materials</i> , 2011, 23, 851-861.	3.2	32
116	Benzodicyanomethoxytetrathiafulvalene Derivatives as Soluble Organic Semiconductors. <i>Journal of Organic Chemistry</i> , 2011, 76, 154-163.	1.7	19
117	Novel Guests for Porous Columnar Thin Films: The Switchable Perchlorinated Trityl Radical Derivatives. <i>Langmuir</i> , 2011, 27, 5098-5106.	1.6	9
118	Highly piezoresistive textiles based on a soft conducting charge transfer salt. <i>Journal of Materials Chemistry</i> , 2011, 21, 637-640.	6.7	24
119	A Three-State Surface-Confined Molecular Switch with Multiple Channel Outputs. <i>Journal of the American Chemical Society</i> , 2011, 133, 13256-13259.	6.6	75
120	A robust molecular platform for non-volatile memory devices with optical and magnetic responses. <i>Nature Chemistry</i> , 2011, 3, 359-364.	6.6	192
121	Non-invasive intraocular pressure monitoring with a contact lens engineered with a nanostructured polymeric sensing film. <i>Sensors and Actuators A: Physical</i> , 2011, 170, 36-43.	2.0	48
122	Role of Molecular Order and Solid-State Structure in Organic Field-Effect Transistors. <i>Chemical Reviews</i> , 2011, 111, 4833-4856.	23.0	499
123	Ni-2,3-thiophenedithiolate Anions in New Architectures: An In-Line Mixed-Valence Ni Dithiolene (Ni ₄ -S ₁₂) Cluster. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 4807-4815.	1.0	11
124	Coupling Tetracyanoquinodimethane to Tetrathiafulvalene: A Fused TCNQ-TTF-TCNQ Triad. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 10902-10906.	7.2	33
125	Three-Dimensional Open-Frameworks Based on Ln ^{III} Ions and Open/Closed-Shell PTM Ligands: Synthesis, Structure, Luminescence, and Magnetic Properties. <i>Chemistry - A European Journal</i> , 2011, 17, 3644-3656.	1.7	45
126	Prototype of a Nanostructured Sensing Contact Lens for Noninvasive Intraocular Pressure Monitoring. , 2011, 52, 8310.		39

#	ARTICLE	IF	CITATIONS
127	Lightweight biocompatible physical sensors: Polymeric films & self-metallized with organic molecular conductors. , 2011, , .		2
128	Discrete Portable Measuring Device for Monitoring Noninvasive Intraocular Pressure with a Nano-Structured Sensing Contact Lens Prototype. International Journal of E-Health and Medical Communications, 2011, 2, 1-19.	1.4	1
129	Ultrasensitive Piezoresistive All-Organic Flexible Thin Films. Advanced Materials, 2010, 22, 977-981.	11.1	64
130	High-Performance Single Crystal Organic Field-Effect Transistors Based on Two Dithiophene-Tetrathiafulvalene (DT-TTF) Polymorphs. Advanced Materials, 2010, 22, 4198-4203.	11.1	100
131	Anisotropy in structural and physical properties in tetrathiafulvalene derivatives-based zone-cast layers as seen by Raman spectroscopy, UV-visible spectroscopy, and field effect measurements. Journal of Applied Physics, 2010, 108, 014504.	1.1	18
132	Solvent effect on the morphology and function of novel gel-derived molecular materials. Journal of Materials Chemistry, 2010, 20, 466-474.	6.7	63
133	Metal-Radical Chains Based on Polychlorotriphenylmethyl Radicals: Synthesis, Structure, and Magnetic Properties. Inorganic Chemistry, 2010, 49, 3482-3488.	1.9	10
134	Innocence and noninnocence of the ligands in bis(pyrazine-2,3-dithiolate and -diselonate) d8-metal complexes. A theoretical and experimental study for the Cu(III), Au(III) and Ni(II) cases. Dalton Transactions, 2010, 39, 4566.	1.6	27
135	Specific solvent effects on the intramolecular electron transfer reaction in a neutral ferrocene donor polychlorotriphenylmethyl acceptor radical with extended conjugation. Solid State Sciences, 2009, 11, 786-792.	1.5	11
136	Rich Phase Behavior in a Supramolecular Conducting Material Derived from an Organogelator. Advanced Functional Materials, 2009, 19, 934-941.	7.8	36
137	Dramatic Influence of the Electronic Structure on the Conductivity through Open- and Closed-Shell Molecules. Advanced Materials, 2009, 21, 1177-1181.	11.1	45
138	Ground State Electronic Interactions in Macrocyclic Fullerene Bis-Adducts Functionalized with Bridging Conjugated Oligomers. European Journal of Organic Chemistry, 2009, 2009, 5779-5787.	1.2	9
139	Two-Leg Molecular Ladders Formed by Hierarchical Self-Assembly of an Organic Radical. Journal of the American Chemical Society, 2009, 131, 6246-6252.	6.6	31
140	Organic radicals on surfaces: towards molecular spintronics. Journal of Materials Chemistry, 2009, 19, 1691-1695.	6.7	127
141	Crystal engineering in molecular magnetism. CrystEngComm, 2009, , .	1.3	0
142	Magnetisation inverted hysteresis loops in the molecular magnets [M(Cp*) ₂][Ni(±-tpdt) ₂] (M = Fe, Mn). Dalton Transactions, 2009, , 4176.	1.6	11
143	Metalocenium Salts of Nickel Bis(±-thiophenedithiolate) [M(Cp*) ₂][Ni(±-tpdt) ₂] (M = Fe, Mn, Cr) - Metamagnetism and Magnetic Frustration. European Journal of Inorganic Chemistry, 2008, 2008, 5327-5337.	1.0	14
144	Shaping Supramolecular Nanofibers with Nanoparticles Forming Complementary Hydrogen Bonds. Angewandte Chemie - International Edition, 2008, 47, 1861-1865.	7.2	82

#	ARTICLE	IF	CITATIONS
145	High-mobility tetrathiafulvalene organic field-effect transistors from solution processing. <i>Organic Electronics</i> , 2008, 9, 1101-1106.	1.4	65
146	Organic field-effect transistors (OFETs) of highly oriented films of dithiophene-tetrathiafulvalene prepared by zone casting. <i>Organic Electronics</i> , 2008, 9, 143-148.	1.4	49
147	Novel small molecules for organic field-effect transistors: towards processability and high performance. <i>Chemical Society Reviews</i> , 2008, 37, 827.	18.7	446
148	Infrared investigation of the charge ordering pattern in the organic spin ladder candidate (DTTTF) ₂ Cu(mnt) ₂ . <i>Solid State Sciences</i> , 2008, 10, 1740-1744.	1.5	6
149	Thin layers of new salt, BET-TTF[Ni(dmit) ₂] ₂ , electrodeposited on silicon wafers. <i>Solid State Sciences</i> , 2008, 10, 1777-1779.	1.5	0
150	Sub-50 nm positioning of organic compounds onto silicon oxide patterns fabricated by local oxidation nanolithography. <i>Nanotechnology</i> , 2008, 19, 455308.	1.3	27
151	The four polymorphic modifications of the semiconductor dibenzo-tetrathiafulvalene. <i>CrystEngComm</i> , 2008, 10, 1899.	1.3	62
152	Self-Assembled Monolayers of Electroactive Polychlorotriphenylmethyl Radicals on Au(111). <i>Journal of the American Chemical Society</i> , 2008, 130, 5499-5506.	6.6	62
153	Bottom-up assembly of high density molecular nanowire cross junctions at a solid/liquid interface. <i>Chemical Communications</i> , 2008, , 703-705.	2.2	34
154	A hexacarboxylic open-shell building block: synthesis, structure and magnetism of a three-dimensional metal-radical framework. <i>Journal of Materials Chemistry</i> , 2008, 18, 98-108.	6.7	30
155	A three-dimensional lanthanide-organic radical open-framework. <i>Chemical Communications</i> , 2008, , 3160.	2.2	32
156	Reactivity of Superoxide Anion Radical with a Perchlorotriphenylmethyl (Trityl) Radical. <i>Journal of Physical Chemistry B</i> , 2008, 112, 158-167.	1.2	39
157	Monolayer self-assembly at liquid-solid interfaces: chirality and electronic properties of molecules at surfaces. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 184003.	0.7	17
158	Influence of SiO ₂ surface energy on the performance of organic field effect transistors based on highly oriented, zone-cast layers of a tetrathiafulvalene derivative. <i>Journal of Applied Physics</i> , 2008, 104, 054509.	1.1	45
159	Improved Synthesis of the High-Mobility Organic Semiconductor Dithiophene-Tetrathiafulvalene. <i>Synthesis</i> , 2007, 2007, 1621-1623.	1.2	5
160	Tetrathiafulvalene-Based Materials for Organic Field Effect Transistors. Inspection of Their Semiconductor Properties by Means of Molecular Spectroscopy and Quantum Chemistry. <i>Journal of Physical Chemistry C</i> , 2007, 111, 10110-10118.	1.5	20
161	Synthesis and Doping of a Multifunctional Tetrathiafulvalene- Substituted Poly(isocyanide). <i>Macromolecules</i> , 2007, 40, 7521-7531.	2.2	54
162	High Piezoresistive Organic Film for Plastic Pressure Sensors. , 2007, , .		1

#	ARTICLE	IF	CITATIONS
163	Sulfur K-Edge X-ray Absorption Spectroscopy as a Probe of Ligand-Metal Bond Covalency: Metal vs Ligand Oxidation in Copper and Nickel Dithiolene Complexes. <i>Journal of the American Chemical Society</i> , 2007, 129, 2316-2326.	6.6	168
164	Changes in electronic couplings of mixed-valence systems due to through-space intramolecular interactions. <i>Chemical Communications</i> , 2007, , 4345.	2.2	25
165	Solvent Tuning from Normal to Inverted Marcus Region of Intramolecular Electron Transfer in Ferrocene-Based Organic Radicals. <i>Journal of the American Chemical Society</i> , 2007, 129, 6117-6129.	6.6	87
166	First-Row Transition-Metal Complexes Based on a Carboxylate Polychlorotriphenylmethyl Radical: Trends in Metal-Radical Exchange Interactions. <i>Inorganic Chemistry</i> , 2007, 46, 1627-1633.	1.9	32
167	Electroactive Thiazole Derivatives Capped with Ferrocenyl Units Showing Charge-Transfer Transition and Selective Ion-Sensing Properties: A Combined Experimental and Theoretical Study. <i>Inorganic Chemistry</i> , 2007, 46, 825-838.	1.9	85
168	Structural and Magnetic Modulation of a Purely Organic Open Framework by Selective Guest Inclusion. <i>Chemistry - A European Journal</i> , 2007, 13, 8153-8163.	1.7	41
169	Transition Metal Bisdithiolene Complexes Based on Extended Ligands with Fused Tetrathiafulvalene and Thiophene Moieties: New Single-Component Molecular Metals. <i>Chemistry - A European Journal</i> , 2007, 13, 9841-9849.	1.7	56
170	Supramolecular Conducting Nanowires from Organogels. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 238-241.	7.2	243
171	Self-Assembled Monolayers of a Multifunctional Organic Radical. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 2215-2219.	7.2	56
172	Influence of Intermolecular Interactions on the Formation of Tetra(carbomethoxy)tetrathiafulvalene Assemblies. <i>ChemPhysChem</i> , 2007, 8, 1565-1571.	1.0	7
173	Europium (III) complexes derived from carboxylic-substituted polychlorotriphenylmethyl radicals. <i>Inorganica Chimica Acta</i> , 2007, 360, 3861-3869.	1.2	10
174	Synthesis and characterization of the novel extended TTF-type donors with thiophenic units. <i>Inorganica Chimica Acta</i> , 2007, 360, 3909-3914.	1.2	13
175	Self-assembly of carboxylic substituted PTM radicals: From weak ferromagnetic interactions to robust porous magnets. <i>Polyhedron</i> , 2007, 26, 1934-1948.	1.0	17
176	Synthesis and Characterization of Charge Transfer Salts Based on DT-TTF and M(dcdmp) ₂ Complexes. <i>Journal of Low Temperature Physics</i> , 2007, 142, 353-358.	0.6	2
177	Tetrathiafulvalene derivatives for organic field effect transistors. <i>Journal of Materials Chemistry</i> , 2006, 16, 433-436.	6.7	140
178	Direct micro-patterning of TTF-based organic conductors on flexible substrates. <i>Journal of Materials Chemistry</i> , 2006, 16, 543.	6.7	9
179	Influence of bridge topology and torsion on the intramolecular electron transfer. <i>Faraday Discussions</i> , 2006, 131, 291-305.	1.6	30
180	Magnetic properties of RBzPy[Ni(\pm -tpdt) ₂] (R = H, Br, F): effects of cis-trans disorder. <i>Journal of Materials Chemistry</i> , 2006, 16, 2746-2756.	6.7	17

#	ARTICLE	IF	CITATIONS
181	[60]Fullereneâ€perchlorotriphenylmethide anion triads. Synthesis and study of photoinduced intramolecular electron-transfer processes. <i>Journal of Materials Chemistry</i> , 2006, 16, 112-121.	6.7	9
182	Coordination Capabilities of a Novel Organic Polychlorotriphenylmethyl Monosulfonate Radical. <i>Inorganic Chemistry</i> , 2006, 45, 5383-5392.	1.9	22
183	Noncovalent Control for Bottom-Up Assembly of Functional Supramolecular Wires. <i>Journal of the American Chemical Society</i> , 2006, 128, 12602-12603.	6.6	81
184	Efficient High Area OFETs by Solution Based Processing of a Î€-Electron Rich Donor. <i>Chemistry of Materials</i> , 2006, 18, 4724-4729.	3.2	80
185	Evaluation of charge transfer degree in the bis(ethylenethio)tetrathiafulvalene salts by Raman spectroscopy. <i>Synthetic Metals</i> , 2006, 156, 75-80.	2.1	4
186	Synthesis of optically active amphiphilic tetrathiafulvalene derivatives. <i>Tetrahedron</i> , 2006, 62, 3370-3379.	1.0	16
187	Synthesis and characterization of charge transfer salts based on DT-TTF and M(dcdmp) ₂ complexes. <i>Journal of Low Temperature Physics</i> , 2006, 142, 349-354.	0.6	8
188	The Interplay of Inverted Redox Potentials and Aromaticity in the Oxidized States of New Î€-Electron Donors: 9-(1,3-Dithiol-2-ylidene)fluorene and 9-(1,3-Dithiol-2-ylidene)thioxanthene Derivatives. <i>Chemistry - A European Journal</i> , 2006, 12, 3389-3400.	1.7	33
189	Remarkable Interplay of Redox States and Conformational Changes in a Sterically Crowded, Cross-Conjugated Tetrathiafulvalene Vinylog. <i>Chemistry - A European Journal</i> , 2006, 12, 5481-5494.	1.7	8
190	Three-Dimensional Six-Connecting Organic Building Blocks Based on Polychlorotriphenylmethyl Unitsâ€Synthesis, Self-Assembly, and Magnetic Properties. <i>Chemistry - A European Journal</i> , 2006, 12, 9238-9253.	1.7	36
191	Chemical and Constitutional Influences in the Self-Assembly of Functional Supramolecular Hydrogen-Bonded Nanoscopic Fibres. <i>Chemistry - A European Journal</i> , 2006, 12, 9161-9175.	1.7	46
192	Large Photoresponsivity in High-Mobility Single-Crystal Organic Field-Effect Phototransistors. <i>ChemPhysChem</i> , 2006, 7, 86-88.	1.0	70
193	Linked Crystallites in the Conducting Topmost Layer of Polymer Bilayer Films Controlled by Temperature: From Micro- to Nanocrystallites. <i>ChemPhysChem</i> , 2006, 7, 920-923.	1.0	11
194	Carboxylic-substituted polychlorotriphenylmethyl radicals, new organic building-blocks to design nanoporous magnetic molecular materials. <i>Comptes Rendus Chimie</i> , 2005, 8, 1213-1225.	0.2	18
195	Synthesis and Characterization of Radical Cations Derived from Mono- and Biferrocenyl-Substituted 2-Aza-1,3-butadienes: A Study of the Influence of an Asymmetric and Oxidizable Bridge on Intramolecular Electron Transfer. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 2436-2450.	1.0	46
196	Copper, Cobalt and Platinum Complexes with Dithiothiophene-Based Ligands. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 3337-3345.	1.0	23
197	Magnetic Information Storage on Polymers by Using Patterned Single-Molecule Magnets. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 888-892.	7.2	134
198	An Electroactive Nitrogen-Rich [4.4]Ferrocenophane Displaying Redox-Switchable Behavior: Selective Sensing, Complexation, and Decomplexation of Mg ²⁺ ions. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 1977-1981.	7.2	39

#	ARTICLE	IF	CITATIONS
199	An Electroactive Nitrogen-Rich [4.4]Ferrocenophane Displaying Redox-Switchable Behavior: Selective Sensing, Complexation, and Decomplexation of Mg ²⁺ ions. <i>Angewandte Chemie</i> , 2005, 117, 2013-2017.	1.6	7
200	Organic Spin Ladders from Tetrathiafulvalene (TTF) Derivatives. <i>Advanced Functional Materials</i> , 2005, 15, 1023-1035.	7.8	33
201	Chiral Teleinduction in the Formation of a Macromolecular Multistate Chiroptical Redox Switch. <i>Advanced Materials</i> , 2005, 17, 2095-2098.	11.1	87
202	Bis(ethylenethio)tetrathiafulvalene (BET-TTF) and Related Dissymmetrical Electron Donors: From the Molecule to Functional Molecular Materials and Devices (OFETs). <i>ChemInform</i> , 2005, 36, no.	0.1	0
203	Single-crystal organic field-effect transistors based on dibenzo-tetrathiafulvalene. <i>Applied Physics Letters</i> , 2005, 86, 012110.	1.5	130
204	Multistability in a family of DT-TTF organic radical based compounds (DT-TTF) ₄ [M(L) ₂] ₃ (M = Au, Cu; L) Tj ETQo 0 0 0 rgBT /Overlo	8.7	26
205	An Unusually Stable Trinuclear Manganese(II) Complex Bearing Bulk Carboxylic Radical Ligands. <i>Inorganic Chemistry</i> , 2005, 44, 6936-6938.	1.9	17
206	Coexistence of ferro- and antiferromagnetic interactions in a metal-organic radical-based (6,3)-helical network with large channels. <i>Chemical Communications</i> , 2005, , 5035.	2.2	81
207	Chiral molecular tapes from novel tetra(thiafulvalene-crown-ether)-substituted phthalocyanine building blocks. <i>Chemical Communications</i> , 2005, , 1255-1257.	2.2	111
208	Hydrogen-bonded self-assemblies in a polychlorotriphenylmethyl radical derivative substituted with six meta-carboxylic acid groups. <i>Chemical Communications</i> , 2005, , 4801.	2.2	22
209	Self-assembly of tetrathiafulvalene derivatives at a liquid/solid interface—compositional and constitutional influence on supramolecular ordering. <i>Journal of Materials Chemistry</i> , 2005, 15, 4601.	6.7	63
210	Structural, Magnetic, and Electrical Characterization of New Polycrystalline Phases of Nickel- and Platinum-Doped [(DT-TTF) _n][Au(mnt) ₂] (n = 1, 2). <i>Inorganic Chemistry</i> , 2005, 44, 2358-2366.	1.9	12
211	Harnessing ICI Reduction Processes for Synthesis of Different BEDT-TTF-Based Molecular Conductors. <i>Journal of Physical Chemistry B</i> , 2005, 109, 16705-16710.	1.2	0
212	Ferrocene triphenylmethyl radical donor-acceptor compounds. Towards development of multifunctional molecular switches. <i>Arkivoc</i> , 2005, 2005, 104-114.	0.3	7
213	The low and high temperature phase transitions in the family of compounds (DT-TTF) ₄ [M(L) ₂] ₃ , M = Au, Cu and L = pds, ptd. <i>European Physical Journal Special Topics</i> , 2004, 114, 539-537.	0.2	2
214	Intramolecular electron transfer mediated by a tetrathiafulvalene (TTF) bridge. <i>European Physical Journal Special Topics</i> , 2004, 114, 509-510.	0.2	1
215	Structural and electrical properties of (DT-TTF) ₂ [Cu(mnt) ₂]. <i>European Physical Journal Special Topics</i> , 2004, 114, 497-499.	0.2	3
216	Novel Fused D ^π A Dyad and A ^π D ^π A Triad Incorporating Tetrathiafulvalene and p-Benzoquinone. <i>Journal of Organic Chemistry</i> , 2004, 69, 2164-2177.	1.7	104

#	ARTICLE	IF	CITATIONS
217	Magneto-structural defects on a congested nanoscopic polyradical dendrimer. <i>Journal of Physics and Chemistry of Solids</i> , 2004, 65, 737-744.	1.9	4
218	A Robust Purely Organic Nanoporous Magnet. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 1828-1832.	7.2	93
219	Stepwise Construction of Oligomeric 1,2-Diselenolene Platinum(IV) Complexes. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 4049-4052.	7.2	21
220	A Molecular Multiproperty Switching Array Based on the Redox Behavior of a Ferrocenyl Polychlorotriphenylmethyl Radical. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 5266-5268.	7.2	133
221	Supramolecular Photomagnetic Materials: Photoinduced Dimerization of Ferrocene-Based Polychlorotriphenylmethyl Radicals. <i>Chemistry - A European Journal</i> , 2004, 10, 603-616.	1.7	22
222	A New Multifunctional Ferrocenyl-Substituted Ferrocenophane Derivative: Optical and Electronic Properties and Selective Recognition of Mg ²⁺ Ions. <i>Chemistry - A European Journal</i> , 2004, 10, 1815-1826.	1.7	52
223	Novel Cu(III) Bis-1,2-dichalcogenene Complexes with Tunable 3D Framework through Alkaline Cation Coordination: A Structural and Theoretical Study. <i>Chemistry - A European Journal</i> , 2004, 10, 1691-1704.	1.7	73
224	Synthesis, X-ray structure, EPR and optical properties of a ferrocene substituted polychlorotriphenylmethyl radical. <i>Journal of Physics and Chemistry of Solids</i> , 2004, 65, 753-758.	1.9	16
225	EPR characterization of a nanoporous metal-organic framework exhibiting a bulk magnetic ordering. <i>Journal of Physics and Chemistry of Solids</i> , 2004, 65, 819-824.	1.9	7
226	A new (63)Å ³ (69.81) non-interpenetrated paramagnetic network with helical nanochannels based on a tricarboxylic perchlorotriphenylmethyl radical. <i>Chemical Communications</i> , 2004, , 1164-1165.	2.2	42
227	2D Layered coordination polymer based on an unusual mixed valence Cu(III)/Cu(I) bis-1,2-diselenolene compound. <i>CrystEngComm</i> , 2004, 6, 589.	1.3	25
228	Synthesis, structural and magnetic properties of a series of copper(II) complexes containing a monocarboxylated perchlorotriphenylmethyl radical as a coordinating open-shell ligand. <i>Dalton Transactions</i> , 2004, , 1073.	1.6	42
229	Open-shell channel-like salts formed by the supramolecular assembly of a tricarboxylated perchlorotriphenylmethyl radical and a [Co(bpy) ₃] ²⁺ cation. <i>CrystEngComm</i> , 2004, 6, 573.	1.3	12
230	Bis(ethylenethio)tetrathiafulvalene (BET-TTF) and Related Dissymmetrical Electron Donors: From the Molecule to Functional Molecular Materials and Devices (OFETs). <i>Chemical Reviews</i> , 2004, 104, 5289-5318.	23.0	132
231	A Robust Nanocontainer Based on a Pure Organic Free Radical. <i>Journal of the American Chemical Society</i> , 2004, 126, 730-731.	6.6	75
232	Alkaline Side-Coordination Strategy for the Design of Nickel(II) and Nickel(III) Bis(1,2-diselenolene) Complex Based Materials. <i>Inorganic Chemistry</i> , 2004, 43, 3631-3641.	1.9	33
233	Polymorphism of a New Bis(ethylenedithio)tetrathiafulvalene (BEDT-TTF) Based Molecular Conductor; Novel Transformations in Metallic BEDT-TTF Layers. <i>Chemistry of Materials</i> , 2004, 16, 2471-2479.	3.2	17
234	Self-Assembled Monolayers of Tetrathiafulvalene Derivatives on Au(111): Organization and Electrical Properties. <i>Journal of Physical Chemistry B</i> , 2004, 108, 7213-7218.	1.2	43

#	ARTICLE	IF	CITATIONS
235	Importance of Intermolecular Interactions in Assessing Hopping Mobilities in Organic Field Effect Transistors: A Pentacene versus Dithiophene-tetrathiafulvalene. <i>Journal of the American Chemical Society</i> , 2004, 126, 6544-6545.	6.6	161
236	Correlation between Crystal Structure and Mobility in Organic Field-Effect Transistors Based on Single Crystals of Tetrathiafulvalene Derivatives. <i>Journal of the American Chemical Society</i> , 2004, 126, 8546-8553.	6.6	265
237	Temperature dependence of the electrical properties of single-crystals of dithiophene-tetrathiafulvalene (DT-TTF). <i>Synthetic Metals</i> , 2004, 146, 265-268.	2.1	21
238	High Mobility of Dithiophene-Tetrathiafulvalene Single-Crystal Organic Field Effect Transistors. <i>Journal of the American Chemical Society</i> , 2004, 126, 984-985.	6.6	327
239	New Molecular Charge-Transfer Salts of TM-TTF and BMDT-TTF with Thiocyanate and Selenocyanate Complex Anions [TMTTF = Tetramethyltetrathiafulvalene; BMDT-TTF = Bis(methylenedithio)tetrathiafulvalene]. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 720-725.	1.0	15
240	Isolated Single-Molecule Magnets on the Surface of a Polymeric Thin Film. <i>Advanced Materials</i> , 2003, 15, 42-45.	11.1	85
241	Title is missing!. <i>Angewandte Chemie</i> , 2003, 115, 2871-2874.	1.6	27
242	Intramolecular Electron Transfer Mediated by a Tetrathiafulvalene Bridge in a Purely Organic Mixed-Valence System. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 2765-2768.	7.2	100
243	Nonlinear optical properties of open-shell polychlorotriphenylmethyl radicals. <i>Polyhedron</i> , 2003, 22, 1851-1856.	1.0	20
244	Synthesis, X-ray structure and magnetic properties of a unusual transition Co(II) complex with polychlorotriphenylmethyl radicals. <i>Polyhedron</i> , 2003, 22, 1929-1934.	1.0	8
245	Magnetic and electrical properties of (DT-TTF) ₄ [Au(pds) ₂] ₃ . <i>Polyhedron</i> , 2003, 22, 2447-2452.	1.0	13
246	Molecular compounds based on DT-TTF and Au(cdc) ₂ complex. Structural, magnetic and electrical properties. <i>Polyhedron</i> , 2003, 22, 2415-2422.	1.0	5
247	A nanoporous molecular magnet with reversible solvent-induced mechanical and magnetic properties. <i>Nature Materials</i> , 2003, 2, 190-195.	13.3	633
248	A New Valence Tautomerism Example in an Electroactive Ferrocene Substituted Triphenylmethyl Radical. <i>Journal of the American Chemical Society</i> , 2003, 125, 1462-1463.	6.6	95
249	Synthesis, separation, and isomer-dependent packing in two dimensions detected by scanning tunnelling microscopy of a TTF derivative. <i>Chemical Communications</i> , 2003, , 906-907.	2.2	22
250	Bulk Spontaneous Magnetization in the New Radical Cation Salt TM-TTF[Cr(NCS) ₄ (isoquinoline) ₂] (TM-TTF = Tetramethyltetrathiafulvalene). <i>Inorganic Chemistry</i> , 2003, 42, 7544-7549.	1.9	23
251	Multistability in a BEDT-TTF Based Molecular Conductor. <i>Journal of the American Chemical Society</i> , 2003, 125, 3948-3953.	6.6	52
252	Adlayers and Low-Dimensional Assemblies of a TTF Derivative at a Liquid-Solid Interface. <i>Nano Letters</i> , 2003, 3, 1375-1378.	4.5	28

#	ARTICLE	IF	CITATIONS
253	Pressure effect on the electrical properties of the ladder compounds (DT-TTF) ₂ [M(mnt) ₂], M=Au, Pt, Ni. <i>Synthetic Metals</i> , 2003, 133-134, 405-406.	2.1	2
254	Strategies to construct spin-ladders using TTF derivatives as molecular building blocks. <i>Synthetic Metals</i> , 2003, 133-134, 523-526.	2.1	6
255	Infrared investigation of the low-temperature structural and magnetic transitions in the spin-ladder candidate (DT-TTF) ₂ Au(mnt) ₂ . <i>Physical Review B</i> , 2003, 68, .	1.1	14
256	Single-molecule magnets on a polymeric thin film as magnetic quantum bits. , 2003, 5118, 594.		0
257	Intramolecular Electron Transfer in Organic Molecules. <i>Molecular Nanowires</i> . , 2002, , 125-138.		0
258	Isolation and Characterization of Four Isomers of a C ₆₀ Bisadduct with a TTF Derivative. Study of Their Radical Ions. <i>Journal of Organic Chemistry</i> , 2002, 67, 566-575.	1.7	22
259	New Molecular Conductors Based on ETEDT-TTF Trihalides: From Single Crystals to Conducting Layers of Nanocrystals. <i>Chemistry of Materials</i> , 2002, 14, 3295-3304.	3.2	12
260	Rigidified tetrathiafulvalene [60]fullerene assemblies: towards the control of through-space orientation between both electroactive units. <i>Journal of Materials Chemistry</i> , 2002, 12, 2137-2159.	6.7	53
261	Interesting transport and magnetic properties in a new family of molecular materials based on the organic donor BET-TTF and the perrhenate anion. Electronic supplementary information (ESI) available: overlap modes of the radical cations of 1 ⁺ . See http://www.rsc.org/suppdata/jm/b1/b106070h/ . <i>Journal of Materials Chemistry</i> , 2002, 12, 432-441.	6.7	7
262	A very bulky carboxylic perchlorotriphenylmethyl radical as a novel ligand for transition metal complexes. A new spin frustrated metal system. <i>Chemical Communications</i> , 2002, , 2958-2959.	2.2	32
263	Novel Cu(III) bis-1,2-diselenolene complex with a highly extended 3D framework through Na ⁺ coordination. <i>CrystEngComm</i> , 2002, 4, 564.	1.3	31
264	Synthesis improvement, crystal structure and a charge-transfer complex of a sulphur dioxide-containing TTF derivative. <i>Synthetic Metals</i> , 2002, 128, 155-159.	2.1	3
265	Radical para-Benzoic Acid Derivatives: Transmission of Ferromagnetic Interactions through Hydrogen Bonds at Long Distances. <i>Chemistry - A European Journal</i> , 2002, 8, 3635.	1.7	70
266	A Thermally and Electrochemically Switchable Molecular Array Based on a Manganese Schiff Base Complex. <i>Advanced Functional Materials</i> , 2002, 12, 347.	7.8	27
267	Two New Families of Charge Transfer Solids Based on [M(mnt) ₂] ⁿ⁺ and the Donors BMDT-TTF and EDT-TTF: Conducting and Magnetic Properties. <i>Journal of Solid State Chemistry</i> , 2002, 168, 563-572.	1.4	21
268	Nonlinear optical properties of polychlorotriphenylmethyl radicals: towards the design of 'super-octupolar' molecules. <i>Chemical Physics Letters</i> , 2002, 363, 245-251.	1.2	30
269	Electronic localization in an extreme 1-D conductor: the organic salt (TTDM-TTF) [Au(mnt)]. <i>European Physical Journal B</i> , 2002, 29, 27-33.	0.6	15
270	Formation of a biradical species from a monoradical with a photo- and thermo isomerizable imine group. <i>Synthetic Metals</i> , 2001, 121, 1804-1805.	2.1	0

#	ARTICLE	IF	CITATIONS
271	A new family of conducting and magnetic charge-transfer salts from BMDT-TTF. <i>Synthetic Metals</i> , 2001, 120, 799-800.	2.1	8
272	Nonlinear optical properties of a new stable ferrocenyl Schiff-base polychlorotriphenylmethyl radical. <i>Synthetic Metals</i> , 2001, 121, 1834-1835.	2.1	11
273	Organic metals as active components in surface conducting semi-transparent films. <i>Synthetic Metals</i> , 2001, 121, 1407-1408.	2.1	13
274	An easy and efficient method to grow single crystals of monoanionic C60 salts on a copper surface. <i>Synthetic Metals</i> , 2001, 121, 1157-1158.	2.1	0
275	New dithiothiophene complexes for conducting and magnetic materials. <i>Synthetic Metals</i> , 2001, 120, 699-702.	2.1	8
276	BET-TTF (bisethylenethio-tetrathiafulvalene) donor as a building block of organic metals. <i>Synthetic Metals</i> , 2001, 120, 717-718.	2.1	4
277	Unconventional pressure and magnetic field effect on the ground state of the organic quasi-2D metal (BET)9(ReO4)4Ã2THF. <i>Synthetic Metals</i> , 2001, 120, 1027-1028.	2.1	1
278	Isolation of two regioisomers of a triad of C60 based on a tetrathiafulvalene derivative. <i>Synthetic Metals</i> , 2001, 123, 523-527.	2.1	6
279	Stereoisomerism of Molecular Multipropellers. 2. Dynamic Stereochemistry of Bis- and Tris-Triaryl Systems. <i>Journal of Organic Chemistry</i> , 2001, 66, 1579-1589.	1.7	20
280	Synthesis and Characterization of a Nanoscopic Molecular-Scale Wire Bearing Terminal Redox-Active Polychlorotriphenylmethyl Radicals. <i>Nano Letters</i> , 2001, 1, 117-120.	4.5	13
281	Stereoisomerism of Molecular Multipropellers. 1. Static Stereochemistry of Bis- and Tris-triaryl Systems. <i>Journal of Organic Chemistry</i> , 2001, 66, 1567-1578.	1.7	19
282	Hybrid Molecular Materials Based upon Organic π -Electron Donors and Metal Complexes. Radical Salts of Bis(ethylenethia)tetrathiafulvalene (BET-TTF) with the Octahedral Anions Hexacyanoferrate(III) and Nitroprusside. The First Kappa Phase in the BET-TTF Family. <i>Inorganic Chemistry</i> , 2001, 40, 3526-3533.	1.9	43
283	New Flexible Low-Density Metallic Materials Containing the (BEDT-TTF)2(IxBr1-x)3 Molecular Metals as Active Components. <i>Journal of Physical Chemistry B</i> , 2001, 105, 11089-11097.	1.2	20
284	EPR study of the trans and cis isomers of a ferrocenyl Schiff-based polychlorotriphenylmethyl radical. <i>Polyhedron</i> , 2001, 20, 1643-1646.	1.0	2
285	Ferrocene as a ferromagnetic coupler. Synthesis and characterization of a ferrocene bridged polychlorotriphenylmethyl diradical. <i>Journal of Organometallic Chemistry</i> , 2001, 637-639, 251-257.	0.8	25
286	Novel [60]fullerene π -TTF cyclohexene fused polyadducts: unprecedented tri- and tetra-Diels π -Alder adducts of dimethylidene[2H]tetrathiafulvalenes with C60. <i>Tetrahedron Letters</i> , 2001, 42, 3447-3450.	0.7	26
287	The dumbbell bis Diels π -Alder adduct between tetramethylidene[4H]tetrathiafulvalene and two C60. <i>Tetrahedron Letters</i> , 2001, 42, 3717-3720.	0.7	23
288	Nickel Complexes Based on Thiophenedithiolate Ligands π Magnetic Properties of Metallocenium Salts. <i>European Journal of Inorganic Chemistry</i> , 2001, 2001, 3127-3133.	1.0	26

#	ARTICLE	IF	CITATIONS
289	New Transparent Metal-like Bilayer Composite Films with Highly Conducting Layers of I^{\pm} -(BET-TTF) $2\text{Br}\cdot 3\text{H}_2\text{O}$ Nanocrystals. <i>Advanced Functional Materials</i> , 2001, 11, 299-303.	7.8	31
290	Influence of Topology on the Long-Range Electron-Transfer Phenomenon. <i>Chemistry - A European Journal</i> , 2001, 7, 240-250.	1.7	98
291	Gold Complexes with Dithiophene Ligands: A Metal Based on a Neutral Molecule. <i>Chemistry - A European Journal</i> , 2001, 7, 511-519.	1.7	114
292	A New Photomagnetic Molecular System Based on Photoinduced Self-Assembly of Radicals. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 919-922.	7.2	40
293	Intramolecular electronic-transfer phenomena in organic mixed-valence compounds. , 2001, , 303-327.		7
294	Influence of Topology on the Long-Range Electron-Transfer Phenomenon. , 2001, 7, 240.		5
295	Molecular Compounds Showing a Spin Ladder Behaviour. , 2001, , 163-188.		6
296	Molecular Spin Ladders. <i>Chemistry - A European Journal</i> , 2000, 6, 1723-1729.	1.7	98
297	Halides of BET-TTF: Novel Hydrated Molecular Metals. <i>Advanced Materials</i> , 2000, 12, 54-58.	11.1	9
298	A New Organic Conductor and a Novel Structural Phase Transition in the BEDT-TTF Trihalide Family. <i>Advanced Materials</i> , 2000, 12, 1205-1210.	11.1	17
299	Novel Dissymmetric Tetrathiafulvalenes as Precursors of Organic Metals: Synthesis, X-ray Crystal Structures, Electrochemical Properties and Study of Their Radical Cations. <i>European Journal of Organic Chemistry</i> , 2000, 2000, 2867-2875.	1.2	20
300	Redox-Tunable Valence Tautomerism in a Cobalt Schiff Base Complex. <i>Inorganic Chemistry</i> , 2000, 39, 617-619.	1.9	77
301	Spin Density Distribution of I^{\pm} -Nitronyl Aminoxyl Radicals from Experimental and ab Initio Calculated ESR Isotropic Hyperfine Coupling Constants. <i>Journal of the American Chemical Society</i> , 2000, 122, 11393-11405.	6.6	70
302	Improved Synthesis of the I^{\pm} -Electron Donor Bis(ethylenethio)tetrathiafulvalene (BET-TTF). <i>Synthesis</i> , 1999, 1999, 577-579.	1.2	15
303	Magnetic behavior of a two-leg organic spin-ladder compound. <i>Physical Review B</i> , 1999, 60, 4191-4194.	1.1	44
304	The [(DT-TTF) $2\text{M}(\text{mnt})_2$] Family of Radical Ion Salts: From a Spin Ladder to Delocalised Conduction Electrons That Interact with Localised Magnetic Moments. <i>Chemistry - A European Journal</i> , 1999, 5, 2025-2039.	1.7	67
305	Influence of the Molecular Surface Characteristics of the Diastereoisomers of a Quartet Molecule on their Physicochemical Properties: A Linear Solvation Free-Energy Study. <i>Chemistry - A European Journal</i> , 1999, 5, 3533-3548.	1.7	24
306	Ferromagnetic interactions between triphenylmethyl radicals through an organometallic coupler. <i>Chemical Communications</i> , 1999, , 579-580.	2.2	34

#	ARTICLE	IF	CITATIONS
307	The (DT-TTF)-M(mnt) ₂ Family of Compounds. <i>Synthetic Metals</i> , 1999, 102, 1743-1746.	2.1	12
308	New asymmetric π -electron donors yielding metallic charge transfer salts. <i>Synthetic Metals</i> , 1999, 103, 2224-2227.	2.1	3
309	Magnetic conductors. Current approaches and achievements. <i>Synthetic Metals</i> , 1999, 103, 2339-2342.	2.1	17
310	New family of low-dimensional organic metals based on the asymmetrical multisulfur donor ETEDT-TTF: transport and magnetotransport properties. <i>Synthetic Metals</i> , 1999, 102, 1772-1773.	2.1	3
311	A new family of charge transfer salts formed with the π -electron donor bet-ttf and reo ⁴⁺ . synthesis, x-ray structure and physical properties. <i>Synthetic Metals</i> , 1999, 102, 1707-1708.	2.1	4
312	Oriented thin films of p-nitrophenyl nitroxyl nitroxide radical. <i>Synthetic Metals</i> , 1999, 103, 2298-2299.	2.1	2
313	Tetrathiafulvalene-C ₆₀ based dyads by Diels-Alder reaction of bis(methylene) [2H]TTF and C ₆₀ . <i>Synthetic Metals</i> , 1999, 103, 2368.	2.1	2
314	Radical-ion salts based on C ₆₀ -TTF fused dyads. <i>Synthetic Metals</i> , 1999, 102, 1488-1489.	2.1	0
315	New conducting molecular metal/polycarbonate bilayered composites: (ET) ₂ I ₂ Br ₂ /PC-, (BET) ₂ I ₂ Br ₂ /PC- and (BET) ₂ I ₂ /PC-films. <i>Synthetic Metals</i> , 1999, 102, 1785-1786.	2.1	10
316	Synthesis, X-ray Structure, and Electrochemical Oxidative Coupling Reactions of 1,5- and 2,6-Bis(1,4-dithiafulven-6-yl)naphthalenes. <i>Journal of Organic Chemistry</i> , 1999, 64, 3498-3506.	1.7	39
317	Tetrathiafulvalene (TTF) Derivatives as Versatile Building Blocks: From Metals to Spin-Ladders. , 1999, , 377-392.		2
318	A New Family of Sulfur Dioxide-Containing TTF Derivatives. <i>Advanced Materials</i> , 1998, 10, 330-334.	11.1	22
319	The First Oriented Thin Films Based on a Nitronyl Nitroxide Radical. <i>Advanced Materials</i> , 1998, 10, 608-610.	11.1	35
320	Crystal Structures of Chiral Diastereoisomers of a Carbon-Based High-Spin Molecule. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 330-333.	7.2	33
321	Radical salts of the organic donor BET-TTF with polyoxometalate clusters. <i>Journal of Materials Chemistry</i> , 1998, 8, 313-317.	6.7	31
322	Persistent and Transient Open-Shell Species Derived from C ₆₀ -TTF Cyclohexene-Fused Dyads. <i>Journal of Organic Chemistry</i> , 1998, 63, 5201-5210.	1.7	90
323	Transmission of Magnetic Interactions through an Organometallic Coupler: A Novel Family of Metallocene-Substituted π -Nitronyl Aminoxyl Radicals. <i>Inorganic Chemistry</i> , 1998, 37, 4547-4558.	1.9	41
324	Crystal Structures of Chiral Diastereoisomers of a Carbon-Based High-Spin Molecule. , 1998, 37, 330.		1

#	ARTICLE	IF	CITATIONS
325	Synthesis of a Sterically Congested Highly Chlorinated Triphenylmethane Dendrimer. <i>Synlett</i> , 1997, 1997, 1205-1207.	1.0	2
326	The Influence of Chemical Surroundings on the Properties of $\hat{\pm}$ -Nitronyl Nitroxide Radicals in Solution. Its Relation with the Magnetic Properties in Solid State. <i>Molecular Crystals and Liquid Crystals</i> , 1997, 305, 367-384.	0.3	4
327	Coexistence of Ferromagnetic Coupling and Intramolecular Electron Transfer in a Purely Organic Mixed-Valence Molecule with a Triplet Ground State. <i>Molecular Crystals and Liquid Crystals</i> , 1997, 306, 125-132.	0.3	5
328	The first Diels-Alder adduct of [60]fullerene with a tetrathiafulvalene. <i>Chemical Communications</i> , 1997, , 659-660.	2.2	52
329	Magnetostructural study of substituted $\hat{\pm}$ -nitronyl aminoxyl radicals with chlorine and hydroxy groups as crystalline design elements. <i>Journal of Materials Chemistry</i> , 1997, 7, 1723-1730.	6.7	22
330	Drawbacks Arising from the High Steric Congestion in the Synthesis of New Dendritic Polyalkylaromatic Polyradicals. <i>Journal of Organic Chemistry</i> , 1997, 62, 9009-9017.	1.7	24
331	Synthesis and Electrochemistry of Electronegative Spiroannulated Methanofullerenes: A Theoretical Underpinning of the Electronic Effect of Addends and a Reductive Cyclopropane Ring-Opening Reaction. <i>Journal of the American Chemical Society</i> , 1997, 119, 9871-9882.	6.6	95
332	Study of intervalence bands due to reversible intramolecular electron transfer phenomena in purely organic mixed-valence high-spin molecules. <i>Synthetic Metals</i> , 1997, 85, 1651-1654.	2.1	10
333	Unusual transport and EPR properties of the (BET-TTF)-XF ₆ salts (X=P, As). <i>Synthetic Metals</i> , 1997, 86, 1993-1994.	2.1	11
334	Metallic conductivity in a disordered charge-transfer salt derived from cis-BET-TTF. <i>Synthetic Metals</i> , 1997, 86, 2145-2146.	2.1	16
335	Complexation of C ₆₀ with the multisulphur $\hat{\pm}$ -electron donor BETTTF. spectroscopic characterization and crystal structure of the ternary charge-transfer complexes (C ₆₀)(BETTTF)(solvent). <i>Journal of Physics and Chemistry of Solids</i> , 1997, 58, 1675-1678.	1.9	11
336	An Organic Spin-Ladder Molecular Material. <i>Angewandte Chemie International Edition in English</i> , 1997, 36, 2324-2326.	4.4	54
337	Magnetic molecular metals based on the organic donor molecule BET (BET =) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 267 Td (BET) 984-987.	11.1	71
338	Systematic Study of the (ET) ₂ 13 Reticulate Doped Polycarbonate Film: Structure, ESR, Transport Properties and Superconductivity. <i>Journal De Physique, I</i> , 1997, 7, 1665-1675.	1.2	22
339	Synthesis, Characterization, and Theoretical Study of Sulfur-Containing Donor-Acceptor DCNQI Derivatives with Photoinduced Intramolecular Electron Transfer. <i>Journal of Organic Chemistry</i> , 1996, 61, 3041-3054.	1.7	21
340	Conducting thin films of molecular organic conductors, tetrathiafulvalene-7,7,8,8-tetracyano-p-quinodimethane (TTF-TCNQ). <i>Synthetic Metals</i> , 1996, 76, 309-312.	2.1	9
341	Intramolecular electron transfer phenomena in purely organic mixed-valence high-spin ions: A triplet anion case. <i>Advanced Materials</i> , 1996, 8, 748-752.	11.1	41
342	Preparation and characterization of conducting thin films of molecular organic conductors (TTF-TCNQ). <i>Journal of Crystal Growth</i> , 1996, 166, 798-803.	0.7	25

#	ARTICLE	IF	CITATIONS
343	An FT-Pulsed ESR/Electron Spin Transient Nutation Study of Hyperbranched β -Aryl Stable Triplet and Quartet Molecules. <i>Molecular Crystals and Liquid Crystals</i> , 1996, 278, 295-300.	0.3	2
344	The Self-Assembly of Hydroxylated Phenyl $\dot{\text{I}}\pm$ -Nitronyl Nitroxide Radicals. , 1996, , 219-248.		2
345	Organic Ferromagnets. Hydrogen Bonded Supramolecular Magnetic Organizations Derived from Hydroxylated Phenyl $\dot{\text{I}}\pm$ -Nitronyl Nitroxide Radicals. <i>Journal De Physique</i> , I, 1996, 6, 1967-1986.	1.2	18
346	Consequences of the fractal character of dendritic high-spin macromolecules on their physicochemical properties. <i>Advances in Dendritic Macromolecules</i> , 1996, , 27-59.	0.6	0
347	Ferromagnetic interactions in organic/molecular materials. <i>Advanced Materials</i> , 1995, 7, 221-225.	11.1	63
348	$\text{C}\ddot{\text{I}}\ddot{\text{I}}\text{H}\ddot{\text{A}}\text{C}\text{S}$ and $\text{S}\ddot{\text{A}}\text{C}\text{S}$: Two major forces in organic conductors. <i>Advanced Materials</i> , 1995, 7, 233-237.	11.1	120
349	Bis(ethylenethio)tetrathiafulvalene (BET-TTF), an organic donor with high electrical conductivity. <i>Advanced Materials</i> , 1995, 7, 1023-1027.	11.1	26
350	Von den Pulver $\ddot{\text{A}}\text{r}$ ntgenbeugungsdaten zur Struktur eines Molek $\ddot{\text{A}}\text{r}$ lkristalls mit Wasserstoffbr $\ddot{\text{A}}\text{r}$ ckenbindungen und konkurrierenden ferromagnetischen und antiferromagnetischen Wechselwirkungen $\ddot{\text{A}}\text{C}$ das 2 $\ddot{\text{A}}\text{C}$ (3,4 $\ddot{\text{A}}\text{C}$ Dihydroxy $\ddot{\text{A}}\text{C}$ phenyl) $\ddot{\text{A}}\text{C}$ $\ddot{\text{I}}\ddot{\text{I}}\text{A}\text{C}$ nitronylnitroxid $\ddot{\text{A}}\text{C}$ Radikal. <i>Angewandte Chemie</i> , 1995, 107, 99-102.	16.5	19
351	Structure Determination from Powder X-Ray Diffraction Data of a Hydrogen-Bonded Molecular Solid with Competing Ferromagnetic and Antiferromagnetic Interactions: The 2-(3,4-Dihydroxyphenyl)- $\dot{\text{I}}\pm$ -Nitronyl Nitroxide Radical. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 55-57.	4.4	94
352	Electron impact, metastable ion and CID spectra of some thieno[2,3-d]-1,3-dithioles and thieno[3,4-d]-1,3-dithioles. <i>Rapid Communications in Mass Spectrometry</i> , 1995, 9, 276-281.	0.7	7
353	Structural and electronic properties of the one-dimensional organic metal bis(thiodimethylene)-tetrathiafulvalene tetracyanoquinodimethane. <i>Physical Review B</i> , 1995, 52, 8747-8758.	1.1	12
354	The Hydrogen Bonding Strategy. A New Approach Towards Purely Organic/Molecular Ferromagnets. <i>Molecular Crystals and Liquid Crystals</i> , 1995, 271, 1-12.	0.3	26
355	A New Family of Molecular Metals Based on Bis(ethylenethio)tetrathiafulvalene (BET-TTF) and Octahedral Counterions. <i>Chemistry of Materials</i> , 1995, 7, 1558-1567.	3.2	28
356	Control of the structural dimensionality in hydrogen-bonded self-assemblies of open-shell molecules. Extension of intermolecular ferromagnetic interactions in $\dot{\text{I}}\pm$ -phenyl nitronyl nitroxide radicals into three dimensions. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 709-710.	2.0	114
357	Charge-transfer salts based on BET-TTF and the linear ions $\text{AuX}_2\ddot{\text{A}}\text{C}$ (X = Br, I). <i>Synthetic Metals</i> , 1995, 70, 883-886.	2.1	13
358	Synthesis and physical properties of new charge transfer salts derived from E-bis(ethylenethio)tetrathiafulvalene (BET-TTF). <i>Synthetic Metals</i> , 1995, 70, 1167-1168.	2.1	8
359	Synthesis and characterization of the charge-transfer complex C60: (BET-TTF). <i>Synthetic Metals</i> , 1995, 70, 1453-1454.	2.1	12
360	The importance of hydrogen bonds in the crystal packing of polyhydroxylated $\dot{\text{I}}\pm$ -phenyl nitronyl nitroxides. <i>Synthetic Metals</i> , 1995, 71, 1799-1800.	2.1	6

#	ARTICLE	IF	CITATIONS
361	Role of hydrogen bonds in the propagation of ferromagnetic interactions in organic molecular solids. Part 1. "The p-hydroxyphenyl $\dot{\text{I}}$ -nitronyl aminoxy radical case. Journal of Materials Chemistry, 1995, 5, 243-252.	6.7	84
362	Synthesis, structure and physical properties of charge-transfer complexes based on BET-TTF and M(mnt) ₂ (M = Au, Pt). Journal of Materials Chemistry, 1995, 5, 1653-1658.	6.7	15
363	Purely Organic Mixed-Valence Molecules with Nanometric Dimensions Showing Long-Range Electron Transfer. Synthesis, and Optical and EPR Studies of a Radical Anion Derived from a Bis(triarylmethyl)Diradical. Angewandte Chemie International Edition in English, 1994, 33, 2106-2109.	4.4	71
364	Nanometergroße, rein organische Moleküle mit unterschiedlichen Oxidationsstufen an den Enden und langreichweitigem Elektronentransfer " Synthese sowie optische und EPR-Untersuchungen des Radikalanions eines Bis(triarylmethyl)diradikals. Angewandte Chemie, 1994, 106, 2190-2193.	1.6	15
365	Coexistence of Alternating Ferromagnetic and Antiferromagnetic Intermolecular Interactions in Organic Compounds. Synthesis, Structure, Thermal Stability, and Magnetic Properties of 2,4-Hexadiynylenedioxybis[2-(p-phenylene)-4,4,5,5-tetramethyl-4,5-dihydro-1H-imidazol-1-oxyl] Diradical. Chemistry of Materials, 1994, 6, 2398-2411.	3.2	14
366	Synthesis of Several Isomeric Tetrathiafulvalene π -Electron Donors with Peripheral Sulfur Atoms. A Study of Their Radical Cations. Journal of Organic Chemistry, 1994, 59, 3307-3313.	1.7	129
367	Hydrogen Bonds as a Crystal Design Element for Organic Molecular Solids with Intermolecular Ferromagnetic Interactions. Angewandte Chemie International Edition in English, 1993, 32, 882-884.	4.4	105
368	Crystal structure of the semiconducting radical salt BTDMTTF.AsF ₆ . Synthetic Metals, 1993, 56, 1944-1949.	2.1	0
369	(BTDM-TTF)-TCNQ complex, a new organic metal. Synthetic Metals, 1993, 56, 2050-2056.	2.1	5
370	Synthesis, solid state reactivity and magneto-structural correlations of symmetric diradical diacetylenes. Synthetic Metals, 1993, 55, 761-766.	2.1	0
371	Synthesis and study of a stable polyradical macromolecule with a helical structure. A poly(iminomethylene) with verdazyl radicals as side groups. Synthetic Metals, 1993, 55, 1141-1146.	2.1	11
372	Stable polyradicals with high-spin ground states. 2. Synthesis and characterization of a complete series of polyradicals derived from 2,4,6-trichloro- α,α,α' -, α,α,α' -, α,α,α' -, α,α,α' -hexakis(pentachlorophenyl)mesitylene with S = 1/2, 1, and 3/2 ground states. Journal of the American Chemical Society, 1993, 115, 57-64.	6.6	131
373	Dendrimeric Hyperbranched Alkylaromatic Polyradicals with Mesoscopic Dimensions and High-Spin Ground States. Molecular Crystals and Liquid Crystals, 1993, 232, 333-342.	0.3	16
374	Molecular and Crystal Engineering in the Design of Organic Solids with Ferromagnetic Intermolecular Interactions. Molecular Crystals and Liquid Crystals, 1993, 232, 163-172.	0.3	4
375	Synthesis of a Series of Symmetrically Disubstituted Diacetylenes with Polychlorophenyl Rings as Side Groups and Linear Polyether Chains as Spacers. Synthesis, 1992, 1992, 1164-1169.	1.2	10
376	Arylether substituted diacetylenes with spacing groups of different length. A comparative study of their distinct solid state reactivities. Synthetic Metals, 1991, 41, 239-242.	2.1	0
377	Cation-radical salts of multisulfur π -donors (BET-TTF and BTDM-TTF) with anions of different geometries. Synthetic Metals, 1991, 42, 2199-2203.	2.1	2
378	Stable polyradicals with high spin ground states towards highly magnetic materials. Synthetic Metals, 1991, 43, 3285.	2.1	0

#	ARTICLE	IF	CITATIONS
379	Stable polyradicals with high-spin ground states. 1. Synthesis, separation, and magnetic characterization of the stereoisomers of 2,4,5,6-tetrachloro- $\alpha,\alpha,\alpha',\alpha'$ -tetrakis(pentachlorophenyl)-m-xylene biradical. <i>Journal of the American Chemical Society</i> , 1991, 113, 2552-2561.	6.6	113
380	Synthesis and study of isomeric multisulfur π -donors BTDM-TTF and BET-TTF and their CT complexes. <i>Synthetic Metals</i> , 1991, 42, 2205-2209.	2.1	12
381	Stable Polyradicals with High Spin Ground States. , 1991, , 121-132.		1
382	The Role of Chlorine-Chlorine Interaction in the Crystal structure of a Highly Volatile Molecule: Trans-3,4-Dichlorotetrahydrothiophene. <i>Molecular Crystals and Liquid Crystals Incorporating Nonlinear Optics</i> , 1990, 187, 59-65.	0.3	1
383	Stable Triplets and Quartets from Carbon Centered Polyradicals. <i>Molecular Crystals and Liquid Crystals Incorporating Nonlinear Optics</i> , 1989, 176, 77-84.	0.3	3
384	Bis(thiodimethylene)-tetrahydrofulvalene (BTDM-TTF). A new π -electron donor with relevant oxidation properties. <i>Tetrahedron Letters</i> , 1989, 30, 7249-7252.	0.7	23
385	BIS(dioxothiacyclopenta)-tetrathiafulvalene. <i>Tetrahedron Letters</i> , 1988, 29, 3467-3470.	0.7	16
386	A Study of Triarylmethyl Diradicals as Magnetic Models for Organic Ferromagnets. <i>Molecular Crystals and Liquid Crystals</i> , 1988, 156, 301-310.	0.4	7
387	Inert carbon free radicals. 8. Polychlorotriphenylmethyl radicals: synthesis, structure, and spin-density distribution. <i>The Journal of Physical Chemistry</i> , 1987, 91, 5608-5616.	2.9	207
388	Inert carbon free radicals. 7. The (kinetic) reverse effect and relevant synthesis of new monofunctionalized triphenylmethyl radicals and their nonradical counterparts. <i>Journal of Organic Chemistry</i> , 1986, 51, 2472-2480.	1.7	23
389	Inert carbon free radicals. 4. Spin labeling of amino acids and peptides. <i>Journal of Organic Chemistry</i> , 1983, 48, 3716-3720.	1.7	27
390	Inert carbon free radicals. 3. Monofunctionalized radicals from perchlorotriphenylcarbenium hexachloroantimonate. <i>Journal of Organic Chemistry</i> , 1982, 47, 4498-4505.	1.7	42
391	Influence of a free radical substituent on reactivity (reverse effect). Results involving benzylic systems. <i>Tetrahedron Letters</i> , 1982, 23, 5075-5078.	0.7	4
392	. I. L. <i>Tetrahedron Letters</i> , 1977, 18, 2355-2356.	0.7	6
393	Discrete Portable Measuring Device for Monitoring Noninvasive Intraocular Pressure with a Nano-Structured Sensing Contact Lens Prototype. , 0, , 214-229.		0