

Wen Shi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3529539/wen-shi-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

6,978
citations

48
h-index

83
g-index

89
ext. papers

7,861
ext. citations

8.7
avg, IF

6.37
L-index

#	Paper	IF	Citations
84	Recent advances in fluorescent probes for lipid droplets.. <i>Chemical Communications</i> , 2022 ,	5.8	11
83	An effective approach to develop targetable and responsive fluorescent probes for imaging of organelles based on cresyl violet scaffold.. <i>Biosensors and Bioelectronics</i> , 2021 , 200, 113929	11.8	1
82	Xanthene-Based NIR-II Dyes for Dynamic Imaging of Blood Circulation. <i>Journal of the American Chemical Society</i> , 2021 , 143, 17136-17143	16.4	20
81	Optical Imaging of Electrical and Mechanical Couplings between Cells. <i>ACS Sensors</i> , 2021 , 6, 508-512	9.2	1
80	Sensitive imaging of tumors using a nitroreductase-activated fluorescence probe in the NIR-II window. <i>Chemical Communications</i> , 2021 , 57, 8174-8177	5.8	12
79	Increase of tyrosinase activity at the wound site in zebrafish imaged by a new fluorescent probe. <i>Chemical Communications</i> , 2021 , 57, 2764-2767	5.8	5
78	Water-Soluble Near-Infrared Fluorescent Probes for Specific Detection of Monoamine Oxidase A in Living Biosystems. <i>Analytical Chemistry</i> , 2021 , 93, 4285-4290	7.8	7
77	A tumor-targeted near-infrared fluorescent probe for HNO and its application to the real-time monitoring of HNO release. <i>Chemical Communications</i> , 2021 , 57, 5063-5066	5.8	10
76	An endoplasmic reticulum-targeting fluorescent probe for imaging D^{H} in living cells. <i>Chemical Communications</i> , 2020 , 56, 6344-6347	5.8	11
75	A near-infrared fluorescence probe for imaging of pantetheinase in cells and mice. <i>Chemical Science</i> , 2020 , 11, 12802-12806	9.4	14
74	Design, Synthesis, and Application of a Small Molecular NIR-II Fluorophore with Maximal Emission beyond 1200 nm. <i>Journal of the American Chemical Society</i> , 2020 , 142, 15271-15275	16.4	58
73	Recognition Moieties of Small Molecular Fluorescent Probes for Bioimaging of Enzymes. <i>Accounts of Chemical Research</i> , 2019 , 52, 1892-1904	24.3	134
72	H ₂ O ₂ -Responsive Organosilica-Doxorubicin Nanoparticles for Targeted Imaging and Killing of Cancer Cells Based on a Synthesized Silane-Borate Precursor. <i>ChemMedChem</i> , 2019 , 14, 1079-1085	3.7	11
71	Reactive oxygen species-triggered off-on fluorescence donor for imaging hydrogen sulfide delivery in living cells. <i>Chemical Science</i> , 2019 , 10, 7690-7694	9.4	41
70	Ferroptosis Accompanied by OH Generation and Cytoplasmic Viscosity Increase Revealed via Dual-Functional Fluorescence Probe. <i>Journal of the American Chemical Society</i> , 2019 , 141, 18301-18307	16.4	106
69	A dual-function fluorescent probe for monitoring the degrees of hypoxia in living cells via the imaging of nitroreductase and adenosine triphosphate. <i>Chemical Communications</i> , 2018 , 54, 5454-5457	5.8	78
68	Rationally Designed Fluorescence .OH Probe with High Sensitivity and Selectivity for Monitoring the Generation of .OH in Iron Autoxidation without Addition of H ₂ O ₂ . <i>Angewandte Chemie</i> , 2018 , 130, 13012-13016	3.6	23

67	Rationally Designed Fluorescence OH Probe with High Sensitivity and Selectivity for Monitoring the Generation of OH in Iron Autoxidation without Addition of H ₂ O ₂ . <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 12830-12834	16.4	56
66	In vivo tumor imaging by a α -glutamyl transpeptidase-activatable near-infrared fluorescent probe. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 6771-6777	4.4	23
65	A highly sensitive and selective fluorescence off-on probe for the detection of intracellular endogenous tyrosinase activity. <i>Chemical Communications</i> , 2017 , 53, 2443-2446	5.8	56
64	Ultrasensitive Detection of Aminopeptidase N Activity in Urine and Cells with a Ratiometric Fluorescence Probe. <i>Analytical Chemistry</i> , 2017 , 89, 3217-3221	7.8	48
63	Imaging of leucine aminopeptidase activity in drug-induced liver injury and liver cancer a near-infrared fluorescent probe. <i>Chemical Science</i> , 2017 , 8, 3479-3483	9.4	94
62	Observation of the Generation of ONOO ⁻ in Mitochondria under Various Stimuli with a Sensitive Fluorescence Probe. <i>Analytical Chemistry</i> , 2017 , 89, 5519-5525	7.8	112
61	A Strategy for Specific Fluorescence Imaging of Monoamine Oxidase A in Living Cells. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 15319-15323	16.4	64
60	A Strategy for Specific Fluorescence Imaging of Monoamine Oxidase A in Living Cells. <i>Angewandte Chemie</i> , 2017 , 129, 15521-15525	3.6	11
59	Ratiometric Fluorescent Probe for Imaging of Pantetheinase in Living Cells. <i>Analytical Chemistry</i> , 2017 , 89, 11107-11112	7.8	25
58	Facile and Sensitive Method for Protein Kinase A Activity Assay Based on Fluorescent Off-On PolyU-peptide Assembly. <i>Analytical Chemistry</i> , 2017 , 89, 10980-10984	7.8	13
57	Design, synthesis and application of a near-infrared fluorescent probe for in vivo imaging of aminopeptidase N. <i>Chemical Communications</i> , 2017 , 53, 9438-9441	5.8	49
56	A near-infrared fluorescence off-on probe for sensitive imaging of hydrogen polysulfides in living cells and mice in vivo. <i>Chemical Communications</i> , 2017 , 53, 8759-8762	5.8	68
55	Ultrasensitive Fluorescent Probes Reveal an Adverse Action of Dipeptide Peptidase IV and Fibroblast Activation Protein during Proliferation of Cancer Cells. <i>Analytical Chemistry</i> , 2016 , 88, 8309-1478	7.8	39
54	Near-Infrared Fluorescent Probe with New Recognition Moiety for Specific Detection of Tyrosinase Activity: Design, Synthesis, and Application in Living Cells and Zebrafish. <i>Angewandte Chemie</i> , 2016 , 128, 14948-14952	3.6	14
53	Near-Infrared Fluorescent Probe with New Recognition Moiety for Specific Detection of Tyrosinase Activity: Design, Synthesis, and Application in Living Cells and Zebrafish. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 14728-14732	16.4	155
52	Comparison of N-acetylcysteine and cysteine in their ability to replenish intracellular cysteine by a specific fluorescent probe. <i>Chemical Communications</i> , 2016 , 52, 9410-3	5.8	31
51	Sensitive and Selective Ratiometric Fluorescence Probes for Detection of Intracellular Endogenous Monoamine Oxidase A. <i>Analytical Chemistry</i> , 2016 , 88, 1440-6	7.8	85
50	Monitoring α -glutamyl transpeptidase activity and evaluating its inhibitors by a water-soluble near-infrared fluorescent probe. <i>Biosensors and Bioelectronics</i> , 2016 , 81, 395-400	11.8	75

49	Leucine aminopeptidase may contribute to the intrinsic resistance of cancer cells toward cisplatin as revealed by an ultrasensitive fluorescent probe. <i>Chemical Science</i> , 2016 , 7, 788-792	9.4	72
48	A Lysosome-Targeting Fluorescence Off-On Probe for Imaging of Nitroreductase and Hypoxia in Live Cells. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 2719-2724	4.5	53
47	Detection of Misdistribution of Tyrosinase from Melanosomes to Lysosomes and Its Upregulation under Psoralen/Ultraviolet A with a Melanosome-Targeting Tyrosinase Fluorescent Probe. <i>Analytical Chemistry</i> , 2016 , 88, 4557-64	7.8	66
46	Sensitive fluorescence probe with long analytical wavelengths for β -glutamyl transpeptidase detection in human serum and living cells. <i>Analytical Chemistry</i> , 2015 , 87, 8353-9	7.8	63
45	An upconversion luminescence nanoprobe for the ultrasensitive detection of hyaluronidase. <i>Analytical Chemistry</i> , 2015 , 87, 5816-23	7.8	52
44	A specific nucleophilic ring-opening reaction of aziridines as a unique platform for the construction of hydrogen polysulfides sensors. <i>Organic Letters</i> , 2015 , 17, 2776-9	6.2	74
43	In vivo imaging and detection of nitroreductase in zebrafish by a new near-infrared fluorescence off-on probe. <i>Biosensors and Bioelectronics</i> , 2015 , 63, 112-116	11.8	137
42	HOCl can appear in the mitochondria of macrophages during bacterial infection as revealed by a sensitive mitochondrial-targeting fluorescent probe. <i>Chemical Science</i> , 2015 , 6, 4884-4888	9.4	190
41	Gold nanoparticles functionalized with cresyl violet and porphyrin via hyaluronic acid for targeted cell imaging and phototherapy. <i>Chemical Communications</i> , 2014 , 50, 15696-8	5.8	29
40	Sensitive and selective near-infrared fluorescent off-on probe and its application to imaging different levels of β -lactamase in <i>Staphylococcus aureus</i> . <i>Analytical Chemistry</i> , 2014 , 86, 6115-20	7.8	84
39	Poly(m-phenylenediamine)-based fluorescent nanoprobe for ultrasensitive detection of matrix metalloproteinase 2. <i>Analytical Chemistry</i> , 2014 , 86, 7719-25	7.8	39
38	Lysosomal pH rise during heat shock monitored by a lysosome-targeting near-infrared ratiometric fluorescent probe. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 10916-20	16.4	320
37	Rational design and bioimaging applications of highly selective fluorescence probes for hydrogen polysulfides. <i>Journal of the American Chemical Society</i> , 2014 , 136, 7257-60	16.4	165
36	Fluorescent probes and nanoparticles for intracellular sensing of pH values. <i>Methods and Applications in Fluorescence</i> , 2014 , 2, 042001	3.1	53
35	Lysosomal pH Rise during Heat Shock Monitored by a Lysosome-Targeting Near-Infrared Ratiometric Fluorescent Probe. <i>Angewandte Chemie</i> , 2014 , 126, 11096-11100	3.6	76
34	Design strategies for water-soluble small molecular chromogenic and fluorogenic probes. <i>Chemical Reviews</i> , 2014 , 114, 590-659	68.1	1347
33	3,4-Dinitrobenzamide Functionalized CdTe/ZnTe Quantum Dots as a Nanoprobe for Imaging Glutathione S-Transferase in Living Cells. <i>Chinese Journal of Chemistry</i> , 2013 , 31, 472-478	4.9	8
32	7-((5-Nitrothiophen-2-yl)methoxy)-3H-phenoxazin-3-one as a spectroscopic off-on probe for highly sensitive and selective detection of nitroreductase. <i>Chemical Communications</i> , 2013 , 49, 5859-61	5.8	60

31	Sensitive detection of ozone by a practical resorufin-based spectroscopic probe with extremely low background signal. <i>Scientific Reports</i> , 2013 , 3, 2830	4.9	22
30	Parallel comparative studies on the toxic effects of unmodified CdTe quantum dots, gold nanoparticles, and carbon nanodots on live cells as well as green gram sprouts. <i>Talanta</i> , 2013 , 116, 237-44	6.2	53
29	Distinguishing folate-receptor-positive cells from folate-receptor-negative cells using a fluorescence off-on nanoprobe. <i>Analytical Chemistry</i> , 2013 , 85, 6530-5	7.8	121
28	Nitroreductase detection and hypoxic tumor cell imaging by a designed sensitive and selective fluorescent probe, 7-[(5-nitrofuranyl)methoxy]-3H-phenoxazin-3-one. <i>Analytical Chemistry</i> , 2013 , 85, 3926-32	7.8	172
27	Some Problems of Nanomaterials in Bioanalytical Applications. <i>Acta Chimica Sinica</i> , 2013 , 71, 1607	3.3	10
26	A long-wavelength fluorescent probe for imaging reduced glutathione in live cells. <i>Sensors and Actuators B: Chemical</i> , 2012 , 161, 615-620	8.5	42
25	Spectroscopic response of ferrocene derivatives bearing a BODIPY moiety to water: a new dissociation reaction. <i>Chemistry - A European Journal</i> , 2012 , 18, 925-30	4.8	20
24	A spectroscopic off-on probe for simple and sensitive detection of carboxylesterase activity and its application to cell imaging. <i>Analyst, The</i> , 2012 , 137, 716-21	5	59
23	Chemical Sensors: Hydrogen Peroxide Vapor Sensing with Organic Core/Sheath Nanowire Optical Waveguides (Adv. Mater. 35/2012). <i>Advanced Materials</i> , 2012 , 24, OP186-OP186	24	0
22	A graphene oxide-peptide fluorescence sensor for proteolytically active prostate-specific antigen. <i>Molecular BioSystems</i> , 2012 , 8, 1441-5		49
21	A new resorufin-based spectroscopic probe for simple and sensitive detection of benzoyl peroxide via deboronation. <i>Chemical Communications</i> , 2012 , 48, 2809-11	5.8	59
20	Fluorescent carbon nanodots conjugated with folic acid for distinguishing folate-receptor-positive cancer cells from normal cells. <i>Journal of Materials Chemistry</i> , 2012 , 22, 12568		173
19	Spectroscopic probes with changeable E-conjugated systems. <i>Chemical Communications</i> , 2012 , 48, 8732-44	4.8	145
18	Hydrogen peroxide vapor sensing with organic core/sheath nanowire optical waveguides. <i>Advanced Materials</i> , 2012 , 24, OP194-9, OP186	24	77
17	A Tunable Ratiometric pH Sensor Based on Carbon Nanodots for the Quantitative Measurement of the Intracellular pH of Whole Cells. <i>Angewandte Chemie</i> , 2012 , 124, 6538-6541	3.6	102
16	A tunable ratiometric pH sensor based on carbon nanodots for the quantitative measurement of the intracellular pH of whole cells. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 6432-5	16.4	376
15	A graphene oxide-peptide fluorescence sensor tailor-made for simple and sensitive detection of matrix metalloproteinase 2. <i>Chemical Communications</i> , 2011 , 47, 10680-2	5.8	97
14	Simple and fast fluorescence detection of benzoyl peroxide in wheat flour by N-methoxy rhodamine-6G spirolactam based on consecutive chemical reactions. <i>Analytica Chimica Acta</i> , 2011 , 708, 84-8	6.6	30

13	Determination of non-protein cysteine in human serum by a designed BODIPY-based fluorescent probe. <i>Talanta</i> , 2011 , 83, 1050-6	6.2	45
12	An unprecedented strategy for selective and sensitive fluorescence detection of nitric oxide based on its reaction with a selenide. <i>Chemical Communications</i> , 2011 , 47, 8638-40	5.8	95
11	Application of rhodamine B thiolactone to fluorescence imaging of Hg ²⁺ in <i>Arabidopsis thaliana</i> . <i>Sensors and Actuators B: Chemical</i> , 2011 , 153, 261-265	8.5	23
10	A near-infrared fluorescent probe for monitoring tyrosinase activity. <i>Chemical Communications</i> , 2010 , 46, 2560-2	5.8	59
9	Imaging different interactions of mercury and silver with live cells by a designed fluorescence probe rhodamine B selenolactone. <i>Inorganic Chemistry</i> , 2010 , 49, 1206-10	5.1	103
8	A simple and sensitive method for visual detection of phosgene based on the aggregation of gold nanoparticles. <i>Chemical Communications</i> , 2010 , 46, 9203-5	5.8	49
7	Enhanced sensitivity in a Hg ²⁺ sensor by photonic crystals. <i>Analytical Methods</i> , 2010 , 2, 448	3.2	14
6	Rhodamine B piperazinoacetohydrazine: a water-soluble spectroscopic reagent for pyruvic acid labeling. <i>Chemistry - A European Journal</i> , 2010 , 16, 6638-43	4.8	14
5	Characterization of 2-phenylbenzo[g]quinoxaline derivatives as viscosity-sensitive fluorescent probes. <i>Talanta</i> , 2009 , 77, 1795-9	6.2	25
4	Rhodamine B thiolactone: a simple chemosensor for Hg ²⁺ in aqueous media. <i>Chemical Communications</i> , 2008 , 1856-8	5.8	222
3	A highly selective and sensitive fluorescence probe for the hypochlorite anion. <i>Chemistry - A European Journal</i> , 2008 , 14, 4719-24	4.8	239
2	Detection of local polarity and conformational changes at the active site of rabbit muscle creatine kinase with a new arginine-specific fluorescent probe. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008 , 1784, 415-22	4	10
1	Selective modification of Trp19 in beta-lactoglobulin by a new diazo fluorescence probe. <i>Journal of Proteome Research</i> , 2007 , 6, 3835-41	5.6	19