

Stefanie J Schmidt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3530111/stefanie-j-schmidt-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

1,265
citations

17
h-index

35
g-index

63
ext. papers

1,628
ext. citations

4.6
avg, IF

4.76
L-index

#	Paper	IF	Citations
43	The Role of Emotion Regulation and Loss-Related Coping Self-efficacy in an Internet Intervention for Grief: Mediation Analysis.. <i>JMIR Mental Health</i> , 2022 , 9, e27707	6	0
42	Child maltreatment and hypothalamic-pituitary-adrenal axis functioning: A systematic review and meta-analysis.. <i>Frontiers in Neuroendocrinology</i> , 2022 , 100987	8.9	2
41	Theories of Change and Mediators of Psychotherapy Effectiveness in Adolescents With Externalising Behaviours: A Systematic Review.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 730921	5	0
40	Mediators and theories of change in psychotherapy with adolescents: a systematic review protocol. <i>BMJ Open</i> , 2021 , 11, e042411	3	0
39	Early life maltreatment and resting-state heart rate variability: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 120, 307-334	9	5
38	Age-related effects of the COVID-19 pandemic on mental health of children and adolescents. <i>Högskoleutbildning</i> , 2021 , 12, 1901407	5	25
37	Mediators in Psychological Treatments for Anxiety and Depression in Adolescents and Young People: A Protocol of a Systematic Review. <i>Frontiers in Psychology</i> , 2021 , 12, 708436	3.4	
36	Mediators and Theories of Change in Psychotherapy for Young People With Personality Disorders: A Systematic Review Protocol. <i>Frontiers in Psychology</i> , 2021 , 12, 703095	3.4	0
35	Cardiac autonomic functioning and clinical outcome in adolescent borderline personality disorder over two years. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 111, 110336	5.5	2
34	Evidence for preventive treatments in young patients at clinical high risk of psychosis: the need for context. <i>Lancet Psychiatry</i> , 2020 , 7, 378-380	23.3	8
33	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. <i>Behaviour Research and Therapy</i> , 2020 , 124, 103527	5.2	7
32	The Complex Interplay of Pain, Depression, and Anxiety Symptoms in Patients With Chronic Pain: A Network Approach. <i>Clinical Journal of Pain</i> , 2020 , 36, 249-259	3.5	15
31	Age effects on basic symptoms in the community: A route to gain new insight into the neurodevelopment of psychosis?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 311-324	5.1	11
30	Childhood physical abuse and emotional neglect are specifically associated with adult mental disorders. <i>Journal of Mental Health</i> , 2020 , 29, 376-384	2.7	18
29	The interrelationship between schizotypy, clinical high risk for psychosis and related symptoms: Cognitive disturbances matter. <i>Schizophrenia Research</i> , 2019 , 210, 188-196	3.6	19
28	Multimodal prevention of first psychotic episode through N-acetyl-l-cysteine and integrated preventive psychological intervention in individuals clinically at high risk for psychosis: Protocol of a randomized, placebo-controlled, parallel-group trial. <i>Microbial Biotechnology</i> , 2019 , 13, 1404-1415	3.3	8
27	Post-psychotic depression: Paranoia and the damage done. <i>Schizophrenia Research</i> , 2019 , 211, 79-85	3.6	5

26	Coping as a mediator between locus of control, competence beliefs, and mental health: A systematic review and structural equation modelling meta-analysis. <i>Behaviour Research and Therapy</i> , 2019 , 121, 103442	5.2	26
25	Associations of psychosis-risk symptoms with quality of life and self-rated health in the Community. <i>European Psychiatry</i> , 2019 , 62, 116-123	6	4
24	Clinical High Risk for Psychosis Syndromes Among Swiss and German Youth and Young Adults: Early Identification and Intervention 2019 , 115-142		
23	Psychosis-risk criteria in the general population: frequent misinterpretations and current evidence. <i>World Psychiatry</i> , 2018 , 17, 107-108	14.4	14
22	Negative symptoms, anxiety, and depression as mechanisms of change of a 12-month trial of assertive community treatment as part of integrated care in patients with first- and multi-episode schizophrenia spectrum disorders (ACCESS I trial). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 593-602	5.1	8
21	Functioning mediates help-seeking for mental problems in the general population. <i>European Psychiatry</i> , 2018 , 54, 1-9	6	11
20	Nature and Nurture: Brain Region-Specific Inheritance of Sleep Neurophysiology in Adolescence. <i>Journal of Neuroscience</i> , 2018 , 38, 9275-9285	6.6	20
19	Psychopathology-a Precision Tool in Need of Re-sharpening. <i>Frontiers in Psychiatry</i> , 2018 , 9, 446	5	25
18	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 292-299	9.4	17
17	Resilience and risk, mental health and well-being: How do these concepts relate?. <i>European Psychiatry</i> , 2017 , 41, S463-S463	6	1
16	Mediators Linking Childhood Adversities and Trauma to Suicidality in Individuals at Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2017 , 8, 242	5	10
15	Revisiting the Basic Symptom Concept: Toward Translating Risk Symptoms for Psychosis into Neurobiological Targets. <i>Frontiers in Psychiatry</i> , 2016 , 7, 9	5	40
14	Abnormal involuntary movements are linked to psychosis-risk in children and adolescents: Results of a population-based study. <i>Schizophrenia Research</i> , 2016 , 174, 58-64	3.6	28
13	One-year randomized controlled trial and follow-up of integrated neurocognitive therapy for schizophrenia outpatients. <i>Schizophrenia Bulletin</i> , 2015 , 41, 604-16	1.3	59
12	Mechanisms of change in psychotherapy for children and adolescents: current state, clinical implications, and methodological and conceptual recommendations for mediation analysis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 249-53	5.5	14
11	EPA guidance on the early detection of clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015 , 30, 405-16	6	235
10	Biologie der Psychosen. <i>PiD - Psychotherapie Im Dialog</i> , 2015 , 16, 16-21	0.2	
9	Prediction and prevention of psychosis: current progress and future tasks. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264 Suppl 1, S9-16	5.1	16

8	Differences in coping, self-efficacy, and external control beliefs between patients at-risk for psychosis and patients with first-episode psychosis. <i>Psychiatry Research</i> , 2014 , 219, 95-102	9.9	33
7	Integrated psychological therapy: effectiveness in schizophrenia inpatient settings related to patients' age. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 231-41	6.5	21
6	Treatment of adolescents with early-onset schizophrenia spectrum disorders: in search of a rational, evidence-informed approach. <i>Current Opinion in Psychiatry</i> , 2013 , 26, 219-30	4.9	62
5	Empirische Evidenz der INT 2013 , 139-141		1
4	Diagnostische Instrumente, Therapieplanung und Therapieverlaufskontrolle 2013 , 131-137		
3	Praktische Durchführung der INT 2013 , 13-123		
2	Effectiveness of integrated psychological therapy (IPT) for schizophrenia patients: a research update. <i>Schizophrenia Bulletin</i> , 2011 , 37 Suppl 2, S71-9	1.3	126
1	Social cognition as a mediator variable between neurocognition and functional outcome in schizophrenia: empirical review and new results by structural equation modeling. <i>Schizophrenia Bulletin</i> , 2011 , 37 Suppl 2, S41-54	1.3	320