Joanna Hildebrand

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/3530841/publications.pdf

Version: 2024-02-01

		759233	839539
33	390	12	18
papers	citations	h-index	g-index

41	41	41	524
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Host-dependent morphology of Isthmiophora melis (Schrank, 1788) Luhe, 1909 (Digenea,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 481.	2.5	30
2	Cryptosporidium spp. and Enterocytozoon bieneusi in introduced raccoons (Procyon lotor)â€"first evidence from Poland and Germany. Parasitology Research, 2016, 115, 4535-4541.	1.6	30
3	Small rodents as reservoirs of <i>Cryptosporidium</i> spp. and <i>Giardia</i> spp. in south-western Poland. Annals of Agricultural and Environmental Medicine, 2015, 22, 1-5.	1.0	30
4	Diversity of Enterocytozoon bieneusi genotypes among small rodents in southwestern Poland. Veterinary Parasitology, 2015, 214, 242-246.	1.8	29
5	Molecular characteristics of representatives of the genus Brachylecithum Shtrom, 1940 (Digenea,) Tj ETQq1 1 0.784314 rgBT /Overlock 1417-1425.	1.6	28
6	Molecular identification of Mesocestoides spp. from intermediate hosts (rodents) in central Europe (Poland). Parasitology Research, 2012, 110, 1055-1061.	1.6	25
7	The occurrence of Anaplasmataceae in European populations of invasive carnivores. Ticks and Tick-borne Diseases, 2018, 9, 934-937.	2.7	18
8	Convoluted history and confusing morphology: Molecular phylogenetic analysis of dicrocoeliids reveals true systematic position of the Anenterotrematidae Yamaguti, 1958 (Platyhelminthes, Digenea). Parasitology International, 2018, 67, 501-508.	1.3	17
9	Paralogs vs. genotypes? Variability of Babesia canis assessed by 18S rDNA and two mitochondrial markers. Veterinary Parasitology, 2019, 266, 103-110.	1.8	17
10	Spotted fever rickettsiae in wild-living rodents from south-western Poland. Parasites and Vectors, 2017, 10, 413.	2.5	13
11	Heligmosomoides neopolygyrus Asakawa & Ohbayashi, 1986, a cryptic Asian nematode infecting the striped field mouse Apodemus agrarius in Central Europe. Parasites and Vectors, 2014, 7, 457.	2.5	12
12	Redescription and phylogenetic relationships of the rare Lyperosomum sarothrurae Baer, 1959 (Digenea: Dicrocoeliidae). Acta Parasitologica, 2015, 60, 371-7.	1.1	12
13	Invasive raccoon (Procyon lotor) and raccoon dog (Nyctereutes procyonoides) as potential reservoirs of tick-borne pathogens: data review from native and introduced areas. Parasites and Vectors, 2022, 15, 126.	2.5	12
14	Survey for Zoonotic Microsporidian Pathogens in Wild Living Urban Rooks (<i>Corvus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td (fru	1.7	11
15	The opportunistic pathogen Encephalitozoon cuniculi in wild living Murinae and Arvicolinae in Central Europe. European Journal of Protistology, 2019, 69, 14-19.	1.5	9
16	Molecular phylogeny provides new insights on the taxonomy and composition of Lyperosomum Looss, 1899 (Digenea, Dicrocoeliidae) and related genera. International Journal for Parasitology: Parasites and Wildlife, 2019, 9, 90-99.	1.5	9
17	Molecular Identification ofHeterakis spumosaSchneider, 1866 (Nematoda: Ascaridida: Heterakidae) with Comparative Analysis of Its Occurrence in Two Mice Species. Annales Zoologici, 2010, 60, 647-655.	0.8	7
18	PCR Characterization Suggests that an Unusual Range of Bartonella Species Infect the Striped Field Mouse (Apodemus agrarius) in Central Europe. Applied and Environmental Microbiology, 2013, 79, 5082-5084.	3.1	7

#	Article	IF	Citations
19	Leeches as the intermediate host for strigeid trematodes: genetic diversity and taxonomy of the genera Australapatemon Sudarikov, 1959 and Cotylurus Szidat, 1928. Parasites and Vectors, 2021, 14, 44.	2.5	7
20	Zoonotic Genotypes of Enterocytozoon bieneusi in Wild Living Invasive and Native Carnivores in Poland. Pathogens, 2021, 10, 1478.	2.8	7
21	A molecular survey of spotted fever group rickettsiae in introduced raccoons (Procyon lotor). Parasites and Vectors, 2022, 15, 162.	2.5	7
22	A NEW DICROCOELIID FROM THE BANK VOLE CLETHRIONOMYS GLAREOLUS (RODENTIA: MICROTIDAE) FROM POLAND. Journal of Parasitology, 2007, 93, 151-154.	0.7	6
23	Molecular Identification and Phylogenetic Analysis of Heterakis dispar Isolated from Geese. Acta Parasitologica, 2019, 64, 753-760.	1.1	6
24	Molecular Epidemiology and Genetic Diversity of Orthohantaviruses in Small Mammals in Western Poland. American Journal of Tropical Medicine and Hygiene, 2020, 103, 193-199.	1.4	6
25	Description and Phylogenetic Relationships of Pojmanskatrema balcanica n. gen., n. sp. (Digenea:) Tj ETQq1 1 0.784314 rgBT /Overlock Acta Parasitologica, 2019, 64, 282-287.	1.1	4
26	New data on straggled eyeworm Oxyspirura chabaudi (BaruÅ¡, 1965) (Nematoda, Thelaziidae) in Europe. Acta Parasitologica, 2007, 52, 292.	1.1	3
27	Morphology and Taxonomy of <I>Rodentoxyuris sciuri</I> Quentin Et Tenora, 1974 (Nematoda: Oxyurida: Enterobiinae) with Notes on Molecular Phylogeny. Annales Zoologici, 2009, 59, 415-421.	0.8	3
28	The molecular identification of Calodium hepaticum in the wild brown rat (Rattus norvegicus) in Poland. Acta Parasitologica, 2017, 62, 728-732.	1.1	3
29	Copro-Molecular Identification of Tapeworms in Introduced Invasive Carnivores in Poland. Pathogens, 2022, 11, 110.	2.8	3
30	A record of Pseudamphistomum truncatum (Rudolphi, 1819) (Digenea, Opisthorchiidae) in the Eurasian otter (Lutra lutra L.) from Poland. Annals of Parasitology, 2011, 57, 151-4.	0.1	3
31	Sucking of human blood by Placobdella costata (O. F. MÃ¼ller, 1846) (Hirudinida:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	1.9	2
32	Dentostomella translucida Schulz et Krepkorgorskaya, 1932 (Nematoda, Heteroxynematidae), a new species for the European nematofauna. Acta Parasitologica, 2008, 53, .	1.1	1
33	A new whipworm from arvicolid rodents, Trichuris arvicolae Feliu et al., 2000, in the helminth fauna of Poland. Annals of Parasitology, 2007, 53, 339-41.	0.1	0