
## Wen-Wei Sung

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3532686/publications.pdf Version: 2024-02-01



WEN-WEI SUNC

#	Article	IF	CITATIONS
1	High PD-L1 Expression Correlates with Metastasis and Poor Prognosis in Oral Squamous Cell Carcinoma. PLoS ONE, 2015, 10, e0142656.	1.1	176
2	High nuclear/cytoplasmic ratio of Cdk1 expression predicts poor prognosis in colorectal cancer patients. BMC Cancer, 2014, 14, 951.	1.1	108
3	Prostate Cancer Mortality-To-Incidence Ratios Are Associated with Cancer Care Disparities in 35 Countries. Scientific Reports, 2017, 7, 40003.	1.6	68
4	IL-10 Promotes Tumor Aggressiveness via Upregulation of CIP2A Transcription in Lung Adenocarcinoma. Clinical Cancer Research, 2013, 19, 4092-4103.	3.2	59
5	A Polymorphic â^844T/C in <i>FasL</i> Promoter Predicts Survival and Relapse in Non–Small Cell Lung Cancer. Clinical Cancer Research, 2011, 17, 5991-5999.	3.2	55
6	Paxillin promotes tumor progression and predicts survival and relapse in oral cavity squamous cell carcinoma by microRNA-218 targeting. Carcinogenesis, 2014, 35, 1823-1829.	1.3	53
7	Human papilloma virus 16 E6 oncoprotein associated with p53 inactivation in colorectal cancer. World Journal of Gastroenterology, 2012, 18, 4051.	1.4	49
8	The gender difference and mortality-to-incidence ratio relate to health care disparities in bladder cancer: National estimates from 33 countries. Scientific Reports, 2017, 7, 4360.	1.6	39
9	High expression of interleukin 10 might predict poor prognosis in early stage oral squamous cell carcinoma patients. Clinica Chimica Acta, 2013, 415, 25-30.	0.5	37
10	PBK/TOPK Expression Predicts Prognosis in Oral Cancer. International Journal of Molecular Sciences, 2016, 17, 1007.	1.8	33
11	KLF6 inhibited oral cancer migration and invasion via downregulation of mesenchymal markers and inhibition of MMP-9 activities. International Journal of Medical Sciences, 2017, 14, 530-535.	1.1	32
12	Gender Difference in the Prognostic Role of Interleukin 6 in Oral Squamous Cell Carcinoma. PLoS ONE, 2012, 7, e50104.	1.1	28
13	The Overexpression of FEN1 and RAD54B May Act as Independent Prognostic Factors of Lung Adenocarcinoma. PLoS ONE, 2015, 10, e0139435.	1.1	28
14	Differential Impact of IL-10 Expression on Survival and Relapse between HPV16-Positive and -Negative Oral Squamous Cell Carcinomas. PLoS ONE, 2012, 7, e47541.	1.1	27
15	Interleukin-10 Haplotype May Predict Survival and Relapse in Resected Non-Small Cell Lung Cancer. PLoS ONE, 2012, 7, e39525.	1.1	26
16	Favorable mortality-to-incidence ratios of kidney Cancer are associated with advanced health care systems. BMC Cancer, 2018, 18, 792.	1.1	23
17	Cytoplasmic, nuclear, and total PBK/TOPK expression is associated with prognosis in colorectal cancer patients: A retrospective analysis based on immunohistochemistry stain of tissue microarrays. PLoS ONE, 2018, 13, e0204866.	1.1	22
18	Health disparities are associated with gastric cancer mortality-to-incidence ratios in 57 countries. World Journal of Gastroenterology, 2017, 23, 7881-7887.	1.4	22

Wen-Wei Sung

#	Article	IF	CITATIONS
19	Trends in the kidney cancer mortality-to-incidence ratios according to health care expenditures of 56 countries. Scientific Reports, 2021, 11, 1479.	1.6	21
20	Early Assessment of Colorectal Cancer by Quantifying Circulating Tumor Cells in Peripheral Blood: ECT2 in Diagnosis of Colorectal Cancer. International Journal of Molecular Sciences, 2017, 18, 743.	1.8	20
21	Role of Cholecystectomy in Choledocholithiasis Patients Underwent Endoscopic Retrograde Cholangiopancreatography. Scientific Reports, 2019, 9, 2168.	1.6	18
22	Glutathione <i>S</i> -Transferase Mu2 Suppresses Cancer Cell Metastasis in Non–Small Cell Lung Cancer. Molecular Cancer Research, 2013, 11, 518-529.	1.5	17
23	The Prognostic Role of STEAP1 Expression Determined via Immunohistochemistry Staining in Predicting Prognosis of Primary Colorectal Cancer: A Survival Analysis. International Journal of Molecular Sciences, 2016, 17, 592.	1.8	17
24	Enhanced cisplatin resistance in oral-cancer stem-like cells is correlated with upregulation of excision-repair cross-complementation group 1. Journal of Dental Sciences, 2012, 7, 111-117.	1.2	16
25	Opposing prognostic roles of nuclear and cytoplasmic RACGAP1 expression in colorectal cancer patients. Human Pathology, 2016, 47, 45-51.	1.1	15
26	ls mortality-to-incidence ratio associated with health disparity in pancreatic cancer? A cross-sectional database analysis of 57 countries. BMJ Open, 2018, 8, e020618.	0.8	15
27	Lumboperitoneal Shunt: A New Modified Surgical Technique and a Comparison of the Complications with Ventriculoperitoneal Shunt in a Single Center. Medicina (Lithuania), 2019, 55, 643.	0.8	15
28	Favorable liver cancer mortality-to-incidence ratios of countries with high health expenditure. European Journal of Gastroenterology and Hepatology, 2017, 29, 1397-1401.	0.8	14
29	The role of interleukin-10 in the progression of human papillomavirus-associated lung carcinoma. Oncolmmunology, 2013, 2, e25854.	2.1	13
30	Unfavorable Mortality-To-Incidence Ratio of Lung Cancer Is Associated with Health Care Disparity. International Journal of Environmental Research and Public Health, 2018, 15, 2889.	1.2	13
31	Chidamide and mitomycin C exert synergistic cytotoxic effects against bladder cancer cells in vitro and suppress tumor growth in a rat bladder cancer model. Cancer Letters, 2022, 530, 8-15.	3.2	13
32	Limited improvement in prostate cancer mortality-to-incidence ratios in countries with high health care expenditures. Aging, 2020, 12, 21308-21315.	1.4	12
33	Validation of EGFL6 expression as a prognostic marker in patients with lung adenocarcinoma in Taiwan: a retrospective study. BMJ Open, 2018, 8, e021385.	0.8	10
34	Overexpression of EIF5A2 Predicts Poor Prognosis in Patients with Oral Squamous Cell Carcinoma. Diagnostics, 2020, 10, 436.	1.3	10
35	Intravesical Instillation of Azacitidine Suppresses Tumor Formation through TNF-R1 and TRAIL-R2 Signaling in Genotoxic Carcinogen-Induced Bladder Cancer. Cancers, 2021, 13, 3933.	1.7	10
36	Improvement in the Mortality-to-Incidence Ratios for Gastric Cancer in Developed Countries With High Health Expenditures. Frontiers in Public Health, 2021, 9, 713895.	1.3	10

WEN-WEI SUNG

#	Article	IF	CITATIONS
37	Intragastric injection of botulinum toxin A for weight loss: A systematic review and metaâ€analysis of randomized controlled trials. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 983-992.	1.4	10
38	Favorable Lip and Oral Cancer Mortality-to-Incidence Ratios in Countries with High Human Development Index and Expenditures on Health. International Journal of Environmental Research and Public Health, 2021, 18, 6012.	1.2	9
39	High SPOCK1 Expression Is Associated with Advanced Stage, T Value, and Gleason Grade in Prostate Cancer. Medicina (Lithuania), 2019, 55, 343.	0.8	8
40	Correlations between Mortality-to-Incidence Ratios and Health Care Disparities in Testicular Cancer. International Journal of Environmental Research and Public Health, 2020, 17, 130.	1.2	8
41	Deep Dermatophytosis Caused by Zoophilic Strain ofÂTrichophyton interdigitaleÂwith Successful Treatment of Itraconazole. Mycopathologia, 2017, 182, 715-720.	1.3	7
42	Current Endoscopic Management of Malignant Biliary Stricture. Medicina (Lithuania), 2020, 56, 114.	0.8	7
43	PBK Expression Is Associated With Prognosis of Patients With Oral Squamous Cell Carcinoma Treated With Radiotherapy: A Retrospective Study. Anticancer Research, 2021, 41, 2177-2182.	0.5	7
44	Favorable clinical outcome of nonalcoholic liver cirrhosis patients with coronary artery disease: A population-based study. World Journal of Gastroenterology, 2018, 24, 3547-3555.	1.4	6
45	Risk of cholangiocarcinoma in patients undergoing therapeutic endoscopic retrograde cholangiopancreatography or cholecystectomy: A population based study. World Journal of Gastrointestinal Oncology, 2019, 11, 238-249.	0.8	6
46	High Expression of KLF10 Is Associated with Favorable Survival in Patients with Oral Squamous Cell Carcinoma. Medicina (Lithuania), 2021, 57, 17.	0.8	6
47	Favorable gallbladder cancer mortality-to-incidence ratios of countries with good ranking of world's health system and high expenditures on health. BMC Public Health, 2019, 19, 1025.	1.2	5
48	Overexpression of KLF17 Predicts a Favorable Prognosis in Patients with Oral Squamous Cell Carcinoma: A Retrospective Study. Medicina (Lithuania), 2020, 56, 57.	0.8	5
49	Symptomatic cholelithiasis patients have an increased risk of pancreatic cancer: A populationâ€based study. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 1187-1196.	1.4	5
50	Improved trends of lung cancer mortalityâ€ŧoâ€incidence ratios in countries with high healthcare expenditure. Thoracic Cancer, 2021, 12, 1656-1661.	0.8	5
51	Over-expression of CEP55 Predicts Favorable Prognosis in Colorectal Cancer Patients With Lymph Node Involvement. Anticancer Research, 2021, 41, 543-547.	0.5	5
52	Favorable colorectal cancer mortality-to-incidence ratios in countries with high expenditures on health and development index. Medicine (United States), 2021, 100, e27414.	0.4	5
53	The effect of coffee/caffeine on postoperative ileus following elective colorectal surgery: a meta-analysis of randomized controlled trials. International Journal of Colorectal Disease, 2022, 37, 623-630.	1.0	5
54	Different impact of IL10 haplotype on prognosis in lung squamous cell carcinoma and adenocarcinoma. Anticancer Research, 2013, 33, 2729-35.	0.5	5

Wen-Wei Sung

#	Article	IF	CITATIONS
55	Predictive Factors of 2-Year Postoperative Outcomes in Patients with Spontaneous Cerebellar Hemorrhage. Journal of Clinical Medicine, 2019, 8, 818.	1.0	4
56	Trends of Testicular Cancer Mortality-to-Incidence Ratios in Relation to Health Expenditure: An Ecological Study of 54 Countries. International Journal of Environmental Research and Public Health, 2021, 18, 1546.	1.2	4
57	Gender differences in trends of bladder cancer mortality-to-incidence ratios according to health expenditure in 55 countries. PLoS ONE, 2021, 16, e0244510.	1.1	4
58	High Expression of MTA1 Predicts Unfavorable Survival in Patients With Oral Squamous Cell Carcinoma. In Vivo, 2021, 35, 2363-2368.	0.6	4
59	Re: Karin Welén, Ebba Rosendal, Magnus Gisslén, et al. A Phase 2 Trial of the Effect of Antiandrogen Therapy on COVID-19 Outcome: No Evidence of Benefit, Supported by Epidemiology and In Vitro Data. Eur Urol. 2022;81:285–293. European Urology, 2022, 81, e123.	0.9	4
60	The Role of Series Cholecystectomy in High Risk Acute Cholecystitis Patients Who Underwent Gallbladder Drainage. Frontiers in Surgery, 2021, 8, 630916.	0.6	3
61	Native Kidney Hydronephrosis Is Associated with Upper Urinary Tract Urothelial Carcinoma in Post-Kidney Transplantation Patients. Journal of Clinical Medicine, 2021, 10, 4474.	1.0	3
62	The Therapeutic Role of PNU-74654 in Hepatocellular Carcinoma May Involve Suppression of NF-κB Signaling. Medicina (Lithuania), 2022, 58, 798.	0.8	3
63	Acute spontaneous thoracic epidural hematoma associated with intraspinal lymphangioma: A case report. World Journal of Clinical Cases, 2021, 9, 3411-3417.	0.3	2
64	PNU-74654 Suppresses TNFR1/IKB Alpha/p65 Signaling and Induces Cell Death in Testicular Cancer. Current Issues in Molecular Biology, 2022, 44, 222-232.	1.0	2
65	The Association between Mortality-to-Incidence Ratios and Health Expenditures in Brain and Nervous System Cancers. International Journal of Environmental Research and Public Health, 2019, 16, 2739.	1.2	1
66	Cholecystectomy reduces subsequent cholangiocarcinoma risk in choledocholithiasis patients undergoing endoscopic intervention. World Journal of Gastrointestinal Oncology, 2020, 12, 1381-1393.	0.8	1
67	The relationship between esophageal cancer mortalityâ€ŧoâ€incidence ratios of countries and ranking of world's health system. Advances in Digestive Medicine, 2020, , .	0.1	0
68	Man With Fever and Groin Mass. Annals of Emergency Medicine, 2021, 77, e93-e94.	0.3	0
69	Favorable colorectal cancer mortality-to-incidence ratios in countries with high expenditures on health and development index: A study based on GLOBOCAN database. Medicine (United States), 2021, 100, e27414.	0.4	0
70	NPS-1034 Induce Cell Death with Suppression of TNFR1/NF-κB Signaling in Testicular Cancer. Medicina (Lithuania), 2022, 58, 355.	0.8	0