

Wen-Wei Sung

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3532686/wen-wei-sung-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

883

citations

16

h-index

28

g-index

73

ext. papers

1,085

ext. citations

4.2

avg, IF

3.92

L-index

#	Paper	IF	Citations
63	High PD-L1 Expression Correlates with Metastasis and Poor Prognosis in Oral Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2015 , 10, e0142656	3.7	138
62	High nuclear/cytoplasmic ratio of Cdk1 expression predicts poor prognosis in colorectal cancer patients. <i>BMC Cancer</i> , 2014 , 14, 951	4.8	75
61	Prostate Cancer Mortality-To-Incidence Ratios Are Associated with Cancer Care Disparities in 35 Countries. <i>Scientific Reports</i> , 2017 , 7, 40003	4.9	51
60	A polymorphic -844T/C in FasL promoter predicts survival and relapse in non-small cell lung cancer. <i>Clinical Cancer Research</i> , 2011 , 17, 5991-9	12.9	49
59	IL-10 promotes tumor aggressiveness via upregulation of CIP2A transcription in lung adenocarcinoma. <i>Clinical Cancer Research</i> , 2013 , 19, 4092-103	12.9	48
58	Paxillin promotes tumor progression and predicts survival and relapse in oral cavity squamous cell carcinoma by microRNA-218 targeting. <i>Carcinogenesis</i> , 2014 , 35, 1823-9	4.6	46
57	Human papilloma virus 16 E6 oncoprotein associated with p53 inactivation in colorectal cancer. <i>World Journal of Gastroenterology</i> , 2012 , 18, 4051-8	5.6	40
56	High expression of interleukin 10 might predict poor prognosis in early stage oral squamous cell carcinoma patients. <i>Clinica Chimica Acta</i> , 2013 , 415, 25-30	6.2	30
55	The gender difference and mortality-to-incidence ratio relate to health care disparities in bladder cancer: National estimates from 33 countries. <i>Scientific Reports</i> , 2017 , 7, 4360	4.9	28
54	PBK/TOPK Expression Predicts Prognosis in Oral Cancer. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	26
53	Gender difference in the prognostic role of interleukin 6 in oral squamous cell carcinoma. <i>PLoS ONE</i> , 2012 , 7, e50104	3.7	24
52	Interleukin-10 haplotype may predict survival and relapse in resected non-small cell lung cancer. <i>PLoS ONE</i> , 2012 , 7, e39525	3.7	24
51	Differential impact of IL-10 expression on survival and relapse between HPV16-positive and -negative oral squamous cell carcinomas. <i>PLoS ONE</i> , 2012 , 7, e47541	3.7	23
50	KLF6 inhibited oral cancer migration and invasion via downregulation of mesenchymal markers and inhibition of MMP-9 activities. <i>International Journal of Medical Sciences</i> , 2017 , 14, 530-535	3.7	22
49	The Overexpression of FEN1 and RAD54B May Act as Independent Prognostic Factors of Lung Adenocarcinoma. <i>PLoS ONE</i> , 2015 , 10, e0139435	3.7	21
48	Early Assessment of Colorectal Cancer by Quantifying Circulating Tumor Cells in Peripheral Blood: ECT2 in Diagnosis of Colorectal Cancer. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	17
47	Health disparities are associated with gastric cancer mortality-to-incidence ratios in 57 countries. <i>World Journal of Gastroenterology</i> , 2017 , 23, 7881-7887	5.6	15

46	Favorable mortality-to-incidence ratios of kidney Cancer are associated with advanced health care systems. <i>BMC Cancer</i> , 2018 , 18, 792	4.8	14
45	Cytoplasmic, nuclear, and total PBK/TOPK expression is associated with prognosis in colorectal cancer patients: A retrospective analysis based on immunohistochemistry stain of tissue microarrays. <i>PLoS ONE</i> , 2018 , 13, e0204866	3.7	14
44	The role of interleukin-10 in the progression of human papillomavirus-associated lung carcinoma. <i>Oncolmmunology</i> , 2013 , 2, e25854	7.2	13
43	The Prognostic Role of STEAP1 Expression Determined via Immunohistochemistry Staining in Predicting Prognosis of Primary Colorectal Cancer: A Survival Analysis. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	13
42	Enhanced cisplatin resistance in oral-cancer stem-like cells is correlated with upregulation of excision-repair cross-complementation group 1. <i>Journal of Dental Sciences</i> , 2012 , 7, 111-117	2.5	12
41	Role of Cholecystectomy in Choledocholithiasis Patients Underwent Endoscopic Retrograde Cholangiopancreatography. <i>Scientific Reports</i> , 2019 , 9, 2168	4.9	12
40	Favorable liver cancer mortality-to-incidence ratios of countries with high health expenditure. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 1397-1401	2.2	11
39	Opposing prognostic roles of nuclear and cytoplasmic RACGAP1 expression in colorectal cancer patients. <i>Human Pathology</i> , 2016 , 47, 45-51	3.7	10
38	Glutathione S-transferase mu2 suppresses cancer cell metastasis in non-small cell lung cancer. <i>Molecular Cancer Research</i> , 2013 , 11, 518-29	6.6	9
37	Unfavorable Mortality-To-Incidence Ratio of Lung Cancer Is Associated with Health Care Disparity. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	9
36	Is mortality-to-incidence ratio associated with health disparity in pancreatic cancer? A cross-sectional database analysis of 57 countries. <i>BMJ Open</i> , 2018 , 8, e020618	3	7
35	Validation of EGFL6 expression as a prognostic marker in patients with lung adenocarcinoma in Taiwan: a retrospective study. <i>BMJ Open</i> , 2018 , 8, e021385	3	7
34	High SPOCK1 Expression is Associated with Advanced Stage, T Value, and Gleason Grade in Prostate Cancer. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	6
33	Lumboperitoneal Shunt: A New Modified Surgical Technique and a Comparison of the Complications with Ventriculoperitoneal Shunt in a Single Center. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	5
32	Limited improvement in prostate cancer mortality-to-incidence ratios in countries with high health care expenditures. <i>Aging</i> , 2020 , 12, 21308-21315	5.6	5
31	Trends in the kidney cancer mortality-to-incidence ratios according to health care expenditures of 56 countries. <i>Scientific Reports</i> , 2021 , 11, 1479	4.9	5
30	Different impact of IL10 haplotype on prognosis in lung squamous cell carcinoma and adenocarcinoma. <i>Anticancer Research</i> , 2013 , 33, 2729-35	2.3	5
29	Deep Dermatophytosis Caused by Zoophilic Strain of <i>Trichophyton interdigitale</i> with Successful Treatment of Itraconazole. <i>Mycopathologia</i> , 2017 , 182, 715-720	2.9	4

28	Current Endoscopic Management of Malignant Biliary Stricture. <i>Medicina (Lithuania)</i> , 2020 , 56,	3.1	4
27	Risk of cholangiocarcinoma in patients undergoing therapeutic endoscopic retrograde cholangiopancreatography or cholecystectomy: A population based study. <i>World Journal of Gastrointestinal Oncology</i> , 2019 , 11, 238-249	3.4	4
26	Predictive Factors of 2-Year Postoperative Outcomes in Patients with Spontaneous Cerebellar Hemorrhage. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
25	Overexpression of EIF5A2 Predicts Poor Prognosis in Patients with Oral Squamous Cell Carcinoma. <i>Diagnostics</i> , 2020 , 10,	3.8	3
24	Overexpression of KLF17 Predicts a Favorable Prognosis in Patients with Oral Squamous Cell Carcinoma: A Retrospective Study. <i>Medicina (Lithuania)</i> , 2020 , 56,	3.1	3
23	Re: Karin Welb, Ebba Rosendal, Magnus Gisslb, et al. A Phase 2 Trial of the Effect of Antiandrogen Therapy on COVID-19 Outcome: No Evidence of Benefit, Supported by Epidemiology and In Vitro Data. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2021.12.013 . <i>European Urology</i> , 2022	10.2	3
22	Correlations between Mortality-to-Incidence Ratios and Health Care Disparities in Testicular Cancer. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 17,	4.6	3
21	PBK Expression Is Associated With Prognosis of Patients With Oral Squamous Cell Carcinoma Treated With Radiotherapy: A Retrospective Study. <i>Anticancer Research</i> , 2021 , 41, 2177-2182	2.3	3
20	Favorable gallbladder cancer mortality-to-incidence ratios of countries with good ranking of world's health system and high expenditures on health. <i>BMC Public Health</i> , 2019 , 19, 1025	4.1	2
19	High Expression of KLF10 Is Associated with Favorable Survival in Patients with Oral Squamous Cell Carcinoma. <i>Medicina (Lithuania)</i> , 2020 , 57,	3.1	2
18	The Role of Series Cholecystectomy in High Risk Acute Cholecystitis Patients Who Underwent Gallbladder Drainage. <i>Frontiers in Surgery</i> , 2021 , 8, 630916	2.3	2
17	Favorable clinical outcome of nonalcoholic liver cirrhosis patients with coronary artery disease: A population-based study. <i>World Journal of Gastroenterology</i> , 2018 , 24, 3547-3555	5.6	2
16	Intravesical Instillation of Azacitidine Suppresses Tumor Formation through TNF-R1 and TRAIL-R2 Signaling in Genotoxic Carcinogen-Induced Bladder Cancer. <i>Cancers</i> , 2021 , 13,	6.6	2
15	Chidamide and mitomycin C exert synergistic cytotoxic effects against bladder cancer cells in vitro and suppress tumor growth in a rat bladder cancer model.. <i>Cancer Letters</i> , 2022 , 530, 8-8	9.9	1
14	Favorable colorectal cancer mortality-to-incidence ratios in countries with high expenditures on health and development index. <i>Medicine (United States)</i> , 2021 , 100, e27414	1.8	1
13	PNU-74654 Suppresses TNFR1/IKB Alpha/p65 Signaling and Induces Cell Death in Testicular Cancer. <i>Current Issues in Molecular Biology</i> , 2022 , 44, 222-232	2.9	1
12	Improved trends of lung cancer mortality-to-incidence ratios in countries with high healthcare expenditure. <i>Thoracic Cancer</i> , 2021 , 12, 1656-1661	3.2	1
11	Favorable Lip and Oral Cancer Mortality-to-Incidence Ratios in Countries with High Human Development Index and Expenditures on Health. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1

10	Gender differences in trends of bladder cancer mortality-to-incidence ratios according to health expenditure in 55 countries. <i>PLoS ONE</i> , 2021 , 16, e0244510	3.7	1
9	Improvement in the Mortality-to-Incidence Ratios for Gastric Cancer in Developed Countries With High Health Expenditures. <i>Frontiers in Public Health</i> , 2021 , 9, 713895	6	1
8	Over-expression of CEP55 Predicts Favorable Prognosis in Colorectal Cancer Patients With Lymph Node Involvement. <i>Anticancer Research</i> , 2021 , 41, 543-547	2.3	1
7	The effect of coffee/caffeine on postoperative ileus following elective colorectal surgery: a meta-analysis of randomized controlled trials.. <i>International Journal of Colorectal Disease</i> , 2022 , 37, 623 ³		0
6	Acute spontaneous thoracic epidural hematoma associated with intraspinal lymphangioma: A case report. <i>World Journal of Clinical Cases</i> , 2021 , 9, 3411-3417	1.6	0
5	Symptomatic cholelithiasis patients have an increased risk of pancreatic cancer: A population-based study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1187-1196	4	0
4	High Expression of MTA1 Predicts Unfavorable Survival in Patients With Oral Squamous Cell Carcinoma. <i>In Vivo</i> , 2021 , 35, 2363-2368	2.3	0
3	Favorable colorectal cancer mortality-to-incidence ratios in countries with high expenditures on health and development index: A study based on GLOBOCAN database. <i>Medicine (United States)</i> , 2021 , 100, e27414	1.8	
2	Cholecystectomy reduces subsequent cholangiocarcinoma risk in choledocholithiasis patients undergoing endoscopic intervention. <i>World Journal of Gastrointestinal Oncology</i> , 2020 , 12, 1381-1393	3.4	
1	Man With Fever and Groin Mass. <i>Annals of Emergency Medicine</i> , 2021 , 77, e93-e94	2.1	