

# Hideaki Ijichi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3534896/publications.pdf>

Version: 2024-02-01

131  
papers

4,941  
citations

87723

38  
h-index

98622

67  
g-index

137  
all docs

137  
docs citations

137  
times ranked

8354  
citing authors

#	ARTICLE	IF	CITATIONS
1	Aggressive pancreatic ductal adenocarcinoma in mice caused by pancreas-specific blockade of transforming growth factor-beta signaling in cooperation with active Kras expression. <i>Genes and Development</i> , 2006, 20, 3147-3160.	2.7	326
2	PD-1 Blockade in Tumors with Mismatch-Repair Deficiency. <i>New England Journal of Medicine</i> , 2015, 373, 1979-1979.	13.9	314
3	Loss of 5-hydroxymethylcytosine is accompanied with malignant cellular transformation. <i>Cancer Science</i> , 2012, 103, 670-676.	1.7	241
4	Inhibiting Cxcr2 disrupts tumor-stromal interactions and improves survival in a mouse model of pancreatic ductal adenocarcinoma. <i>Journal of Clinical Investigation</i> , 2011, 121, 4106-4117.	3.9	216
5	Blockade of the Stromal Cell-Derived Factor-1/CXCR4 Axis Attenuates In vivo Tumor Growth by Inhibiting Angiogenesis in a Vascular Endothelial Growth Factor-Independent Manner. <i>Cancer Research</i> , 2005, 65, 5864-5871.	0.4	178
6	Long-term Risk of Malignancy in Branch-Duct Intraductal Papillary Mucinous Neoplasms. <i>Gastroenterology</i> , 2020, 158, 226-237.e5.	0.6	160
7	Inhibition of renin-angiotensin system affects prognosis of advanced pancreatic cancer receiving gemcitabine. <i>British Journal of Cancer</i> , 2010, 103, 1644-1648.	2.9	150
8	Vitamin K2 inhibits the growth and invasiveness of hepatocellular carcinoma cells via protein kinase A activation. <i>Hepatology</i> , 2004, 40, 243-251.	3.6	124
9	Functional analysis of mutations within the kinase activation segment of B-Raf in human colorectal tumors. <i>Cancer Research</i> , 2003, 63, 8132-7.	0.4	124
10	Loss of liver E-cadherin induces sclerosing cholangitis and promotes carcinogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 1090-1095.	3.3	104
11	Regulation of the hedgehog signaling by the mitogen-activated protein kinase cascade in gastric cancer. <i>Molecular Carcinogenesis</i> , 2009, 48, 703-712.	1.3	103
12	Interaction of the hepatitis B virus X protein (HBx) with heat shock protein 60 enhances HBx-mediated apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2004, 318, 461-469.	1.0	94
13	The hepatitis B virus X protein enhances AP-1 activation through interaction with Jab1. <i>Oncogene</i> , 2006, 25, 633-642.	2.6	88
14	p53-Independent Negative Regulation of p21/Cyclin-Dependent Kinase-Interacting Protein 1 by the Sonic Hedgehog-Glioma-Associated Oncogene 1 Pathway in Gastric Carcinoma Cells. <i>Cancer Research</i> , 2005, 65, 10822-10829.	0.4	86
15	Loss of histone demethylase KDM6B enhances aggressiveness of pancreatic cancer through downregulation of C/EBPβ. <i>Carcinogenesis</i> , 2014, 35, 2404-2414.	1.3	83
16	Decreased Expression of the RAS-GTPase Activating Protein RASAL1 Is Associated With Colorectal Tumor Progression. <i>Gastroenterology</i> , 2009, 136, 206-216.	0.6	80
17	Smad4-independent regulation of p21/WAF1 by transforming growth factor-β2. <i>Oncogene</i> , 2004, 23, 1043-1051.	2.6	76
18	Different subtypes of intraductal papillary mucinous neoplasm in the pancreas have distinct pathways to pancreatic cancer progression. <i>Journal of Gastroenterology</i> , 2012, 47, 203-213.	2.3	73

#	ARTICLE	IF	CITATIONS
19	Blocking CXCLsâ€“CXCR2 axis in tumorâ€“stromal interactions contributes to survival in a mouse model of pancreatic ductal adenocarcinoma through reduced cell invasion/migration and a shift of immune-inflammatory microenvironment. <i>Oncogenesis</i> , 2019, 8, 8.	2.1	73
20	Smad4 silencing in pancreatic cancer cell lines using stable RNA interference and gene expression profiles induced by transforming growth factor-Î². <i>Oncogene</i> , 2005, 24, 662-671.	2.6	72
21	Different Effects of Point Mutations within the B-Raf Glycine-Rich Loop in Colorectal Tumors on Mitogen-Activated Protein/Extracellular Signal-Regulated Kinase Kinase/Extracellular Signal-Regulated Kinase and Nuclear Factor Î²B Pathway and Cellular Transformation. <i>Cancer Research</i> , 2004, 64, 3428-3435.	0.4	69
22	Biliary epithelial injury-induced regenerative response by IL-33 promotes cholangiocarcinogenesis from peribiliary glands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E3806-E3815.	3.3	65
23	Stromal remodeling by the BET bromodomain inhibitor JQ1 suppresses the progression of human pancreatic cancer. <i>Oncotarget</i> , 2016, 7, 61469-61484.	0.8	64
24	Gastric cancer cell line Hs746T harbors a splice site mutation of c-Met causing juxtamembrane domain deletion. <i>Biochemical and Biophysical Research Communications</i> , 2010, 394, 1042-1046.	1.0	61
25	Systematic Analysis of the TGF-Î²-Smad Signaling Pathway in Gastrointestinal Cancer Cells. <i>Biochemical and Biophysical Research Communications</i> , 2001, 289, 350-357.	1.0	60
26	Incidence of extrapancreatic malignancies in patients with intraductal papillary mucinous neoplasms of the pancreas. <i>Gut</i> , 2011, 60, 1249-1253.	6.1	60
27	A novel mouse model of intrahepatic cholangiocarcinoma induced by liver-specific Kras activation and Pten deletion. <i>Scientific Reports</i> , 2016, 6, 23899.	1.6	60
28	Altered composition of fatty acids exacerbates hepatotumorigenesis during activation of the phosphatidylinositol 3-kinase pathway. <i>Journal of Hepatology</i> , 2011, 55, 1400-1408.	1.8	57
29	Clinical Outcomes of Chemotherapy for Diabetic and Nondiabetic Patients With Pancreatic Cancer. <i>Pancreas</i> , 2013, 42, 202-208.	0.5	54
30	Loss of Transforming Growth Factor Beta Type II Receptor Increases Aggressive Tumor Behavior and Reduces Survival in Lung Adenocarcinoma and Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2012, 18, 2173-2183.	3.2	52
31	Apoptosis Signal-Regulating Kinase 1 Regulates Colitis and Colitis-Associated Tumorigenesis by the Innate Immune Responses. <i>Gastroenterology</i> , 2010, 138, 1055-1067.e4.	0.6	50
32	Single small-interfering RNA expression vector for silencing multiple transforming growth factor-Î² pathway components. <i>Nucleic Acids Research</i> , 2005, 33, e131-e131.	6.5	47
33	Erlotinib Prolongs Survival in Pancreatic Cancer by Blocking Gemcitabine-Induced MAPK Signals. <i>Cancer Research</i> , 2013, 73, 2221-2234.	0.4	47
34	Analysis of the Î²-Catenin/T Cell Factor Signaling Pathway in 36 Gastrointestinal and Liver Cancer Cells. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 1213-1220.	1.7	46
35	A multicenter phase II trial of gemcitabine and candesartan combination therapy in patients with advanced pancreatic cancer: GECA2. <i>Investigational New Drugs</i> , 2013, 31, 1294-1299.	1.2	45
36	Engineering fibrotic tissue in pancreatic cancer: A novel three-dimensional model to investigate nanoparticle delivery. <i>Biochemical and Biophysical Research Communications</i> , 2012, 419, 32-37.	1.0	40

#	ARTICLE	IF	CITATIONS
37	Risk factors and early signs of pancreatic cancer in diabetes: screening strategy based on diabetes onset age. <i>Journal of Gastroenterology</i> , 2013, 48, 238-246.	2.3	40
38	Histone demethylase KDM4C regulates sphere formation by mediating the cross talk between Wnt and Notch pathways in colonic cancer cells. <i>Carcinogenesis</i> , 2013, 34, 2380-2388.	1.3	40
39	Smad4 is Essential for Down-regulation of E-cadherin Induced by TGF- $\beta$ in Pancreatic Cancer Cell Line PANC-1. <i>Journal of Biochemistry</i> , 2006, 141, 345-351.	0.9	38
40	Impact of histone demethylase KDM3A-dependent AP-1 transactivity on hepatotumorigenesis induced by PI3K activation. <i>Oncogene</i> , 2017, 36, 6262-6271.	2.6	38
41	Satellite RNAs promote pancreatic oncogenic processes via the dysfunction of YBX1. <i>Nature Communications</i> , 2016, 7, 13006.	5.8	37
42	Phase I trial of gemcitabine and candesartan combination therapy in normotensive patients with advanced pancreatic cancer: GECA-1. <i>Cancer Science</i> , 2012, 103, 1489-1492.	1.7	36
43	Therapeutic effect of c-Jun N-terminal kinase inhibition on pancreatic cancer. <i>Cancer Science</i> , 2013, 104, 337-344.	1.7	36
44	Photoacoustic Tomography of Human Hepatic Malignancies Using Intraoperative Indocyanine Green Fluorescence Imaging. <i>PLoS ONE</i> , 2014, 9, e112667.	1.1	36
45	Pancreatic Cancer With Malignant Ascites. <i>Pancreas</i> , 2015, 44, 380-385.	0.5	35
46	Identification of a Suppressive Mechanism for Hedgehog Signaling through a Novel Interaction of Gli with 14-3-3. <i>Journal of Biological Chemistry</i> , 2010, 285, 4185-4194.	1.6	34
47	Impact of S-1 in Patients with Gemcitabine-refractory Pancreatic Cancer in Japan. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, 774-780.	0.6	34
48	Prevalence of Pancreatic Cystic Lesions Is Associated With Diabetes Mellitus and Obesity. <i>Pancreas</i> , 2017, 46, 801-805.	0.5	34
49	Proteomic analysis of the TGF- $\beta$ signaling pathway in pancreatic carcinoma cells using stable RNA interference to silence Smad4 expression. <i>Biochemical and Biophysical Research Communications</i> , 2004, 318, 289-296.	1.0	33
50	Risk for Mortality From Causes Other Than Pancreatic Cancer in Patients With Intraductal Papillary Mucinous Neoplasm of the Pancreas. <i>Pancreas</i> , 2013, 42, 687-691.	0.5	33
51	Genetically-engineered mouse models for pancreatic cancer: Advances and current limitations. <i>World Journal of Clinical Oncology</i> , 2011, 2, 195.	0.9	31
52	TGF- $\beta$ Signaling in Dendritic Cells Governs Colonic Homeostasis by Controlling Epithelial Differentiation and the Luminal Microbiota. <i>Journal of Immunology</i> , 2016, 196, 4603-4613.	0.4	30
53	A Pilot Study for Combination Chemotherapy Using Gemcitabine and S-1 for Advanced Pancreatic Cancer. <i>Oncology</i> , 2009, 77, 300-303.	0.9	28
54	Impact of S-1 on the Survival of Patients With Advanced Pancreatic Cancer. <i>Pancreas</i> , 2010, 39, 989-993.	0.5	27

#	ARTICLE	IF	CITATIONS
55	Sharpin promotes hepatocellular carcinoma progression via transactivation of Versican expression. <i>Oncogenesis</i> , 2016, 5, e277-e277.	2.1	27
56	Blocking VCAM-1 inhibits pancreatic tumour progression and cancer-associated thrombosis/thromboembolism. <i>Gut</i> , 2021, 70, 1713-1723.	6.1	27
57	Abstract 4383: Targeting tumor microenvironment with gemcitabine is useful for the treatment of pancreatic ductal adenocarcinoma. , 2012, , .		25
58	Frameshift Mutations at Mononucleotide Repeats inRAD50Recombinational DNA Repair Gene in Colorectal Cancers with Microsatellite Instability. <i>Japanese Journal of Cancer Research</i> , 2001, 92, 587-591.	1.7	23
59	Reduced expression of RAS protein activator likeâ€1 in gastric cancer. <i>International Journal of Cancer</i> , 2011, 128, 1293-1302.	2.3	22
60	Recent progress and limitations of chemotherapy for pancreatic and biliary tract cancers. <i>World Journal of Clinical Oncology</i> , 2011, 2, 158.	0.9	22
61	Uridine diphosphate glucuronosyl transferase 1 family polypeptide A1 gene (UGT1A1) polymorphisms are associated with toxicity and efficacy in irinotecan monotherapy for refractory pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2013, 71, 85-92.	1.1	21
62	The inhibition of renin-angiotensin system in advanced pancreatic cancer: an exploratory analysis in 349 patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015, 141, 933-939.	1.2	21
63	Diabetes is a useful diagnostic clue to improve the prognosis of pancreatic cancer. <i>Pancreatology</i> , 2013, 13, 285-289.	0.5	20
64	Overexpression of HER2 in the pancreas promotes development of intraductal papillary mucinous neoplasms in mice. <i>Scientific Reports</i> , 2018, 8, 6150.	1.6	20
65	Smoking, Family History of Cancer, and Diabetes Mellitus Are Associated With the Age of Onset of Pancreatic Cancer in Japanese Patients. <i>Pancreas</i> , 2014, 43, 1014-1017.	0.5	19
66	Inhibition of histone methyltransferase G9a attenuates liver cancer initiation by sensitizing DNA-damaged hepatocytes to p53-induced apoptosis. <i>Cell Death and Disease</i> , 2021, 12, 99.	2.7	19
67	3-Hydroxy-3-methylglutaryl-coenzyme A reductase inhibitor simvastatin ameliorates renal fibrosis through HOXA13â€USAG-1 pathway. <i>Laboratory Investigation</i> , 2012, 92, 1161-1170.	1.7	18
68	Intravenous and Intraperitoneal Paclitaxel with S-1 for Refractory Pancreatic Cancer with Malignant Ascites: an Interim Analysis. <i>Journal of Gastrointestinal Cancer</i> , 2014, 45, 307-311.	0.6	18
69	Indirubin 3â€Oxime Inhibits Migration, Invasion, and Metastasis in Mice Bearing Spontaneously Occurring Pancreatic Cancer via Blocking the RAF/ERK, AKT, and SAPK/JNK Pathways. <i>Translational Oncology</i> , 2019, 12, 1574-1582.	1.7	18
70	Mutant IDH1 confers resistance to energy stress in normal biliary cells through PFKP-induced aerobic glycolysis and AMPK activation. <i>Scientific Reports</i> , 2019, 9, 18859.	1.6	18
71	Midazolam exhibits antitumour and anti-inflammatory effects in a mouse model of pancreatic ductal adenocarcinoma. <i>British Journal of Anaesthesia</i> , 2022, 128, 679-690.	1.5	18
72	Inhibition of CXCLs/CXCR2 axis in the tumor microenvironment might be a potent therapeutics for pancreatic cancer. <i>Oncolmunology</i> , 2012, 1, 569-571.	2.1	17

#	ARTICLE	IF	CITATIONS
73	Isocitrate dehydrogenase 1 mutation sensitizes intrahepatic cholangiocarcinoma to the BET inhibitor JQ1. <i>Cancer Science</i> , 2018, 109, 3602-3610.	1.7	17
74	False positive uptake of metaiodobenzylguanidine in hepatocellular carcinoma. <i>British Journal of Radiology</i> , 2002, 75, 548-551.	1.0	16
75	Runx3 interacts with DNA repair protein Ku70. <i>Experimental Cell Research</i> , 2007, 313, 3251-3260.	1.2	16
76	A retrospective analysis of early CA19-9 change in salvage chemotherapy for refractory pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2013, 72, 1291-1297.	1.1	16
77	Disease-Specific Mortality Among Patients With Intraductal Papillary Mucinous Neoplasm of the Pancreas. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 486-491.	2.4	16
78	Adhesive Interactions between Mononuclear Phagocytes and Intestinal Epithelium Perturb Normal Epithelial Differentiation and Serve as a Therapeutic Target in Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2018, 12, 1219-1231.	0.6	16
79	MNX1-HNF1B Axis Is Indispensable for Intraductal Papillary Mucinous Neoplasm Lineages. <i>Gastroenterology</i> , 2022, 162, 1272-1287.e16.	0.6	16
80	Fuel economy of multigrade gear lubricants. <i>Industrial Lubrication and Tribology</i> , 2000, 52, 165-173.	0.6	15
81	Rapid detection of mutations in the BRAF gene using real-time polymerase chain reaction and melting curve analysis. <i>Cancer Genetics and Cytogenetics</i> , 2004, 149, 68-71.	1.0	15
82	A potent therapeutics for gallbladder cancer by combinatorial inhibition of the MAPK and mTOR signaling networks. <i>Journal of Gastroenterology</i> , 2016, 51, 711-721.	2.3	15
83	Soluble VCAM-1 promotes gemcitabine resistance via macrophage infiltration and predicts therapeutic response in pancreatic cancer. <i>Scientific Reports</i> , 2020, 10, 21194.	1.6	14
84	Duloxetine improves cancer-associated pain in a mouse model of pancreatic cancer through stimulation of noradrenaline pathway and its antitumor effects. <i>Pain</i> , 2020, 161, 2909-2919.	2.0	14
85	TRAIL-induced cell death cooperates with IFN- $\gamma$ activation in the graft-versus-tumor effect against colon tumors. <i>International Journal of Cancer</i> , 2006, 118, 2237-2246.	2.3	13
86	A phase II trial of gemcitabine, S-1 and LV combination (GSL) neoadjuvant chemotherapy for patients with borderline resectable and locally advanced pancreatic cancer. <i>Medical Oncology</i> , 2018, 35, 100.	1.2	13
87	A retrospective study of S-1 and oxaliplatin combination chemotherapy in patients with refractory pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2013, 72, 985-990.	1.1	11
88	Deletion of Histone Methyltransferase G9a Suppresses Mutant Kras-driven Pancreatic Carcinogenesis. <i>Cancer Genomics and Proteomics</i> , 2020, 17, 695-705.	1.0	9
89	Protein intake after the initiation of chemotherapy is an independent prognostic factor for overall survival in patients with unresectable pancreatic cancer: A prospective cohort study. <i>Clinical Nutrition</i> , 2021, 40, 4792-4798.	2.3	8
90	A phase I trial of gemcitabine, S-1 and LV combination (GSL) therapy in advanced pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014, 74, 911-915.	1.1	7

#	ARTICLE	IF	CITATIONS
91	Diagnostic yield of the plasma free amino acid index for pancreatic cancer in patients with diabetes mellitus. <i>Pancreatology</i> , 2019, 19, 695-698.	0.5	6
92	A phase II trial of gemcitabine, S-1 and LV combination (GSL) therapy in patients with advanced pancreatic cancer. <i>Investigational New Drugs</i> , 2019, 37, 338-344.	1.2	6
93	A retrospective comparative study of S-IROX and modified FOLFIRINOX for patients with advanced pancreatic cancer refractory to gemcitabine plus nab-paclitaxel. <i>Investigational New Drugs</i> , 2021, 39, 605-613.	1.2	6
94	ABO Blood Group and Risk of Pancreatic Carcinogenesis in Intraductal Papillary Mucinous Neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1020-1028.	1.1	6
95	Late-Evening Carbohydrate and Branched-Chain Amino Acid Snacks Improve the Nutritional Status of Patients Undergoing Hepatectomy Based on Bioelectrical Impedance Analysis of Body Composition. <i>Gastrointestinal Tumors</i> , 2019, 6, 81-91.	0.3	5
96	No Survival Benefit from the Inhibition of Renin-Angiotensin System in Biliary Tract Cancer. <i>Anticancer Research</i> , 2016, 36, 4965-4970.	0.5	5
97	Cancer-derived VEGF plays no role in malignant ascites formation in the mouse. <i>World Journal of Gastroenterology</i> , 2005, 11, 5455.	1.4	5
98	Inhibition of transforming growth factor- $\beta^2$ signaling in myeloid cells ameliorates aortic aneurysmal formation in Marfan syndrome. <i>PLoS ONE</i> , 2020, 15, e0239908.	1.1	4
99	Reduced p38 mitogen-activated protein kinase in donor grafts accelerates acute intestinal graft-versus-host disease in mice. <i>European Journal of Immunology</i> , 2005, 35, 2210-2221.	1.6	3
100	<i>Helicobacter pylori</i> antibody responsiveness and prevalence of gastric cancer among 10,000 consecutive endoscoped Japanese individuals. <i>Gastroenterology</i> , 1998, 114, A336-A337.	0.6	2
101	Effect of home enteral nutrition after pancreaticoduodenectomy. <i>Nutrition</i> , 2019, 60, 206-211.	1.1	2
102	Abstract 2065: DDX20 deficiency enhances NF- $\kappa$ B by impairing NF- $\kappa$ B suppressive-microRNA function and leads to hepatocarcinogenesis. , 2010, , .		1
103	Abstract 3978: DDX20, a suppressor of hepatocarcinogenesis, controls NF- $\kappa$ B activity through regulating the function of miRNA-22 and miRNA-140-3p targeting transcriptional coactivators. , 2011, , .		1
104	Rescuing TGF $\beta$ -Smad signalling pathway restores growth inhibition by TGF $\beta$ in pancreatic cancer cells. <i>Gastroenterology</i> , 2000, 118, A47.	0.6	0
105	Rectosigmoid findings correlate with proximal colon adenoma but not with proximal colon cancer: A study of 3285 consecutive cases examined by total colonoscopy. <i>Gastroenterology</i> , 2001, 120, A603.	0.6	0
106	Frequent frameshift mutations of the RAD50 recombinational DNA repair gene in colorectal cancers with microsatellite instability. <i>Gastroenterology</i> , 2001, 120, A297.	0.6	0
107	Establishment of mouse model for analyzing Graft-Versus-Tumor(CVT) effect against gastrointestinal tumor. <i>Gastroenterology</i> , 2003, 124, A481.	0.6	0
108	Heat shock protein 60 binds to hepatitis B virus X protein (HBx) and enhances HBx-mediated apoptosis. <i>Gastroenterology</i> , 2003, 124, A762.	0.6	0

#	ARTICLE	IF	CITATIONS
109	Altered Composition of Fatty Acids Exacerbates Hepato-Tumorigenesis Under Active Phosphatidylinositol 3-Kinase Pathway. <i>Gastroenterology</i> , 2011, 140, S-704.	0.6	0
110	Analysis of the Role of JNK and Therapeutic Effect of JNK Inhibition in Pancreatic Cancer. <i>Gastroenterology</i> , 2011, 140, S-35.	0.6	0
111	Quantitative Analysis of Hydroxymethylated DNA in Primary Colorectal Cancer. <i>Gastroenterology</i> , 2011, 140, S-819.	0.6	0
112	Genetically-engineered mouse pancreatic cancer models. <i>Suizo</i> , 2010, 25, 28-34.	0.1	0
113	Abstract 1184: Prognostic significance of genetic alterations detected by high-density single nucleotide polymorphism (SNP) array in gastrointestinal cancer. , 2010, , .		0
114	Abstract 2381: Preclinical molecular targeting therapy of pancreatic cancer using a genetically engineered mouse model. , 2011, , .		0
115	Abstract 3292: The exploration of novel strategy for treatment of pancreatic cancer using genetically engineered mice. , 2011, , .		0
116	Abstract 544: Blockade of CXC chemokines/CXCR2 axis in the tumor microenvironment as a potent therapeutic strategy for pancreatic ductal adenocarcinoma. , 2011, , .		0
117	Phase I study of a combination therapy of gemcitabine and candesartan in patients with advanced pancreatic cancer: GECA-1 study.. <i>Journal of Clinical Oncology</i> , 2011, 29, e14555-e14555.	0.8	0
118	Effect of non-anticancer drugs on prognosis of pancreatic cancer (PaC) receiving chemotherapy.. <i>Journal of Clinical Oncology</i> , 2012, 30, 309-309.	0.8	0
119	Abstract 851: Epidermal growth factor receptor inhibitor erlotinib prolongs survival inKras-mutant pancreatic ductal adenocarcinoma by inhibiting gemcitabine-induced mitogen activated protein kinase signaling activation. , 2012, , .		0
120	Abstract A39: The exploration of novel strategy for treatment of pancreatic ductal adenocarcinoma targeting tumor microenvironment with multi-kinase inhibitors. <i>Clinical Cancer Research</i> , 2012, 18, A39-A39.	3.2	0
121	Abstract A69: The novel strategy for treatment of pancreatic ductal adenocarcinoma targeting tumor microenvironment.. , 2013, , .		0
122	A retrospective analysis of early CA19-9 progression in salvage-chemotherapy for refractory pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, e15146-e15146.	0.8	0
123	A phase 1 trial of GSL (gemcitabine, S-1, LV) combination therapy in advanced pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2014, 32, 290-290.	0.8	0
124	Associations between K-ras mutation, smoking, and prognosis of pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2014, 32, 298-298.	0.8	0
125	Which patients benefit from the inhibition of renin-angiotensin system in advanced pancreatic cancer? An exploratory analysis in 349 patients.. <i>Journal of Clinical Oncology</i> , 2014, 32, e15216-e15216.	0.8	0
126	Abstract B10: Epidermal growth factor receptor inhibitor prolongs survival in pancreatic cancer by blocking gemcitabine-induced mitogen-activated protein kinase signal. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
127	Abstract A55: A role of bone morphogenetic protein signaling in pancreatic cancer. , 2015, , .		0
128	Abstract 2301: The generation of colorectal cancer mouse model based on microsatellite instability and the identification of transforming growth factor-beta signal target. , 2015, , .		0
129	Abstract A40: Emergence of CD47- high expression cells confers enhanced tumorigenicity upon KDM6B suppression in pancreatic cancer. , 2016, , .		0
130	Abstract B66: BET inhibition remodels tumor stroma and suppresses progression of human pancreatic cancer. , 2016, , .		0
131	Abstract C47: Plasma ANP and soluble cell adhesion molecule X are novel risk factors for pancreatic cancer-associated thrombosis. , 2019, , .		0