
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3535852/publications.pdf Version: 2024-02-01



ΔΜΙΤ ΓΟΥΛΙ

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | ASOMA GUIDE for Managing Breast Pain. Indian Journal of Surgery, 2023, 85, 702-712. | 0.2 | 1 |
| 2 | Abstract OT1-04-01: ATNEC: A multi-centre, randomised trial investigating whether axillary treatment can be avoided in T1-3N1M0 breast cancer patients with no residual cancer in the lymph glands after neoadjuvant chemotherapy (clinicaltrials.gov: nct04109079). Cancer Research, 2022, 82, OT1-04-01-OT1-04-01. | 0.4 | 1 |
| 3 | ATNEC: A multicenter, randomized trial investigating whether axillary treatment can be avoided in patients with T1-3N1M0 breast cancer with no residual cancer in the lymph glands after neoadjuvant chemotherapy Journal of Clinical Oncology, 2022, 40, TPS615-TPS615. | 0.8 | 4 |
| 4 | A multicentre prospective feasibility study of carbon dye tattooing of biopsied axillary node and surgical localisation in breast cancer patients. Breast Cancer Research and Treatment, 2021, 185, 433-440. | 1.1 | 15 |
| 5 | Axillary management in T1-3N1M0 breast cancer patients with needle biopsy proven nodal metastases at presentation after neoadjuvant chemotherapy (ATNEC) Journal of Clinical Oncology, 2021, 39, TPS600-TPS600. | 0.8 | 1 |
| 6 | 738â $∈f$ Lessons from the National Patient Safety Agency Alerts. British Journal of Surgery, 2021, 108, . | 0.1 | 0 |
| 7 | POSNOC—POsitive Sentinel NOde: adjuvant therapy alone versus adjuvant therapy plus Clearance or axillary radiotherapy: a randomised controlled trial of axillary treatment in women with early-stage breast cancer who have metastases in one or two sentinel nodes. BMJ Open, 2021, 11, e054365. | 0.8 | 29 |
| 8 | An evaluation of patient reported outcomes by utilizing breast Q following oncoplastic breast conserving surgery and arc-LICAP flap partial breast reconstruction. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2020, 74, 1101-1160. | 0.5 | 1 |
| 9 | Axillary Surgery Following Neoadjuvant Chemotherapy – Multidisciplinary Guidance From the Association of Breast Surgery, Faculty of Clinical Oncology of the Royal College of Radiologists, UK Breast Cancer Group, National Coordinating Committee for Breast Pathology and British Society of Breast Radiology, Clinical Oncology, 2019, 31, 664-668. | 0.6 | 31 |
| 10 | Undissected Axilla and Axillary Radiotherapy. JAMA Oncology, 2019, 5, 741. | 3.4 | 0 |
| 11 | Safety and feasibility of breast lesion localization using magnetic seeds (Magseed): a multi-centre, open-label cohort study. Breast Cancer Research and Treatment, 2018, 169, 531-536. | 1.1 | 100 |
| 12 | Axillary tumour burden in women with one abnormal node on ultrasound compared to women with multiple abnormal nodes. Clinical Radiology, 2018, 73, 391-395. | 0.5 | 11 |
| 13 | New Technologies for Sentinel Lymph Node Detection. Breast Care, 2018, 13, 349-353. | 0.8 | 44 |
| 14 | Opportunities and priorities for breast surgical research. Lancet Oncology, The, 2018, 19, e521-e533. | 5.1 | 36 |
| 15 | POSNOC: Positive Sentinel Node—Adjuvant therapy alone versus adjuvant therapy plus clearance or axillary radiotherapy Journal of Clinical Oncology, 2018, 36, TPS600-TPS600. | 0.8 | 3 |
| 16 | Can an internal surgical adhesive facilitate drain-free mastectomy and reduce overall invasiveness? – a prospective, randomized, controlled, multicenter non-inferiority trial. Senologie - Zeitschrift Für Mammadiagnostik Und -therapie, 2018, 15, . | 0.0 | 0 |
| 17 | The Genetics of Aortopathies in Clinical Cardiology. Clinical Medicine Insights: Cardiology, 2017, 11, 117954681770978. | 0.6 | 34 |
| 18 | Axillary tumour burden in women with a fine-needle aspiration/core biopsy-proven positive node on ultrasonography compared to women with a positive sentinel node. British Journal of Surgery, 2017, 104, 1811-1815. | 0.1 | 15 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The accuracy of breast volume measurement methods: A systematic review. Breast, 2016, 28, 121-129. | 0.9 | 65 |
| 20 | Breast Pain. American Family Physician, 2016, 93, 872-3. | 0.1 | 2 |
| 21 | Axillary conservation in early breast cancer. British Journal of Surgery, 2015, 102, 1297-1299. | 0.1 | 2 |
| 22 | The development of a low cost 3D surface imaging system to measure breast volume: Defining minimum standards using an adapted Delphi consensus study. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2015, 68, 1770-1772. | 0.5 | 4 |
| 23 | POSNOC: A Randomised Trial Looking at Axillary Treatment in Women with One or Two Sentinel Nodes with Macrometastases. Clinical Oncology, 2015, 27, 692-695. | 0.6 | 127 |
| 24 | POSNOC: Positive sentinel node—Adjuvant therapy alone versus adjuvant therapy plus clearance or axillary radiotherapy: A randomised trial looking at axillary treatment in early breast cancer (ISRCTN54765244) Journal of Clinical Oncology, 2015, 33, TPS1103-TPS1103. | 0.8 | 2 |
| 25 | Axillary Treatment in Women With One or Two Sentinel Nodes With Macrometastases: More Evidence Is Needed to Inform Practice. Journal of Clinical Oncology, 2014, 32, 3902-3902. | 0.8 | 16 |
| 26 | Using the Microsoft Kinect to measure breast volume: Thoughts and experiences. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2014, 67, 1007-1008. | 0.5 | 1 |
| 27 | Development and assessment of a Microsoft Kinect based system for imaging the breast in three dimensions. Medical Engineering and Physics, 2014, 36, 732-738. | 0.8 | 31 |
| 28 | A Systematic Review of Current Understanding and Management of Mastalgia. Indian Journal of Surgery, 2014, 76, 217-222. | 0.2 | 67 |
| 29 | Axillary treatment for patients with early breast cancer and lymph node metastasis: systematic review protocol. World Journal of Surgical Oncology, 2013, 11, 6. | 0.8 | 3 |
| 30 | Results of a national training programme in sentinel lymph node biopsy for breast cancer. British Journal of Surgery, 2013, 100, 654-661. | 0.1 | 34 |
| 31 | Current Trends in Breast Surgery. Indian Journal of Surgical Oncology, 2012, 3, 287-291. | 0.3 | 2 |
| 32 | Diminishing morbidity with the increased use of sentinel node biopsy in breast carcinoma. Breast Diseases, 2011, 22, 64-65. | 0.0 | 0 |
| 33 | Occult breast carcinoma in breast reduction specimens in European women. Breast Cancer Research and Treatment, 2011, 128, 749-753. | 1.1 | 10 |
| 34 | Outcome after autologous dermal sling-assisted immediate breast reconstruction. British Journal of Surgery, 2011, 98, 1267-1272. | 0.1 | 40 |
| 35 | Breast pain. Clinical Evidence, 2011, 2011, . | 0.2 | 1 |
| 36 | Sentinel lymph node biopsy in breast cancer: the node to recovery. Indian Journal of Surgical Oncology, 2010, 1, 10-13. | 0.3 | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Nipple-Sparing Skin-Sparing Mastectomy and Vertical Latissimus Dorsi Flap Reconstruction for Bilateral Fibromatosis of the Breast. Clinical Breast Cancer, 2010, 10, E1-E2. | 1.1 | 5 |
| 38 | Investigation of anaphylactic reaction after patent blue V dye injection. Breast, 2010, 19, 516-520. | 0.9 | 21 |
| 39 | Axillary node staging by ultrasonography and fine-needle aspiration cytology in patients with breast cancer. British Journal of Surgery, 2010, 97, 680-683. | 0.1 | 92 |
| 40 | Adverse reactions to patent blue V dye – The NEW START and ALMANAC experience. European Journal of Surgical Oncology, 2010, 36, 399-403. | 0.5 | 128 |
| 41 | Mastalgia. , 2010, , 69-76. | | 2 |
| 42 | Sentinel Lymph Node Biopsy Radiotracer Technique at Memorial Sloan-Kettering Cancer Center. , 2010, , 481-488. | | 0 |
| 43 | Sentinel Node Biopsy in Breast Cancer: Clinical Implication – Standard of Care – Fututre Prospects. Breast Care, 2009, 4, 195-202. | 0.8 | 0 |
| 44 | Detection of breast cancer metastasis in sentinel lymph nodes using intra-operative real time GeneSearchâ"¢ BLN Assay in the operating room: results of the Cardiff study. Breast Cancer Research and Treatment, 2009, 115, 595-600. | 1.1 | 48 |
| 45 | Management of the axilla in patients with breast cancer. Indian Journal of Surgery, 2009, 71, 328-334. | 0.2 | 1 |
| 46 | Plasma levels of 4-OHT with topical tamoxifen gel (afimoxifene) and therapeutic local antiestrogenic effect in premenopausal women with cyclical mastalgia. Journal of Clinical Oncology, 2009, 27, e14598-e14598. | 0.8 | 0 |
| 47 | Morbidity in Breast Cancer Patients with Sentinel Node Metastases Undergoing Delayed Axillary Lymph Node Dissection (ALND) Compared with Immediate ALND. Annals of Surgical Oncology, 2008, 15, 262-267. | 0.7 | 77 |
| 48 | Real time PCR analyses of expression of E-cadherin, alpha-, beta- and gamma-catenin in human breast cancer for predicting clinical outcome. World Journal of Surgical Oncology, 2008, 6, 56. | 0.8 | 11 |
| 49 | Gallstone ileus following endoscopic retrograde cholangiopancreatography and sphincterotomy: a case report. Journal of Medical Case Reports, 2008, 2, 342. | 0.4 | 11 |
| 50 | Editorial introductions. Current Opinion in Oncology, 2008, 20, viii-x. | 1.1 | 20 |
| 51 | Recent advances in sentinel lymph node biopsy for breast cancer. Current Opinion in Oncology, 2008, 20, 621-626. | 1.1 | 34 |
| 52 | Injection of radioactive colloid and blue dye at the peri-areolar edge in the tumor quadrant for sentinel lymph node biopsy in breast cancer: Results of the UK NEW START training program. Journal of Clinical Oncology, 2008, 26, 538-538. | 0.8 | 2 |
| 53 | Role of Sentinel Lymph Node Biopsy in Ductal Carcinoma In Situ: Diagnosis and Methodology. , 2008, , 665-671. | | 0 |
| 54 | A phase II trial of Afimoxifene (4-hydroxytamoxifen gel) for cyclical mastalgia in premenopausal women. Breast Cancer Research and Treatment, 2007, 106, 389-397. | 1.1 | 44 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Sentinel lymph node biopsy in early-stage breast cancer. Cancer Metastasis - Biology and Treatment, 2007, , 333-353. | 0.1 | 0 |
| 56 | ls there a role of sentinel lymph node biopsy in ductal carcinoma in situ?: analysis of 587 cases. Breast Cancer Research and Treatment, 2006, 98, 311-314. | 1.1 | 130 |
| 57 | Factors affecting failed localisation and false-negative rates of sentinel node biopsy in breast cancer – results of the ALMANAC validation phase. Breast Cancer Research and Treatment, 2006, 99, 203-208. | 1.1 | 293 |
| 58 | Metastatic Cutaneous Crohn's Disease of the Nipple: Report of a Case. Diseases of the Colon and Rectum, 2006, 49, 132-134. | 0.7 | 17 |
| 59 | Randomized Multicenter Trial of Sentinel Node Biopsy Versus Standard Axillary Treatment in Operable Breast Cancer: The ALMANAC Trial. Journal of the National Cancer Institute, 2006, 98, 599-609. | 3.0 | 1,422 |
| 60 | Does imaging in sentinel node scintigraphic localization add value to the procedure in patients with breast cancer?. Nuclear Medicine Communications, 2005, 26, 845-847. | 0.5 | 7 |
| 61 | Expression of the Transcription Factors Snail, Slug, and Twist and Their Clinical Significance in Human Breast Cancer. Annals of Surgical Oncology, 2005, 12, 488-496. | 0.7 | 440 |
| 62 | Effect of Lymphatic Tumor Burden on Sentinel Lymph Node Biopsy in Breast Cancer. Breast Journal, 2005, 11, 188-194. | 0.4 | 36 |
| 63 | Clinical relevance of multiple sentinel nodes in patients with breast cancer. British Journal of Surgery, 2005, 92, 438-442. | 0.1 | 65 |
| 64 | A Randomized Multicenter Study of Gamolenic Acid (Efamast) with and without Antioxidant Vitamins and Minerals in the Management of Mastalgia. Breast Journal, 2005, 11, 41-47. | 0.4 | 57 |
| 65 | Role of routine preoperative lymphoscintigraphy in sentinel node biopsy for breast cancer. European Journal of Cancer, 2005, 41, 238-243. | 1.3 | 101 |
| 66 | Clinical relevance of internal mammary node drainage in sentinel node biopsy for breast cancer. Journal of Clinical Oncology, 2005, 23, 519-519. | 0.8 | 10 |
| 67 | European studies on breast lymphatic mapping. Seminars in Oncology, 2004, 31, 304-310. | 0.8 | 45 |
| 68 | Internal Mammary Node Drainage and its Role in Sentinel Lymph Node Biopsy: The Initial ALMANAC Experience. Clinical Breast Cancer, 2004, 5, 279-284. | 1.1 | 57 |
| 69 | European randomized, multicenter study of goserelin (Zoladex) in the management of mastalgia. American Journal of Obstetrics and Gynecology, 2004, 191, 1942-1949. | 0.7 | 43 |
| 70 | Current status of sentinel lymph node biopsy in solid malignancies. World Journal of Surgical Oncology, 2004, 2, 9. | 0.8 | 19 |
| 71 | Predictors of non-sentinel lymph node metastasis in breast cancer patients. European Journal of Cancer, 2004, 40, 1731-1737. | 1.3 | 88 |
| 72 | Sentinel lymph node biopsy in male breast cancer patients. European Journal of Surgical Oncology, 2004, 30, 480-483. | 0.5 | 75 |

AMIT GOYAL

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Sentinel lymph node biopsy in patients with multifocal breast cancer. European Journal of Surgical Oncology, 2004, 30, 475-479. | 0.5 | 89 |
| 74 | Sentinel node biopsy in breast cancer: The first results of the randomized multicenter ALMANAC Trial. Journal of Clinical Oncology, 2004, 22, 506-506. | 0.8 | 7 |
| 75 | Sentinel node biopsy in breast cancer: The first results of the randomized multicenter ALMANAC Trial. Journal of Clinical Oncology, 2004, 22, 506-506. | 0.8 | 5 |
| 76 | Isolated hyperthermic chemotherapy perfusion for limb melanoma is a safe procedure. Journal of Clinical Oncology, 2004, 22, 7538-7538. | 0.8 | 0 |
| 77 | Isolated hyperthermic chemotherapy perfusion for limb melanoma is a safe procedure. Journal of Clinical Oncology, 2004, 22, 7538-7538. | 0.8 | 0 |
| 78 | Haematoma as a late complication after breast reconstruction with implant. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2003, 56, 189-191. | 1.1 | 15 |
| 79 | latrogenic injury to the breast bud causing breast hypoplasia. Postgraduate Medical Journal, 2003, 79, 235-236. | 0.9 | 17 |
| 80 | Gastrointestinal stromal tumour in an inguinal hernial sac: an unusual presentation. Postgraduate Medical Journal, 2003, 79, 707-8. | 0.9 | 8 |