Clara Leandro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3536089/publications.pdf

Version: 2024-02-01

20 papers 1,231 citations

394390 19 h-index 20 g-index

20 all docs 20 docs citations

20 times ranked

1544 citing authors

#	Article	IF	CITATIONS
1	Clinical Concentrations of Thioridazine Kill Intracellular Multidrug-Resistant Mycobacterium tuberculosis. Antimicrobial Agents and Chemotherapy, 2003, 47, 917-922.	3.2	191
2	Inducement and Reversal of Tetracycline Resistance in Escherichia coli K-12 and Expression of Proton Gradient-Dependent Multidrug Efflux Pump Genes. Antimicrobial Agents and Chemotherapy, 2005, 49, 3578-3582.	3.2	110
3	Cytokine expression during the outcome of canine experimental infection by Leishmania infantum. Veterinary Immunology and Immunopathology, 2002, 88, 21-30.	1.2	104
4	Isoniazid-Induced Transient High-Level Resistance in Mycobacterium tuberculosis. Antimicrobial Agents and Chemotherapy, 2002, 46, 2804-2810.	3.2	92
5	Wound healing potential of topical bacteriophage therapy on diabetic cutaneous wounds. Wound Repair and Regeneration, 2013, 21, 595-603.	3.0	92
6	Mycobacterial efflux pumps and chemotherapeutic implications. International Journal of Antimicrobial Agents, 2003, 22, 274-278.	2.5	67
7	In vitro design of a novel lytic bacteriophage cocktail with therapeutic potential against organisms causing diabetic foot infections. Journal of Medical Microbiology, 2014, 63, 1055-1065.	1.8	64
8	Direct Application of the INNO-LiPA Rif.TB Line-Probe Assay for Rapid Identification of Mycobacterium tuberculosis Complex Strains and Detection of Rifampin Resistance in 360 Smear-Positive Respiratory Specimens from an Area of High Incidence of Multidrug-Resistant Tuberculosis. Journal of Clinical Microbiology, 2005, 43, 4880-4884.	3.9	63
9	Cell mediated immunity and specific IgG1 and IgG2 antibody response in natural and experimental canine leishmaniosis. Veterinary Immunology and Immunopathology, 2001, 79, 273-284.	1.2	58
10	Intracellular activity of clinical concentrations of phenothiazines including thioridiazine against phagocytosed Staphylococcus aureus. International Journal of Antimicrobial Agents, 2002, 20, 34-43.	2.5	58
11	Novel Chimerical Endolysins with Broad Antimicrobial Activity Against Methicillin-Resistant <i>Staphylococcus aureus</i> . Microbial Drug Resistance, 2012, 18, 333-343.	2.0	54
12	Phenothiazines alter resistance of methicillin-resistant strains of Staphylococcus aureus (MRSA) to oxacillin in vitro. International Journal of Antimicrobial Agents, 2003, 22, 250-253.	2.5	50
13	Leishmaniasis: efflux pumps and chemoresistance. International Journal of Antimicrobial Agents, 2003, 22, 352-357.	2.5	35
14	Carpobrotus edulis methanol extract inhibits the MDR ef?ux pumps, enhances killing of phagocytosed S. aureus and promotes immune modulation. Phytotherapy Research, 2003, 17, 512-519.	5.8	33
15	Inhibition of the Carpobrotus edulis methanol extract on the growth of phagocytosed multidrug-resistant Mycobacterium tuberculosis and methicillin-resistant Staphylococcus aureus. Fìtoterapìâ, 2005, 76, 96-99.	2.2	32
16	Chlorpromazine has intracellular killing activity against phagocytosed Staphylococcus aureus at clinical concentrations. Journal of Infection and Chemotherapy, 2002, 8, 227-231.	1.7	31
17	EC300: a phage-based, bacteriolysin-like protein with enhanced antibacterial activity against Enterococcus faecalis. Applied Microbiology and Biotechnology, 2015, 99, 5137-5149.	3.6	29
18	Phage Endolysins with Broad Antimicrobial Activity Against <i>Enterococcus faecalis</i> Clinical Strains. Microbial Drug Resistance, 2012, 18, 322-332.	2.0	27

#	Article	IF	CITATIONS
19	A twoâ€component, multimeric endolysin encoded by a single gene. Molecular Microbiology, 2015, 95, 739-753.	2.5	25
20	Gamma delta T cell responses associated with the development of tuberculosis in health care workers. FEMS Immunology and Medical Microbiology, 2005, 43, 339-350.	2.7	16