

Jan Jesper Andreassen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3536105/publications.pdf>

Version: 2024-02-01

55
papers

1,108
citations

394286

19
h-index

434063

31
g-index

59
all docs

59
docs citations

59
times ranked

2038
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | ECMO improves survival following cardiogenic shock due to carbon monoxide poisoning - an experimental porcine model. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018, 26, 103. | 1.1 | 12 |
| 20 | Fractional Flow Reserve Versus Angiographically-Guided Coronary Artery Bypass Grafting. <i>Journal of the American College of Cardiology</i> , 2018, 72, 2732-2743. | 1.2 | 78 |
| 21 | Fatty Acid Composition in Various Types of Cardiac Adipose Tissues and Its Relation to the Fatty Acid Content of Atrial Tissue. <i>Nutrients</i> , 2018, 10, 1506. | 1.7 | 6 |
| 22 | Percutaneous versus thoracoscopic ablation of symptomatic paroxysmal atrial fibrillation: a randomised controlled trial - the FAST II study. <i>Journal of Cardiothoracic Surgery</i> , 2018, 13, 101. | 0.4 | 13 |
| 23 | Inspiratory Muscle Training in High-Risk Patients Following Lung Resection May Prevent a Postoperative Decline in Physical Activity Level. <i>Integrative Cancer Therapies</i> , 2018, 17, 1095-1102. | 0.8 | 12 |
| 24 | Cardiac surgery patients' e-health literacy and their use of a digital portal. <i>Health Education Journal</i> , 2018, 77, 482-494. | 0.6 | 5 |
| 25 | Preoperative Electrocardiogram Score for Predicting New-Onset Postoperative Atrial Fibrillation in Patients Undergoing Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017, 31, 69-76. | 0.6 | 11 |
| 26 | Accuracy of a step counter during treadmill and daily life walking by healthy adults and patients with cardiac disease. <i>BMJ Open</i> , 2017, 7, e011742. | 0.8 | 41 |
| 27 | Regional muscle tissue saturation is an indicator of global inadequate circulation during cardiopulmonary bypass: a randomized porcine study using muscle, intestinal and brain tissue metabolomics. <i>Perfusion (United Kingdom)</i> , 2017, 32, 192-199. | 0.5 | 9 |
| 28 | Elimination of <i>Mycobacterium chimaera</i> in a heater cooler device used during on-pump cardiothoracic surgery. <i>Perfusion (United Kingdom)</i> , 2017, 32, 507-510. | 0.5 | 5 |
| 29 | Storage time of intraoperative transfused allogeneic red blood cells is not associated with new-onset postoperative atrial fibrillation in cardiac surgery. <i>PLoS ONE</i> , 2017, 12, e0172726. | 1.1 | 1 |
| 30 | Marine n-3 fatty acids are incorporated into atrial tissue but do not correlate with postoperative atrial fibrillation in cardiac surgery. <i>Vascular Pharmacology</i> , 2016, 87, 70-75. | 1.0 | 4 |
| 31 | Pedometer use and self-determined motivation for walking in a cardiac telerehabilitation program: a qualitative study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2016, 8, 24. | 0.7 | 47 |
| 32 | Longevity and admission to nursing home according to age after isolated coronary artery bypass surgery: a nationwide cohort study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016, 22, 792-798. | 0.5 | 6 |
| 33 | Age-dependent trends in postoperative mortality and preoperative comorbidity in isolated coronary artery bypass surgery: a nationwide study. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 49, 391-397. | 0.6 | 32 |
| 34 | Cost-Utility Analysis of a Cardiac Telerehabilitation Program: The Teledialog Project. <i>Telemedicine Journal and E-Health</i> , 2016, 22, 553-563. | 1.6 | 44 |
| 35 | Postoperative inspiratory muscle training in addition to breathing exercises and early mobilization improves oxygenation in high-risk patients after lung cancer surgery: a randomized controlled trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 49, 1483-1491. | 0.6 | 70 |
| 36 | Statin initiation and acute kidney injury following elective cardiovascular surgery: a population cohort study in Denmark. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 49, 995-1000. | 0.6 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Early chest tube removal following cardiac surgery is associated with pleural and/or pericardial effusions requiring invasive treatment. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 49, 288-292. | 0.6 | 21 |
| 38 | Cardiac Patients's Walking Activity Determined by a Step Counter in Cardiac Telerehabilitation: Data From the Intervention Arm of a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e69. | 2.1 | 74 |
| 39 | Improvements in physical performance and health-related quality of life one year after radical operation for lung cancer. <i>Cancer Treatment Communications</i> , 2015, 4, 65-74. | 0.4 | 2 |
| 40 | Decreased patency rates following endoscopic vein harvest in coronary artery bypass surgery. <i>Scandinavian Cardiovascular Journal</i> , 2015, 49, 286-292. | 0.4 | 18 |
| 41 | Acute Kidney Injury and Long-term Risk of Cardiovascular Events After Cardiac Surgery: A Population-Based Cohort Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2015, 29, 617-625. | 0.6 | 64 |
| 42 | The association between platelet transfusion and adverse outcomes after coronary artery bypass surgery. <i>European Journal of Cardio-thoracic Surgery</i> , 2015, 48, e102-e109. | 0.6 | 20 |
| 43 | Validation of post-operative atrial fibrillation in the Western Denmark Heart Registry. <i>Danish Medical Journal</i> , 2015, 62, A5162. | 0.5 | 5 |
| 44 | Estimation of utility values from visual analog scale measures of health in patients undergoing cardiac surgery. <i>ClinicoEconomics and Outcomes Research</i> , 2014, 6, 21. | 0.7 | 7 |
| 45 | Work Status and Return to the Workforce after Coronary Artery Bypass Grafting and/or Heart Valve Surgery: A One-Year-Follow Up Study. <i>Rehabilitation Research and Practice</i> , 2014, 2014, 1-6. | 0.5 | 9 |
| 46 | Endoscopic Vein Harvesting for Coronary Artery Bypass Grafting is Safe and Reduces Postoperative Resource Consumption. <i>Journal of Cardiovascular Diseases & Diagnosis</i> , 2014, 02, . | 0.0 | 2 |
| 47 | Pharmacologic Methods to Reduce Postoperative Bleeding in Adult Cardiac Surgery. A Mini-review. <i>Current Pharmaceutical Design</i> , 2013, 19, 3992-3995. | 0.9 | 7 |
| 48 | Efforts to Change Transfusion Practice and Reduce Transfusion Rates Are Effective in Coronary Artery Bypass Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012, 26, 545-549. | 0.6 | 21 |
| 49 | Therapeutic potential of marine n-3 fatty acids in CABG patients. <i>Current Opinion in Pharmacology</i> , 2012, 12, 142-146. | 1.7 | 4 |
| 50 | Storage time of allogeneic red blood cells is associated with risk of severe postoperative infection after coronary artery bypass grafting. <i>European Journal of Cardio-thoracic Surgery</i> , 2011, 39, 329-334. | 0.6 | 60 |
| 51 | Endoscopic vs open saphenous vein harvest for coronary artery bypass grafting: a prospective randomized trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 34, 384-389. | 0.6 | 49 |
| 52 | Transfusion practice in coronary artery bypass surgery in Denmark: a multicenter audit. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2007, 6, 623-627. | 0.5 | 16 |
| 53 | Effect of Selective Serotonin Reuptake Inhibitors on Requirement for Allogeneic Red Blood Cell Transfusion Following Coronary Artery Bypass Surgery. <i>American Journal of Cardiovascular Drugs</i> , 2006, 6, 243-250. | 1.0 | 56 |
| 54 | Prophylactic tranexamic acid in elective, primary coronary artery bypass surgery using cardiopulmonary bypass. <i>European Journal of Cardio-thoracic Surgery</i> , 2004, 26, 311-317. | 0.6 | 40 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Postoperative wound infection: indicator of clinical quality?. Danish Medical Bulletin, 2002, 49, 242-4. | 0.1 | 0 |