

Guilherme Pugliesi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/353692/guilherme-pugliesi-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

808
citations

16
h-index

24
g-index

81
ext. papers

998
ext. citations

2.5
avg, IF

3.99
L-index

#	Paper	IF	Citations
75	Conceptus-induced changes in the gene expression of blood immune cells and the ultrasound-accessed luteal function in beef cattle: how early can we detect pregnancy?. <i>Biology of Reproduction</i> , 2014 , 91, 95	3.9	70
74	Pre-hatching embryo-dependent and -independent programming of endometrial function in cattle. <i>PLoS ONE</i> , 2017 , 12, e0175954	3.7	55
73	Manipulation of the periovulatory sex steroidal milieu affects endometrial but not luteal gene expression in early diestrus Nelore cows. <i>Theriogenology</i> , 2014 , 81, 861-9	2.8	42
72	Improved fertility in suckled beef cows ovulating large follicles or supplemented with long-acting progesterone after timed-AI. <i>Theriogenology</i> , 2016 , 85, 1239-48	2.8	35
71	Corpus luteum development and function after supplementation of long-acting progesterone during the early luteal phase in beef cattle. <i>Reproduction in Domestic Animals</i> , 2014 , 49, 85-91	1.6	33
70	The Receptive Endometrial Transcriptomic Signature Indicates an Earlier Shift from Proliferation to Metabolism at Early Diestrus in the Cow. <i>Biology of Reproduction</i> , 2015 , 93, 52	3.9	32
69	The pre-hatching bovine embryo transforms the uterine luminal metabolite composition in vivo. <i>Scientific Reports</i> , 2019 , 9, 8354	4.9	25
68	Effect of luteinizing hormone oscillations on progesterone concentrations based on treatment with a gonadotropin-releasing hormone antagonist in heifers. <i>Domestic Animal Endocrinology</i> , 2011 , 40, 119-27 ³	2.7	25
67	Size of the Ovulatory Follicle Dictates Spatial Differences in the Oviductal Transcriptome in Cattle. <i>PLoS ONE</i> , 2015 , 10, e0145321	3.7	24
66	Role of luteinizing hormone in changes in concentrations of progesterone and luteal blood flow during the hours of a simulated pulse of 13,14-dihydro-15-keto-prostaglandin F(2alpha) (PGFM) in heifers. <i>Biology of Reproduction</i> , 2011 , 85, 482-9	3.9	24
65	Effects of inhibition of prostaglandin F ₂ biosynthesis during preluteolysis and luteolysis in heifers. <i>Theriogenology</i> , 2011 , 76, 640-51	2.8	21
64	The transcriptome signature of the receptive bovine uterus determined at early gestation. <i>PLoS ONE</i> , 2015 , 10, e0122874	3.7	21
63	Evidence of endometrial amino acid metabolism and transport modulation by peri-ovulatory endocrine profiles driving uterine receptivity. <i>Journal of Animal Science and Biotechnology</i> , 2017 , 8, 54	6	19
62	Use of Doppler ultrasonography in embryo transfer programs: feasibility and field results. <i>Animal Reproduction</i> , 2018 , 15, 239-246	1.7	17
61	Spatio-specific regulation of endocrine-responsive gene transcription by periovulatory endocrine profiles in the bovine reproductive tract. <i>Reproduction, Fertility and Development</i> , 2014 ,	1.8	16
60	Induction of PGFM pulses and luteolysis by sequential estradiol-17 β treatments in heifers. <i>Theriogenology</i> , 2012 , 77, 492-506	2.8	16
59	Role of LH in luteolysis and growth of the ovulatory follicle and estradiol regulation of LH secretion in heifers. <i>Theriogenology</i> , 2012 , 77, 1442-52	2.8	15

58	Dynamic remodeling of endometrial extracellular matrix regulates embryo receptivity in cattle. <i>Reproduction</i> , 2016 ,	3.8	14
57	A novel strategy for resynchronization of ovulation in Nelore cows using injectable progesterone (P4) and P4 releasing devices to perform two timed inseminations within 22 days. <i>Reproduction in Domestic Animals</i> , 2019 , 54, 1149-1154	1.6	13
56	Modulation of periovulatory endocrine profiles in beef cows: consequences for endometrial glucose transporters and uterine fluid glucose levels. <i>Domestic Animal Endocrinology</i> , 2015 , 50, 83-90	2.3	13
55	Inhibition of prostaglandin biosynthesis during postluteolysis and effects on CL regression, prolactin, and ovulation in heifers. <i>Theriogenology</i> , 2012 , 78, 443-54	2.8	13
54	Effect of low and high egg yolk concentrations in the semen extender for goat semen cryopreservation. <i>Small Ruminant Research</i> , 2011 , 100, 54-58	1.7	13
53	Applied use of interferon-tau stimulated genes expression in polymorphonuclear cells to detect pregnancy compared to other early predictors in beef cattle. <i>Theriogenology</i> , 2020 , 152, 94-105	2.8	12
52	Use of cholesterol-loaded cyclodextrin in donkey semen cryopreservation improves sperm viability but results in low fertility in mares. <i>Reproduction in Domestic Animals</i> , 2014 , 49, 845-50	1.6	12
51	Cytobrush: A tool for sequential evaluation of gene expression in bovine endometrium. <i>Reproduction in Domestic Animals</i> , 2017 , 52, 1153-1157	1.6	12
50	Effect of dose of estradiol-17β on prominence of an induced 13,14-dihydro-15-keto-PGF(2) (PGFM) pulse and relationship of prominence to progesterone, LH, and luteal blood flow in heifers. <i>Domestic Animal Endocrinology</i> , 2011 , 41, 98-109	2.3	12
49	Supplementation with sunflower seed increases circulating cholesterol concentrations and potentially impacts on the pregnancy rates in <i>Bos indicus</i> beef cattle. <i>Theriogenology</i> , 2015 , 83, 1461-8	2.8	11
48	Impact of estradiol cypionate prior to TAI and progesterone supplementation at initial diestrus on ovarian and fertility responses in beef cows. <i>Theriogenology</i> , 2017 , 104, 156-163	2.8	11
47	Sex steroids modulate morphological and functional features of the bovine oviduct. <i>Cell and Tissue Research</i> , 2017 , 370, 319-333	4.2	10
46	Impact of hormonal modulation at proestrus on ovarian responses and uterine gene expression of suckled anestrous beef cows. <i>Journal of Animal Science and Biotechnology</i> , 2017 , 8, 79	6	10
45	Use of FSH in two different regimens for ovarian superstimulation prior to ovum pick up and in vitro embryo production in Holstein cows. <i>Theriogenology</i> , 2017 , 90, 65-73	2.8	9
44	Perturbations in the uterine luminal fluid composition are detrimental to pregnancy establishment in cattle. <i>Journal of Animal Science and Biotechnology</i> , 2018 , 9, 70	6	9
43	Use of color-Doppler ultrasonography for selection of recipients in timed-embryo transfer programs in beef cattle. <i>Theriogenology</i> , 2019 , 135, 73-79	2.8	8
42	Increased pregnancy rate in beef heifers resynchronized with estradiol at 14 days after TAI. <i>Theriogenology</i> , 2020 , 147, 62-70	2.8	8
41	Impact of probing the reproductive tract during early pregnancy on fertility of beef cows. <i>Reproduction in Domestic Animals</i> , 2014 , 49, e35-e39	1.6	8

40	Direct effect of PGF ₂ pulses on PRL pulses, based on inhibition of PRL or PGF ₂ secretion in heifers. <i>Theriogenology</i> , 2012 , 78, 678-87	2.8	8
39	Type I interferon receptors and interferon-β-stimulated genes in peripheral blood mononuclear cells and polymorphonuclear leucocytes during early pregnancy in beef heifers. <i>Reproduction, Fertility and Development</i> , 2020 , 32, 953-966	1.8	8
38	Early pregnancy-induced transcripts in peripheral blood immune cells in Bos indicus heifers. <i>Scientific Reports</i> , 2020 , 10, 13733	4.9	8
37	Ultrasonography-accessed luteal size endpoint that most closely associates with circulating progesterone during the estrous cycle and early pregnancy in beef cows. <i>Animal Reproduction Science</i> , 2019 , 201, 12-21	2.1	8
36	Oviductal transcriptional profiling of a bovine fertility model by next-generation sequencing. <i>Genomics Data</i> , 2017 , 13, 27-29		7
35	Viability and fertility of cooled equine semen diluted with skimmed milk or glycine egg yolk-based extenders. <i>Revista Brasileira De Zootecnia</i> , 2012 , 41, 2411-2417	1.2	7
34	Changes in Oviductal Cells and Small Extracellular Vesicles miRNAs in Pregnant Cows. <i>Frontiers in Veterinary Science</i> , 2021 , 8, 639752	3.1	7
33	Conceptus-modulated innate immune function during early pregnancy in ruminants: a review. <i>Animal Reproduction</i> , 2021 , 18, e20200048	1.7	7
32	Impact of using a fast-freezing technique and different thawing protocols on viability and fertility of frozen equine spermatozoa. <i>Andrologia</i> , 2014 , 46, 1055-62	2.4	6
31	Importance of body condition score and ovarian activity on determining the fertility in beef cows supplemented with long-acting progesterone after timed-AI. <i>Animal Reproduction Science</i> , 2018 , 198, 27-36	2.1	6
30	Follicular dynamics, ovarian vascularity and luteal development in mares with early or late postpartum ovulation. <i>Theriogenology</i> , 2017 , 96, 23-30	2.8	5
29	Peri-ovulatory endocrine regulation of the prostanoid pathways in the bovine uterus at early dioestrus. <i>Reproduction, Fertility and Development</i> , 2017 , 29, 544-556	1.8	4
28	Reproductive performance of Bos indicus beef cows treated with different doses of equine chorionic gonadotropin at the end of a progesterone-estrogen based protocol for fixed-time artificial insemination. <i>Theriogenology</i> , 2018 , 118, 150-156	2.8	4
27	Uterine Vascular Perfusion and Involution During the Postpartum Period in Mares. <i>Journal of Equine Veterinary Science</i> , 2017 , 51, 61-69	1.2	4
26	Supplementation with long-acting progesterone in early diestrus in beef cattle: I. effect of artificial insemination on onset of luteolysis. <i>Domestic Animal Endocrinology</i> , 2019 , 67, 63-70	2.3	3
25	Assessment of the main pathogens associated with clinical and subclinical endometritis in cows by culture and MALDI-TOF mass spectrometry identification.. <i>Journal of Dairy Science</i> , 2022 , 105, 3367-3376		3
24	Gene expression profiling by high throughput sequencing to determine signatures for the bovine receptive uterus at early gestation. <i>Genomics Data</i> , 2015 , 5, 94-6		2
23	173 USE OF CORPUS LUTEUM AREA AS A PREDICTOR OF ONGOING FUNCTIONAL LUTEOLYSIS IN DAIRY HEIFERS. <i>Reproduction, Fertility and Development</i> , 2013 , 25, 235	1.8	2

22	11 FERTILITY RESPONSE IN SUCKLED BEEF COWS SUPPLEMENTED WITH LONG-ACTING PROGESTERONE AFTER TIMED ARTIFICIAL INSEMINATION. <i>Reproduction, Fertility and Development</i> , 2015 , 27, 98	1.8	2
21	Effects of estradiol treatments on PGF release in beef heifers submitted to estrous resynchronization 14 days after timed-AI. <i>Domestic Animal Endocrinology</i> , 2021 , 76, 106625	2.3	2
20	Supplemental progesterone induces temporal changes in luteal development and endometrial transcription in beef cattle. <i>Domestic Animal Endocrinology</i> , 2019 , 68, 126-134	2.3	2
19	Supplementation with long-acting progesterone in early diestrus in beef cattle: II. Relationships between follicle growth dynamics and luteolysis. <i>Domestic Animal Endocrinology</i> , 2019 , 68, 1-10	2.3	2
18	Unravelling the role of 17 β -estradiol on advancing uterine luteolytic cascade in cattle. <i>Domestic Animal Endocrinology</i> , 2022 , 78, 106653	2.3	2
17	Effects of Maternal Nutrition on Female Offspring Weight Gain and Sexual Development. <i>Frontiers in Genetics</i> , 2021 , 12, 737382	4.5	1
16	Influence of seminal plasma during different stages of bovine sperm cryopreservation. <i>Reproduction in Domestic Animals</i> , 2021 , 56, 872-883	1.6	1
15	Endometrial transcriptional profiling of a bovine fertility model by Next-Generation Sequencing. <i>Genomics Data</i> , 2016 , 7, 26-8		1
14	Effects of recombinant bovine somatotropin on pregnancy per artificial insemination, corpus luteum cellular composition and endometrial gland morphometry in beef cattle. <i>Theriogenology</i> , 2020 , 141, 180-185	2.8	1
13	An agent-based simulation model to compare different reproductive strategies in cow-calf operations: Technical performance. <i>Theriogenology</i> , 2021 , 160, 102-115	2.8	1
12	Small extracellular vesicles derived from in vivo- or in vitro-produced bovine blastocysts have different miRNAs profiles-Implications for embryo-maternal recognition. <i>Molecular Reproduction and Development</i> , 2021 , 88, 628-643	2.6	1
11	Peri-estrus ovarian, uterine, and hormonal variables determine the uterine luminal fluid metabolome in beef heifers. <i>Biology of Reproduction</i> , 2021 , 105, 1140-1153	3.9	1
10	Resynchronization of follicular wave using long-acting injectable progesterone or estradiol benzoate at 14 days post-timed AI in Bos taurus x Bos indicus beef heifers. <i>Theriogenology</i> , 2021 , 176, 194-199	2.8	1
9	Administration of PGF $_{2\alpha}$ at the moment of timed-AI using sex-sorted or conventional semen in suckled nelore cows with different intensity of estrus behavior. <i>Theriogenology</i> , 2021 , 174, 169-175	2.8	1
8	Comparison of three doses of estradiol benzoate for synchronization of follicular wave emergence in suckled beef cows. <i>Animal Reproduction</i> , 2021 , 18, e20210016	1.7	1
7	Feasibility and accuracy of using different methods to detect pregnancy by conceptus-stimulated genes in dairy cattle. <i>JDS Communications</i> , 2021 , 2, 153-158	1.4	0
6	Early resynchronization of follicular wave emergence among Nelore cattle using injectable and intravaginal progesterone for three timed artificial inseminations. <i>Animal Reproduction Science</i> , 2021 , 229, 106759	2.1	0
5	Reproductive seasonality influences oocyte retrieval and embryonic competence but not uterine receptivity in buffaloes. <i>Theriogenology</i> , 2021 , 170, 77-84	2.8	0

4	Comparison of estradiol benzoate doses for resynchronization of ovulation at 14 days after timed-AI in suckled beef cows.. <i>Theriogenology</i> , 2022 , 184, 41-50	2.8	o
3	Housing Conditions and a Challenge with Lipopolysaccharide on the Day of Estrus Can Influence Gene Expression of the Corpus Luteum in Gilts. <i>Genes</i> , 2022 , 13, 769	4.2	o
2	Supplementation with sunflower seeds in beef cattle did not impact on oocyte and in vitro embryo production. <i>Reproduction in Domestic Animals</i> , 2018 , 53, 801-808	1.6	
1	Uterine Involution of Mares Supplemented with Dietary Algae-Derived Omega-3 Fatty Acids During the Peripartum Period. <i>Journal of Equine Veterinary Science</i> , 2021 , 106, 103733	1.2	