List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3537013/publications.pdf Version: 2024-02-01

| | | 28190 | 28224 |
|----------|----------------|--------------|----------------|
| 114 | 11,483 | 55 | 105 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| | | | |
| 114 | 114 | 114 | 12708 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Recent Advancement of Nanostructured Carbon for Energy Applications. Chemical Reviews, 2015, 115, 5159-5223. | 23.0 | 703 |
| 2 | Flexible and Weaveable Capacitor Wire Based on a Carbon Nanocomposite Fiber. Advanced Materials, 2013, 25, 5965-5970. | 11.1 | 441 |
| 3 | MXene/Polymer Membranes: Synthesis, Properties, and Emerging Applications. Chemistry of Materials, 2020, 32, 1703-1747. | 3.2 | 429 |
| 4 | Energy harvesting and storage in 1D devices. Nature Reviews Materials, 2017, 2, . | 23.3 | 421 |
| 5 | Flexible and Stretchable Lithiumâ€lon Batteries and Supercapacitors Based on Electrically Conducting Carbon Nanotube Fiber Springs. Angewandte Chemie - International Edition, 2014, 53, 14564-14568. | 7.2 | 334 |
| 6 | A Novel Topâ€Down Synthesis of Ultrathin 2D Boron Nanosheets for Multimodal Imagingâ€Guided Cancer Therapy. Advanced Materials, 2018, 30, e1803031. | 11.1 | 318 |
| 7 | Twoâ€Dimensional Antimoneneâ€Based Photonic Nanomedicine for Cancer Theranostics. Advanced Materials, 2018, 30, e1802061. | 11.1 | 314 |
| 8 | Electrochromic Fiberâ \in Shaped Supercapacitors. Advanced Materials, 2014, 26, 8126-8132. | 11.1 | 306 |
| 9 | Elastic and Wearable Wireâ€Shaped Lithiumâ€Ion Battery with High Electrochemical Performance. Angewandte Chemie - International Edition, 2014, 53, 7864-7869. | 7.2 | 306 |
| 10 | Flexible, Stretchable, and Rechargeable Fiberâ€Shaped Zinc–Air Battery Based on Crossâ€Stacked Carbon Nanotube Sheets. Angewandte Chemie - International Edition, 2015, 54, 15390-15394. | 7.2 | 291 |
| 11 | Scalable production of high-performing woven lithium-ion fibre batteries. Nature, 2021, 597, 57-63. | 13.7 | 270 |
| 12 | Winding Aligned Carbon Nanotube Composite Yarns into Coaxial Fiber Full Batteries with High Performances. Nano Letters, 2014, 14, 3432-3438. | 4.5 | 224 |
| 13 | The recent progress of nitrogen-doped carbon nanomaterials for electrochemical batteries. Journal of Materials Chemistry A, 2018, 6, 12932-12944. | 5.2 | 218 |
| 14 | Weaving Sensing Fibers into Electrochemical Fabric for Realâ€Time Health Monitoring. Advanced Functional Materials, 2018, 28, 1804456. | 7.8 | 216 |
| 15 | An Allâ€Solidâ€State Fiberâ€Shaped Aluminum–Air Battery with Flexibility, Stretchability, and High Electrochemical Performance. Angewandte Chemie - International Edition, 2016, 55, 7979-7982. | 7.2 | 211 |
| 16 | Glutathione-Responsive Prodrug Nanoparticles for Effective Drug Delivery and Cancer Therapy. ACS Nano, 2019, 13, 357-370. | 7.3 | 204 |
| 17 | Advances in Wearable Fiberâ€Shaped Lithiumâ€lon Batteries. Advanced Materials, 2016, 28, 4524-4531. | 11.1 | 201 |
| 18 | A Selfâ€Healing Aqueous Lithiumâ€Ion Battery. Angewandte Chemie - International Edition, 2016, 55, 14384-14388 | 7.2 | 191 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Highâ€Performance Lithium–Air Battery with a Coaxialâ€Fiber Architecture. Angewandte Chemie - International Edition, 2016, 55, 4487-4491. | 7.2 | 189 |
| 20 | Kerr Nonlinearity in 2D Graphdiyne for Passive Photonic Diodes. Advanced Materials, 2019, 31, e1807981. | 11.1 | 187 |
| 21 | A Gumâ€Like Lithiumâ€lon Battery Based on a Novel Arched Structure. Advanced Materials, 2015, 27, 1363-1369. | 11.1 | 185 |
| 22 | Fabricating Continuous Supercapacitor Fibers with High Performances by Integrating All Building Materials and Steps into One Process. Advanced Materials, 2015, 27, 7854-7860. | 11.1 | 176 |
| 23 | Graphdiyneâ€Based Flexible Photodetectors with High Responsivity and Detectivity. Advanced Materials, 2020, 32, e2001082. | 11.1 | 171 |
| 24 | Super-stretchy lithium-ion battery based on carbon nanotube fiber. Journal of Materials Chemistry A, 2014, 2, 11054. | 5.2 | 167 |
| 25 | Recent Advances in Oxidation Stable Chemistry of 2D MXenes. Advanced Materials, 2022, 34, e2107554. | 11.1 | 163 |
| 26 | The pâ€Orbital Delocalization of Mainâ€Group Metals to Boost CO ₂ Electroreduction. Angewandte Chemie - International Edition, 2018, 57, 16114-16119. | 7.2 | 159 |
| 27 | One-Pot Synthesis and Purification of Ultralong Silver Nanowires for Flexible Transparent Conductive Electrodes. ACS Applied Materials & Interfaces, 2017, 9, 25465-25473. | 4.0 | 145 |
| 28 | A Shapeâ€Memory Supercapacitor Fiber. Angewandte Chemie - International Edition, 2015, 54, 15419-15423. | 7.2 | 141 |
| 29 | Design of a Hierarchical Ternary Hybrid for a Fiber-Shaped Asymmetric Supercapacitor with High Volumetric Energy Density. Journal of Physical Chemistry C, 2016, 120, 9685-9691. | 1.5 | 140 |
| 30 | Two-Dimensional Tellurium: Progress, Challenges, and Prospects. Nano-Micro Letters, 2020, 12, 99. | 14.4 | 139 |
| 31 | Bis-imidazolium based poly(ionic liquid) electrolytes for quasi-solid-state dye-sensitized solar cells. Journal of Materials Chemistry, 2012, 22, 18018. | 6.7 | 135 |
| 32 | A fiber-shaped aqueous lithium ion battery with high power density. Journal of Materials Chemistry A, 2016, 4, 9002-9008. | 5.2 | 132 |
| 33 | Enhanced Photodetection Properties of Tellurium@Selenium Rollâ€ŧoâ€Roll Nanotube Heterojunctions. Small, 2019, 15, e1900902. | 5.2 | 120 |
| 34 | Recent Progress in Solid Electrolytes for Energy Storage Devices. Advanced Functional Materials, 2020, 30, 2000077. | 7.8 | 115 |
| 35 | Engineering Polymer Glue towards 90% Zinc Utilization for 1000 Hours to Make Highâ€Performance Zn″on Batteries. Advanced Functional Materials, 2021, 31, 2107652. | 7.8 | 115 |
| 36 | A Li–Air Battery with Ultralong Cycle Life in Ambient Air. Advanced Materials, 2018, 30, 1704378. | 11.1 | 113 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Stabilizing Lithium into Crossâ€Stacked Nanotube Sheets with an Ultraâ€High Specific Capacity for Lithium Oxygen Batteries. Angewandte Chemie - International Edition, 2019, 58, 2437-2442. | 7.2 | 111 |
| 38 | Fiber-based MnO2/carbon nanotube/polyimide asymmetric supercapacitor. Carbon, 2017, 125, 595-604. | 5.4 | 108 |
| 39 | Aligned carbon nanotube/molybdenum disulfide hybrids for effective fibrous supercapacitors and lithium ion batteries. Journal of Materials Chemistry A, 2015, 3, 17553-17557. | 5.2 | 103 |
| 40 | The Recent Advance in Fiberâ€Shaped Energy Storage Devices. Advanced Electronic Materials, 2019, 5, 1800456. | 2.6 | 103 |
| 41 | Weaving Efficient Polymer Solar Cell Wires into Flexible Power Textiles. Advanced Energy Materials, 2014, 4, 1301750. | 10.2 | 100 |
| 42 | A flexible and self-formed sandwich structure strain sensor based on AgNW decorated electrospun fibrous mats with excellent sensing capability and good oxidation inhibition properties. Journal of Materials Chemistry C, 2017, 5, 7035-7042. | 2.7 | 100 |
| 43 | Realizing both High Energy and High Power Densities by Twisting Three Carbonâ€Nanotubeâ€Based Hybrid Fibers. Angewandte Chemie - International Edition, 2015, 54, 11177-11182. | 7.2 | 97 |
| 44 | Recent advances in doping engineering of black phosphorus. Journal of Materials Chemistry A, 2020, 8, 5421-5441. | 5.2 | 93 |
| 45 | The Rise of Fiber Electronics. Angewandte Chemie - International Edition, 2019, 58, 13643-13653. | 7.2 | 86 |
| 46 | Ultrafast Relaxation Dynamics and Nonlinear Response of Few‣ayer Niobium Carbide MXene. Small Methods, 2020, 4, 2000250. | 4.6 | 84 |
| 47 | Highly stable MXene (V ₂ CT _x)-based harmonic pulse generation. Nanophotonics, 2020, 9, 2577-2585. | 2.9 | 83 |
| 48 | Stretchable lithium-air batteries for wearable electronics. Journal of Materials Chemistry A, 2016, 4, 13419-13424. | 5.2 | 82 |
| 49 | Stretchable Polymer Solar Cell Fibers. Small, 2015, 11, 675-680. | 5.2 | 75 |
| 50 | Multifunctional Fibers to Shape Future Biomedical Devices. Advanced Functional Materials, 2019, 29, 1902834. | 7.8 | 74 |
| 51 | Functional two-dimensional black phosphorus nanostructures towards next-generation devices. Journal of Materials Chemistry A, 2021, 9, 12433-12473. | 5.2 | 73 |
| 52 | Flexible electroluminescent fiber fabricated from coaxially wound carbon nanotube sheets. Journal of Materials Chemistry C, 2015, 3, 5621-5624. | 2.7 | 69 |
| 53 | A Tissueâ€Like Soft Allâ€Hydrogel Battery. Advanced Materials, 2022, 34, e2105120. | 11.1 | 65 |
| 54 | Carbon nanomaterials for flexible lithium ion batteries. Carbon, 2017, 124, 79-88. | 5.4 | 64 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | An Ultraflexible Silicon–Oxygen Battery Fiber with High Energy Density. Angewandte Chemie - International Edition, 2017, 56, 13741-13746. | 7.2 | 59 |
| 56 | Graphdiyne as a Promising Midâ€Infrared Nonlinear Optical Material for Ultrafast Photonics. Advanced Optical Materials, 2020, 8, 2000067. | 3.6 | 57 |
| 57 | Emerging black phosphorus analogue nanomaterials for high-performance device applications. Journal of Materials Chemistry C, 2020, 8, 1172-1197. | 2.7 | 54 |
| 58 | Black Phosphorus/Polymers: Status and Challenges. Advanced Materials, 2021, 33, e2100113. | 11.1 | 53 |
| 59 | Phosphorylation of Histone H2A Inhibits Transcription on Chromatin Templates. Journal of Biological Chemistry, 2004, 279, 21866-21872. | 1.6 | 52 |
| 60 | Ultra‧mall 2D PbS Nanoplatelets: Liquidâ€Phase Exfoliation and Emerging Applications for Photoâ€Electrochemical Photodetectors. Small, 2021, 17, e2005913. | 5.2 | 50 |
| 61 | Two-dimensional beta-lead oxide quantum dots. Nanoscale, 2018, 10, 20540-20547. | 2.8 | 49 |
| 62 | Selfâ€Healable Black Phosphorus Photodetectors. Advanced Functional Materials, 2019, 29, 1906610. | 7.8 | 48 |
| 63 | A redox-active gel electrolyte for fiber-shaped supercapacitor with high area specific capacitance. Journal of Materials Chemistry A, 2015, 3, 6286-6290. | 5.2 | 47 |
| 64 | Epitaxial Growth of Topological Insulators on Semiconductors (Bi ₂ Se ₃ /Te@Se) toward Highâ€Performance Photodetectors. Small Methods, 2019, 3, 1900349. | 4.6 | 45 |
| 65 | Van der Waals Integration of Bismuth Quantum Dots–Decorated Tellurium Nanotubes (Te@Bi) Heterojunctions and Plasmaâ€Enhanced Optoelectronic Applications. Small, 2019, 15, e1903233. | 5.2 | 45 |
| 66 | Synthesis of Ultralong Copper Nanowires for High-Performance Flexible Transparent Conductive Electrodes: The Effects of Polyhydric Alcohols. Langmuir, 2018, 34, 3884-3893. | 1.6 | 44 |
| 67 | A Lithium–Air Battery Stably Working at High Temperature with High Rate Performance. Small, 2018, 14, 1703454. | 5.2 | 44 |
| 68 | Structural Transformative Antioxidants for Dualâ€Responsive Antiâ€Inflammatory Delivery and Photoacoustic Inflammation Imaging. Angewandte Chemie - International Edition, 2021, 60, 14458-14466. | 7.2 | 43 |
| 69 | Integrating photovoltaic conversion and lithium ion storage into a flexible fiber. Journal of Materials Chemistry A, 2016, 4, 7601-7605. | 5.2 | 42 |
| 70 | Plasmonic copper nanowire@TiO2 nanostructures for improving the performance of dye-sensitized solar cells. Journal of Power Sources, 2017, 342, 292-300. | 4.0 | 36 |
| 71 | A self-healing and stretchable light-emitting device. Journal of Materials Chemistry C, 2018, 6, 12774-12780. | 2.7 | 36 |
| 72 | Two-dimensional materials toward Terahertz optoelectronic device applications. Journal of Photochemistry and Photobiology C: Photochemistry Reviews, 2022, 51, 100473. | 5.6 | 36 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Recent Advances of Spatial Selfâ€Phase Modulation in 2D Materials and Passive Photonic Device Applications. Small, 2020, 16, e2002252. | 5.2 | 35 |
| 74 | Elastic and wearable ring-type supercapacitors. Journal of Materials Chemistry A, 2016, 4, 3217-3222. | 5.2 | 34 |
| 75 | Stretchable Energy Storage Devices Based on Carbon Materials. Small, 2021, 17, e2005015. | 5.2 | 34 |
| 76 | Designing of 0D/2D mixed-dimensional van der waals heterojunction over ultrathin g-C3N4 for high-performance flexible self-powered photodetector. Chemical Engineering Journal, 2021, 420, 129556. | 6.6 | 34 |
| 77 | Few-layer hexagonal bismuth telluride (Bi ₂ Te ₃) nanoplates with high-performance UV-Vis photodetection. Nanoscale Advances, 2020, 2, 1333-1339. | 2.2 | 33 |
| 78 | Recent Applications of Graphene in Dye-sensitized Solar Cells. Current Opinion in Colloid and Interface Science, 2015, 20, 406-415. | 3.4 | 31 |
| 79 | Plasmonâ€Induced Broadband Lightâ€Harvesting for Dyeâ€Sensitized Solar Cells Using a Mixture of Gold Nanocrystals. ChemSusChem, 2016, 9, 813-819. | 3.6 | 31 |
| 80 | Injectable fiber batteries for all-region power supply <i>in vivo</i> . Journal of Materials Chemistry A, 2021, 9, 1463-1470. | 5.2 | 31 |
| 81 | A Core–Sheath Sensing Yarnâ€BasedÂElectrochemical Fabric System for Powerful Sweat Capture and Stable Sensing. Advanced Functional Materials, 2022, 32, . | 7.8 | 30 |
| 82 | Sticky-note supercapacitors. Journal of Materials Chemistry A, 2018, 6, 3355-3360. | 5.2 | 28 |
| 83 | Synthesis and optoelectronics of mixed-dimensional Bi/Te binary heterostructures. Nanoscale Horizons, 2020, 5, 847-856. | 4.1 | 28 |
| 84 | RANTES-mediated Chemokine Transcription in Astrocytes Involves Activation and Translocation of p90 Ribosomal S6 Protein Kinase (RSK). Journal of Biological Chemistry, 2002, 277, 19042-19048. | 1.6 | 26 |
| 85 | Failure mechanism in fiber-shaped electrodes for lithium-ion batteries. Journal of Materials Chemistry A, 2015, 3, 10942-10948. | 5.2 | 26 |
| 86 | Designing one-dimensional supercapacitors in a strip shape for high performance energy storage fabrics. Journal of Materials Chemistry A, 2015, 3, 19304-19309. | 5.2 | 26 |
| 87 | Synthesis of ultrathin semicircle-shaped copper nanowires in ethanol solution for low haze flexible transparent conductors. Nano Research, 2018, 11, 3899-3910. | 5.8 | 25 |
| 88 | All-optical logic devices based on black arsenic–phosphorus with strong nonlinear optical response and high stability. Opto-Electronic Advances, 2022, 5, 200046-200046. | 6.4 | 25 |
| 89 | Alignment of Thermally Conducting Nanotubes Making High-Performance Light-Driving Motors. ACS Applied Materials & Interfaces, 2018, 10, 26765-26771. | 4.0 | 24 |
| 90 | Solar-blind deep-ultraviolet photodetectors based on solution-synthesized quasi-2D Te nanosheets. Nanophotonics, 2020, 9, 2459-2466. | 2.9 | 24 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | The rise of 2D materials/ferroelectrics for next generation photonics and optoelectronics devices. APL Materials, 2022, 10, . | 2.2 | 23 |
| 92 | Quantum confinement-induced enhanced nonlinearity and carrier lifetime modulation in two-dimensional tin sulfide. Nanophotonics, 2020, 9, 1963-1972. | 2.9 | 22 |
| 93 | Injectable Fiber Electronics for Tumor Treatment. Advanced Fiber Materials, 2022, 4, 246-255. | 7.9 | 21 |
| 94 | 1D@0D hybrid dimensional heterojunction-based photonics logical gate and isolator. Applied Materials Today, 2020, 19, 100589. | 2.3 | 19 |
| 95 | Gradually Crosslinking Carbon Nanotube Array in Mimicking the Beak of Giant Squid for Compressionâ€5ensing Supercapacitor. Advanced Functional Materials, 2020, 30, 1902971. | 7.8 | 18 |
| 96 | Highly efficient dye-sensitized solar cells based on low concentration organic thiolate/disulfide redox couples. RSC Advances, 2016, 6, 70460-70467. | 1.7 | 17 |
| 97 | Atom-precise incorporation of platinum into ultrafine transition metal carbides for efficient synergetic electrochemical hydrogen evolution. Journal of Materials Chemistry A, 2020, 8, 4911-4919. | 5.2 | 17 |
| 98 | Dye-sensitized solar cells based on cobalt-containing room temperature ionic liquid redox shuttles. RSC Advances, 2017, 7, 13689-13695. | 1.7 | 14 |
| 99 | Photodetectors: Enhanced Photodetection Properties of Tellurium@Selenium Rollâ€ŧoâ€Roll Nanotube Heterojunctions (Small 23/2019). Small, 2019, 15, 1970125. | 5.2 | 14 |
| 100 | Designing Porous Antifouling Interfaces for Highâ€₽ower Implantable Biofuel Cell. Advanced Functional Materials, 2021, 31, 2107160. | 7.8 | 14 |
| 101 | Negative role of cAMPâ€dependent protein kinase A in RANTESâ€mediated transcription of proinflammatory mediators through Raf. FASEB Journal, 2003, 17, 734-736. | 0.2 | 10 |
| 102 | Inorganic salt templated porous TiO ₂ photoelectrode for solid-state dye-sensitized solar cells. RSC Advances, 2016, 6, 346-352. | 1.7 | 9 |
| 103 | Tellurium@Selenium core-shell hetero-junction: Facile synthesis, nonlinear optics, and ultrafast photonics applications towards mid-infrared regime. Applied Materials Today, 2020, 20, 100657. | 2.3 | 9 |
| 104 | Multifunctional VI–VI binary heterostructure-based self-powered pH-sensitive photo-detector. Journal of Materials Chemistry C, 2020, 8, 5991-6000. | 2.7 | 8 |
| 105 | Highâ€Energyâ€Density Magnesiumâ€Air Battery Based on Dual‣ayer Gel Electrolyte. Angewandte Chemie, 2021, 133, 15445-15450. | 1.6 | 8 |
| 106 | Dual-function optoelectronic polymer device for photoelectric conversion and electroluminescence. Journal of Materials Chemistry C, 2016, 4, 1144-1148. | 2.7 | 6 |
| 107 | Photodetectors: Graphdiyneâ€Based Flexible Photodetectors with High Responsivity and Detectivity (Adv. Mater. 23/2020). Advanced Materials, 2020, 32, 2070175. | 11.1 | 5 |
| 108 | Cancer Theranostics: A Novel Top-Down Synthesis of Ultrathin 2D Boron Nanosheets for Multimodal Imaging-Guided Cancer Therapy (Adv. Mater. 36/2018). Advanced Materials, 2018, 30, 1870268. | 11.1 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Structural Transformative Antioxidants for Dualâ€Responsive Antiâ€Inflammatory Delivery and Photoacoustic Inflammation Imaging. Angewandte Chemie, 2021, 133, 14579-14587. | 1.6 | 4 |
| 110 | Flexible Tellurium-Based Electrode for High-Performance Lithium-Tellurium Battery. Nanomaterials, 2021, 11, 2903. | 1.9 | 4 |
| 111 | Tellurium Nanotubes and Chemical Analogues from Preparation to Applications: A Minor Review. Nanomaterials, 2022, 12, 2151. | 1.9 | 4 |
| 112 | Cancer Theranostics: Twoâ€Dimensional Antimoneneâ€Based Photonic Nanomedicine for Cancer Theranostics (Adv. Mater. 38/2018). Advanced Materials, 2018, 30, 1870283. | 11.1 | 3 |
| 113 | Tunable Nonlinearity in 2D Graphdiyne Oxide for Highâ€Performance Allâ€Optical Modulation. Advanced Optical Materials, 2022, 10, . | 3.6 | 3 |
| 114 | High-performance fiber-shaped lithium-ion batteries. Pure and Applied Chemistry, 2020, 92, 767-772. | 0.9 | 2 |