

Elisabeth B Marsh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3537607/elisabeth-b-marsh-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

701
citations

14
h-index

24
g-index

56
ext. papers

870
ext. citations

4
avg, IF

4.25
L-index

#	Paper	IF	Citations
53	Bilaterally Reduced Rolandic Beta Band Activity in Minor Stroke Patients.. <i>Frontiers in Neurology</i> , 2022 , 13, 819603	4.1	0
52	Multidomain cognitive dysfunction after minor stroke suggests generalized disruption of cognitive networks.. <i>Brain and Behavior</i> , 2022 , e2571	3.4	1
51	When less is more: Non-contrast head CT alone to work-up hypertensive intracerebral hemorrhage.. <i>Journal of Clinical Neuroscience</i> , 2022 , 100, 108-112	2.2	
50	The telemedicine experience: using principles of clinical excellence to identify disparities and optimize care.. <i>Medicine (United States)</i> , 2022 , 101, e29017	1.8	0
49	Novel Score for Stratifying Risk of Critical Care Needs in Patients With Intracerebral Hemorrhage. <i>Neurology</i> , 2021 , 96, e2458-e2468	6.5	4
48	COVID-19 and Vaccination in the Setting of Neurologic Disease: An Emerging Issue in Neurology. <i>Neurology</i> , 2021 ,	6.5	6
47	The Maryland Acute Stroke Emergency Medical Services Routing Pilot: Expediting Access to Thrombectomy for Stroke. <i>Frontiers in Neurology</i> , 2021 , 12, 663472	4.1	1
46	The Routine Follow-up Head CT: Is it Still a Necessary Step in the Thrombolysis Pathway?. <i>Neurocritical Care</i> , 2021 , 1	3.3	0
45	Early Post-stroke Cognition: In-hospital Predictors and the Association With Functional Outcome. <i>Frontiers in Neurology</i> , 2020 , 11, 613607	4.1	4
44	Poststroke acute dysexecutive syndrome, a disorder resulting from minor stroke due to disruption of network dynamics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 33578-33585	11.5	4
43	Identifying Delirium Early after Stroke: A New Prediction Tool for the Intensive Care Unit. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020 , 29, 105219	2.8	3
42	Comparison of Traumatic Intracranial Hemorrhage Expansion and Outcomes Among Patients on Direct Oral Anticoagulants Versus Vitamin k Antagonists. <i>Neurocritical Care</i> , 2020 , 32, 407-418	3.3	9
41	The Post-Pipeline Headache: New Headaches Following Flow Diversion for Intracranial Aneurysm. <i>Journal of Vascular and Interventional Neurology</i> , 2020 , 11, 34-39	1.3	
40	Resource Allocation: Stable Patients Remain Stable 12-24h Post-tPA. <i>Neurocritical Care</i> , 2020 , 33, 582-586	3.6	4
39	Intravenous Tissue Plasminogen Activator in Combination With Mechanical Thrombectomy: Clot Migration, Intracranial Bleeding, and the Impact of "Drip and Ship" on Effectiveness and Outcomes. <i>Frontiers in Neurology</i> , 2020 , 11, 585929	4.1	6
38	Differing Surgical Outcomes in a Multiethnic Cohort Suggest Racial Phenotypes in Moyamoya Disease. <i>World Neurosurgery</i> , 2019 , 128, e865-e872	2.1	2
37	A Therapeutic International Normalized Ratio Results in Smaller Infarcts and Better Outcomes for Patients with Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019 , 28, 104278	2.8	1

36	Racial phenotypes in moyamoya disease: a comparative analysis of clinical presentation and natural history in a single multiethnic cohort of 250 hemispheres. <i>Journal of Neurosurgery</i> , 2019 , 1-7	3.2	7
35	Shorter Intensive Care Unit Stays? The Majority of Post-Intravenous tPA (Tissue-Type Plasminogen Activator) Symptomatic Hemorrhages Occur Within 12 Hours of Treatment. <i>Stroke</i> , 2018 , 49, 1521-1524	6.7	10
34	Pre-stroke employment results in better patient-reported outcomes after minor stroke: Short title: Functional outcomes after minor stroke. <i>Clinical Neurology and Neurosurgery</i> , 2018 , 165, 38-42	2	11
33	Streamlining the Process for Intravenous Tissue Plasminogen Activator. <i>Journal of Neuroscience Nursing</i> , 2018 , 50, 37-41	1.5	3
32	Cerebral microbleeds shouldn't dictate treatment of acute stroke: a retrospective cohort study evaluating risk of intracerebral hemorrhage. <i>BMC Neurology</i> , 2018 , 18, 33	3.1	10
31	Collaterals Predict Outcome Regardless of Time Last Known Normal. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, 971-977	2.8	9
30	Residency Training: Enhancing resiliency in our residents: Combining the principles of business and neurobiology. <i>Neurology</i> , 2018 , 91, e1721-e1723	6.5	7
29	Chronic post-stroke fatigue: It may no longer be about the stroke itself. <i>Clinical Neurology and Neurosurgery</i> , 2018 , 174, 192-197	2	29
28	Safety of intravenous alteplase within 4.5 hours for patients awakening with stroke symptoms. <i>PLoS ONE</i> , 2018 , 13, e0197714	3.7	14
27	Isolated aphasia in the emergency department: The likelihood of ischemia is low. <i>Clinical Neurology and Neurosurgery</i> , 2017 , 163, 24-26	2	8
26	In Potential Stroke Patients on Warfarin, the International Normalized Ratio Predicts Ischemia. <i>Cerebrovascular Diseases Extra</i> , 2017 , 7, 111-119	2.1	2
25	Keep it simple: vascular risk factors and focal exam findings correctly identify posterior circulation ischemia in "dizzy" patients. <i>BMC Emergency Medicine</i> , 2016 , 16, 37	2.4	7
24	The Need for a Rational Approach to Vasoconstrictive Syndromes: Transcranial Doppler and Calcium Channel Blockade in Reversible Cerebral Vasoconstriction Syndrome. <i>Case Reports in Neurology</i> , 2016 , 8, 161-171	1	12
23	The NIH Stroke Scale Has Limited Utility in Accurate Daily Monitoring of Neurologic Status. <i>Neurohospitalist</i> , 2016 , 6, 97-101	1.1	16
22	Troponin elevation predicts critical care needs and in-hospital mortality after thrombolysis in white but not black stroke patients. <i>Journal of Critical Care</i> , 2016 , 32, 3-8	4	4
21	ICAT: a simple score predicting critical care needs after thrombolysis in stroke patients. <i>Critical Care</i> , 2016 , 20, 26	10.8	11
20	Predicting Hemorrhagic Transformation of Acute Ischemic Stroke: Prospective Validation of the HeRS Score. <i>Medicine (United States)</i> , 2016 , 95, e2430	1.8	27
19	Race-Specific Predictors of Mortality in Intracerebral Hemorrhage: Differential Impacts of Intraventricular Hemorrhage and Age Among Blacks and Whites. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	12

18	Infarct volume predicts critical care needs in stroke patients treated with intravenous thrombolysis. <i>Neuroradiology</i> , 2015 , 57, 171-8	3.2	9
17	Novel score predicting gastrostomy tube placement in intracerebral hemorrhage. <i>Stroke</i> , 2015 , 46, 31-6	6.7	25
16	Critical Care Needs in Patients with Diffusion-Weighted Imaging Negative MRI after tPA--Does One Size Fit All?. <i>PLoS ONE</i> , 2015 , 10, e0141204	3.7	3
15	Predictors of critical care needs after IV thrombolysis for acute ischemic stroke. <i>PLoS ONE</i> , 2014 , 9, e88657	5.7	29
14	The Association between Specific Substances of Abuse and Subcortical Intracerebral Hemorrhage Versus Ischemic Lacunar Infarction. <i>Frontiers in Neurology</i> , 2014 , 5, 174	4.1	10
13	Predicting symptomatic intracerebral hemorrhage versus lacunar disease in patients with longstanding hypertension. <i>Stroke</i> , 2014 , 45, 1679-83	6.7	13
12	Hemorrhagic transformation in patients with acute ischaemic stroke and an indication for anticoagulation. <i>European Journal of Neurology</i> , 2013 , 20, 962-7	6	33
11	Serum creatinine may indicate risk of symptomatic intracranial hemorrhage after intravenous tissue plasminogen activator (IV tPA). <i>Medicine (United States)</i> , 2013 , 92, 317-323	1.8	18
10	Diagnosing CNS vasculitis: the case against empiric treatment. <i>Neurologist</i> , 2012 , 18, 233-8	1.6	15
9	Hemispherectomy sustained before adulthood does not cause persistent hemispatial neglect. <i>Cortex</i> , 2009 , 45, 677-85	3.8	13
8	Dissociation between egocentric and allocentric visuospatial and tactile neglect in acute stroke. <i>Cortex</i> , 2008 , 44, 1215-20	3.8	64
7	Neural regions essential for reading and spelling of words and pseudowords. <i>Annals of Neurology</i> , 2007 , 62, 481-92	9.4	86
6	A cut above. <i>American Journal of Medicine</i> , 2007 , 120, 1031-3	2.4	3
5	Recovery from aphasia following brain injury: the role of reorganization. <i>Progress in Brain Research</i> , 2006 , 157, 143-56	2.9	42
4	The outcome of children with intractable seizures: a 3- to 6-year follow-up of 67 children who remained on the ketogenic diet less than one year. <i>Epilepsia</i> , 2006 , 47, 425-30	6.4	43
3	Cognitive and neural mechanisms underlying reading and naming: evidence from letter-by-letter reading and optic aphasia. <i>Neurocase</i> , 2005 , 11, 325-37	0.8	40
2	Aphasia and stroke	184-194	1
1	Bilaterally Reduced Rolandic Beta Band Activity in Minor Stroke Patients		3

