

Maurice P Zeegers

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3538343/maurice-p-zeegers-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179
papers

5,616
citations

39
h-index

70
g-index

189
ext. papers

6,864
ext. citations

5.4
avg, IF

5.51
L-index

#	Paper	IF	Citations
179	Sequence variants at the TERT-CLPTM1L locus associate with many cancer types. <i>Nature Genetics</i> , 2009 , 41, 221-7	36.3	509
178	Sequence variant on 8q24 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2008 , 40, 1307-12	36.3	332
177	Genetic variation in the prostate stem cell antigen gene PSCA confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2009 , 41, 991-5	36.3	270
176	Epidemiology of urinary bladder cancer: from tumor development to patient's death. <i>World Journal of Urology</i> , 2007 , 25, 285-95	4	203
175	Muscle fibre type shifting in the vastus lateralis of patients with COPD is associated with disease severity: a systematic review and meta-analysis. <i>Thorax</i> , 2007 , 62, 944-9	7.3	165
174	Pulmonary function in diabetes: a metaanalysis. <i>Chest</i> , 2010 , 138, 393-406	5.3	139
173	A sequence variant at 4p16.3 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2010 , 42, 415-9	36.3	138
172	Pancreatic cancer: overview of descriptive epidemiology. <i>Molecular Carcinogenesis</i> , 2012 , 51, 3-13	5	136
171	FADS1 FADS2 gene variants modify the association between fish intake and the docosahexaenoic acid proportions in human milk. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1368-76	7	127
170	Pregnancy outcomes among adult survivors of childhood cancer in the British Childhood Cancer Survivor Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2239-47	4	109
169	European genome-wide association study identifies SLC14A1 as a new urinary bladder cancer susceptibility gene. <i>Human Molecular Genetics</i> , 2011 , 20, 4268-81	5.6	105
168	Modifiable risk factors for the prevention of bladder cancer: a systematic review of meta-analyses. <i>European Journal of Epidemiology</i> , 2016 , 31, 811-51	12.1	104
167	Demographic risk factors for COVID-19 infection, severity, ICU admission and death: a meta-analysis of 59 studies. <i>BMJ Open</i> , 2021 , 11, e044640	3	98
166	Quantified relations between exposure to tobacco smoking and bladder cancer risk: a meta-analysis of 89 observational studies. <i>International Journal of Epidemiology</i> , 2016 , 45, 857-70	7.8	91
165	Multimorbidity and quality of life: Systematic literature review and meta-analysis. <i>Ageing Research Reviews</i> , 2019 , 53, 100903	12	90
164	Are men with low selenium levels at increased risk of prostate cancer?. <i>European Journal of Cancer</i> , 2006 , 42, 2463-71	7.5	88
163	Improvements in the Long-Term Outcome of Crohn's Disease Over the Past Two Decades and the Relation to Changes in Medical Management: Results from the Population-Based IBDSL Cohort. <i>American Journal of Gastroenterology</i> , 2017 , 112, 325-336	0.7	85

162	Genomic complexity of urothelial bladder cancer revealed in urinary cfDNA. <i>European Journal of Human Genetics</i> , 2016 , 24, 1167-74	5.3	85
161	Health-status of adult survivors of childhood cancer: a large-scale population-based study from the British Childhood Cancer Survivor Study. <i>International Journal of Cancer</i> , 2007 , 121, 633-40	7.5	85
160	Epidemiology and Long-term Outcome of Inflammatory Bowel Disease Diagnosed at Elderly Age-An Increasing Distinct Entity?. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1425-34	4.5	83
159	Scientific citations favor positive results: a systematic review and meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2017 , 88, 92-101	5.7	82
158	A meta-analysis on the association between bladder cancer and occupation. <i>Scandinavian Journal of Urology and Nephrology</i> , 2008 , 64-78		77
157	Fruit consumption reduces the effect of smoking on bladder cancer risk. The Belgian case control study on bladder cancer. <i>International Journal of Cancer</i> , 2006 , 118, 2572-8	7.5	59
156	Heritability of body mass index in pre-adolescence, young adulthood and late adulthood. <i>European Journal of Epidemiology</i> , 2012 , 27, 247-53	12.1	58
155	UroMark-a urinary biomarker assay for the detection of bladder cancer. <i>Clinical Epigenetics</i> , 2017 , 9, 8	7.7	55
154	Multiplex PCR and Next Generation Sequencing for the Non-Invasive Detection of Bladder Cancer. <i>PLoS ONE</i> , 2016 , 11, e0149756	3.7	52
153	Lower placental telomere length may be attributed to maternal residential traffic exposure; a twin study. <i>Environment International</i> , 2015 , 79, 1-7	12.9	51
152	Selenium is inversely associated with bladder cancer risk: a report from the Belgian case-control study on bladder cancer. <i>International Journal of Urology</i> , 2006 , 13, 1180-4	2.3	51
151	Does occupational exposure to PAHs, diesel and aromatic amines interact with smoking and metabolic genetic polymorphisms to increase the risk on bladder cancer?; The Belgian case control study on bladder cancer risk. <i>Cancer Letters</i> , 2007 , 245, 51-60	9.9	48
150	Disease Outcome of Ulcerative Colitis in an Era of Changing Treatment Strategies: Results from the Dutch Population-Based IBDSL Cohort. <i>Journal of Crohns and Colitis</i> , 2015 , 9, 837-45	1.5	46
149	Association between polyunsaturated fatty acid concentrations in maternal plasma phospholipids during pregnancy and offspring adiposity at age 7: the MEFAB cohort. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2014 , 91, 81-5	2.8	46
148	Minerals and vitamins and the risk of bladder cancer: results from the New Hampshire Study. <i>Cancer Causes and Control</i> , 2010 , 21, 609-19	2.8	45
147	Twin-specific intrauterine growth charts based on cross-sectional birthweight data. <i>Twin Research and Human Genetics</i> , 2008 , 11, 224-35	2.2	45
146	The West Midlands Bladder Cancer Prognosis Programme: rationale and design. <i>BJU International</i> , 2010 , 105, 784-8	5.6	43
145	Inflammatory bowel disease, cancer and medication: Cancer risk in the Dutch population-based IBDSL cohort. <i>International Journal of Cancer</i> , 2016 , 139, 1270-80	7.5	43

144	Telomere tracking from birth to adulthood and residential traffic exposure. <i>BMC Medicine</i> , 2017 , 15, 205	11.4	41
143	Mechanisms of recurrence of Ta/T1 bladder cancer. <i>Annals of the Royal College of Surgeons of England</i> , 2010 , 92, 519-24	1.4	41
142	Nitrate intake does not influence bladder cancer risk: the Netherlands cohort study. <i>Environmental Health Perspectives</i> , 2006 , 114, 1527-31	8.4	41
141	Use of selenium in chemoprevention of bladder cancer. <i>Lancet Oncology, The</i> , 2006 , 7, 766-74	21.7	40
140	How strong is the association between CAG and GGN repeat length polymorphisms in the androgen receptor gene and prostate cancer risk?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 1765-71	4.1	39
139	Genetic marker polymorphisms on chromosome 8q24 and prostate cancer in the Dutch population: DG8S737 may not be the causative variant. <i>European Journal of Human Genetics</i> , 2011 , 19, 118-20	5.3	38
138	Behavioural changes, sharing behaviour and psychological responses after receiving direct-to-consumer genetic test results: a systematic review and meta-analysis. <i>Journal of Community Genetics</i> , 2018 , 9, 1-18	2.5	37
137	Nutrient-based dietary patterns and pancreatic cancer risk. <i>Annals of Epidemiology</i> , 2013 , 23, 124-8	6.4	37
136	Biomarkers in bladder cancer. <i>BJU International</i> , 2010 , 105, 608-13	5.6	36
135	Incidence of microscopic colitis in the Netherlands. A nationwide population-based study from 2000 to 2012. <i>Digestive and Liver Disease</i> , 2015 , 47, 30-6	3.3	35
134	Analysis of germline variants in CDH1, IGFBP3, MMP1, MMP3, STK15 and VEGF in familial and sporadic renal cell carcinoma. <i>PLoS ONE</i> , 2009 , 4, e6037	3.7	34
133	Impact of dietary patterns and the main food groups on mortality and recurrence in cancer survivors: a systematic review of current epidemiological literature. <i>BMJ Open</i> , 2018 , 8, e014530	3	32
132	Expression of Engrailed-2 (EN2) protein in bladder cancer and its potential utility as a urinary diagnostic biomarker. <i>European Journal of Cancer</i> , 2013 , 49, 2214-22	7.5	32
131	Smoking is associated with lower age, higher grade, higher stage, and larger size of malignant bladder tumors at diagnosis. <i>International Journal of Cancer</i> , 2013 , 133, 446-54	7.5	32
130	Consumption of animal products, olive oil and dietary fat and results from the Belgian case-control study on bladder cancer risk. <i>European Journal of Cancer</i> , 2011 , 47, 436-42	7.5	32
129	An empirical study on the preferred size of the participant information sheet in research. <i>Journal of Medical Ethics</i> , 2011 , 37, 557-62	2.5	32
128	A 20-Year Temporal Change Analysis in Incidence, Presenting Phenotype and Mortality, in the Dutch IBDSL Cohort-Can Diagnostic Factors Explain the Increase in IBD Incidence?. <i>Journal of Crohns and Colitis</i> , 2017 , 11, 1169-1179	1.5	31
127	Fish and seafood consumption during pregnancy and the risk of asthma and allergic rhinitis in childhood: a pooled analysis of 18 European and US birth cohorts. <i>International Journal of Epidemiology</i> , 2017 , 46, 1465-1477	7.8	31

126	Toward Personalised Liquid Biopsies for Urothelial Carcinoma: Characterisation of ddPCR and Urinary cfDNA for the Detection of the 228 G>A/T Mutation. <i>Bladder Cancer</i> , 2018 , 4, 41-48	1	31
125	Cohort Profile: The Inflammatory Bowel Disease South Limburg Cohort (IBDSL). <i>International Journal of Epidemiology</i> , 2017 , 46, e7	7.8	30
124	Fish Intake in Pregnancy and Child Growth: A Pooled Analysis of 15 European and US Birth Cohorts. <i>JAMA Pediatrics</i> , 2016 , 170, 381-90	8.3	30
123	Significant Role of Lifetime Cigarette Smoking in Worsening Bladder Cancer and Upper Tract Urothelial Carcinoma Prognosis: A Meta-Analysis. <i>Journal of Urology</i> , 2016 , 195, 872-9	2.5	30
122	Weight loss improves fasting flow-mediated vasodilation in adults: a meta-analysis of intervention studies. <i>Atherosclerosis</i> , 2015 , 239, 21-30	3.1	30
121	Quantitative genome-wide methylation analysis of high-grade non-muscle invasive bladder cancer. <i>Epigenetics</i> , 2016 , 11, 237-46	5.7	30
120	Genome-wide association study yields variants at 20p12.2 that associate with urinary bladder cancer. <i>Human Molecular Genetics</i> , 2014 , 23, 5545-57	5.6	29
119	Methylation of HOXA9 and ISL1 Predicts Patient Outcome in High-Grade Non-Invasive Bladder Cancer. <i>PLoS ONE</i> , 2015 , 10, e0137003	3.7	29
118	Occurrence of both bladder and prostate cancer in five cancer registries in Belgium, The Netherlands and the United Kingdom. <i>European Journal of Cancer</i> , 2007 , 43, 1694-700	7.5	27
117	Dietary consumption and diet diversity and risk of developing bladder cancer: results from the South and East China case-control study. <i>Cancer Causes and Control</i> , 2013 , 24, 885-95	2.8	26
116	Intake of linolenic acid and other fatty acids in relation to the risk of bladder cancer: results from the New Hampshire case-control study. <i>British Journal of Nutrition</i> , 2011 , 106, 1070-7	3.6	26
115	Dietary intake of micronutrients and the risk of developing bladder cancer: results from the Belgian case-control study on bladder cancer risk. <i>Cancer Causes and Control</i> , 2011 , 22, 469-78	2.8	25
114	Nutrition, total fluid and bladder cancer. <i>Scandinavian Journal of Urology and Nephrology</i> , 2008 , 25-36		25
113	Targeted deep sequencing of urothelial bladder cancers and associated urinary DNA: a 23-gene panel with utility for non-invasive diagnosis and risk stratification. <i>BJU International</i> , 2019 , 124, 532-544	5.6	23
112	Assessment of high-throughput high-resolution MALDI-TOF-MS of urinary peptides for the detection of muscle-invasive bladder cancer. <i>Proteomics - Clinical Applications</i> , 2011 , 5, 493-503	3.1	23
111	Blood pressure in young adulthood and residential greenness in the early-life environment of twins. <i>Environmental Health</i> , 2017 , 16, 53	6	22
110	Nine genetic polymorphisms associated with power athlete status - A Meta-Analysis. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 213-220	4.4	22
109	Endothelial vasodilatation in newborns is related to body size and maternal hypertension. <i>Journal of Hypertension</i> , 2012 , 30, 124-31	1.9	22

108	A comparison of patient and tumour characteristics in two UK bladder cancer cohorts separated by 20 years. <i>BJU International</i> , 2013 , 112, 169-75	5.6	20
107	Adjusting for covariates in variance components QTL linkage analysis. <i>Behavior Genetics</i> , 2004 , 34, 127-33	2	20
106	An inverse association between the Mediterranean diet and bladder cancer risk: a pooled analysis of 13 cohort studies. <i>European Journal of Nutrition</i> , 2020 , 59, 287-296	5.2	20
105	Development of a GIS-based indicator for environmental pesticide exposure and its application to a Belgian case-control study on bladder cancer. <i>International Journal of Hygiene and Environmental Health</i> , 2009 , 212, 172-85	6.9	17
104	Maternal pre-pregnancy weight and externalising behaviour problems in preschool children: a UK-based twin study. <i>BMJ Open</i> , 2014 , 4, e005974	3	16
103	Variation in extracellular matrix genes is associated with weight regain after weight loss in a sex-specific manner. <i>Genes and Nutrition</i> , 2015 , 10, 56	4.3	16
102	Designing the selenium and bladder cancer trial (SELEBLAT), a phase III randomized chemoprevention study with selenium on recurrence of bladder cancer in Belgium. <i>BMC Urology</i> , 2012 , 12, 8	2.2	16
101	International pooled study on diet and bladder cancer: the bladder cancer, epidemiology and nutritional determinants (BLEND) study: design and baseline characteristics. <i>Archives of Public Health</i> , 2016 , 74, 30	2.6	16
100	Influence of metformin intake on the risk of bladder cancer in type 2 diabetes patients. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 1464-72	3.8	15
99	Interleukin-17-positive mast cells influence outcomes from BCG for patients with CIS: Data from a comprehensive characterisation of the immune microenvironment of urothelial bladder cancer. <i>PLoS ONE</i> , 2017 , 12, e0184841	3.7	15
98	Determinants of infant growth in four age windows: a twin study. <i>Journal of Pediatrics</i> , 2011 , 158, 566-572	3.2	15
97	Bladder cancer and occupation: a report from the Belgian case-control study on bladder cancer risk. <i>American Journal of Industrial Medicine</i> , 2007 , 50, 449-54	2.7	15
96	A review of the diversity in taxonomy, definitions, scope, and roles in forensic medicine: implications for evidence-based practice. <i>Forensic Science, Medicine, and Pathology</i> , 2018 , 14, 460-468	1.5	15
95	Phase III randomised chemoprevention study with selenium on the recurrence of non-invasive urothelial carcinoma. The SELEnium and BLAdDer cancer Trial. <i>European Journal of Cancer</i> , 2016 , 69, 9-18	7.5	14
94	Risk of bladder cancer in patients with diabetes: a retrospective cohort study. <i>BMJ Open</i> , 2015 , 5, e007430	3	14
93	Small for gestational age and exposure to particulate air pollution in the early-life environment of twins. <i>Environmental Research</i> , 2016 , 148, 39-45	7.9	14
92	Defining the frequency of human papillomavirus and polyomavirus infection in urothelial bladder tumours. <i>Scientific Reports</i> , 2018 , 8, 11290	4.9	13
91	Influence of growth during infancy on endothelium-dependent vasodilatation at the age of 6 months. <i>Hypertension</i> , 2012 , 60, 1294-300	8.5	13

90	Physical activity and risk of prostate and bladder cancer in China: The South and East China case-control study on prostate and bladder cancer. <i>PLoS ONE</i> , 2017 , 12, e0178613	3.7	11
89	A compendium of familial relative risks of cancer among first degree relatives: a population-based study. <i>International Journal of Cancer</i> , 2008 , 123, 1664-73	7.5	10
88	Exploring the roles of urinary HAI-1, EpCAM & EGFR in bladder cancer prognosis & risk stratification. <i>Oncotarget</i> , 2018 , 9, 25244-25253	3.3	10
87	Effects of maternal depression in the Still-Face Paradigm: A meta-analysis. <i>Research in Social and Administrative Pharmacy</i> , 2018 , 50, 154-164	2.9	9
86	The strong focus on positive results in abstracts may cause bias in systematic reviews: a case study on abstract reporting bias. <i>Systematic Reviews</i> , 2019 , 8, 174	3	9
85	The role of restraint in fatal excited delirium: a research synthesis and pooled analysis. <i>Forensic Science, Medicine, and Pathology</i> , 2020 , 16, 680-692	1.5	9
84	Effect of 1 Year Krill Oil Supplementation on Cognitive Achievement of Dutch Adolescents: A Double-Blind Randomized Controlled Trial. <i>Nutrients</i> , 2019 , 11,	6.7	8
83	The association between coffee consumption and bladder cancer in the bladder cancer epidemiology and nutritional determinants (BLEND) international pooled study. <i>Cancer Causes and Control</i> , 2019 , 30, 859-870	2.8	8
82	Exposure to a Motor Vehicle Collision and the Risk of Future Neck Pain: A Systematic Review and Meta-Analysis. <i>PM and R</i> , 2019 , 11, 1228-1239	2.2	8
81	Growth and endothelial function in the first 2 years of life. <i>Journal of Pediatrics</i> , 2015 , 166, 666-71.e1	3.6	8
80	Fruit consumption and the risk of bladder cancer: A pooled analysis by the Bladder Cancer Epidemiology and Nutritional Determinants Study. <i>International Journal of Cancer</i> , 2020 , 147, 2091-2100	7.5	8
79	The Association of Intrapair Birth-Weight Differences With Internalizing and Externalizing Behavior Problems. <i>Twin Research and Human Genetics</i> , 2018 , 21, 253-262	2.2	8
78	HumanMethylation450K Array-Identified Biomarkers Predict Tumour Recurrence/Progression at Initial Diagnosis of High-risk Non-muscle Invasive Bladder Cancer. <i>Biomarkers in Cancer</i> , 2018 , 10, 1179299X17751920	7.8	8
77	Corticosteroid Sparing in Inflammatory Bowel Disease is More Often Achieved in the Immunomodulator and Biological Era-Results from the Dutch Population-Based IBDSL Cohort. <i>American Journal of Gastroenterology</i> , 2018 , 113, 384-395	0.7	8
76	BDNF Val(66)Met and 5-HTTLPR Genotype are Each Associated with Visual Scanning Patterns of Faces in Young Children. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 175	3.5	8
75	Changes in genetic and environmental effects on growth during infancy. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1568-74	7	8
74	The association between smoking cessation before and after diagnosis and non-muscle-invasive bladder cancer recurrence: a prospective cohort study. <i>Cancer Causes and Control</i> , 2018 , 29, 675-683	2.8	8
73	Health-related quality of life around the time of diagnosis in patients with bladder cancer. <i>BJU International</i> , 2019 , 124, 984-991	5.6	7

72	PUFA status at birth and allergy-related phenotypes in childhood: a pooled analysis of the Maastricht Essential Fatty Acid Birth (MEFAB) and RHEA birth cohorts. <i>British Journal of Nutrition</i> , 2018 , 119, 202-210	3.6	7
71	Genetic, maternal and placental factors in the association between birth weight and physical fitness: a longitudinal twin study. <i>PLoS ONE</i> , 2013 , 8, e76423	3.7	7
70	Grain and dietary fiber intake and bladder cancer risk: a pooled analysis of prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 1252-1266	7	7
69	Non-Coding Mutations in Urothelial Bladder Cancer: Biological and Clinical Relevance and Potential Utility as Biomarkers. <i>Bladder Cancer</i> , 2019 , 5, 263-272	1	7
68	Citation bias and other determinants of citation in biomedical research: findings from six citation networks. <i>Journal of Clinical Epidemiology</i> , 2021 , 132, 71-78	5.7	7
67	Measuring successful aging: an exploratory factor analysis of the InCHIANTI Study into different health domains. <i>Aging</i> , 2019 , 11, 3023-3040	5.6	6
66	Fruit and vegetable intake and the risk of recurrence in patients with non-muscle invasive bladder cancer: a prospective cohort study. <i>Cancer Causes and Control</i> , 2018 , 29, 573-579	2.8	6
65	Polyunsaturated fatty acid status at birth, childhood growth, and cardiometabolic risk: a pooled analysis of the MEFAB and RHEA cohorts. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 566-576	5.2	6
64	Maastricht essential fatty acid birth cohort. <i>Lipid Technology</i> , 2015 , 27, 59-62		6
63	Potential programming of selected cardiometabolic risk factors at childhood by maternal polyunsaturated fatty acid availability in the MEFAB cohort. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2015 , 100, 21-7	2.8	6
62	The association between APOE ϵ 4 and Alzheimer-type dementia among memory clinic patients is confined to those with a higher education. The DESCRIPA Study. <i>Journal of Alzheimer's Disease</i> , 2013 , 35, 241-6	4.3	6
61	Adherence to a Western dietary pattern and risk of bladder cancer: A pooled analysis of 13 cohort studies of the Bladder Cancer Epidemiology and Nutritional Determinants international study. <i>International Journal of Cancer</i> , 2020 , 147, 3394-3403	7.5	5
60	Back-Splicing Transcript Isoforms (Circular RNAs) Affect Biologically Relevant Pathways and Offer an Additional Layer of Information to Stratify NMIBC Patients. <i>Frontiers in Oncology</i> , 2020 , 10, 812	5.3	5
59	Coffee consumption and risk of bladder cancer: a pooled analysis of 501,604 participants from 12 cohort studies in the BLadder Cancer Epidemiology and Nutritional Determinants (BLEND) international study. <i>European Journal of Epidemiology</i> , 2020 , 35, 523-535	12.1	5
58	Outcome reporting bias in observational epidemiology studies on phthalates. <i>Annals of Epidemiology</i> , 2016 , 26, 597-599.e4	6.4	5
57	A Stratified Meta-Analysis of the Association between Exposure to Environmental Tobacco Smoke during Childhood and Adulthood and Urothelial Bladder Cancer Risk. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	5
56	Use of Lectin Affinity Chromatography to Enrich Candidate Biomarkers from the Urine of Patients with Bladder Cancer. <i>Proteomes</i> , 2015 , 3, 266-282	4.6	5
55	Genome-wide Association Study for Tumour Stage, Grade, Size, and Age at Diagnosis of Non-muscle-invasive Bladder Cancer. <i>European Urology Oncology</i> , 2019 , 2, 381-389	6.7	5

54	Modeling the Complex Exposure History of Smoking in Predicting Bladder Cancer: A Pooled Analysis of 15 Case-Control Studies. <i>Epidemiology</i> , 2019 , 30, 458-465	3.1	5
53	Intake of milk and other dairy products and the risk of bladder cancer: a pooled analysis of 13 cohort studies. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 28-35	5.2	5
52	Impact of changes in human reproduction on the incidence of endocrine-related diseases. <i>Critical Reviews in Toxicology</i> , 2018 , 48, 789-795	5.7	5
51	Selective citation in the literature on the hygiene hypothesis: a citation analysis on the association between infections and rhinitis. <i>BMJ Open</i> , 2019 , 9, e026518	3	4
50	Selective citation in the literature on swimming in chlorinated water and childhood asthma: a network analysis. <i>Research Integrity and Peer Review</i> , 2017 , 2, 17	6.1	4
49	Pioglitazone and bladder cancer: two studies, same database, two answers. <i>British Journal of Clinical Pharmacology</i> , 2013 , 76, 484-5	3.8	4
48	Re: Selenium and vitamin E: interesting biology and dashed hope. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 1363-4; author reply 1364	9.7	4
47	Standardized Protocol Items Recommendations for Observational Studies (SPIROS) for Observational Study Protocol Reporting Guidelines: Protocol for a Delphi Study. <i>JMIR Research Protocols</i> , 2020 , 9, e17864	2	4
46	Exposure to a motor vehicle collision and the risk of future back pain: A systematic review and meta-analysis. <i>Accident Analysis and Prevention</i> , 2020 , 142, 105546	6.1	4
45	Role of clinical, functional and social factors in the association between multimorbidity and quality of life: Findings from the Survey of Health, Ageing and Retirement in Europe (SHARE). <i>PLoS ONE</i> , 2020 , 15, e0240024	3.7	4
44	A review of causal inference in forensic medicine. <i>Forensic Science, Medicine, and Pathology</i> , 2020 , 16, 313-320	1.5	3
43	Causal Inference in Law: An Epidemiological Perspective. <i>European Journal of Risk Regulation</i> , 2016 , 7, 175-186	1.9	3
42	Ethnic minority status as social determinant for COVID-19 infection, hospitalisation, severity, ICU admission and deaths in the early phase of the pandemic: a meta-analysis. <i>BMJ Global Health</i> , 2021 , 6,	6.6	3
41	Vegetable intake and the risk of bladder cancer in the BLadder Cancer Epidemiology and Nutritional Determinants (BLEND) international study. <i>BMC Medicine</i> , 2021 , 19, 56	11.4	3
40	The association between meat and fish consumption and bladder cancer risk: a pooled analysis of 11 cohort studies. <i>European Journal of Epidemiology</i> , 2021 , 36, 781-792	12.1	3
39	Behavioural interventions to address rational use of antibiotics in outpatient settings of low-income and lower-middle-income countries. <i>Tropical Medicine and International Health</i> , 2021 , 26, 504-517	2.3	3
38	PD-L2 Is Constitutively Expressed in Normal and Malignant Urothelium. <i>Frontiers in Oncology</i> , 2021 , 11, 626748	5.3	3
37	Factors Associated with Acceptability, Consideration and Intention of Uptake of Direct-To-Consumer Genetic Testing: A Survey Study. <i>Public Health Genomics</i> , 2018 , 21, 45-52	1.9	3

36	Specific amino acid supplementation rescues the heart from lipid overload-induced insulin resistance and contractile dysfunction by targeting the endosomal mTOR-v-ATPase axis. <i>Molecular Metabolism</i> , 2021 , 53, 101293	8.8	3
35	Patients choose certainty over burden in bladder cancer surveillance. <i>World Journal of Urology</i> , 2019 , 37, 2747-2753	4	2
34	Gestational Weight Gain by Maternal Pre-pregnancy BMI and Childhood Problem Behaviours in School-Age Years: A Pooled Analysis of Two European Birth Cohorts. <i>Maternal and Child Health Journal</i> , 2020 , 24, 1288-1298	2.4	2
33	Stages of behavioural change after direct-to-consumer disease risk profiling: study protocol of two integrated controlled pragmatic trials. <i>Trials</i> , 2018 , 19, 240	2.8	2
32	Network Analysis of Genome-Wide Association Studies for Chronic Obstructive Pulmonary Disease in the Context of Biological Pathways. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 1439-1441	10.2	2
31	Maternal pre-pregnancy weight and twins temperament. <i>Journal of Developmental Origins of Health and Disease</i> , 2019 , 10, 522-528	2.4	2
30	Ambient air quality as risk factor for microscopic colitis - A geographic information system (GIS) study. <i>Environmental Research</i> , 2019 , 178, 108710	7.9	2
29	Progression of disability in multiple sclerosis: A study of factors influencing median time to reach an EDSS value. <i>Multiple Sclerosis and Related Disorders</i> , 2013 , 2, 109-116	4	2
28	Genetic and environmental factors in associations between infant growth and adult cardiometabolic risk profile in twins. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 994-1001	7	2
27	Thiazolidinediones and cancer: duplicate publication bias?. <i>Oncologist</i> , 2013 , 18, 1147	5.7	2
26	Examining the co-occurrence of bladder and prostate cancer: a worthwhile investigation?. <i>Future Oncology</i> , 2007 , 3, 515-9	3.6	2
25	Decreased mortality and increased side effects in COVID-19 patients treated with IL-6 receptor antagonists: systematic review and meta-analysis. <i>Scientific Reports</i> , 2021 , 11, 21522	4.9	2
24	Temporal trends of sex differences for COVID-19 infection, hospitalisation, severe disease, intensive care unit (ICU) admission and death: a meta-analysis of 229 studies covering over 10M patients.. <i>F1000Research</i> , 2022 , 11, 5	3.6	2
23	Gene-environment interaction with smoking for increased non-muscle-invasive bladder cancer tumor size. <i>Translational Andrology and Urology</i> , 2020 , 9, 1329-1337	2.3	2
22	Total Fluid Intake and the Risk of Recurrence in Patients With Non-Muscle Invasive Bladder Cancer: A Prospective Cohort Study. <i>Bladder Cancer</i> , 2018 , 4, 303-310	1	2
21	Tea consumption and risk of bladder cancer in the Bladder Cancer Epidemiology and Nutritional Determinants (BLEND) Study: Pooled analysis of 12 international cohort studies.. <i>Clinical Nutrition</i> , 2022 , 41, 1122-1130	5.9	2
20	A discrete choice experiment to identify the most efficient quality indicators for the supervision of psychiatric hospitals. <i>BMC Health Services Research</i> , 2020 , 20, 192	2.9	1
19	Isoform Expression Associated with Outcome Following Radiotherapy in Muscle-Invasive Bladder Cancer does not Alter Cell Survival and DNA Double-Strand Break Repair Following Ionising Radiation. <i>Bladder Cancer</i> , 2019 , 5, 147-157	1	1

18	Genes in the polyamine biosynthesis pathway may be involved in prostate cancer susceptibility. <i>Future Oncology</i> , 2005 , 1, 683-8	3.6	1
17	Determinants of citation in the literature on diesel exhaust exposure and lung cancer: a citation analysis. <i>BMJ Open</i> , 2020 , 10, e033967	3	1
16	Muscle invasive bladder cancer in the elderly: Treatment and prognosis in a prospective cohort study.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 275-275	2.2	1
15	INFERENCE: An Evidence-Based Approach for Medicolegal Causal Analyses. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
14	Tar, nicotine and carbon monoxide yield of UK cigarettes and the risk of non-muscle-invasive and muscle-invasive bladder cancer. <i>European Journal of Cancer Prevention</i> , 2019 , 28, 40-44	2	1
13	STAG2 Protein Expression in Non-muscle-invasive Bladder Cancer: Associations with Sex, Genomic and Transcriptomic Changes, and Clinical Outcomes.. <i>European Urology Open Science</i> , 2022 , 38, 88-95	0.9	1
12	Is Hardy-Weinberg on its retreat?. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 819-20	5.7	0
11	Dietary B group vitamin intake and the bladder cancer risk: a pooled analysis of prospective cohort studies.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	0
10	Improving peer review of systematic reviews by involving librarians and information specialists: protocol for a randomized controlled trial. <i>Trials</i> , 2021 , 22, 791	2.8	0
9	Bayesian Hierarchical Models for Meta-Analysis of Quality-of-Life Outcomes: An Application in Multimorbidity. <i>Pharmacoeconomics</i> , 2020 , 38, 85-95	4.4	0
8	Genome-wide Meta-analysis Identifies Novel Genes Associated with Recurrence and Progression in Non-muscle-invasive Bladder Cancer. <i>European Urology Oncology</i> , 2021 , 5, 70-70	6.7	0
7	Re: "is the inverse association between selenium and bladder cancer due to confounding by smoking?". <i>American Journal of Epidemiology</i> , 2015 , 182, 894	3.8	
6	The influence of airborne N,N-dimethylformamide on liver toxicity measured in industry workers: A systematic review and meta-analysis. <i>Toxicology Research and Application</i> , 2020 , 4, 239784731989908	0.8	
5	Fish Intake During Pregnancy and Offspring Adiposity-Reply. <i>JAMA Pediatrics</i> , 2016 , 170, 809-10	8.3	
4	Re: Lifestyle and bladder cancer prevention: no consistent evidence from cohort studies. <i>European Journal of Epidemiology</i> , 2017 , 32, 1037-1038	12.1	
3	Consistent acting, legal knowledge and competence of external postmortem examination in Dutch hospital settings. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2021 , 80, 102178	1.7	
2	Citation bias: questionable research practice or scientific misconduct?. <i>Journal of the Royal Society of Medicine</i> , 2022 , 1410768221084080	2.3	
1	A Qualitative Study of Factors Influencing Implementation of Tobacco Control in Pediatric Practices. <i>Journal of Smoking Cessation</i> , 2022 , 2022, 1-10	0.5	

