

Maurice P Zeegers

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3538343/maurice-p-zeegers-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179
papers

5,616
citations

39
h-index

70
g-index

189
ext. papers

6,864
ext. citations

5.4
avg, IF

5.51
L-index

#	Paper	IF	Citations
179	Dietary B group vitamin intake and the bladder cancer risk: a pooled analysis of prospective cohort studies.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	0
178	Temporal trends of sex differences for COVID-19 infection, hospitalisation, severe disease, intensive care unit (ICU) admission and death: a meta-analysis of 229 studies covering over 10M patients.. <i>F1000Research</i> , 2022 , 11, 5	3.6	2
177	Tea consumption and risk of bladder cancer in the Bladder Cancer Epidemiology and Nutritional Determinants (BLEND) Study: Pooled analysis of 12 international cohort studies.. <i>Clinical Nutrition</i> , 2022 , 41, 1122-1130	5.9	2
176	Citation bias: questionable research practice or scientific misconduct?. <i>Journal of the Royal Society of Medicine</i> , 2022 , 1410768221084080	2.3	
175	STAG2 Protein Expression in Non-muscle-invasive Bladder Cancer: Associations with Sex, Genomic and Transcriptomic Changes, and Clinical Outcomes.. <i>European Urology Open Science</i> , 2022 , 38, 88-95	0.9	1
174	A Qualitative Study of Factors Influencing Implementation of Tobacco Control in Pediatric Practices. <i>Journal of Smoking Cessation</i> , 2022 , 2022, 1-10	0.5	
173	Decreased mortality and increased side effects in COVID-19 patients treated with IL-6 receptor antagonists: systematic review and meta-analysis. <i>Scientific Reports</i> , 2021 , 11, 21522	4.9	2
172	Ethnic minority status as social determinant for COVID-19 infection, hospitalisation, severity, ICU admission and deaths in the early phase of the pandemic: a meta-analysis. <i>BMJ Global Health</i> , 2021 , 6,	6.6	3
171	Improving peer review of systematic reviews by involving librarians and information specialists: protocol for a randomized controlled trial. <i>Trials</i> , 2021 , 22, 791	2.8	0
170	Vegetable intake and the risk of bladder cancer in the BLadder Cancer Epidemiology and Nutritional Determinants (BLEND) international study. <i>BMC Medicine</i> , 2021 , 19, 56	11.4	3
169	The association between meat and fish consumption and bladder cancer risk: a pooled analysis of 11 cohort studies. <i>European Journal of Epidemiology</i> , 2021 , 36, 781-792	12.1	3
168	Consistent acting, legal knowledge and competence of external postmortem examination in Dutch hospital settings. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2021 , 80, 102178	1.7	
167	Citation bias and other determinants of citation in biomedical research: findings from six citation networks. <i>Journal of Clinical Epidemiology</i> , 2021 , 132, 71-78	5.7	7
166	Behavioural interventions to address rational use of antibiotics in outpatient settings of low-income and lower-middle-income countries. <i>Tropical Medicine and International Health</i> , 2021 , 26, 504-517	2.3	3
165	Demographic risk factors for COVID-19 infection, severity, ICU admission and death: a meta-analysis of 59 studies. <i>BMJ Open</i> , 2021 , 11, e044640	3	98
164	PD-L2 Is Constitutively Expressed in Normal and Malignant Urothelium. <i>Frontiers in Oncology</i> , 2021 , 11, 626748	5.3	3
163	Genome-wide Meta-analysis Identifies Novel Genes Associated with Recurrence and Progression in Non-muscle-invasive Bladder Cancer. <i>European Urology Oncology</i> , 2021 , 5, 70-70	6.7	0

162	Specific amino acid supplementation rescues the heart from lipid overload-induced insulin resistance and contractile dysfunction by targeting the endosomal mTOR-v-ATPase axis. <i>Molecular Metabolism</i> , 2021 , 53, 101293	8.8	3
161	Adherence to a Western dietary pattern and risk of bladder cancer: A pooled analysis of 13 cohort studies of the Bladder Cancer Epidemiology and Nutritional Determinants international study. <i>International Journal of Cancer</i> , 2020 , 147, 3394-3403	7.5	5
160	Back-Splicing Transcript Isoforms (Circular RNAs) Affect Biologically Relevant Pathways and Offer an Additional Layer of Information to Stratify NMIBC Patients. <i>Frontiers in Oncology</i> , 2020 , 10, 812	5.3	5
159	The influence of airborne N,N-dimethylformamide on liver toxicity measured in industry workers: A systematic review and meta-analysis. <i>Toxicology Research and Application</i> , 2020 , 4, 239784731989908	0.8	
158	A review of causal inference in forensic medicine. <i>Forensic Science, Medicine, and Pathology</i> , 2020 , 16, 313-320	1.5	3
157	A discrete choice experiment to identify the most efficient quality indicators for the supervision of psychiatric hospitals. <i>BMC Health Services Research</i> , 2020 , 20, 192	2.9	1
156	Gestational Weight Gain by Maternal Pre-pregnancy BMI and Childhood Problem Behaviours in School-Age Years: A Pooled Analysis of Two European Birth Cohorts. <i>Maternal and Child Health Journal</i> , 2020 , 24, 1288-1298	2.4	2
155	Coffee consumption and risk of bladder cancer: a pooled analysis of 501,604 participants from 12 cohort studies in the BLadder Cancer Epidemiology and Nutritional Determinants (BLEND) international study. <i>European Journal of Epidemiology</i> , 2020 , 35, 523-535	12.1	5
154	Fruit consumption and the risk of bladder cancer: A pooled analysis by the Bladder Cancer Epidemiology and Nutritional Determinants Study. <i>International Journal of Cancer</i> , 2020 , 147, 2091-2100	7.5	8
153	Determinants of citation in the literature on diesel exhaust exposure and lung cancer: a citation analysis. <i>BMJ Open</i> , 2020 , 10, e033967	3	1
152	Standardized Protocol Items Recommendations for Observational Studies (SPIROS) for Observational Study Protocol Reporting Guidelines: Protocol for a Delphi Study. <i>JMIR Research Protocols</i> , 2020 , 9, e17864	2	4
151	Exposure to a motor vehicle collision and the risk of future back pain: A systematic review and meta-analysis. <i>Accident Analysis and Prevention</i> , 2020 , 142, 105546	6.1	4
150	Role of clinical, functional and social factors in the association between multimorbidity and quality of life: Findings from the Survey of Health, Ageing and Retirement in Europe (SHARE). <i>PLoS ONE</i> , 2020 , 15, e0240024	3.7	4
149	Gene-environment interaction with smoking for increased non-muscle-invasive bladder cancer tumor size. <i>Translational Andrology and Urology</i> , 2020 , 9, 1329-1337	2.3	2
148	INFERENCE: An Evidence-Based Approach for Medicolegal Causal Analyses. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
147	Grain and dietary fiber intake and bladder cancer risk: a pooled analysis of prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 1252-1266	7	7
146	The role of restraint in fatal excited delirium: a research synthesis and pooled analysis. <i>Forensic Science, Medicine, and Pathology</i> , 2020 , 16, 680-692	1.5	9
145	An inverse association between the Mediterranean diet and bladder cancer risk: a pooled analysis of 13 cohort studies. <i>European Journal of Nutrition</i> , 2020 , 59, 287-296	5.2	20

144	Intake of milk and other dairy products and the risk of bladder cancer: a pooled analysis of 13 cohort studies. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 28-35	5.2	5
143	Bayesian Hierarchical Models for Meta-Analysis of Quality-of-Life Outcomes: An Application in Multimorbidity. <i>Pharmacoeconomics</i> , 2020 , 38, 85-95	4.4	0
142	Measuring successful aging: an exploratory factor analysis of the InCHIANTI Study into different health domains. <i>Aging</i> , 2019 , 11, 3023-3040	5.6	6
141	Effect of 1 Year Krill Oil Supplementation on Cognitive Achievement of Dutch Adolescents: A Double-Blind Randomized Controlled Trial. <i>Nutrients</i> , 2019 , 11,	6.7	8
140	The association between coffee consumption and bladder cancer in the bladder cancer epidemiology and nutritional determinants (BLEND) international pooled study. <i>Cancer Causes and Control</i> , 2019 , 30, 859-870	2.8	8
139	Targeted deep sequencing of urothelial bladder cancers and associated urinary DNA: a 23-gene panel with utility for non-invasive diagnosis and risk stratification. <i>BJU International</i> , 2019 , 124, 532-544	5.6	23
138	Health-related quality of life around the time of diagnosis in patients with bladder cancer. <i>BJU International</i> , 2019 , 124, 984-991	5.6	7
137	Multimorbidity and quality of life: Systematic literature review and meta-analysis. <i>Ageing Research Reviews</i> , 2019 , 53, 100903	12	90
136	Exposure to a Motor Vehicle Collision and the Risk of Future Neck Pain: A Systematic Review and Meta-Analysis. <i>PM and R</i> , 2019 , 11, 1228-1239	2.2	8
135	Patients choose certainty over burden in bladder cancer surveillance. <i>World Journal of Urology</i> , 2019 , 37, 2747-2753	4	2
134	Selective citation in the literature on the hygiene hypothesis: a citation analysis on the association between infections and rhinitis. <i>BMJ Open</i> , 2019 , 9, e026518	3	4
133	Polyunsaturated fatty acid status at birth, childhood growth, and cardiometabolic risk: a pooled analysis of the MEFAB and RHEA cohorts. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 566-576	5.2	6
132	Network Analysis of Genome-Wide Association Studies for Chronic Obstructive Pulmonary Disease in the Context of Biological Pathways. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 1439-1441	10.2	2
131	Isoform Expression Associated with Outcome Following Radiotherapy in Muscle-Invasive Bladder Cancer does not Alter Cell Survival and DNA Double-Strand Break Repair Following Ionising Radiation. <i>Bladder Cancer</i> , 2019 , 5, 147-157	1	1
130	The strong focus on positive results in abstracts may cause bias in systematic reviews: a case study on abstract reporting bias. <i>Systematic Reviews</i> , 2019 , 8, 174	3	9
129	Maternal pre-pregnancy weight and twins Ptemperament. <i>Journal of Developmental Origins of Health and Disease</i> , 2019 , 10, 522-528	2.4	2
128	Ambient air quality as risk factor for microscopic colitis - A geographic information system (GIS) study. <i>Environmental Research</i> , 2019 , 178, 108710	7.9	2
127	Non-Coding Mutations in Urothelial Bladder Cancer: Biological and Clinical Relevance and Potential Utility as Biomarkers. <i>Bladder Cancer</i> , 2019 , 5, 263-272	1	7

126	Genome-wide Association Study for Tumour Stage, Grade, Size, and Age at Diagnosis of Non-muscle-invasive Bladder Cancer. <i>European Urology Oncology</i> , 2019 , 2, 381-389	6.7	5
125	Modeling the Complex Exposure History of Smoking in Predicting Bladder Cancer: A Pooled Analysis of 15 Case-Control Studies. <i>Epidemiology</i> , 2019 , 30, 458-465	3.1	5
124	Tar, nicotine and carbon monoxide yield of UK cigarettes and the risk of non-muscle-invasive and muscle-invasive bladder cancer. <i>European Journal of Cancer Prevention</i> , 2019 , 28, 40-44	2	1
123	Impact of dietary patterns and the main food groups on mortality and recurrence in cancer survivors: a systematic review of current epidemiological literature. <i>BMJ Open</i> , 2018 , 8, e014530	3	32
122	The Association of Intrapair Birth-Weight Differences With Internalizing and Externalizing Behavior Problems. <i>Twin Research and Human Genetics</i> , 2018 , 21, 253-262	2.2	8
121	HumanMethylation450K Array-Identified Biomarkers Predict Tumour Recurrence/Progression at Initial Diagnosis of High-risk Non-muscle Invasive Bladder Cancer. <i>Biomarkers in Cancer</i> , 2018 , 10, 1179299X17751920	2.7	8
120	PUFA status at birth and allergy-related phenotypes in childhood: a pooled analysis of the Maastricht Essential Fatty Acid Birth (MEFAB) and RHEA birth cohorts. <i>British Journal of Nutrition</i> , 2018 , 119, 202-210	3.6	7
119	Corticosteroid Sparing in Inflammatory Bowel Disease is More Often Achieved in the Immunomodulator and Biological Era-Results from the Dutch Population-Based IBDL Cohort. <i>American Journal of Gastroenterology</i> , 2018 , 113, 384-395	0.7	8
118	Effects of maternal depression in the Still-Face Paradigm: A meta-analysis. <i>Research in Social and Administrative Pharmacy</i> , 2018 , 50, 154-164	2.9	9
117	Fruit and vegetable intake and the risk of recurrence in patients with non-muscle invasive bladder cancer: a prospective cohort study. <i>Cancer Causes and Control</i> , 2018 , 29, 573-579	2.8	6
116	Stages of behavioural change after direct-to-consumer disease risk profiling: study protocol of two integrated controlled pragmatic trials. <i>Trials</i> , 2018 , 19, 240	2.8	2
115	Behavioural changes, sharing behaviour and psychological responses after receiving direct-to-consumer genetic test results: a systematic review and meta-analysis. <i>Journal of Community Genetics</i> , 2018 , 9, 1-18	2.5	37
114	Nine genetic polymorphisms associated with power athlete status - A Meta-Analysis. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 213-220	4.4	22
113	Defining the frequency of human papillomavirus and polyomavirus infection in urothelial bladder tumours. <i>Scientific Reports</i> , 2018 , 8, 11290	4.9	13
112	A Stratified Meta-Analysis of the Association between Exposure to Environmental Tobacco Smoke during Childhood and Adulthood and Urothelial Bladder Cancer Risk. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	5
111	Exploring the roles of urinary HAI-1, EpCAM & EGFR in bladder cancer prognosis & risk stratification. <i>Oncotarget</i> , 2018 , 9, 25244-25253	3.3	10
110	A review of the diversity in taxonomy, definitions, scope, and roles in forensic medicine: implications for evidence-based practice. <i>Forensic Science, Medicine, and Pathology</i> , 2018 , 14, 460-468	1.5	15
109	Impact of changes in human reproduction on the incidence of endocrine-related diseases. <i>Critical Reviews in Toxicology</i> , 2018 , 48, 789-795	5.7	5

108	Factors Associated with Acceptability, Consideration and Intention of Uptake of Direct-To-Consumer Genetic Testing: A Survey Study. <i>Public Health Genomics</i> , 2018 , 21, 45-52	1.9	3
107	Total Fluid Intake and the Risk of Recurrence in Patients With Non-Muscle Invasive Bladder Cancer: A Prospective Cohort Study. <i>Bladder Cancer</i> , 2018 , 4, 303-310	1	2
106	Toward Personalised Liquid Biopsies for Urothelial Carcinoma: Characterisation of ddPCR and Urinary cfDNA for the Detection of the 228 G>A/T Mutation. <i>Bladder Cancer</i> , 2018 , 4, 41-48	1	31
105	The association between smoking cessation before and after diagnosis and non-muscle-invasive bladder cancer recurrence: a prospective cohort study. <i>Cancer Causes and Control</i> , 2018 , 29, 675-683	2.8	8
104	Cohort Profile: The Inflammatory Bowel Disease South Limburg Cohort (IBDSL). <i>International Journal of Epidemiology</i> , 2017 , 46, e7	7.8	30
103	UroMark-a urinary biomarker assay for the detection of bladder cancer. <i>Clinical Epigenetics</i> , 2017 , 9, 8	7.7	55
102	A 20-Year Temporal Change Analysis in Incidence, Presenting Phenotype and Mortality, in the Dutch IBDSL Cohort-Can Diagnostic Factors Explain the Increase in IBD Incidence?. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 1169-1179	1.5	31
101	Scientific citations favor positive results: a systematic review and meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2017 , 88, 92-101	5.7	82
100	Blood pressure in young adulthood and residential greenness in the early-life environment of twins. <i>Environmental Health</i> , 2017 , 16, 53	6	22
99	Improvements in the Long-Term Outcome of Crohn's Disease Over the Past Two Decades and the Relation to Changes in Medical Management: Results from the Population-Based IBDSL Cohort. <i>American Journal of Gastroenterology</i> , 2017 , 112, 325-336	0.7	85
98	Interleukin-17-positive mast cells influence outcomes from BCG for patients with CIS: Data from a comprehensive characterisation of the immune microenvironment of urothelial bladder cancer. <i>PLoS ONE</i> , 2017 , 12, e0184841	3.7	15
97	Physical activity and risk of prostate and bladder cancer in China: The South and East China case-control study on prostate and bladder cancer. <i>PLoS ONE</i> , 2017 , 12, e0178613	3.7	11
96	Telomere tracking from birth to adulthood and residential traffic exposure. <i>BMC Medicine</i> , 2017 , 15, 205	11.4	41
95	Selective citation in the literature on swimming in chlorinated water and childhood asthma: a network analysis. <i>Research Integrity and Peer Review</i> , 2017 , 2, 17	6.1	4
94	Fish and seafood consumption during pregnancy and the risk of asthma and allergic rhinitis in childhood: a pooled analysis of 18 European and US birth cohorts. <i>International Journal of Epidemiology</i> , 2017 , 46, 1465-1477	7.8	31
93	Re: Lifestyle and bladder cancer prevention: no consistent evidence from cohort studies. <i>European Journal of Epidemiology</i> , 2017 , 32, 1037-1038	12.1	
92	Outcome reporting bias in observational epidemiology studies on phthalates. <i>Annals of Epidemiology</i> , 2016 , 26, 597-599.e4	6.4	5
91	Phase III randomised chemoprevention study with selenium on the recurrence of non-invasive urothelial carcinoma. The SELEnium and BLadder cancer Trial. <i>European Journal of Cancer</i> , 2016 , 69, 9-18	7.5	14

90	Causal Inference in Law: An Epidemiological Perspective. <i>European Journal of Risk Regulation</i> , 2016 , 7, 175-186	1.9	3
89	Fish Intake During Pregnancy and Offspring Adiposity-Reply. <i>JAMA Pediatrics</i> , 2016 , 170, 809-10	8.3	
88	Genomic complexity of urothelial bladder cancer revealed in urinary cfDNA. <i>European Journal of Human Genetics</i> , 2016 , 24, 1167-74	5.3	85
87	Modifiable risk factors for the prevention of bladder cancer: a systematic review of meta-analyses. <i>European Journal of Epidemiology</i> , 2016 , 31, 811-51	12.1	104
86	Fish Intake in Pregnancy and Child Growth: A Pooled Analysis of 15 European and US Birth Cohorts. <i>JAMA Pediatrics</i> , 2016 , 170, 381-90	8.3	30
85	Significant Role of Lifetime Cigarette Smoking in Worsening Bladder Cancer and Upper Tract Urothelial Carcinoma Prognosis: A Meta-Analysis. <i>Journal of Urology</i> , 2016 , 195, 872-9	2.5	30
84	Multiplex PCR and Next Generation Sequencing for the Non-Invasive Detection of Bladder Cancer. <i>PLoS ONE</i> , 2016 , 11, e0149756	3.7	52
83	Inflammatory bowel disease, cancer and medication: Cancer risk in the Dutch population-based IBDL cohort. <i>International Journal of Cancer</i> , 2016 , 139, 1270-80	7.5	43
82	Epidemiology and Long-term Outcome of Inflammatory Bowel Disease Diagnosed at Elderly Age-An Increasing Distinct Entity?. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1425-34	4.5	83
81	International pooled study on diet and bladder cancer: the bladder cancer, epidemiology and nutritional determinants (BLEND) study: design and baseline characteristics. <i>Archives of Public Health</i> , 2016 , 74, 30	2.6	16
80	Quantitative genome-wide methylation analysis of high-grade non-muscle invasive bladder cancer. <i>Epigenetics</i> , 2016 , 11, 237-46	5.7	30
79	Small for gestational age and exposure to particulate air pollution in the early-life environment of twins. <i>Environmental Research</i> , 2016 , 148, 39-45	7.9	14
78	Quantified relations between exposure to tobacco smoking and bladder cancer risk: a meta-analysis of 89 observational studies. <i>International Journal of Epidemiology</i> , 2016 , 45, 857-70	7.8	91
77	Growth and endothelial function in the first 2 years of life. <i>Journal of Pediatrics</i> , 2015 , 166, 666-71.e1	3.6	8
76	Lower placental telomere length may be attributed to maternal residential traffic exposure; a twin study. <i>Environment International</i> , 2015 , 79, 1-7	12.9	51
75	Influence of metformin intake on the risk of bladder cancer in type 2 diabetes patients. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 1464-72	3.8	15
74	Re: "is the inverse association between selenium and bladder cancer due to confounding by smoking?". <i>American Journal of Epidemiology</i> , 2015 , 182, 894	3.8	
73	Variation in extracellular matrix genes is associated with weight regain after weight loss in a sex-specific manner. <i>Genes and Nutrition</i> , 2015 , 10, 56	4.3	16

72	Maastricht essential fatty acid birth cohort. <i>Lipid Technology</i> , 2015 , 27, 59-62		6
71	Use of Lectin Affinity Chromatography to Enrich Candidate Biomarkers from the Urine of Patients with Bladder Cancer. <i>Proteomes</i> , 2015 , 3, 266-282	4.6	5
70	BDNF Val(66)Met and 5-HTTLPR Genotype are Each Associated with Visual Scanning Patterns of Faces in Young Children. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 175	3.5	8
69	Methylation of HOXA9 and ISL1 Predicts Patient Outcome in High-Grade Non-Invasive Bladder Cancer. <i>PLoS ONE</i> , 2015 , 10, e0137003	3.7	29
68	Risk of bladder cancer in patients with diabetes: a retrospective cohort study. <i>BMJ Open</i> , 2015 , 5, e007470		14
67	Disease Outcome of Ulcerative Colitis in an Era of Changing Treatment Strategies: Results from the Dutch Population-Based IBDSL Cohort. <i>Journal of Crohn's and Colitis</i> , 2015 , 9, 837-45	1.5	46
66	Potential programming of selected cardiometabolic risk factors at childhood by maternal polyunsaturated fatty acid availability in the MEFAB cohort. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2015 , 100, 21-7	2.8	6
65	Weight loss improves fasting flow-mediated vasodilation in adults: a meta-analysis of intervention studies. <i>Atherosclerosis</i> , 2015 , 239, 21-30	3.1	30
64	Incidence of microscopic colitis in the Netherlands. A nationwide population-based study from 2000 to 2012. <i>Digestive and Liver Disease</i> , 2015 , 47, 30-6	3.3	35
63	Genome-wide association study yields variants at 20p12.2 that associate with urinary bladder cancer. <i>Human Molecular Genetics</i> , 2014 , 23, 5545-57	5.6	29
62	Maternal pre-pregnancy weight and externalising behaviour problems in preschool children: a UK-based twin study. <i>BMJ Open</i> , 2014 , 4, e005974	3	16
61	Association between polyunsaturated fatty acid concentrations in maternal plasma phospholipids during pregnancy and offspring adiposity at age 7: the MEFAB cohort. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2014 , 91, 81-5	2.8	46
60	Nutrient-based dietary patterns and pancreatic cancer risk. <i>Annals of Epidemiology</i> , 2013 , 23, 124-8	6.4	37
59	Progression of disability in multiple sclerosis: A study of factors influencing median time to reach an EDSS value. <i>Multiple Sclerosis and Related Disorders</i> , 2013 , 2, 109-16	4	2
58	Expression of Engrailed-2 (EN2) protein in bladder cancer and its potential utility as a urinary diagnostic biomarker. <i>European Journal of Cancer</i> , 2013 , 49, 2214-22	7.5	32
57	Pioglitazone and bladder cancer: two studies, same database, two answers. <i>British Journal of Clinical Pharmacology</i> , 2013 , 76, 484-5	3.8	4
56	Dietary consumption and diet diversity and risk of developing bladder cancer: results from the South and East China case-control study. <i>Cancer Causes and Control</i> , 2013 , 24, 885-95	2.8	26
55	The association between APOE ϵ 4 and Alzheimer-type dementia among memory clinic patients is confined to those with a higher education. The DESCRIPA Study. <i>Journal of Alzheimer's Disease</i> , 2013 , 35, 241-6	4.3	6

54	Genetic and environmental factors in associations between infant growth and adult cardiometabolic risk profile in twins. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 994-1001	7	2
53	Thiazolidinediones and cancer: duplicate publication bias?. <i>Oncologist</i> , 2013 , 18, 1147	5.7	2
52	Smoking is associated with lower age, higher grade, higher stage, and larger size of malignant bladder tumors at diagnosis. <i>International Journal of Cancer</i> , 2013 , 133, 446-54	7.5	32
51	A comparison of patient and tumour characteristics in two UK bladder cancer cohorts separated by 20 years. <i>BJU International</i> , 2013 , 112, 169-75	5.6	20
50	Genetic, maternal and placental factors in the association between birth weight and physical fitness: a longitudinal twin study. <i>PLoS ONE</i> , 2013 , 8, e76423	3.7	7
49	Muscle invasive bladder cancer in the elderly: Treatment and prognosis in a prospective cohort study.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 275-275	2.2	1
48	Pancreatic cancer: overview of descriptive epidemiology. <i>Molecular Carcinogenesis</i> , 2012 , 51, 3-13	5	136
47	Designing the selenium and bladder cancer trial (SELEBLAT), a phase III randomized chemoprevention study with selenium on recurrence of bladder cancer in Belgium. <i>BMC Urology</i> , 2012 , 12, 8	2.2	16
46	Heritability of body mass index in pre-adolescence, young adulthood and late adulthood. <i>European Journal of Epidemiology</i> , 2012 , 27, 247-53	12.1	58
45	Influence of growth during infancy on endothelium-dependent vasodilatation at the age of 6 months. <i>Hypertension</i> , 2012 , 60, 1294-300	8.5	13
44	Endothelial vasodilatation in newborns is related to body size and maternal hypertension. <i>Journal of Hypertension</i> , 2012 , 30, 124-31	1.9	22
43	Consumption of animal products, olive oil and dietary fat and results from the Belgian case-control study on bladder cancer risk. <i>European Journal of Cancer</i> , 2011 , 47, 436-42	7.5	32
42	Is Hardy-Weinberg on its retreat?. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 819-20	5.7	0
41	Genetic marker polymorphisms on chromosome 8q24 and prostate cancer in the Dutch population: DG8S737 may not be the causative variant. <i>European Journal of Human Genetics</i> , 2011 , 19, 118-20	5.3	38
40	Determinants of infant growth in four age windows: a twin study. <i>Journal of Pediatrics</i> , 2011 , 158, 566-572	3.2	15
39	Dietary intake of micronutrients and the risk of developing bladder cancer: results from the Belgian case-control study on bladder cancer risk. <i>Cancer Causes and Control</i> , 2011 , 22, 469-78	2.8	25
38	Assessment of high-throughput high-resolution MALDI-TOF-MS of urinary peptides for the detection of muscle-invasive bladder cancer. <i>Proteomics - Clinical Applications</i> , 2011 , 5, 493-503	3.1	23
37	Intake of linolenic acid and other fatty acids in relation to the risk of bladder cancer: results from the New Hampshire case-control study. <i>British Journal of Nutrition</i> , 2011 , 106, 1070-7	3.6	26

36	European genome-wide association study identifies SLC14A1 as a new urinary bladder cancer susceptibility gene. <i>Human Molecular Genetics</i> , 2011 , 20, 4268-81	5.6	105
35	Changes in genetic and environmental effects on growth during infancy. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1568-74	7	8
34	An empirical study on the preferred size of the participant information sheet in research. <i>Journal of Medical Ethics</i> , 2011 , 37, 557-62	2.5	32
33	A sequence variant at 4p16.3 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2010 , 42, 415-9	36.3	138
32	The West Midlands Bladder Cancer Prognosis Programme: rationale and design. <i>BJU International</i> , 2010 , 105, 784-8	5.6	43
31	Biomarkers in bladder cancer. <i>BJU International</i> , 2010 , 105, 608-13	5.6	36
30	Mechanisms of recurrence of Ta/T1 bladder cancer. <i>Annals of the Royal College of Surgeons of England</i> , 2010 , 92, 519-24	1.4	41
29	FADS1 FADS2 gene variants modify the association between fish intake and the docosahexaenoic acid proportions in human milk. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1368-76	7	127
28	Pulmonary function in diabetes: a metaanalysis. <i>Chest</i> , 2010 , 138, 393-406	5.3	139
27	Minerals and vitamins and the risk of bladder cancer: results from the New Hampshire Study. <i>Cancer Causes and Control</i> , 2010 , 21, 609-19	2.8	45
26	Analysis of germline variants in CDH1, IGFBP3, MMP1, MMP3, STK15 and VEGF in familial and sporadic renal cell carcinoma. <i>PLoS ONE</i> , 2009 , 4, e6037	3.7	34
25	Re: Selenium and vitamin E: interesting biology and dashed hope. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 1363-4; author reply 1364	9.7	4
24	Development of a GIS-based indicator for environmental pesticide exposure and its application to a Belgian case-control study on bladder cancer. <i>International Journal of Hygiene and Environmental Health</i> , 2009 , 212, 172-85	6.9	17
23	Sequence variants at the TERT-CLPTM1L locus associate with many cancer types. <i>Nature Genetics</i> , 2009 , 41, 221-7	36.3	509
22	Genetic variation in the prostate stem cell antigen gene PSCA confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2009 , 41, 991-5	36.3	270
21	Pregnancy outcomes among adult survivors of childhood cancer in the British Childhood Cancer Survivor Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2239-47	4	109
20	Sequence variant on 8q24 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2008 , 40, 1307-12	36.3	332
19	Twin-specific intrauterine growth charts based on cross-sectional birthweight data. <i>Twin Research and Human Genetics</i> , 2008 , 11, 224-35	2.2	45

18	Nutrition, total fluid and bladder cancer. <i>Scandinavian Journal of Urology and Nephrology</i> , 2008 , 25-36		25
17	A meta-analysis on the association between bladder cancer and occupation. <i>Scandinavian Journal of Urology and Nephrology</i> , 2008 , 64-78		77
16	A compendium of familial relative risks of cancer among first degree relatives: a population-based study. <i>International Journal of Cancer</i> , 2008 , 123, 1664-73	7.5	10
15	Bladder cancer and occupation: a report from the Belgian case-control study on bladder cancer risk. <i>American Journal of Industrial Medicine</i> , 2007 , 50, 449-54	2.7	15
14	Health-status of adult survivors of childhood cancer: a large-scale population-based study from the British Childhood Cancer Survivor Study. <i>International Journal of Cancer</i> , 2007 , 121, 633-40	7.5	85
13	Epidemiology of urinary bladder cancer: from tumor development to patient's death. <i>World Journal of Urology</i> , 2007 , 25, 285-95	4	203
12	Muscle fibre type shifting in the vastus lateralis of patients with COPD is associated with disease severity: a systematic review and meta-analysis. <i>Thorax</i> , 2007 , 62, 944-9	7.3	165
11	Examining the co-occurrence of bladder and prostate cancer: a worthwhile investigation?. <i>Future Oncology</i> , 2007 , 3, 515-9	3.6	2
10	Occurrence of both bladder and prostate cancer in five cancer registries in Belgium, The Netherlands and the United Kingdom. <i>European Journal of Cancer</i> , 2007 , 43, 1694-700	7.5	27
9	Does occupational exposure to PAHs, diesel and aromatic amines interact with smoking and metabolic genetic polymorphisms to increase the risk on bladder cancer?; The Belgian case control study on bladder cancer risk. <i>Cancer Letters</i> , 2007 , 245, 51-60	9.9	48
8	Fruit consumption reduces the effect of smoking on bladder cancer risk. The Belgian case control study on bladder cancer. <i>International Journal of Cancer</i> , 2006 , 118, 2572-8	7.5	59
7	Nitrate intake does not influence bladder cancer risk: the Netherlands cohort study. <i>Environmental Health Perspectives</i> , 2006 , 114, 1527-31	8.4	41
6	Use of selenium in chemoprevention of bladder cancer. <i>Lancet Oncology</i> , 2006 , 7, 766-74	21.7	40
5	Are men with low selenium levels at increased risk of prostate cancer?. <i>European Journal of Cancer</i> , 2006 , 42, 2463-71	7.5	88
4	Selenium is inversely associated with bladder cancer risk: a report from the Belgian case-control study on bladder cancer. <i>International Journal of Urology</i> , 2006 , 13, 1180-4	2.3	51
3	Genes in the polyamine biosynthesis pathway may be involved in prostate cancer susceptibility. <i>Future Oncology</i> , 2005 , 1, 683-8	3.6	1
2	Adjusting for covariates in variance components QTL linkage analysis. <i>Behavior Genetics</i> , 2004 , 34, 127-33	2	20
1	How strong is the association between CAG and GGN repeat length polymorphisms in the androgen receptor gene and prostate cancer risk?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 1765-71	4	39

