Bilal Sari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3539405/publications.pdf

Version: 2024-02-01

840776 752698 22 459 11 20 citations h-index g-index papers 22 22 22 376 docs citations all docs times ranked citing authors

#	Article	IF	CITATIONS
1	Stratigraphy of Upper Cretaceous-Palaeogene sequences in the southern and eastern Menderes Massif (western Turkey). International Journal of Earth Sciences, 2001, 89, 852-866.	1.8	85
2	Tectonic implications of transtensional supradetachment basin development in an extensionâ€parallel transfer zone: the Kocaçay Basin, western Anatolia, Turkey. Basin Research, 2011, 23, 423-448.	2.7	76
3	UPPER CRETACEOUS PLANKTONIC FORAMINIFERAL BIOSTRATIGRAPHY OF THE BEY DAGLARI AUTOCHTHON IN THE KORKUTELI AREA, WESTERN TAURIDES, TURKEY. Journal of Foraminiferal Research, 2006, 36, 241-261.	0.5	50
4	Stratigraphic organisation, spatial distribution, palaeoenvironmental reconstruction, and demise of Lower Cretaceous (Barremian-lower Aptian) carbonate platforms of the Western Pontides (Black Sea) Tj ETQq0 0	01r. g .BT /0	ver¥ock 10 Tf
5	Planktonic foraminiferal biostratigraphy of the Coniacian-Maastrichtian sequences of the Bey Dağları Autochthon, western Taurides, Turkey: thin-section zonation. Cretaceous Research, 2009, 30, 1103-1132.	1.4	31
6	Upper Cretaceous rudist biostratigraphy of the Bey Dağları Carbonate Platform, Western Taurides, SW Turkey. Geobios, 2009, 42, 359-380.	1.4	29
7	First record of Upper Turonian rudists (Mollusca, Hippuritoidea) in the Bey Dağları carbonate platform, Western Taurides (Turkey): taxonomy and strontium isotope stratigraphy of Vaccinites praegiganteus (). Cretaceous Research, 2004, 25, 235-248.	1.4	24
8	Description of Paracaprinula syriaca Piveteau (Hippuritoidea, Plagioptychidae) and a revised age of ophiolite obduction on the African-Arabian Plate in southeastern Turkey. Cretaceous Research, 2009, 30, 41-48.	1.4	20
9	Upper Campanian calciclastic turbidite sequences from the Hacımehmet area (eastern Pontides, NE) Tj ETQq1 I	0.78431	4 rgBT /Overl
10	A Cenomanian–Santonian rudist–bearing carbonate platform on the northern Arabian Plate, Turkey: facies and sequence stratigraphy. Cretaceous Research, 2020, 110, 104414.	1.4	16
11	Cretaceous rudist-bearing platform carbonates from the Lycian Nappes (SW Turkey): Rudist associations and depositional setting. Cretaceous Research, 2017, 79, 122-145.	1.4	15
12	Stratigraphy and depositional history of the Cretaceous carbonate successions in the Spil Mountain (Manisa, W Turkey). Cretaceous Research, 2015, 53, 1-18.	1.4	11
13	Facies Characteristics of the Cenomanian–Maastrichtian Sequence of the Beydaglari Carbonate Platform, Korkuteli Area, Western Taurides, Turkey. International Geology Review, 2001, 43, 830-839.	2.1	10
14	Planktonic foraminifera and calcareous nannofossils record in the upper Campanian-Maastrichtian pelagic deposits of the Malatya Basin in the Hekimhan area (NW Malatya, eastern Anatolia). Cretaceous Research, 2016, 61, 91-107.	1.4	9
15	Micropalaeontology, biostratigraphy, and depositional setting of the mid-Cretaceous Derdere Formation at Derik, Mardin, south-eastern Turkey. Journal of Micropalaeontology, 2020, 39, 203-232.	3.6	7
16	New Planktonic Foraminifera Data from the Upper Cretaceous Pelagic Limestones of the Yuksekova Complex in the Maden Area (Southeast of Elazig, Eastern Turkey). IOP Conference Series: Earth and Environmental Science, 0, 362, 012121.	0.3	6
17	Cenomanian–Turonian drowning of the Arabian Carbonate Platform, the İnişdere section, Adıyaman, SE Turkey. Geological Society Special Publication, 2020, 498, 189-210.	1.3	6
18	Kinematics and U-Pb zircon ages of the sole metamorphics of the Marmaris Ophiolite, Lycian Nappes, Southwest Turkey. International Geology Review, 2019, 61, 1124-1142.	2.1	5

#	Article	IF	CITATIONS
19	Primitive Helicorbitoides (Foraminifera) and associated larger benthic foraminifera from the Campanian Tonya Formation, Trabzon, eastern Pontides, NE Turkey. Cretaceous Research, 2019, 101, 30-42.	1.4	4
20	Lithostratigraphy and planktonic foraminifera of the uppermost Cretaceous-Upper Paleocene strata of the Tavas nappe of the Lycian nappes (SW Turkey). Geologia Croatica, 2017, 70, 163-177.	0.8	3
21	â€~Filament' marker beds in the Karababa-A Member (Turonian) of the Arabian platform, SE Turkey: Palaeo-environmental significance, stratigraphy and correlation potential. Proceedings of the Geologists Association, 2021, 132, 188-198.	1.1	2

Bey Dağları Karbonat Platformu'nun doÄŸu bölümünde orta-üst Senomaniyen platform kireçtaÅŸlarında Geç

Kretase yaşlı ardışık pelajik neptüniyen dayk dolguları (Katran DaÄŸ, Antalya, GB Türkiye). Yerbiliml@i⊉Earth O
Sciences, 2019, 40, 35-71.