

Bilal Sari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3539405/publications.pdf>

Version: 2024-02-01

22
papers

459
citations

840776

11
h-index

752698

20
g-index

22
all docs

22
docs citations

22
times ranked

376
citing authors

#	ARTICLE	IF	CITATIONS
1	â€œFilamentâ€™ marker beds in the Karababa-A Member (Turonian) of the Arabian platform, SE Turkey: Palaeo-environmental significance, stratigraphy and correlation potential. Proceedings of the Geologists Association, 2021, 132, 188-198.	1.1	2
2	Cenomanianâ€œTuronian drowning of the Arabian Carbonate Platform, the Å°niÅŸdere section, AdÃ±yaman, SE Turkey. Geological Society Special Publication, 2020, 498, 189-210.	1.3	6
3	A Cenomanianâ€œSantonian rudistâ€œbearing carbonate platform on the northern Arabian Plate, Turkey: facies and sequence stratigraphy. Cretaceous Research, 2020, 110, 104414.	1.4	16
4	Micropalaeontology, biostratigraphy, and depositional setting of the mid-Cretaceous Derdere Formation at Derik, Mardin, south-eastern Turkey. Journal of Micropalaeontology, 2020, 39, 203-232.	3.6	7
5	Kinematics and U-Pb zircon ages of the sole metamorphics of the Marmaris Ophiolite, Lycian Nappes, Southwest Turkey. International Geology Review, 2019, 61, 1124-1142.	2.1	5
6	Primitive Helicorbitoides (Foraminifera) and associated larger benthic foraminifera from the Campanian Tonya Formation, Trabzon, eastern Pontides, NE Turkey. Cretaceous Research, 2019, 101, 30-42.	1.4	4
7	Bey DaÃŸlarÃ± Karbonat Platformuâ€™nun doÃŸu bÃ¶lgede orta-ÅŸst Senomaniyen platform kireÅŸtaÃŸlarÃ±nda GeÃŸ Kretase yaÃŸlarÃ± ardÃ±k pelajik neptÃ¼niyen dayk dolgularÃ± (Katran DaÃŸ, Antalya, GB TÃ¼rkiye). Yerbilimler Earth o Sciences, 2019, 40, 35-71.		
8	Cretaceous rudist-bearing platform carbonates from the Lycian Nappes (SW Turkey): Rudist associations and depositional setting. Cretaceous Research, 2017, 79, 122-145.	1.4	15
9	Lithostratigraphy and planktonic foraminifera of the uppermost Cretaceous-Upper Paleocene strata of the Tavas nappe of the Lycian nappes (SW Turkey). Geologia Croatica, 2017, 70, 163-177.	0.8	3
10	Planktonic foraminifera and calcareous nannofossils record in the upper Campanian-Maastrichtian pelagic deposits of the Malatya Basin in the Hekimhan area (NW Malatya, eastern Anatolia). Cretaceous Research, 2016, 61, 91-107.	1.4	9
11	Stratigraphy and depositional history of the Cretaceous carbonate successions in the Spil Mountain (Manisa, W Turkey). Cretaceous Research, 2015, 53, 1-18.	1.4	11
12	Upper Campanian calciclastic turbidite sequences from the HacÃ±mehmet area (eastern Pontides, NE) Tj ETQq0 0 0 rgeBT /Overlock 10 T	0.9	16
13	Tectonic implications of transtensional supradetachment basin development in an extensionâ€œparallel transfer zone: the KocaÅŸay Basin, western Anatolia, Turkey. Basin Research, 2011, 23, 423-448.	2.7	76
14	Upper Cretaceous rudist biostratigraphy of the Bey DaÃŸlarÃ± Carbonate Platform, Western Taurides, SW Turkey. Geobios, 2009, 42, 359-380.	1.4	29
15	Description of Paracaprlnula syriaca Piveteau (Hippuritoidea, Plagiptychidae) and a revised age of ophiolite obduction on the African-Arabian Plate in southeastern Turkey. Cretaceous Research, 2009, 30, 41-48.	1.4	20
16	Planktonic foraminiferal biostratigraphy of the Coniacian-Maastrichtian sequences of the Bey DaÃŸlarÃ± Autochthon, western Taurides, Turkey: thin-section zonation. Cretaceous Research, 2009, 30, 1103-1132.	1.4	31
17	Stratigraphic organisation, spatial distribution, palaeoenvironmental reconstruction, and demise of Lower Cretaceous (Barremian-lower Aptian) carbonate platforms of the Western Pontides (Black Sea) Tj ETQq1 1 01784314 rgeBT /Overlock	1.4	16
18	UPPER CRETACEOUS PLANKTONIC FORAMINIFERAL BIOSTRATIGRAPHY OF THE BEY DAGLARI AUTOCHTHON IN THE KORKUTELI AREA, WESTERN TAURIDES, TURKEY. Journal of Foraminiferal Research, 2006, 36, 241-261.	0.5	50

#	ARTICLE	IF	CITATIONS
19	First record of Upper Turonian rudists (Mollusca, Hippuritoidea) in the Bey DaÄŸlarÄ± carbonate platform, Western Taurides (Turkey): taxonomy and strontium isotope stratigraphy of <i>Vaccinites praegiganteus</i> (). <i>Cretaceous Research</i> , 2004, 25, 235-248.	1.4	24
20	Facies Characteristics of the Cenomanianâ€“Maastrichtian Sequence of the Beydaglari Carbonate Platform, Korkuteli Area, Western Taurides, Turkey. <i>International Geology Review</i> , 2001, 43, 830-839.	2.1	10
21	Stratigraphy of Upper Cretaceous-Palaeogene sequences in the southern and eastern Menderes Massif (western Turkey). <i>International Journal of Earth Sciences</i> , 2001, 89, 852-866.	1.8	85
22	New Planktonic Foraminifera Data from the Upper Cretaceous Pelagic Limestones of the Yuksekova Complex in the Maden Area (Southeast of Elazig, Eastern Turkey). <i>IOP Conference Series: Earth and Environmental Science</i> , 0, 362, 012121.	0.3	6