

Giovanna Iezzi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3540584/giovanna-iezzi-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93 papers	1,525 citations	22 h-index	34 g-index
100 ext. papers	1,855 ext. citations	3.3 avg, IF	4.56 L-index

#	Paper	IF	Citations
93	Photodynamic Antibiofilm and Antibacterial Activity of a New Gel with 5-Aminolevulinic Acid on Infected Titanium Surfaces.. <i>Biomedicines</i> , 2022 , 10,	4.8	2
92	Fixture Length and Primary Stability: An In Vitro Study on Polyurethane Foam. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 2683	2.6	0
91	Comparative Evaluation of Primary Stability between Different Diameters Multi-Scale Roughness Dental Implant by Solid Rigid Polyurethane Simulation. <i>Osteology</i> , 2021 , 1, 62-72	3	2
90	Case Report: Histological and Histomorphometrical Results of a 3-D Printed Biphasic Calcium Phosphate Ceramic 7 Years After Insertion in a Human Maxillary Alveolar Ridge. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 614325	5.8	3
89	The Influence of the Implant Macrogeometry on Insertion Torque, Removal Torque, and Periotest Implant Primary Stability: A Mechanical Simulation on High-Density Artificial Bone. <i>Symmetry</i> , 2021 , 13, 776	2.7	1
88	The Symmetric 3D Organization of Connective Tissue around Implant Abutment: A Key-Issue to Prevent Bone Resorption. <i>Symmetry</i> , 2021 , 13, 1126	2.7	2
87	Soft tissue integration of different abutment surfaces: An experimental study with histological analysis. <i>Clinical Oral Implants Research</i> , 2021 , 32, 928-940	4.8	2
86	Effects of Complex Electromagnetic Fields on Candida albicans Adhesion and Proliferation on Polyacrylic Resin. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 6786	2.6	2
85	Lateral static overload on immediately restored implants decreases the osteocyte index in peri-implant bone: a secondary analysis of a pre-clinical study in dogs. <i>Clinical Oral Investigations</i> , 2021 , 25, 3297-3303	4.2	2
84	Maxillary sinus augmentation with three different biomaterials: Histological, histomorphometric, clinical, and patient-reported outcomes from a randomized controlled trial. <i>Clinical Implant Dentistry and Related Research</i> , 2021 , 23, 86-95	3.9	5
83	An in vitro evaluation on polyurethane foam sheets of the insertion torque, removal torque values, and resonance frequency analysis (RFA) of a self-tapping threads and round apex implant. <i>Frontiers in Forests and Global Change</i> , 2021 , 40, 20-30	1.6	3
82	The Effect of Threads Geometry on Insertion Torque (IT) and Periotest Implant Primary Stability: A High-Density Polyurethane Simulation for the Anterior Mandible. <i>Crystals</i> , 2021 , 11, 308	2.3	0
81	Complex Electromagnetic Fields Reduce Planktonic Growth and Its Adhesion to Titanium Surfaces. <i>Biomedicines</i> , 2021 , 9,	4.8	2
80	Influence of Nano, Micro, and Macro Topography of Dental Implant Surfaces on Human Gingival Fibroblasts. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
79	A Novel 3D Titanium Surface Produced by Selective Laser Sintering to Counteract Streptococcus oralis Biofilm Formation. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 11915	2.6	0
78	Influence of the position of the antrostomy in sinus floor elevation on the healing of mini-implants: a randomized clinical trial. <i>Oral and Maxillofacial Surgery</i> , 2020 , 24, 299-308	1.6	1
77	Histological and Histomorphometrical Evaluation of a New Implant Macrogeometry. A Sheep Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	14

76	Xeno-Hybrid Composite Scaffold Manufactured with CAD/CAM Technology for Horizontal Bone-Augmentation in Edentulous Atrophic Maxilla: A Short Communication. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 2659	2.6	2
75	Influence of the Dimensions of the Antrostomy on Osseointegration of Mini-implants Placed in the Grafted Region After Sinus Floor Elevation: A Randomized Clinical Trial. <i>International Journal of Oral and Maxillofacial Implants</i> , 2020 , 35, 591-598	2.8	2
74	A Narrative Review of the Histological and Histomorphometrical Evaluation of the Peri-Implant Bone in Loaded and Unloaded Dental Implants. A 30-Year Experience (1988-2018). <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	22
73	Jawbone remodeling: a conceptual study based on Synchrotron High-resolution Tomography. <i>Scientific Reports</i> , 2020 , 10, 3777	4.9	10
72	Implant Placement in Patients under Treatment with Rivaroxaban: A Retrospective Clinical Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	5
71	Split crest technique for implant treatment of agenesis of the upper lateral incisors: results of a randomized pilot histological and clinical study at 24-month follow-up. <i>Brazilian Oral Research</i> , 2020 , 34, e118	2.6	2
70	Histomorphometric and Clinical Analysis of Ridge Preservation Procedures in Extraction Sockets with Buccal Bone Defects (>5mm) Using an In Situ Hardening Biphasic Calcium Phosphate (HA/βTCP) Graft and a Bioresorbable Matrix: A Human Study at 6 Months. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 3034	2.6	0
69	Material characterization and Streptococcus oralis adhesion on Polyetheretherketone (PEEK) and titanium surfaces used in implantology. <i>Journal of Materials Science: Materials in Medicine</i> , 2020 , 31, 84	4.5	16
68	The Bacterial Anti-Adhesive Activity of Double-Etched Titanium (DAE) as a Dental Implant Surface. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	9
67	Are . <i>Clinical Implant Dentistry and Related Research</i> , 2020 , 22, 552-566	3.9	10
66	Peri-implant alveolar bone resorption in an innovative peri-implantitis murine model: Effect of implant surface and onset of infection. <i>Clinical Implant Dentistry and Related Research</i> , 2019 , 21, 723-733 ^{3.9}	3.9	3
65	An In Vitro Evaluation, on Polyurethane Foam Sheets, of the Insertion Torque (IT) Values, Pull-Out Torque Values, and Resonance Frequency Analysis (RFA) of NanoShort Dental Implants. <i>Polymers</i> , 2019 , 11,	4.5	17
64	Covalent Decoration of Cortical Membranes with Graphene Oxide as a Substrate for Dental Pulp Stem Cells. <i>Nanomaterials</i> , 2019 , 9,	5.4	9
63	Correlation between Implant Geometry, Bone Density, and the Insertion Torque/Depth Integral: A Study on Bovine Ribs. <i>Dentistry Journal</i> , 2019 , 7,	3.1	14
62	Bone healing at non-submerged implants installed with different insertion torques: a split-mouth histomorphometric randomized controlled trial. <i>International Journal of Implant Dentistry</i> , 2019 , 5, 39	2.8	6
61	Sinus Floor Elevation and Antrostomy Healing: A Histomorphometric Clinical Study in Humans. <i>Implant Dentistry</i> , 2019 , 28, 537-542	2.4	4
60	Influence of the Presence of Alveolar Mucosa at Implants: A Histological Study in Humans. <i>Implant Dentistry</i> , 2018 , 27, 193-201	2.4	5
59	Regenerative properties of collagenated porcine bone grafts in human maxilla: demonstrative study of the kinetics by synchrotron radiation microtomography and light microscopy. <i>Clinical Oral Investigations</i> , 2018 , 22, 505-513	4.2	8

58	Immunohistochemical Evaluation of Peri-Implant Soft Tissues around Machined and Direct Metal Laser Sintered (DMLS) Healing Abutments in Humans. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	9
57	Osteo-regeneration personalized for children by rapid maxillary expansion: an imaging study based on synchrotron radiation microtomography. <i>BMC Oral Health</i> , 2018 , 18, 125	3.7	
56	Comparative Histological and Histomorphometric Results of Six Biomaterials Used in Two-Stage Maxillary Sinus Augmentation Model after 6-Month Healing. <i>BioMed Research International</i> , 2018 , 2018, 9430989	3	17
55	The effect of undersizing and tapping on bone to implant contact and implant primary stability: A histomorphometric study on bovine ribs. <i>Journal of Advanced Prosthodontics</i> , 2018 , 10, 227-235	2.2	6
54	Three-dimensional microarchitecture and local mineralization of human jaws affected by bisphosphonate-related osteonecrosis. <i>Oral Oncology</i> , 2018 , 84, 128-130	4.4	3
53	Bisphosphonate-related osteonecrosis of the human jaw: A combined 3D assessment of bone descriptors by histology and synchrotron radiation-based microtomography. <i>Oral Oncology</i> , 2018 , 82, 200-202	4.4	10
52	Influence of the Buccal Bone Crest Width on Peri-Implant Hard and Soft Tissues Dimensions: A Histomorphometric Study in Humans. <i>Implant Dentistry</i> , 2018 , 27, 415-423	2.4	7
51	Sinus augmentation and concomitant implant placement in low bone-density sites. A retrospective study on an undersized drilling protocol and primary stability. <i>Clinical Implant Dentistry and Related Research</i> , 2018 , 20, 151-159	3.9	7
50	Bone Healing at Functionally Loaded and Unloaded Screw-Shaped Implants Supporting Single Crowns: A Histomorphometric Study in Humans. <i>International Journal of Oral and Maxillofacial Implants</i> , 2018 , 33, 181-187	2.8	7
49	Bacterial leakage in external hexagon implants with and without the interposition of a sealing-connector. <i>American Journal of Dentistry</i> , 2018 , 31, 234-238	1.3	
48	Early bone formation around immediately loaded implants with nanostructured calcium-incorporated and machined surface: a randomized, controlled histologic and histomorphometric study in the human posterior maxilla. <i>Clinical Oral Investigations</i> , 2017 , 21, 2603-2611	4.2	17
47	Histological Evidence of the Osseointegration of Fractured Direct Metal Laser Sintering Implants Retrieved after 5 Years of Function. <i>BioMed Research International</i> , 2017 , 2017, 9732136	3	13
46	Early Bone Formation around Immediately Loaded Transitional Implants Inserted in the Human Posterior Maxilla: The Effects of Fixture Design and Surface. <i>BioMed Research International</i> , 2017 , 2017, 4152506	3	9
45	Early Bone Response to Dual Acid-Etched and Machined Dental Implants Placed in the Posterior Maxilla: A Histologic and Histomorphometric Human Study. <i>Implant Dentistry</i> , 2017 , 26, 24-29	2.4	21
44	Cellular Midpalatal Suture Changes after Rapid Maxillary Expansion in Growing Subjects: A Case Report. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	18
43	The Root Membrane Technique: Human Histologic Evidence after Five Years of Function. <i>BioMed Research International</i> , 2017 , 2017, 7269467	3	24
42	Impact of Different Implant Surfaces Topographies on Peri-Implant Tissues: An Update of Current Available Data on Dental Implants Retrieved from Human Jaws. <i>Current Pharmaceutical Biotechnology</i> , 2017 , 18, 76-84	2.6	11
41	A new device for improving dental implants anchorage: a histological and micro-computed tomography study in the rabbit. <i>Clinical Oral Implants Research</i> , 2016 , 27, 935-42	4.8	14

40	Periimplant Bone Response in Human-Retrieved, Clinically Stable, Successful, and Functioning Dental Implants After a Long-Term Loading Period: A Report of 17 Cases From 4 to 20 Years. <i>Implant Dentistry</i> , 2016 , 25, 380-6	2.4	14
39	The effect of cigarette smoking on early osseointegration of dental implants: a prospective controlled study. <i>Clinical Oral Implants Research</i> , 2016 , 27, 1123-8	4.8	24
38	Bone healing at implants with different surface configurations: an experimental study in dogs. <i>Clinical Oral Implants Research</i> , 2016 , 27, 196-202	4.8	8
37	Influence of osteoporosis on the osteocyte density of human mandibular bone samples: a controlled histological human study. <i>Clinical Oral Implants Research</i> , 2016 , 27, 325-8	4.8	13
36	MSCs and Biomaterials. <i>Pancreatic Islet Biology</i> , 2016 , 241-252	0.4	
35	A site-specific intraoperative measurement of bone-to-implant contact during implant insertion: A study on bovine ribs using a computerized implant motor. <i>Journal of Dental Sciences</i> , 2015 , 10, 21-27	2.5	10
34	Correlation between the bone density recorded by a computerized implant motor and by a histomorphometric analysis: a preliminary in vitro study on bovine ribs. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17 Suppl 1, e35-44	3.9	15
33	Bone healing at bicortically installed implants with different surface configurations. An experimental study in rabbits. <i>Clinical Oral Implants Research</i> , 2015 , 26, 293-9	4.8	24
32	Evaluation of Peri-Implant Bone Response in Implants Retrieved for Fracture After More Than 20 Years of Loading: A Case Series. <i>Journal of Oral Implantology</i> , 2015 , 41, 414-8	1.2	9
31	A histological study of non-ceramic hydroxyapatite as a bone graft substitute material in the vertical bone augmentation of the posterior mandible using an interpositional inlay technique: A split mouth evaluation. <i>Annals of Anatomy</i> , 2015 , 202, 1-7	2.9	10
30	Effect of lateral static load on immediately restored implants: histologic and radiographic evaluation in dogs. <i>Clinical Oral Implants Research</i> , 2015 , 26, e51-e56	4.8	4
29	A Human Clinical, Histological, Histomorphometrical, and Radiographical Study on Biphasic HA-Beta-TCP 30/70 in Maxillary Sinus Augmentation. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17, 610-8	3.9	34
28	Custom-Made Computer-Aided-Design/Computer-Aided-Manufacturing Biphasic Calcium-Phosphate Scaffold for Augmentation of an Atrophic Mandibular Anterior Ridge. <i>Case Reports in Dentistry</i> , 2015 , 2015, 941265	0.6	23
27	Histological and Histomorphometric Human Results of HA-Beta-TCP 30/70 Compared to Three Different Biomaterials in Maxillary Sinus Augmentation at 6 Months: A Preliminary Report. <i>BioMed Research International</i> , 2015 , 2015, 156850	3	13
26	Aesthetic Surgical Crown Lengthening Procedure. <i>Case Reports in Dentistry</i> , 2015 , 2015, 437412	0.6	4
25	A torque-measuring micromotor provides operator independent measurements marking four different density areas in maxillae. <i>Journal of Advanced Prosthodontics</i> , 2015 , 7, 51-5	2.2	10
24	Bone formation in sinus augmentation procedures using autologous bone, porcine bone, and a 50:50 mixture: a human clinical and histological evaluation at 24 months. <i>Clinical Oral Implants Research</i> , 2015 , 26, 1180-4	4.8	13
23	Bone-implant contact around crestal and subcrestal dental implants submitted to immediate and conventional loading. <i>Scientific World Journal, The</i> , 2014 , 2014, 606947	2.2	4

22	Single-tooth morse taper connection implant placed in grafted site of the anterior maxilla: clinical and radiographic evaluation. <i>Case Reports in Dentistry</i> , 2014 , 2014, 183872	0.6	4
21	Biological width around one- and two-piece implants retrieved from human jaws. <i>BioMed Research International</i> , 2014 , 2014, 850120	3	21
20	Vertical ridge augmentation of the atrophic posterior mandible with sandwich technique: bone block from the chin area versus corticocancellous bone block allograft--clinical and histological prospective randomized controlled study. <i>BioMed Research International</i> , 2014 , 2014, 982104	3	74
19	Crestal bone reactions to immediate implants placed at different levels in relation to crestal bone. A pilot study in Foxhound dogs. <i>Clinical Oral Implants Research</i> , 2014 , 25, 344-351	4.8	14
18	Maxillary ridge augmentation with custom-made CAD/CAM scaffolds. A 1-year prospective study on 10 patients. <i>Journal of Oral Implantology</i> , 2014 , 40, 561-9	1.2	27
17	Bone-to-implant contact around immediately loaded direct laser metal-forming transitional implants in human posterior maxilla. <i>Journal of Periodontology</i> , 2013 , 84, 732-7	4.6	29
16	CAD-CAM-generated hydroxyapatite scaffold to replace the mandibular condyle in sheep: preliminary results. <i>Journal of Biomaterials Applications</i> , 2013 , 28, 207-18	2.9	26
15	Histological and Synchrotron Radiation-Based Computed Microtomography Study of 2 Human-Retrieved Direct Laser Metal Formed Titanium Implants. <i>Implant Dentistry</i> , 2013 , 22, 175-181	2.4	23
14	Maxillary sinus grafting with biphasic calcium phosphate ceramics: clinical and histologic evaluation in man. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013 , 28, 51-6	2.8	38
13	Vertical ridge augmentation of the atrophic posterior mandible with custom-made, computer-aided design/computer-aided manufacturing porous hydroxyapatite scaffolds. <i>Journal of Craniofacial Surgery</i> , 2013 , 24, 856-9	1.2	23
12	Development of a new implant primary stability parameter: insertion torque revisited. <i>Clinical Implant Dentistry and Related Research</i> , 2013 , 15, 637-44	3.9	21
11	Histological and synchrotron radiation-based computed microtomography study of 2 human-retrieved direct laser metal formed titanium implants. <i>Implant Dentistry</i> , 2013 , 22, 175-81	2.4	12
10	Comparative histological results of different biomaterials used in sinus augmentation procedures: a human study at 6 months. <i>Clinical Oral Implants Research</i> , 2012 , 23, 1369-76	4.8	35
9	Scanning electron microscopy (SEM) and X-ray dispersive spectrometry evaluation of direct laser metal sintering surface and human bone interface: a case series. <i>Lasers in Medical Science</i> , 2011 , 26, 133-8 ¹	3.1	26
8	Histomorphometric evaluation of bioceramic molecular impregnated and dual acid-etched implant surfaces in the human posterior maxilla. <i>Clinical Implant Dentistry and Related Research</i> , 2010 , 12, 281-8	3.9	33
7	Early human bone response to laser metal sintering surface topography: a histologic report. <i>Journal of Oral Implantology</i> , 2010 , 36, 91-6	1.2	39
6	Influence of direct laser fabrication implant topography on type IV bone: a histomorphometric study in humans. <i>Journal of Biomedical Materials Research - Part A</i> , 2010 , 93, 607-14	5.4	34
5	Immediate loading of modified acid etched dental implants in postextraction sockets: a histological and histomorphometrical comparative study in nonhuman primate <i>Papio ursinus</i> . <i>Implant Dentistry</i> , 2009 , 18, 142-50	2.4	15

4	Histologic results from a human implant retrieved due to fracture 5 years after insertion in a sinus augmented with anorganic bovine bone. <i>Journal of Periodontology</i> , 2008 , 79, 192-8	4.6	51
3	Biologic width changes around loaded implants inserted in different levels in relation to crestal bone: histometric evaluation in canine mandible. <i>Clinical Oral Implants Research</i> , 2008 , 19, 483-90	4.8	36
2	Maxillary sinus augmentation with different biomaterials: a comparative histologic and histomorphometric study in man. <i>Implant Dentistry</i> , 2006 , 15, 197-207	2.4	182
1	Role of the microgap between implant and abutment: a retrospective histologic evaluation in monkeys. <i>Journal of Periodontology</i> , 2003 , 74, 346-52	4.6	147