

Costanza Emanuelli

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3540775/costanza-emanuelli-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

197
papers

10,420
citations

60
h-index

95
g-index

206
ext. papers

11,823
ext. citations

8.9
avg, IF

6.19
L-index

#	Paper	IF	Citations
197	Methodological Guidelines to Study Extracellular Vesicles. <i>Circulation Research</i> , 2017 , 120, 1632-1648	15.7	490
196	Transcriptional and Post-transcriptional Gene Regulation by Long Non-coding RNA. <i>Genomics, Proteomics and Bioinformatics</i> , 2017 , 15, 177-186	6.5	430
195	Deregulation of microRNA-503 contributes to diabetes mellitus-induced impairment of endothelial function and reparative angiogenesis after limb ischemia. <i>Circulation</i> , 2011 , 123, 282-91	16.7	322
194	Transplantation of human pericyte progenitor cells improves the repair of infarcted heart through activation of an angiogenic program involving micro-RNA-132. <i>Circulation Research</i> , 2011 , 109, 894-906	15.7	286
193	Human adult vena saphena contains perivascular progenitor cells endowed with clonogenic and proangiogenic potential. <i>Circulation</i> , 2010 , 121, 1735-45	16.7	239
192	Nerve growth factor promotes angiogenesis and arteriogenesis in ischemic hindlimbs. <i>Circulation</i> , 2002 , 106, 2257-62	16.7	221
191	Human CD133+ progenitor cells promote the healing of diabetic ischemic ulcers by paracrine stimulation of angiogenesis and activation of Wnt signaling. <i>Circulation Research</i> , 2009 , 104, 1095-102	15.7	213
190	Role of microRNAs in diabetes and its cardiovascular complications. <i>Cardiovascular Research</i> , 2012 , 93, 583-93	9.9	180
189	Exosomes and exosomal miRNAs in cardiovascular protection and repair. <i>Vascular Pharmacology</i> , 2015 , 71, 24-30	5.9	169
188	Diabetes mellitus induces bone marrow microangiopathy. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 498-508	9.4	167
187	Local delivery of human tissue kallikrein gene accelerates spontaneous angiogenesis in mouse model of hindlimb ischemia. <i>Circulation</i> , 2001 , 103, 125-32	16.7	167
186	Dilated and failing cardiomyopathy in bradykinin B(2) receptor knockout mice. <i>Circulation</i> , 1999 , 100, 2359-65	16.7	154
185	MicroRNA-15a and microRNA-16 impair human circulating proangiogenic cell functions and are increased in the proangiogenic cells and serum of patients with critical limb ischemia. <i>Circulation Research</i> , 2013 , 112, 335-46	15.7	151
184	Nerve growth factor promotes cardiac repair following myocardial infarction. <i>Circulation Research</i> , 2010 , 106, 1275-84	15.7	148
183	The control of microvascular permeability and blood pressure by neutral endopeptidase. <i>Nature Medicine</i> , 1997 , 3, 904-7	50.5	139
182	Cardiovascular actions of neurotrophins. <i>Physiological Reviews</i> , 2009 , 89, 279-308	47.9	137
181	Derivation of endothelial cells from human embryonic stem cells by directed differentiation: analysis of microRNA and angiogenesis in vitro and in vivo. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 1389-97	9.4	131

180	MicroRNA regulation in angiogenesis. <i>Vascular Pharmacology</i> , 2011 , 55, 79-86	5.9	129
179	Human Pericardial Fluid Contains Exosomes Enriched with Cardiovascular-Expressed MicroRNAs and Promotes Therapeutic Angiogenesis. <i>Molecular Therapy</i> , 2017 , 25, 679-693	11.7	122
178	Transplantation of low dose CD34+KDR+ cells promotes vascular and muscular regeneration in ischemic limbs. <i>FASEB Journal</i> , 2004 , 18, 1737-9	0.9	116
177	Adenovirus-mediated VEGF(121) gene transfer stimulates angiogenesis in normoperfused skeletal muscle and preserves tissue perfusion after induction of ischemia. <i>Circulation</i> , 2000 , 102, 565-71	16.7	115
176	A Role for the Long Noncoding RNA SENCER in Commitment and Function of Endothelial Cells. <i>Molecular Therapy</i> , 2016 , 24, 978-90	11.7	111
175	Diabetes and vessel wall remodelling: from mechanistic insights to regenerative therapies. <i>Cardiovascular Research</i> , 2008 , 78, 265-73	9.9	110
174	Local inhibition of microRNA-24 improves reparative angiogenesis and left ventricle remodeling and function in mice with myocardial infarction. <i>Molecular Therapy</i> , 2013 , 21, 1390-402	11.7	107
173	Global remodeling of the vascular stem cell niche in bone marrow of diabetic patients: implication of the microRNA-155/FOXO3a signaling pathway. <i>Circulation Research</i> , 2013 , 112, 510-22	15.7	106
172	Targeting kinin B(1) receptor for therapeutic neovascularization. <i>Circulation</i> , 2002 , 105, 360-6	16.7	105
171	Nerve growth factor promotes reparative angiogenesis and inhibits endothelial apoptosis in cutaneous wounds of Type 1 diabetic mice. <i>Diabetologia</i> , 2004 , 47, 1047-54	10.3	102
170	Cardiovascular phenotype of a mouse strain with disruption of bradykinin B2-receptor gene. <i>Circulation</i> , 1997 , 96, 3570-8	16.7	99
169	Combined intramyocardial delivery of human pericytes and cardiac stem cells additively improves the healing of mouse infarcted hearts through stimulation of vascular and muscular repair. <i>Circulation Research</i> , 2015 , 116, e81-94	15.7	98
168	Intravenous gene therapy with PIM-1 via a cardiotropic viral vector halts the progression of diabetic cardiomyopathy through promotion of prosurvival signaling. <i>Circulation Research</i> , 2011 , 108, 1238-51	15.7	96
167	Genetic deletion of the p66Shc adaptor protein protects from angiotensin II-induced myocardial damage. <i>Hypertension</i> , 2005 , 46, 433-40	8.5	91
166	Role of kinin B2 receptor signaling in the recruitment of circulating progenitor cells with neovascularization potential. <i>Circulation Research</i> , 2008 , 103, 1335-43	15.7	90
165	p75(NTR)-dependent activation of NF- κ B regulates microRNA-503 transcription and pericyte-endothelial crosstalk in diabetes after limb ischaemia. <i>Nature Communications</i> , 2015 , 6, 8024	17.4	89
164	Acute ACE inhibition causes plasma extravasation in mice that is mediated by bradykinin and substance P. <i>Hypertension</i> , 1998 , 31, 1299-304	8.5	89
163	Human fetal aorta contains vascular progenitor cells capable of inducing vasculogenesis, angiogenesis, and myogenesis in vitro and in a murine model of peripheral ischemia. <i>American Journal of Pathology</i> , 2007 , 170, 1879-92	5.8	88

162	Pluripotent stem cell differentiation into vascular cells: a novel technology with promises for vascular re(generation). <i>Pharmacology & Therapeutics</i> , 2011 , 129, 29-49	13.9	83
161	Role of microRNAs 99b, 181a, and 181b in the differentiation of human embryonic stem cells to vascular endothelial cells. <i>Stem Cells</i> , 2012 , 30, 643-54	5.8	81
160	Identification of the prosurvival activity of nerve growth factor on cardiac myocytes. <i>Cell Death and Differentiation</i> , 2008 , 15, 299-311	12.7	81
159	Native and bioengineered extracellular vesicles for cardiovascular therapeutics. <i>Nature Reviews Cardiology</i> , 2020 , 17, 685-697	14.8	80
158	Vitamin B1 analog benfotiamine prevents diabetes-induced diastolic dysfunction and heart failure through Akt/Pim-1-mediated survival pathway. <i>Circulation: Heart Failure</i> , 2010 , 3, 294-305	7.6	79
157	Mechanisms of disease: the tissue kallikrein-kinin system in hypertension and vascular remodeling. <i>Nature Clinical Practice Nephrology</i> , 2007 , 3, 208-21		79
156	Coronary Artery-Bypass-Graft Surgery Increases the Plasma Concentration of Exosomes Carrying a Cargo of Cardiac MicroRNAs: An Example of Exosome Trafficking Out of the Human Heart with Potential for Cardiac Biomarker Discovery. <i>PLoS ONE</i> , 2016 , 11, e0154274	3.7	79
155	Neurotrophin p75 receptor (p75NTR) promotes endothelial cell apoptosis and inhibits angiogenesis: implications for diabetes-induced impaired neovascularization in ischemic limb muscles. <i>Circulation Research</i> , 2008 , 103, e15-26	15.7	78
154	Type-2 diabetes increases autophagy in the human heart through promotion of Beclin-1 mediated pathway. <i>International Journal of Cardiology</i> , 2016 , 202, 13-20	3.2	77
153	Gestational diabetes mellitus impairs fetal endothelial cell functions through a mechanism involving microRNA-101 and histone methyltransferase enhancer of zester homolog-2. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 664-74	9.4	77
152	Role for substance p-based nociceptive signaling in progenitor cell activation and angiogenesis during ischemia in mice and in human subjects. <i>Circulation</i> , 2012 , 125, 1774-86, S1-19	16.7	77
151	The Function and Therapeutic Potential of Long Non-coding RNAs in Cardiovascular Development and Disease. <i>Molecular Therapy - Nucleic Acids</i> , 2017 , 8, 494-507	10.7	75
150	Involvement of phosphoinositide 3-kinase gamma in angiogenesis and healing of experimental myocardial infarction in mice. <i>Circulation Research</i> , 2010 , 106, 757-68	15.7	72
149	Evidence that epithelium-derived relaxing factor released by bradykinin in the guinea pig trachea is nitric oxide. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996 , 153, 918-23	10.2	72
148	Benfotiamine accelerates the healing of ischaemic diabetic limbs in mice through protein kinase B/Akt-mediated potentiation of angiogenesis and inhibition of apoptosis. <i>Diabetologia</i> , 2006 , 49, 405-20	10.3	69
147	Adenovirus-mediated human tissue kallikrein gene delivery induces angiogenesis in normoperfused skeletal muscle. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 2379-85	9.4	69
146	Regulatory RNAs in Heart Failure. <i>Circulation</i> , 2020 , 141, 313-328	16.7	68
145	Phosphoinositide 3-kinase gamma gene knockout impairs postischemic neovascularization and endothelial progenitor cell functions. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 68-76	9.4	68

144	Protease-activated receptor-2 stimulates angiogenesis and accelerates hemodynamic recovery in a mouse model of hindlimb ischemia. <i>Circulation Research</i> , 2002 , 91, 346-52	15.7	68
143	Inhibition of delta-like-4-mediated signaling impairs reparative angiogenesis after ischemia. <i>Circulation Research</i> , 2010 , 107, 283-93	15.7	67
142	Rescue of impaired angiogenesis in spontaneously hypertensive rats by intramuscular human tissue kallikrein gene transfer. <i>Hypertension</i> , 2001 , 38, 136-41	8.5	67
141	Prevention of diabetes-induced microangiopathy by human tissue kallikrein gene transfer. <i>Circulation</i> , 2002 , 106, 993-9	16.7	67
140	MicroRNA-503 and the extended microRNA-16 family in angiogenesis. <i>Trends in Cardiovascular Medicine</i> , 2011 , 21, 162-6	6.9	66
139	Cardiovascular effects of nociceptin in unanesthetized mice. <i>Hypertension</i> , 1999 , 33, 914-9	8.5	63
138	Antiangiogenesis mediates cisplatin-induced peripheral neuropathy: attenuation or reversal by local vascular endothelial growth factor gene therapy without augmenting tumor growth. <i>Circulation</i> , 2005 , 111, 2662-70	16.7	60
137	Benfotiamine improves functional recovery of the infarcted heart via activation of pro-survival G6PD/Akt signaling pathway and modulation of neurohormonal response. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 49, 625-38	5.8	59
136	Nerve growth factor supplementation reverses the impairment, induced by Type 1 diabetes, of hindlimb post-ischaemic recovery in mice. <i>Diabetologia</i> , 2004 , 47, 1055-63	10.3	59
135	Cardiac hypertrophy and microvascular deficit in kinin B2 receptor knockout mice. <i>Hypertension</i> , 2003 , 41, 1151-5	8.5	58
134	Concise review: MicroRNAs as modulators of stem cells and angiogenesis. <i>Stem Cells</i> , 2014 , 32, 1059-66	5.8	57
133	Regulation of bradykinin B2-receptor expression by oestrogen. <i>British Journal of Pharmacology</i> , 1997 , 121, 1763-9	8.6	55
132	Perivascular delivery of encapsulated mesenchymal stem cells improves postischemic angiogenesis via paracrine activation of VEGF-A. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 1872-80	9.4	54
131	Expansion and characterization of neonatal cardiac pericytes provides a novel cellular option for tissue engineering in congenital heart disease. <i>Journal of the American Heart Association</i> , 2015 , 4, e002043	6.3	53
130	Noncoding RNAs in diabetes vascular complications. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 89, 42-50	5.8	53
129	Diabetes causes bone marrow endothelial barrier dysfunction by activation of the RhoA-Rho-associated kinase signaling pathway. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 555-64	9.4	53
128	Critical role of tissue kallikrein in vessel formation and maturation: implications for therapeutic revascularization. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 657-64	9.4	53
127	Ex vivo molecular rejuvenation improves the therapeutic activity of senescent human cardiac stem cells in a mouse model of myocardial infarction. <i>Stem Cells</i> , 2014 , 32, 2373-85	5.8	52

126	Renovascular hypertension in bradykinin B2-receptor knockout mice. <i>Hypertension</i> , 1998 , 32, 503-9	8.5	52
125	Genetically engineered stem cell therapy for tissue regeneration. <i>Annals of the New York Academy of Sciences</i> , 2004 , 1015, 271-84	6.5	49
124	Neurotrophin-3 is a novel angiogenic factor capable of therapeutic neovascularization in a mouse model of limb ischemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 1143-50	9.4	48
123	Akt/protein kinase B and endothelial nitric oxide synthase mediate muscular neovascularization induced by tissue kallikrein gene transfer. <i>Circulation</i> , 2004 , 110, 1638-44	16.7	46
122	Paracrine control of vascularization and neurogenesis by neurotrophins. <i>British Journal of Pharmacology</i> , 2003 , 140, 614-9	8.6	46
121	Copper Transport Protein Antioxidant-1 Promotes Inflammatory Neovascularization via Chaperone and Transcription Factor Function. <i>Scientific Reports</i> , 2015 , 5, 14780	4.9	45
120	Boosting the pentose phosphate pathway restores cardiac progenitor cell availability in diabetes. <i>Cardiovascular Research</i> , 2013 , 97, 55-65	9.9	45
119	Targeting kinin receptors for the treatment of tissue ischaemia. <i>Trends in Pharmacological Sciences</i> , 2001 , 22, 478-84	13.2	43
118	Murine models of myocardial and limb ischemia: diagnostic end-points and relevance to clinical problems. <i>Vascular Pharmacology</i> , 2006 , 45, 281-301	5.9	41
117	Prophylactic gene therapy with human tissue kallikrein ameliorates limb ischemia recovery in type 1 diabetic mice. <i>Diabetes</i> , 2004 , 53, 1096-103	0.9	41
116	EZH2 modulates angiogenesis in vitro and in a mouse model of limb ischemia. <i>Molecular Therapy</i> , 2015 , 23, 32-42	11.7	39
115	Rapid onset of cardiomyopathy in STZ-induced female diabetic mice involves the downregulation of pro-survival Pim-1. <i>Cardiovascular Diabetology</i> , 2014 , 13, 68	8.7	39
114	Tissue kallikrein is essential for invasive capacity of circulating proangiogenic cells. <i>Circulation Research</i> , 2011 , 108, 284-93	15.7	39
113	Angiogenesis gene therapy to rescue ischaemic tissues: achievements and future directions. <i>British Journal of Pharmacology</i> , 2001 , 133, 951-8	8.6	39
112	Pre-emptive hypoxia-regulated HO-1 gene therapy improves post-ischaemic limb perfusion and tissue regeneration in mice. <i>Cardiovascular Research</i> , 2013 , 97, 115-24	9.9	38
111	Role of nitric oxide synthase inhibition in the acute hypertensive response to intracerebroventricular cadmium. <i>British Journal of Pharmacology</i> , 1998 , 123, 129-35	8.6	38
110	Nitropravastatin stimulates reparative neovascularisation and improves recovery from limb ischaemia in type-1 diabetic mice. <i>British Journal of Pharmacology</i> , 2007 , 150, 873-82	8.6	37
109	Angiotensin AT(1) receptor signalling modulates reparative angiogenesis induced by limb ischaemia. <i>British Journal of Pharmacology</i> , 2002 , 135, 87-92	8.6	37

108	Platelet lysate gel and endothelial progenitors stimulate microvascular network formation in vitro: tissue engineering implications. <i>Scientific Reports</i> , 2016 , 6, 25326	4.9	37
107	Apricot melanoidins prevent oxidative endothelial cell death by counteracting mitochondrial oxidation and membrane depolarization. <i>PLoS ONE</i> , 2012 , 7, e48817	3.7	36
106	Angiotensin II type 1 receptor blockade prevents cardiac remodeling in bradykinin B(2) receptor knockout mice. <i>Hypertension</i> , 2000 , 35, 391-6	8.5	36
105	Epigenetic profile of human adventitial progenitor cells correlates with therapeutic outcomes in a mouse model of limb ischemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 675-88	9.4	35
104	Vascular differentiation from embryonic stem cells: novel technologies and therapeutic promises. <i>Vascular Pharmacology</i> , 2012 , 56, 267-79	5.9	34
103	Possible novel targets for therapeutic angiogenesis. <i>Current Opinion in Pharmacology</i> , 2009 , 9, 102-8	5.1	34
102	MicroRNAs in congenital heart disease. <i>Annals of Translational Medicine</i> , 2015 , 3, 333	3.2	34
101	Soluble ST2 is regulated by p75 neurotrophin receptor and predicts mortality in diabetic patients with critical limb ischemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012 , 32, e149-60	9.4	33
100	Type-2 diabetic Lepr(db/db) mice show a defective microvascular phenotype under basal conditions and an impaired response to angiogenesis gene therapy in the setting of limb ischemia. <i>Frontiers in Bioscience - Landmark</i> , 2007 , 12, 2003-12	2.8	33
99	Blood flow and stem cells in vascular disease. <i>Cardiovascular Research</i> , 2013 , 99, 251-9	9.9	31
98	Reversal of angiogenic growth factor upregulation by revascularization of lower limb ischemia. <i>Circulation</i> , 2002 , 105, 67-72	16.7	31
97	Enhanced blood pressure sensitivity to deoxycorticosterone in mice with disruption of bradykinin B2 receptor gene. <i>Hypertension</i> , 1998 , 31, 1278-83	8.5	31
96	The bradykinin B1 receptor and the central regulation of blood pressure in spontaneously hypertensive rats. <i>British Journal of Pharmacology</i> , 1999 , 126, 1769-76	8.6	31
95	Nerve growth factor gene therapy using adeno-associated viral vectors prevents cardiomyopathy in type 1 diabetic mice. <i>Diabetes</i> , 2012 , 61, 229-40	0.9	30
94	Robust Revascularization in Models of Limb Ischemia Using a Clinically Translatable Human Stem Cell-Derived Endothelial Cell Product. <i>Molecular Therapy</i> , 2018 , 26, 1669-1684	11.7	29
93	Exosomes: Basic Biology and Technological Advancements Suggesting Their Potential as Ischemic Heart Disease Therapeutics. <i>Frontiers in Physiology</i> , 2018 , 9, 1159	4.6	29
92	Non coding RNAs in aortic aneurysmal disease. <i>Frontiers in Genetics</i> , 2015 , 6, 125	4.5	29
91	Endogenous nitric oxide inhibits bronchoconstriction induced by cold-air inhalation in guinea pigs: role of kinins. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998 , 157, 547-52	10.2	29

90	Synthetic microparticles conjugated with VEGF improve the survival of endothelial progenitor cells via microRNA-17 inhibition. <i>Nature Communications</i> , 2017 , 8, 747	17.4	28
89	Transplantation of Allogeneic Pericytes Improves Myocardial Vascularization and Reduces Interstitial Fibrosis in a Swine Model of Reperfused Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	28
88	MicroRNAs in Postischemic Vascular Repair. <i>Cardiology Research and Practice</i> , 2012 , 2012, 486702	1.9	28
87	Human tissue kallikrein: a new bullet for the treatment of ischemia. <i>Current Pharmaceutical Design</i> , 2003 , 9, 589-97	3.3	28
86	Evidence that tachykinins relax the guinea-pig trachea via nitric oxide release and by stimulation of a septide-insensitive NK1 receptor. <i>British Journal of Pharmacology</i> , 1996 , 117, 1270-6	8.6	27
85	Oxidative stress-dependent activation of collagen synthesis is induced in human pulmonary smooth muscle cells by sera from patients with scleroderma-associated pulmonary hypertension. <i>Orphanet Journal of Rare Diseases</i> , 2014 , 9, 123	4.2	26
84	Sensory neuropathy hampers nociception-mediated bone marrow stem cell release in mice and patients with diabetes. <i>Diabetologia</i> , 2015 , 58, 2653-62	10.3	26
83	MicroRNAs in vascular tissue engineering and post-ischemic neovascularization. <i>Advanced Drug Delivery Reviews</i> , 2015 , 88, 78-91	18.5	24
82	WWP2 regulates pathological cardiac fibrosis by modulating SMAD2 signaling. <i>Nature Communications</i> , 2019 , 10, 3616	17.4	24
81	Nitric oxide-releasing aspirin derivative, NCX 4016, promotes reparative angiogenesis and prevents apoptosis and oxidative stress in a mouse model of peripheral ischemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 2082-7	9.4	24
80	Adenovirus-mediated human tissue kallikrein gene delivery inhibits neointima formation induced by interruption of blood flow in mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 1459-66	8.4	24
79	miR-15a/16 Inhibit Angiogenesis by Targeting the Tie2 Coding Sequence: Therapeutic Potential of a miR-15a/16 Decoy System in Limb Ischemia. <i>Molecular Therapy - Nucleic Acids</i> , 2019 , 17, 49-62	10.7	23
78	Regulation of Vascular Endothelium Inflammatory Signalling by Shear Stress. <i>Current Vascular Pharmacology</i> , 2016 , 14, 181-6	3.3	23
77	Studies of the cardiovascular effects of nociceptin and related peptides. <i>Peptides</i> , 2000 , 21, 985-93	3.8	22
76	Role of the bradykinin B2 receptor in the maturation of blood pressure phenotype: lesson from transgenic and knockout mice. <i>Immunopharmacology</i> , 1999 , 44, 9-13		22
75	BDNF (Brain-Derived Neurotrophic Factor) Promotes Embryonic Stem Cells Differentiation to Endothelial Cells Via a Molecular Pathway, Including MicroRNA-214, EZH2 (Enhancer of Zeste Homolog 2), and eNOS (Endothelial Nitric Oxide Synthase). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 2117-2125	9.4	21
74	Regional and global protective effects of tissue kallikrein gene delivery to the peri-infarct myocardium. <i>Regenerative Medicine</i> , 2006 , 1, 235-54	2.5	21
73	Exosomes: From Potential Culprits to New Therapeutic Promise in the Setting of Cardiac Fibrosis. <i>Cells</i> , 2020 , 9,	7.9	20

72	Blood pressure responses to acute or chronic captopril in mice with disruption of bradykinin B2-receptor gene. <i>Journal of Hypertension</i> , 1997 , 15, 1701-6	1.9	20
71	The LINC00961 transcript and its encoded micropeptide, small regulatory polypeptide of amino acid response, regulate endothelial cell function. <i>Cardiovascular Research</i> , 2020 , 116, 1981-1994	9.9	19
70	Renal phenotype of low kallikrein rats. <i>Kidney International</i> , 2001 , 59, 2233-42	9.9	19
69	Altered baroreflex control of heart rate in bradykinin B2-receptor knockout mice. <i>Immunopharmacology</i> , 1999 , 45, 21-7		19
68	miR-210 Enhances the Therapeutic Potential of Bone-Marrow-Derived Circulating Proangiogenic Cells in the Setting of Limb Ischemia. <i>Molecular Therapy</i> , 2018 , 26, 1694-1705	11.7	18
67	Therapeutic angiogenesis: translating experimental concepts to medically relevant goals. <i>Vascular Pharmacology</i> , 2006 , 45, 334-9	5.9	17
66	MicroRNA transport in cardiovascular complication of diabetes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016 , 1861, 2111-2120	5	15
65	miRNAs in post-ischaemic angiogenesis and vascular remodelling. <i>Biochemical Society Transactions</i> , 2014 , 42, 1629-36	5.1	15
64	Human fetal aorta-derived vascular progenitor cells: identification and potential application in ischemic diseases. <i>Cytotechnology</i> , 2008 , 58, 43-7	2.2	15
63	Circulating tissue kallikrein levels correlate with severity of carotid atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 1104-10	9.4	15
62	The biology of neurotrophins: cardiovascular function. <i>Handbook of Experimental Pharmacology</i> , 2014 , 220, 309-28	3.2	14
61	Diagnostic tools for the study of vascular cognitive dysfunction in hypertension and antihypertensive drug research 2006 , 109, 274-83		14
60	Modulating microRNAs in cardiac surgery patients: Novel therapeutic opportunities?. <i>Pharmacology & Therapeutics</i> , 2017 , 170, 192-204	13.9	13
59	MicroRNA-24-3p Targets Notch and Other Vascular Morphogens to Regulate Post-ischemic Microvascular Responses in Limb Muscles. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	13
58	MWASTools: an R/bioconductor package for metabolome-wide association studies. <i>Bioinformatics</i> , 2018 , 34, 890-892	7.2	13
57	Changing the logic of therapeutic angiogenesis for ischemic disease. <i>Trends in Molecular Medicine</i> , 2005 , 11, 207-16	11.5	13
56	Exosomes in Diabetic Cardiomyopathy: The Next-Generation Therapeutic Targets?. <i>Diabetes</i> , 2016 , 65, 2829-31	0.9	13
55	Differential activation of the epithelial and smooth muscle NK1 receptors by synthetic tachykinin agonists in guinea-pig trachea. <i>British Journal of Pharmacology</i> , 1997 , 121, 773-81	8.6	12

54	Characterization of the endothelin receptor subtype mediating epithelium-derived relaxant nitric oxide release from guinea-pig trachea. <i>British Journal of Pharmacology</i> , 1998 , 125, 963-8	8.6	12
53	Genetic and dietary control of plasma tissue kallikrein secretion and urinary kinins excretion in man. <i>Journal of Hypertension</i> , 2008 , 26, 714-20	1.9	12
52	Aortic morphological variability in patients with bicuspid aortic valve and aortic coarctation. <i>European Journal of Cardio-thoracic Surgery</i> , 2019 , 55, 704-713	3	12
51	Bioinspired artificial exosomes based on lipid nanoparticles carrying let-7b-5p promote angiogenesis in vitro and in vivo. <i>Molecular Therapy</i> , 2021 , 29, 2239-2252	11.7	12
50	Cardiac Nerve Growth Factor Overexpression Induces Bone Marrow-derived Progenitor Cells Mobilization and Homing to the Infarcted Heart. <i>Molecular Therapy</i> , 2015 , 23, 1854-66	11.7	11
49	Exosomes Could Offer New Options to Combat the Long-Term Complications Inflicted by Gestational Diabetes Mellitus. <i>Cells</i> , 2020 , 9,	7.9	11
48	Enlightening the Association between Bicuspid Aortic Valve and Aortopathy. <i>Journal of Cardiovascular Development and Disease</i> , 2018 , 5,	4.2	11
47	MicroRNAs as clinical biomarkers?. <i>Frontiers in Genetics</i> , 2015 , 6, 240	4.5	11
46	Levels of human tissue kallikrein in the vitreous fluid of patients with severe proliferative diabetic retinopathy. <i>Ophthalmologica</i> , 2004 , 218, 260-3	3.7	11
45	Ramipril improves hemodynamic recovery but not microvascular response to ischemia in spontaneously hypertensive rats. <i>American Journal of Hypertension</i> , 2002 , 15, 410-5	2.3	11
44	Participation of kinins in the captopril-induced inhibition of intimal hyperplasia caused by interruption of carotid blood flow in the mouse. <i>British Journal of Pharmacology</i> , 2000 , 130, 1076-82	8.6	11
43	Role of calcitonin gene-related peptide and kinins in post-ischemic intestinal reperfusion. <i>Peptides</i> , 2001 , 22, 915-22	3.8	11
42	Migratory activity of circulating mononuclear cells is associated with cardiovascular mortality in type 2 diabetic patients with critical limb ischemia. <i>Diabetes Care</i> , 2014 , 37, 1410-7	14.6	10
41	miRNome-34 induces cardiac damage. <i>Cell Research</i> , 2013 , 23, 866-7	24.7	10
40	Call to action for the cardiovascular side of COVID-19. <i>European Heart Journal</i> , 2020 , 41, 1796-1797	9.5	9
39	Arteriogenic therapy based on simultaneous delivery of VEGF-A and FGF4 genes improves the recovery from acute limb ischemia. <i>Vascular Cell</i> , 2013 , 5, 13	1	9
38	Migration towards SDF-1 selects angiogenin-expressing bone marrow monocytes endowed with cardiac reparative activity in patients with previous myocardial infarction. <i>Stem Cell Research and Therapy</i> , 2015 , 6, 53	8.3	9
37	Circulating MicroRNAs to Predict the Risk for Metabolic Diseases in the General Population?. <i>Diabetes</i> , 2017 , 66, 565-567	0.9	7

36	Nerve growth factor gene therapy improves bone marrow sensory innervation and nociceptor-mediated stem cell release in a mouse model of type 1 diabetes with limb ischaemia. <i>Diabetologia</i> , 2019 , 62, 1297-1311	10.3	7
35	Catalyzing Transcriptomics Research in Cardiovascular Disease: The CardioRNA COST Action CA17129. <i>Non-coding RNA</i> , 2019 , 5,	7.1	7
34	A journey from basic stem cell discovery to clinical application: the case of adventitial progenitor cells. <i>Regenerative Medicine</i> , 2015 , 10, 39-47	2.5	7
33	Diabetes-induced epigenetic signature in vascular cells. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2012 , 12, 107-17	2.2	7
32	MicroRNAs as potential biomarkers in congenital heart surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020 , 159, 1532-1540.e7	1.5	7
31	Optimisation of laboratory methods for whole transcriptomic RNA analyses in human left ventricular biopsies and blood samples of clinical relevance. <i>PLoS ONE</i> , 2019 , 14, e0213685	3.7	6
30	Renin-angiotensin and kallikrein-kinin systems coordinately modulate angiogenesis. <i>Hypertension</i> , 2002 , 39, e29	8.5	6
29	Data supporting the activation of autophagy genes in the diabetic heart. <i>Data in Brief</i> , 2015 , 5, 269-75	1.2	5
28	EFFECT OF EARLY BLOCKADE OF BRADYKININ B2-RECEPTORS ON THE BLOOD PRESSURE PHENOTYPE OF NORMOTENSIVE AND SPONTANEOUSLY HYPERTENSIVE RATS. <i>Pharmacological Research</i> , 1997 , 35, 523-526	10.2	5
27	In search of the best candidate for regeneration of ischemic tissues: are embryonic/fetal stem cells more advantageous than adult counterparts?. <i>Thrombosis and Haemostasis</i> , 2005 , 94, 738-49	7	5
26	Cardiovascular RNA markers and artificial intelligence may improve COVID-19 outcome: a position paper from the EU-CardioRNA COST Action CA17129. <i>Cardiovascular Research</i> , 2021 , 117, 1823-1840	9.9	5
25	METTL3 Regulates Angiogenesis by Modulating let-7e-5p and miRNA-18a-5p Expression in Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021 , 41, e325-e337	9.4	5
24	Remote ischaemic preconditioning in isolated aortic valve and coronary artery bypass surgery: a randomized trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2019 , 55, 905-912	3	5
23	In Vivo Characterization of Endogenous Cardiovascular Extracellular Vesicles in Larval and Adult Zebrafish. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021 , 41, 2454-2468	9.4	5
22	Analysis of Neat Biofluids Obtained During Cardiac Surgery Using Nanoparticle Tracking Analysis: Methodological Considerations. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 367	5.7	4
21	Switching on reparative angiogenesis: essential role of the vascular erythropoietin receptor. <i>Circulation Research</i> , 2007 , 100, 599-601	15.7	4
20	Methods for the identification and characterization of extracellular vesicles in cardiovascular studies - from exosomes to microvesicles.. <i>Cardiovascular Research</i> , 2022 ,	9.9	4
19	Extracellular vesicles at the cross-line between basic science and clinical needs. <i>Microcirculation</i> , 2017 , 24, e12333	2.9	3

18	Enhanced notch signaling modulates unproductive revascularization in response to nitric oxide-angiopoietin signaling in a mouse model of peripheral ischemia. <i>Microcirculation</i> , 2019 , 26, e12549 ²⁻⁹		3
17	You can teach an old dog new tricks: angiopoietin-1 instructs Tie2(pos) myeloid cells to promote neovascularization in ischemic limbs. <i>EMBO Molecular Medicine</i> , 2013 , 5, 802-4	12	3
16	Dissecting the transcriptome in cardiovascular disease. <i>Cardiovascular Research</i> , 2021 ,	9.9	3
15	Bridging Basic Science with Cardiac Surgery: The Bristol Heart Institute Experience. <i>Frontiers in Surgery</i> , 2015 , 2, 31	2.3	2
14	Circulating MicroRNAs as new biomarkers of ischaemia/reperfusion injury during cardiac surgery. <i>Cardiology</i> , 2015 , 130, 234-6	1.6	2
13	Peripheral blood RNA biomarkers for cardiovascular disease from bench to bedside: A Position Paper from the EU-CardioRNA COST Action CA17129. <i>Cardiovascular Research</i> , 2021 ,	9.9	2
12	Renal phenotype of low kallikrein rats. <i>Kidney International</i> , 2001 , 59, 2233	9.9	2
11	Can knockout mice help dissect relevant genes in hypertension? Evidence and confounding factors. <i>Hypertension</i> , 1999 , 34, e14-5	8.5	1
10	Pro-angiogenic approach for skeletal muscle regeneration. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2021 , 1866, 130059	4	1
9	In vivo characterisation of endogenous cardiovascular extracellular vesicles in larval and adult zebrafish		1
8	Remote ischemic preconditioning in isolated valve intervention. A pooled meta-analysis. <i>International Journal of Cardiology</i> , 2021 , 324, 146-151	3.2	1
7	Relevance of N6-methyladenosine regulators for transcriptome: Implications for development and the cardiovascular system. <i>Journal of Molecular and Cellular Cardiology</i> , 2021 , 160, 56-70	5.8	1
6	Combined Intramyocardial Delivery of Human Pericytes and Cardiac Stem Cells Additively Improves the Healing of Mouse Infarcted Hearts Through Stimulation of Vascular and Muscular Repair. <i>Circulation Research</i> , 2015 , 116,	15.7	1
5	To serve and protect: a new heart patrolling and recycling role for macrophages. <i>Cardiovascular Research</i> , 2021 , 117, e17-e20	9.9	0
4	NADPH-derived ROS generation drives fibrosis and endothelial-to-mesenchymal transition in systemic sclerosis: Potential cross talk with circulating miRNAs.. <i>Biomolecular Concepts</i> , 2022 , 13, 11-24	3.7	0
3	MicroRNAs in Diabetes and Its Vascular Complications. <i>Cardiac and Vascular Biology</i> , 2017 , 39-59	0.2	
2	MicroRNAs in Vascular Remodeling and Repair 2015 , 601-629		
1	The Renin-Angiotensin System, Capri 2005. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2005 , 12, 91-108	2.9	

