
## Aneta Awb WoÅ<sup>o</sup>niak-Braszak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3541057/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	APTES-Modified SBA-15 as a Non-Toxic Carrier for Phenylbutazone. Materials, 2022, 15, 946.	2.9	8
2	Improved solubility of lornoxicam by inclusion into SBA-15: Comparison of loading methods. European Journal of Pharmaceutical Sciences, 2022, 171, 106133.	4.0	7
3	Modification of the Release of Poorly Soluble Sulindac with the APTES-Modified SBA-15 Mesoporous Silica. Pharmaceutics, 2021, 13, 1693.	4.5	5
4	Review of Recent Developments of Glass Transition in PVC Nanocomposites. Polymers, 2021, 13, 4336.	4.5	29
5	Poly(l-Lactic Acid)/Pine Wood Bio-Based Composites. Materials, 2020, 13, 3776.	2.9	12
6	Molecular dynamics in polyester resin doped with barium titanate nanoparticles studied by 1H NMR techniques. Journal of Physics and Chemistry of Solids, 2020, 146, 109550.	4.0	2
7	Effect of Composition on the Molecular Dynamics of Biodegradable Isotactic Polypropylene/Thermoplastic Starch Blends. ACS Sustainable Chemistry and Engineering, 2019, 7, 16050-16059.	6.7	13
8	Dispersion of Water Proton Spin–Lattice Relaxation Rates in Aqueous Solutions of Multiwall Carbon Nanotubes (MWCNTs) Stabilized via Alkyloxymethylimidazolium Surfactants. Journal of Physical Chemistry C, 2017, 121, 11839-11850.	3.1	9
9	Study of cross - relaxation and molecular dynamics in the solid 3-(trifluoromethyl) benzoic acid by solid state NMR off - resonance. Solid State Nuclear Magnetic Resonance, 2017, 81, 8-10.	2.3	2
10	Adiabatic fast passage application in solid state NMR study of cross relaxation and molecular dynamics in heteronuclear systems. Journal of Magnetic Resonance, 2016, 262, 27-32.	2.1	2
11	The Lipari-Szabo Model-Free Analysis as a Method for Study of Molecular Motion in Solid State Heteronuclear Systems Using NMR Off-Resonance. Applied Magnetic Resonance, 2016, 47, 567-574.	1.2	4
12	Structure and Internal Dynamics of Acid K Salt of (E)-2-hydroxyimino-2-cyanoacetic Acid Ethyl Ester. Zeitschrift Fur Physikalische Chemie, 2016, 230, 231-247.	2.8	0
13	The aging process of hydrogel contact lenses studied by 1H NMR and DSC methods. European Polymer Journal, 2016, 76, 135-146.	5.4	9
14	Characterization of poly(ethylene 2,6-naphthalate)/polycarbonate blends by DSC, NMR off-resonance and DMTA methods. European Polymer Journal, 2015, 64, 62-69.	5.4	9
15	Local motions in poly(ethylene-co-norbornene) studied by 1H NMR relaxometry. Solid State Nuclear Magnetic Resonance, 2015, 71, 67-72.	2.3	8
16	Methodology for solid state NMR off-resonance study of molecular dynamics in heteronuclear systems. Solid State Nuclear Magnetic Resonance, 2015, 71, 73-79.	2.3	4
17	Electric properties and internal dynamics of the [C6H18N2] SbCl5 [C6H18N2] Cl2 in intermediate temperature phase (part II). Polyhedron, 2015, 85, 131-136.	2.2	12
18	Complementary study of molecular dynamics and domain sizes in heterogenous nanocomposites PBT/DA-C60 and PBT/TCNEO-C60. Journal of Applied Physics, 2014, 115, .	2.5	4

#	Article	IF	CITATIONS
19	Structure and internal dynamics of N,N-diethylethylendiammonium pentachloroantimoniate(III)–N,N-diethylethylendiammonium dichloride. Polyhedron, 2014, 70, 85-91.	2.2	4
20	Structure and internal dynamics of bis(piperazine-1,4-diium) pentachloroantimonate (III) monohydrate. Polyhedron, 2014, 79, 37-42.	2.2	4
21	Methodology for solid state NMR study of cross relaxation and molecular dynamics in heteronuclear systems. Solid State Nuclear Magnetic Resonance, 2013, 53, 38-43.	2.3	6
22	Effect of Fullerene Derivates on Thermal and Crystallization Behavior of PBT/Decylamine- and PBT/TCNEO- Nanocomposites. Journal of Nanomaterials, 2012, 2012, 1-8.	2.7	6
23	The Instrument Set for Generating Fast Adiabatic Passage. Applied Magnetic Resonance, 2012, 43, 331-340.	1.2	14
24	Solid state 1H NMR study of molecular dynamics and domain sizes in PBT with the fullerene derivates: Decylamine–C60 and tetracyanoethylene oxide–C60. Journal of Non-Crystalline Solids, 2011, 357, 1164-1171.	3.1	7
25	Molecular dynamics of poly(ethylene terephthalate)/poly(phenylene sulfide) nanocomposites with barium titanate. Open Physics, 2011, 9, .	1.7	о
26	High homogeneity B1 30.2MHz Nuclear Magnetic Resonance Probe for off-resonance relaxation times measurements. Journal of Magnetic Resonance, 2011, 208, 163-166.	2.1	18
27	Investigation of molecular reorientation in poly(butylene terephthalate)/decylamine/fullerene nanocomposites. Journal of Non-Crystalline Solids, 2010, 356, 647-651.	3.1	4
28	Molecular Reorientations οf N-n-Hexyltetrachlorophthalimide Studied by <sup>1</sup> H NMR. Acta Physica Polonica A, 2010, 117, 537-548.	0.5	1
29	Molecular dynamics of poly(ethylene 2,6-naphthalate)-polycarbonate composite by nuclear magnetic resonance. Applied Magnetic Resonance, 2005, 29, 221-229.	1.2	5
30	Proton longitudinal NMR relaxation of poly(p-phenylene sulfide) in the laboratory and the rotating frames reference. Solid State Nuclear Magnetic Resonance, 2004, 25, 47-52.	2.3	5
31	NMR strong off-resonance irradiation without sample overheating. Solid State Nuclear Magnetic Resonance, 2004, 25, 119-124.	2.3	17
32	Polymorphism and molecular motions in n-nonylammonium chloride. Chemical Physics Letters, 1993, 215, 493-498.	2.6	8