

Allan Randrup Thomsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3541212/publications.pdf>

Version: 2024-02-01

143
papers

6,360
citations

76196

40
h-index

82410

72
g-index

147
all docs

147
docs citations

147
times ranked

8731
citing authors

#	ARTICLE	IF	CITATIONS
1	Vaccines to prevent COVID-19: A living systematic review with Trial Sequential Analysis and network meta-analysis of randomized clinical trials. PLoS ONE, 2022, 17, e0260733.	1.1	60
2	A Novel H-2d Epitope for Influenza A Polymerase Acidic Protein. Viruses, 2022, 14, 601.	1.5	0
3	Long-term maintenance of lung resident memory T cells is mediated by persistent antigen. Mucosal Immunology, 2021, 14, 92-99.	2.7	64
4	Inter-vendor variance of enteric eukaryotic DNA viruses in specific pathogen free C57BL/6N mice. Research in Veterinary Science, 2021, 136, 1-5.	0.9	9
5	Efficient Control of Zika Virus Infection Induced by a Non-Replicating Adenovector Encoding Zika Virus NS1/NS2 Antigens Fused to the MHC Class II-Associated Invariant Chain. Viruses, 2021, 13, 2215.	1.5	0
6	Pathogenic CD8+ Epidermis-Resident Memory T Cells Displace Dendritic Epidermal T Cells in Allergic Dermatitis. Journal of Investigative Dermatology, 2020, 140, 806-815.e5.	0.3	28
7	A Vaccine Displaying a Trimeric Influenza-A HA Stem Protein on Capsid-Like Particles Elicits Potent and Long-Lasting Protection in Mice. Vaccines, 2020, 8, 389.	2.1	13
8	Vaccines to prevent COVID-19: a protocol for a living systematic review with network meta-analysis including individual patient data (The LIVING VACCINE Project). Systematic Reviews, 2020, 9, 262.	2.5	23
9	A Systematic, Unbiased Mapping of CD8+ and CD4+ T Cell Epitopes in Yellow Fever Vaccines. Frontiers in Immunology, 2020, 11, 1836.	2.2	13
10	Effector CD8 T Cell-Dependent Zika Virus Control in the CNS: A Matter of Time and Numbers. Frontiers in Immunology, 2020, 11, 1977.	2.2	10
11	MHC class II invariant chain-adjuvanted viral vectored vaccines enhances T cell responses in humans. Science Translational Medicine, 2020, 12, .	5.8	20
12	Harnessing Cross-Reactive CD8 ⁺ T _{RM} Cells for Long-Standing Protection Against Influenza A Virus. Viral Immunology, 2020, 33, 201-207.	0.6	6
13	Functionally Competent, PD-1+ CD8+ Trm Cells Populate the Brain Following Local Antigen Encounter. Frontiers in Immunology, 2020, 11, 595707.	2.2	6
14	A "Furry-Tale" of Zika Virus Infection: What Have We Learned from Animal Models?. Viruses, 2019, 11, 29.	1.5	20
15	Local Antigen Encounter Is Essential for Establishing Persistent CD8+ T-Cell Memory in the CNS. Frontiers in Immunology, 2019, 10, 351.	2.2	20
16	Chemokine Expression in Murine RPE/Choroid in Response to Systemic Viral Infection and Elevated Levels of Circulating Interferon- β . , 2019, 60, 192.		9
17	Commentary: Endogenous glucocorticoids control host resistance to viral infection through tissue-specific regulation of PD-1 expression on NK cells. Cellular and Molecular Immunology, 2019, 16, 203-204.	4.8	2
18	Analysis of adenovirus-induced immunity to infection with Listeria monocytogenes : Fading protection coincides with declining CD8 T cell numbers and phenotypic changes. Vaccine, 2018, 36, 2825-2832.	1.7	1

#	ARTICLE	IF	CITATIONS
19	A new vaccination strategy to trigger specific CD4 T-cell response in chronic viral infection. <i>Cellular and Molecular Immunology</i> , 2018, 15, 868-869.	4.8	0
20	Lipocalin-2 Functions as Inhibitor of Innate Resistance to Mycobacterium tuberculosis. <i>Frontiers in Immunology</i> , 2018, 9, 2717.	2.2	26
21	Replication deficient human adenovirus vector serotype 19a/64: Immunogenicity in mice and female cynomolgus macaques. <i>Vaccine</i> , 2018, 36, 6212-6222.	1.7	6
22	A New In Vivo Model to Study Protective Immunity to Zika Virus Infection in Mice With Intact Type I Interferon Signaling. <i>Frontiers in Immunology</i> , 2018, 9, 593.	2.2	38
23	Non-redundant ISGF3 Components Promote NK Cell Survival in an Auto-regulatory Manner during Viral Infection. <i>Cell Reports</i> , 2018, 24, 1949-1957.e6.	2.9	23
24	Adaptive immune responses to booster vaccination against yellow fever virus are much reduced compared to those after primary vaccination. <i>Scientific Reports</i> , 2017, 7, 662.	1.6	35
25	Broadening CD4 ⁺ and CD8 ⁺ T Cell Responses against Hepatitis C Virus by Vaccination with NS3 Overlapping Peptide Panels in Cross-Priming Liposomes. <i>Journal of Virology</i> , 2017, 91, .	1.5	17
26	Mucosal Vaccination with Heterologous Viral Vected Vaccine Targeting Subdominant SIV Accessory Antigens Strongly Inhibits Early Viral Replication. <i>EBioMedicine</i> , 2017, 18, 204-215.	2.7	15
27	EBI2 overexpression in mice leads to B1 B-cell expansion and chronic lymphocytic leukemia-like B-cell malignancies. <i>Blood</i> , 2017, 129, 866-878.	0.6	14
28	Rapid allergen-induced interleukin-17 and interferon- γ secretion by skin-resident memory CD8 ⁺ T cells. <i>Contact Dermatitis</i> , 2017, 76, 218-227.	0.8	71
29	Seasonal Influenza Split Vaccines Confer Partial Cross-Protection against Heterologous Influenza Virus in Ferrets When Combined with the CAF01 Adjuvant. <i>Frontiers in Immunology</i> , 2017, 8, 1928.	2.2	21
30	The combined action of mast cell chymase, tryptase and carboxypeptidase A3 protects against melanoma colonization of the lung. <i>Oncotarget</i> , 2017, 8, 25066-25079.	0.8	24
31	Vaccination with Replication Deficient Adenovectors Encoding YF-17D Antigens Induces Long-Lasting Protection from Severe Yellow Fever Virus Infection in Mice. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004464.	1.3	20
32	Early life vaccination: Generation of adult-quality memory CD8 ⁺ T cells in infant mice using non-replicating adenoviral vectors. <i>Scientific Reports</i> , 2016, 6, 38666.	1.6	6
33	Combined local and systemic immunization is essential for durable T-cell mediated heterosubtypic immunity against influenza A virus. <i>Scientific Reports</i> , 2016, 6, 20137.	1.6	40
34	PB1 as a potential target for increasing the breadth of T-cell mediated immunity to Influenza A. <i>Scientific Reports</i> , 2016, 6, 35033.	1.6	12
35	Vaccine Targeting of Subdominant CD8 ⁺ T Cell Epitopes Increases the Breadth of the T Cell Response upon Viral Challenge, but May Impair Immediate Virus Control. <i>Journal of Immunology</i> , 2016, 196, 2666-2676.	0.4	4
36	An innate antiviral pathway acting before interferons at epithelial surfaces. <i>Nature Immunology</i> , 2016, 17, 150-158.	7.0	59

#	ARTICLE	IF	CITATIONS
37	Targeting of Non-Dominant Antigens as a Vaccine Strategy to Broaden T-Cell Responses during Chronic Viral Infection. PLoS ONE, 2015, 10, e0117242.	1.1	16
38	CD8+ T Cells Complement Antibodies in Protecting against Yellow Fever Virus. Journal of Immunology, 2015, 194, 1141-1153.	0.4	70
39	Quantification of B16 Melanoma Cells in Lungs Using Triplex Q-PCR - A New Approach to Evaluate Melanoma Cell Metastasis and Tumor Control. PLoS ONE, 2014, 9, e87831.	1.1	19
40	Suppressors of Cytokine Signaling 1 and 3 Are Upregulated in Brain Resident Cells in Response to Virus-Induced Inflammation of the Central Nervous System via at Least Two Distinctive Pathways. Journal of Virology, 2014, 88, 14090-14104.	1.5	13
41	Co-Expression of Tumor Antigen and Interleukin-2 From an Adenoviral Vector Augments the Efficiency of Therapeutic Tumor Vaccination. Molecular Therapy, 2014, 22, 2107-2117.	3.7	5
42	IFN γ and Perforin Cooperate to Control Infection and Prevent Fatal Pathology During Persistent Gammaherpesvirus Infection in Mice. Scandinavian Journal of Immunology, 2014, 79, 395-403.	1.3	6
43	Epicutaneous exposure to nickel induces nickel allergy in mice via a MyD88-dependent and interleukin-1-dependent pathway. Contact Dermatitis, 2014, 71, 224-232.	0.8	28
44	Midline 1 directs lytic granule exocytosis and cytotoxicity of mouse killer T cells. European Journal of Immunology, 2014, 44, 3109-3118.	1.6	16
45	Priming of CD8 T Cells by Adenoviral Vectors Is Critically Dependent on B7 and Dendritic Cells but Only Partially Dependent on CD28 Ligation on CD8 T Cells. Journal of Immunology, 2014, 193, 1223-1232.	0.4	15
46	Comparison of Vaccine-Induced Effector CD8 T Cell Responses Directed against Self- and Non-Self-Tumor Antigens: Implications for Cancer Immunotherapy. Journal of Immunology, 2013, 191, 3955-3967.	0.4	57
47	Qualitative and Quantitative Analysis of Adenovirus Type 5 Vector-Induced Memory CD8 T Cells: Not as Bad as Their Reputation. Journal of Virology, 2013, 87, 6283-6295.	1.5	28
48	Experimental Hyperactivity of the Endolymphatic Sac. Audiology and Neuro-Otology, 2013, 18, 125-133.	0.6	10
49	Adenovirus-Based Vaccine against <i>Listeria monocytogenes</i> : Extending the Concept of Invariant Chain Linkage. Journal of Immunology, 2013, 191, 4152-4164.	0.4	27
50	The Availability of a Functional Tumor Targeting T-Cell Repertoire Determines the Anti-Tumor Efficiency of Combination Therapy with Anti-CTLA-4 and Anti-4-1BB Antibodies. PLoS ONE, 2013, 8, e66081.	1.1	16
51	Differential Impact of Interferon Regulatory Factor 7 in Initiation of the Type I Interferon Response in the Lymphocytic Choriomeningitis Virus-Infected Central Nervous System versus the Periphery. Journal of Virology, 2012, 86, 7384-7392.	1.5	15
52	Sensing of RNA Viruses: a Review of Innate Immune Receptors Involved in Recognizing RNA Virus Invasion. Journal of Virology, 2012, 86, 2900-2910.	1.5	506
53	MyD88 Drives the IFN γ Response to <i>Lactobacillus acidophilus</i> in Dendritic Cells through a Mechanism Involving IRF1, IRF3, and IRF7. Journal of Immunology, 2012, 189, 2860-2868.	0.4	63
54	Increased Immunogenicity and Protective Efficacy of Influenza M2e Fused to a Tetramerizing Protein. PLoS ONE, 2012, 7, e46395.	1.1	35

#	ARTICLE	IF	CITATIONS
55	TLR3 deficiency renders astrocytes permissive to herpes simplex virus infection and facilitates establishment of CNS infection in mice. <i>Journal of Clinical Investigation</i> , 2012, 122, 1368-1376.	3.9	141
56	Pre-Existing Vector Immunity Does Not Prevent Replication Deficient Adenovirus from Inducing Efficient CD8 T-Cell Memory and Recall Responses. <i>PLoS ONE</i> , 2012, 7, e34884.	1.1	24
57	Enhanced and Sustained CD8+ T Cell Responses with an Adenoviral Vector-Based Hepatitis C Virus Vaccine Encoding NS3 Linked to the MHC Class II Chaperone Protein Invariant Chain. <i>Journal of Immunology</i> , 2011, 186, 2355-2364.	0.4	57
58	CXCL10/CXCR3 signaling in glia cells differentially affects NMDA-induced cell death in CA and DG neurons of the mouse hippocampus. <i>Hippocampus</i> , 2011, 21, 220-232.	0.9	49
59	Vaccination against Lymphocytic Choriomeningitis Virus Infection in MHC Class II-Deficient Mice. <i>Journal of Immunology</i> , 2011, 186, 3997-4007.	0.4	22
60	The murine gammaherpesvirus-68 chemokine-binding protein M3 inhibits experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2010, 224, 45-50.	1.1	12
61	Interleukin-6 autoantibodies are involved in the pathogenesis of a subset of type 2 diabetes. <i>Journal of Endocrinology</i> , 2010, 204, 265-273.	1.2	25
62	The Role of CD80/CD86 in Generation and Maintenance of Functional Virus-Specific CD8+ T Cells in Mice Infected with Lymphocytic Choriomeningitis Virus. <i>Journal of Immunology</i> , 2010, 185, 1730-1743.	0.4	31
63	Quality of the Transgene-Specific CD8+ T Cell Response Induced by Adenoviral Vector Immunization Is Critically Influenced by Virus Dose and Route of Vaccination. <i>Journal of Immunology</i> , 2010, 184, 4431-4439.	0.4	50
64	In Vitro Propagation and Dynamics of T cells from Skin Biopsies by Methods Using Interleukins-2 and -4 or Anti-CD3/CD28 Antibody-coated Microbeads. <i>Acta Dermato-Venereologica</i> , 2010, 90, 468-473.	0.6	15
65	Adenoviral vaccination combined with CD40 stimulation and CTLA-4 blockage can lead to complete tumor regression in a murine melanoma model. <i>Vaccine</i> , 2010, 28, 6757-6764.	1.7	52
66	Fusion of a viral antigen to invariant chain leads to augmented T-cell immunity and improved protection in gene-gun DNA-vaccinated mice. <i>Journal of General Virology</i> , 2009, 90, 414-422.	1.3	20
67	Lymphocytic Choriomeningitis Virus-Induced Central Nervous System Disease: a Model for Studying the Role of Chemokines in Regulating the Acute Antiviral CD8 ⁺ T-Cell Response in an Immune-Privileged Organ. <i>Journal of Virology</i> , 2009, 83, 20-28.	1.5	24
68	Fulminant Lymphocytic Choriomeningitis Virus-Induced Inflammation of the CNS Involves a Cytokine-Chemokine-Cytokine-Chemokine Cascade. <i>Journal of Immunology</i> , 2009, 182, 1079-1087.	0.4	37
69	CXCR3 Directs Antigen-Specific Effector CD4+ T Cell Migration to the Lung During Parainfluenza Virus Infection. <i>Journal of Immunology</i> , 2009, 183, 4378-4384.	0.4	113
70	T-cell intrinsic expression of MyD88 is required for sustained expansion of the virus-specific CD8+ T-cell population in LCMV-infected mice. <i>Journal of General Virology</i> , 2009, 90, 423-431.	1.3	24
71	Expression and Role of CXCL10 during the Encephalitic Stage of Experimental and Clinical African Trypanosomiasis. <i>Journal of Infectious Diseases</i> , 2009, 200, 1556-1565.	1.9	77
72	Vaccination with an adenoviral vector encoding the tumor antigen directly linked to invariant chain induces potent CD4 ⁺ T cell-independent CD8 ⁺ T cell-mediated tumor control. <i>European Journal of Immunology</i> , 2009, 39, 2725-2736.	1.6	41

#	ARTICLE	IF	CITATIONS
73	Coordinating innate and adaptive immunity to viral infection: mobility is the key. <i>Apmis</i> , 2009, 117, 338-355.	0.9	37
74	Host-microbe relations. <i>Apmis</i> , 2009, 117, 309-310.	0.9	0
75	Mucosal immunization with recombinant adenoviral vectors expressing murine gammaherpesvirus-68 genes M2 and M3 can reduce latent viral load. <i>Vaccine</i> , 2009, 27, 6723-6730.	1.7	18
76	CD4 and CD8 T Cell Responses to the <i>M. tuberculosis</i> Ag85B-TB10.4 Promoted by Adjuvanted Subunit, Adenovector or Heterologous Prime Boost Vaccination. <i>PLoS ONE</i> , 2009, 4, e5139.	1.1	61
77	Circulating intercellular adhesion molecule-1 (ICAM-1) as an early and sensitive marker for virus-induced T cell activation. <i>Clinical and Experimental Immunology</i> , 2008, 102, 268-273.	1.1	16
78	Delayed Contraction of the CD8+ T Cell Response toward Lymphocytic Choriomeningitis Virus Infection in Mice Lacking Serglycin. <i>Journal of Immunology</i> , 2008, 181, 1043-1051.	0.4	28
79	TCR Down-Regulation Controls Virus-Specific CD8+ T Cell Responses. <i>Journal of Immunology</i> , 2008, 181, 7786-7799.	0.4	15
80	MHC Class II-Associated Invariant Chain Linkage of Antigen Dramatically Improves Cell-Mediated Immunity Induced by Adenovirus Vaccines. <i>Journal of Immunology</i> , 2008, 180, 3339-3346.	0.4	82
81	TLR2 and TLR9 Synergistically Control Herpes Simplex Virus Infection in the Brain. <i>Journal of Immunology</i> , 2008, 181, 8604-8612.	0.4	157
82	An Important Role for Type III Interferon (IFN- λ)/IL-28) in TLR-Induced Antiviral Activity. <i>Journal of Immunology</i> , 2008, 180, 2474-2485.	0.4	387
83	Agonistic Anti-CD40 Antibody Profoundly Suppresses the Immune Response to Infection with Lymphocytic Choriomeningitis Virus. <i>Journal of Immunology</i> , 2007, 178, 1662-1670.	0.4	36
84	Rapid and sustained CD4+ T-cell-independent immunity from adenovirus-encoded vaccine antigens. <i>Journal of General Virology</i> , 2007, 88, 1708-1716.	1.3	29
85	CCR5 and CXCR3 Are Dispensable for Liver Infiltration, but CCR5 Protects against Virus-Induced T-Cell-Mediated Hepatic Steatosis. <i>Journal of Virology</i> , 2007, 81, 10101-10112.	1.5	12
86	Vaccination with IL-6 analogues induces autoantibodies to IL-6 and influences experimentally induced inflammation. <i>International Immunopharmacology</i> , 2007, 7, 1704-1713.	1.7	14
87	Virus-based immunotherapy of cancer: what do we know and where are we going?. <i>Apmis</i> , 2007, 115, 1177-1193.	0.9	4
88	Lambda Interferon (IFN- λ), a Type III IFN, Is Induced by Viruses and IFNs and Displays Potent Antiviral Activity against Select Virus Infections In Vivo. <i>Journal of Virology</i> , 2006, 80, 4501-4509.	1.5	536
89	Interleukin-21 mRNA expression during virus infections. <i>Cytokine</i> , 2006, 33, 41-45.	1.4	27
90	Role of Very Late Antigen-1 in T-cell-Mediated Immunity to Systemic Viral Infection. <i>Scandinavian Journal of Immunology</i> , 2006, 63, 290-298.	1.3	2

#	ARTICLE	IF	CITATIONS
91	Functional epistasis on a common MHC haplotype associated with multiple sclerosis. <i>Nature</i> , 2006, 443, 574-577.	13.7	187
92	CXC chemokine receptor 3 expression increases the disease-inducing potential of CD4+ CD25 ^{hi} T cells in adoptive transfer colitis. <i>Inflammatory Bowel Diseases</i> , 2006, 12, 374-381.	0.9	20
93	MEK kinase ϵ ,1 is a negative regulator of virus-specific CD8+ T ϵ ,cells. <i>European Journal of Immunology</i> , 2006, 36, 2076-2084.	1.6	14
94	CXCL10 Is the Key Ligand for CXCR3 on CD8+ Effector T Cells Involved in Immune Surveillance of the Lymphocytic Choriomeningitis Virus-Infected Central Nervous System. <i>Journal of Immunology</i> , 2006, 176, 4235-4243.	0.4	129
95	Perforin-Deficient CD8 + T Cells Mediate Fatal Lymphocytic Choriomeningitis despite Impaired Cytokine Production. <i>Journal of Virology</i> , 2006, 80, 1222-1230.	1.5	26
96	Opposing Effects of CXCR3 and CCR5 Deficiency on CD8+ T Cell-Mediated Inflammation in the Central Nervous System of Virus-Infected Mice. <i>Journal of Immunology</i> , 2005, 175, 1767-1775.	0.4	47
97	Impaired Virus Control and Severe CD8 + T-Cell-Mediated Immunopathology in Chimeric Mice Deficient in Gamma Interferon Receptor Expression on both Parenchymal and Hematopoietic Cells. <i>Journal of Virology</i> , 2005, 79, 10073-10076.	1.5	5
98	Effect of the CTL proliferation program on virus dynamics. <i>International Immunology</i> , 2005, 17, 1269-1276.	1.8	34
99	Does programmed CTL proliferation optimize virus control?. <i>Trends in Immunology</i> , 2005, 26, 305-310.	2.9	20
100	Single-Epitope DNA Vaccination Prevents Exhaustion and Facilitates a Broad Antiviral CD8+T Cell Response during Chronic Viral Infection. <i>Journal of Immunology</i> , 2004, 173, 6284-6293.	0.4	16
101	Gene-gun DNA vaccination aggravates respiratory syncytial virus-induced pneumonitis. <i>Journal of General Virology</i> , 2004, 85, 3017-3026.	1.3	19
102	Efficient T-Cell Surveillance of the CNS Requires Expression of the CXC Chemokine Receptor 3. <i>Journal of Neuroscience</i> , 2004, 24, 4849-4858.	1.7	88
103	Cytokine production by virus-specific CD8+ T cells varies with activation state and localization, but not with TCR avidity. <i>Journal of General Virology</i> , 2004, 85, 1703-1712.	1.3	23
104	Knocking out IL-6 by vaccination. <i>European Journal of Immunology</i> , 2004, 34, 291-300.	1.6	15
105	Perforin and IFN γ do not significantly regulate the virus-specific CD8+ T ϵ cell response in the absence of antiviral effector activity. <i>European Journal of Immunology</i> , 2004, 34, 1389-1394.	1.6	17
106	Incomplete effector/memory differentiation of antigen-primed CD8+ T ϵ ,cells in gene gun DNA-vaccinated mice. <i>European Journal of Immunology</i> , 2003, 33, 1941-1948.	1.6	18
107	Regulation of T cell migration during viral infection: role of adhesion molecules and chemokines. <i>Immunology Letters</i> , 2003, 85, 119-127.	1.1	43
108	Deficient CD4+T Cell Priming and Regression of CD8+T Cell Functionality in Virus-Infected Mice Lacking a Normal B Cell Compartment. <i>Journal of Immunology</i> , 2003, 171, 4733-4741.	0.4	41

#	ARTICLE	IF	CITATIONS
109	The Virus-Encoded Chemokine vMIP-II Inhibits Virus-Induced Tc1-Driven Inflammation. <i>Journal of Virology</i> , 2003, 77, 7393-7400.	1.5	32
110	Role of Macrophage Inflammatory Protein-1 α in T-Cell-Mediated Immunity to Viral Infection. <i>Journal of Virology</i> , 2003, 77, 12378-12384.	1.5	10
111	Expression and Functional Importance of Collagen-Binding Integrins, α 1 β 1 and α 2 β 1, on Virus-Activated T Cells. <i>Journal of Immunology</i> , 2003, 171, 2804-2811.	0.4	44
112	Role of CD28 co-stimulation in generation and maintenance of virus-specific T cells. <i>International Immunology</i> , 2002, 14, 701-711.	1.8	38
113	The role of CC chemokine receptor 5 in antiviral immunity. <i>Blood</i> , 2002, 99, 1237-1245.	0.6	80
114	The importance of lytic and nonlytic immune responses in viral infections. <i>Trends in Immunology</i> , 2002, 23, 194-200.	2.9	137
115	High numbers of IL-2-producing CD8+ T cells during viral infection: correlation with stable memory development. <i>Journal of General Virology</i> , 2002, 83, 2123-2133.	1.3	55
116	CD11b expression as a marker to distinguish between recently activated effector CD8+ T cells and memory cells. <i>International Immunology</i> , 2001, 13, 593-600.	1.8	83
117	Depletion of CD4+ T Cells Precipitates Immunopathology in Immunodeficient Mice Infected with a Noncytotoxic Virus. <i>Journal of Immunology</i> , 2001, 166, 3384-3391.	0.4	23
118	Viral Infection Causes Rapid Sensitization to Lipopolysaccharide: Central Role of IFN- γ . <i>Journal of Immunology</i> , 2001, 166, 982-988.	0.4	63
119	CCR2+ and CCR5+ CD8+ T cells increase during viral infection and migrate to sites of infection. <i>European Journal of Immunology</i> , 2000, 30, 1797-1806.	1.6	91
120	Cytokine vaccination: neutralising IL-1 α autoantibodies induced by immunisation with homologous IL-1 α . <i>Journal of Immunological Methods</i> , 2000, 236, 1-8.	0.6	19
121	Migration of activated CD8+ T lymphocytes to sites of viral infection does not require endothelial selectins. <i>Blood</i> , 2000, 95, 1362-1369.	0.6	24
122	Persistent Virus Infection despite Chronic Cytotoxic T-Lymphocyte Activation in Gamma Interferon-Deficient Mice Infected with Lymphocytic Choriomeningitis Virus. <i>Journal of Virology</i> , 2000, 74, 10304-10311.	1.5	124
123	Role of CD40 Ligand and CD28 in Induction and Maintenance of Antiviral CD8+ Effector T Cell Responses. <i>Journal of Immunology</i> , 2000, 164, 3689-3697.	0.4	111
124	A new theory of cytotoxic T lymphocyte memory: implications for HIV treatment. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2000, 355, 329-343.	1.8	76
125	Host factors influencing viral persistence. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2000, 355, 1031-1041.	1.8	24
126	Virus-induced non-specific signals cause cell cycle progression of primed CD8+ T cells but do not induce cell differentiation. <i>International Immunology</i> , 1999, 11, 1463-1473.	1.8	30

#	ARTICLE	IF	CITATIONS
127	CD4+ T cell-mediated protection against a lethal outcome of systemic infection with vesicular stomatitis virus requires CD40 ligand expression, but not IFN- γ or IL-4. <i>International Immunology</i> , 1999, 11, 2035-2042.	1.8	16
128	Role of interferon- γ in the pathogenesis of LCMV-induced meningitis: unimpaired leucocyte recruitment, but deficient macrophage activation in interferon- γ knock-out mice. <i>Journal of Neuroimmunology</i> , 1998, 86, 202-212.	1.1	38
129	Sensitization to Lipopolysaccharide in Mice with Asymptomatic Viral Infection: Role of T Cell-Dependent Production of Interferon- γ . <i>Journal of Infectious Diseases</i> , 1997, 176, 151-157.	1.9	57
130	Cooperation of B cells and T cells is required for survival of mice infected with vesicular stomatitis virus. <i>International Immunology</i> , 1997, 9, 1757-1766.	1.8	82
131	Characterization of virus-primed CD8+ T cells with a type 1 cytokine profile. <i>International Immunology</i> , 1996, 8, 1453-1461.	1.8	36
132	Virus-induced polyclonal T cell activation is followed by apoptosis: partitioning of CD8+ T cells based on $\alpha 4$ integrin expression. <i>International Immunology</i> , 1996, 8, 707-715.	1.8	29
133	Lymphocytic Choriomeningitis Virus Infection is Associated with Long-Standing Perturbation of LFA-1 Expression on CD8+ T Cells. <i>Scandinavian Journal of Immunology</i> , 1995, 42, 110-118.	1.3	56
134	Virus-activated T cells regulate expression of adhesion molecules on endothelial cells in sites of infection. <i>Journal of Neuroimmunology</i> , 1995, 62, 35-42.	1.1	48
135	The Role of CD4+ T Cells in Cell-Mediated Immunity to LCM V: Studies in MHC Class I and Class II Deficient Mice. <i>Scandinavian Journal of Immunology</i> , 1994, 40, 373-382.	1.3	71
136	Analysis of the Capacity to Produce IL-3 in Murine AIDS. <i>Scandinavian Journal of Immunology</i> , 1994, 40, 410-414.	1.3	0
137	Breakdown of blood-brain barrier function in the murine lymphocytic choriomeningitis virus infection mediated by virus-specific CD8+ T cells. <i>Journal of Neuroimmunology</i> , 1991, 31, 155-163.	1.1	42
138	Class I gene regulation of haplotype preference may influence antiviral immunity in vivo. <i>Cellular Immunology</i> , 1989, 122, 365-376.	1.4	7
139	High-Dose Survival in the Lymphocytic Choriomeningitis Virus Infection Is Accompanied by Suppressed DTH but Unaffected T-Cell Cytotoxicity. <i>Scandinavian Journal of Immunology</i> , 1985, 21, 81-91.	1.3	21
140	Fatal Meningitis following Lymphocytic Choriomeningitis Virus Infection Reflects Delayed-Type Hypersensitivity Rather than Cytotoxicity. <i>Scandinavian Journal of Immunology</i> , 1983, 17, 139-145.	1.3	26
141	Virus Elimination in Acute Lymphocytic Choriomeningitis Virus Infection Correlation with Virus-Specific Delayed-Type Hypersensitivity rather than Cytotoxicity. <i>Scandinavian Journal of Immunology</i> , 1983, 17, 489-495.	1.3	24
142	Studies on the Role of Mononuclear Phagocytes in Resistance to Acute Lymphocytic Choriomeningitis Virus Infection. <i>Scandinavian Journal of Immunology</i> , 1983, 18, 271-277.	1.3	18
143	CONCANAVALIN A-INDUCED ACTIVATION OF LYMPHOCYTIC CHORIOMENINGITIS VIRUS MEMORY LYMPHOCYTES INTO SPECIFICALLY CYTOTOXIC T CELLS. <i>Acta Pathologica Et Microbiologica Scandinavica Section C, Immunology</i> , 1977, 85C, 483-486.	0.0	3