

# Mehdi Shahedi Asl

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3542363/mehdi-shahedi-asl-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134  
papers

6,800  
citations

61  
h-index

75  
g-index

135  
ext. papers

7,555  
ext. citations

4.6  
avg, IF

7.13  
L-index

#	Paper	IF	Citations
134	Effects of carbon additives on the properties of ZrB <sub>2</sub> -based composites: A review. <i>Ceramics International</i> , <b>2018</b> , 44, 7334-7348	5.1	140
133	Preparation of mullite-TiB <sub>2</sub> -CNTs hybrid composite through spark plasma sintering. <i>Ceramics International</i> , <b>2019</b> , 45, 16288-16296	5.1	139
132	Characterization of hot-pressed graphene reinforced ZrB <sub>2</sub> -SiC composite. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2015</b> , 625, 385-392	5.3	126
131	Co-reinforcing of mullite-TiN-CNT composites with ZrB <sub>2</sub> and TiB <sub>2</sub> compounds. <i>Ceramics International</i> , <b>2019</b> , 45, 20844-20854	5.1	124
130	Effects of ZrB <sub>2</sub> reinforcement on microstructure and mechanical properties of a spark plasma sintered mullite-CNT composite. <i>Ceramics International</i> , <b>2019</b> , 45, 16015-16021	5.1	120
129	Characteristics of multi-walled carbon nanotube toughened ZrB <sub>2</sub> -SiC ceramic composite prepared by hot pressing. <i>Ceramics International</i> , <b>2016</b> , 42, 1950-1958	5.1	112
128	Microstructural development and mechanical properties of hot pressed SiC reinforced TiB <sub>2</sub> based composite. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2015</b> , 51, 169-179	4.1	109
127	Hardness and toughness of hot pressed ZrB <sub>2</sub> -SiC composites consolidated under relatively low pressure. <i>Journal of Alloys and Compounds</i> , <b>2015</b> , 619, 481-487	5.7	98
126	Effects of spark plasma sintering temperature on densification, hardness and thermal conductivity of titanium carbide. <i>Ceramics International</i> , <b>2018</b> , 44, 14541-14546	5.1	96
125	Microstructure and thermomechanical characteristics of spark plasma sintered TiC ceramics doped with nano-sized WC. <i>Ceramics International</i> , <b>2019</b> , 45, 2153-2160	5.1	93
124	TEM characterization of spark plasma sintered ZrB <sub>2</sub> -SiC-graphene nanocomposite. <i>Ceramics International</i> , <b>2018</b> , 44, 15269-15273	5.1	91
123	Spark plasma sintering of TiN ceramics codoped with SiC and CNT. <i>Ceramics International</i> , <b>2019</b> , 45, 32075-32168	5.1	89
122	Effect of TiB <sub>2</sub> content on the characteristics of spark plasma sintered Ti-TiB <sub>w</sub> composites. <i>Advanced Powder Technology</i> , <b>2017</b> , 28, 1564-1572	4.6	88
121	Effects of nano-graphite content on the characteristics of spark plasma sintered ZrB <sub>2</sub> -SiC composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2018</b> , 716, 99-106	5.3	87
120	Characterization of hot pressed SiC whisker reinforced TiB <sub>2</sub> based composites. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2016</b> , 61, 84-90	4.1	86
119	Effect of TiB <sub>2</sub> addition on the elevated temperature tribological behavior of spark plasma sintered Ti matrix composite. <i>Composites Part B: Engineering</i> , <b>2019</b> , 172, 271-280	10	83
118	Influence of graphite nano-flakes on densification and mechanical properties of hot-pressed ZrB <sub>2</sub> -SiC composite. <i>Ceramics International</i> , <b>2015</b> , 41, 5843-5851	5.1	83

117	Microstructural, thermal and mechanical characterization of TiB <sub>2</sub> /SiC composites doped with short carbon fibers. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2019</b> , 82, 129-135	4.1	81
116	Reactive spark plasma sintering of TiB <sub>2</sub> /SiC/TiN novel composite. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2019</b> , 81, 119-126	4.1	81
115	Influence of silicon carbide addition on the microstructural development of hot pressed zirconium and titanium diborides. <i>Ceramics International</i> , <b>2016</b> , 42, 5375-5381	5.1	81
114	Spark plasma sintering of Al-doped ZrB <sub>2</sub> /SiC composite. <i>Ceramics International</i> , <b>2019</b> , 45, 4262-4267	5.1	81
113	Temperature dependence of microstructure evolution during hot pressing of ZrB <sub>2</sub> /SiC composites. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2016</b> , 54, 7-13	4.1	80
112	Densification improvement of spark plasma sintered TiB <sub>2</sub> -based composites with micron-, submicron- and nano-sized SiC particulates. <i>Ceramics International</i> , <b>2018</b> , 44, 11431-11437	5.1	80
111	Effects of sintering temperature on microstructure and mechanical properties of spark plasma sintered titanium. <i>Materials Chemistry and Physics</i> , <b>2018</b> , 203, 266-273	4.4	80
110	Contribution of SiC particle size and spark plasma sintering conditions on grain growth and hardness of TiB <sub>2</sub> composites. <i>Ceramics International</i> , <b>2017</b> , 43, 13924-13931	5.1	80
109	Densification, microstructure and mechanical properties of hot pressed ZrB <sub>2</sub> /SiC ceramic doped with nano-sized carbon black. <i>Ceramics International</i> , <b>2017</b> , 43, 8411-8417	5.1	79
108	Self-propagating high-temperature synthesis of Ti <sub>3</sub> AlC <sub>2</sub> MAX phase from mechanically-activated Ti/Al/graphite powder mixture. <i>Ceramics International</i> , <b>2018</b> , 44, 9671-9678	5.1	79
107	A numerical approach to the heat transfer in monolithic and SiC reinforced HfB <sub>2</sub> , ZrB <sub>2</sub> and TiB <sub>2</sub> ceramic cutting tools. <i>Ceramics International</i> , <b>2019</b> , 45, 15892-15897	5.1	77
106	Reinforcing effects of SiC whiskers and carbon nanoparticles in spark plasma sintered ZrB <sub>2</sub> matrix composites. <i>Ceramics International</i> , <b>2018</b> , 44, 19932-19938	5.1	77
105	Microstructural development during spark plasma sintering of ZrB <sub>2</sub> /SiC/Ti composite. <i>Ceramics International</i> , <b>2018</b> , 44, 18078-18083	5.1	77
104	A novel ZrB <sub>2</sub> /B <sub>2</sub> O <sub>3</sub> /SiC composite fabricated by reactive spark plasma sintering. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2018</b> , 731, 131-139	5.3	76
103	Sintering behavior of ZrB <sub>2</sub> /SiC composites doped with Si <sub>3</sub> N <sub>4</sub> : A fractographical approach. <i>Ceramics International</i> , <b>2017</b> , 43, 9699-9708	5.1	75
102	Synergistic effects of graphite nano-flakes and submicron SiC particles on the characteristics of spark plasma sintered ZrB <sub>2</sub> nanocomposites. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2018</b> , 75, 10-17	4.1	75
101	Effect of different additives and open porosity on fracture toughness of ZrB <sub>2</sub> /SiC-based composites prepared by SPS. <i>Ceramics International</i> , <b>2017</b> , 43, 2209-2220	5.1	75
100	Fractographical characterization of hot pressed and pressureless sintered SiAlON-doped ZrB <sub>2</sub> /SiC composites. <i>Materials Characterization</i> , <b>2015</b> , 102, 137-145	3.9	74

99	Microstructural investigation of spark plasma sintered TiB <sub>2</sub> ceramics with Si <sub>3</sub> N <sub>4</sub> addition. <i>Ceramics International</i> , <b>2018</b> , 44, 13367-13372	5.1	74
98	Thermal diffusivity and microstructure of spark plasma sintered TiB <sub>2</sub> SiC Ti composite. <i>Ceramics International</i> , <b>2019</b> , 45, 8333-8344	5.1	73
97	Microstructure, hardness and fracture toughness of spark plasma sintered ZrB <sub>2</sub> SiCf composites. <i>Ceramics International</i> , <b>2017</b> , 43, 15047-15052	5.1	73
96	Influence of vanadium content on the characteristics of spark plasma sintered ZrB <sub>2</sub> SiCf composites. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 805, 725-732	5.7	72
95	Fractographical characterization of hot pressed and pressureless sintered AlN-doped ZrB <sub>2</sub> SiC composites. <i>Materials Characterization</i> , <b>2015</b> , 110, 77-85	3.9	71
94	TiB <sub>2</sub> SiC-based ceramics as alternative efficient micro heat exchangers. <i>Ceramics International</i> , <b>2019</b> , 45, 19060-19067	5.1	70
93	Phase evolution during spark plasma sintering of novel Si <sub>3</sub> N <sub>4</sub> -doped TiB <sub>2</sub> SiC composite. <i>Materials Characterization</i> , <b>2018</b> , 145, 225-232	3.9	70
92	Optimization of effective parameters on thermal shock resistance of ZrB <sub>2</sub> -SiC-based composites prepared by SPS: Using Taguchi design. <i>Materials Chemistry and Physics</i> , <b>2017</b> , 196, 333-340	4.4	69
91	Numerical analyses of heat transfer and thermal stress in a ZrB <sub>2</sub> gas turbine stator blade. <i>Ceramics International</i> , <b>2019</b> , 45, 17742-17750	5.1	69
90	A statistical approach towards processing optimization of ZrB <sub>2</sub> SiC/graphite nanocomposites. Part I: Relative density. <i>Ceramics International</i> , <b>2018</b> , 44, 6935-6939	5.1	69
89	Spark plasma sintering of TiCfSiCw ceramics. <i>Ceramics International</i> , <b>2019</b> , 45, 19808-19821	5.1	69
88	Nanoindentation and nanostructural characterization of ZrB <sub>2</sub> SiC composite doped with graphite nano-flakes. <i>Composites Part B: Engineering</i> , <b>2019</b> , 175, 107153	10	68
87	Interfacial phenomena and formation of nano-particles in porous ZrB <sub>2</sub> 40 vol% B <sub>4</sub> C UHTC. <i>Ceramics International</i> , <b>2016</b> , 42, 17009-17015	5.1	67
86	Microstructure/mechanical properties correlation in spark plasma sintered Ti <sub>4</sub> .8 wt.% TiB <sub>2</sub> composites. <i>Materials Chemistry and Physics</i> , <b>2019</b> , 223, 789-796	4.4	67
85	Synergetic effects of SiC and Cs <sub>f</sub> in ZrB <sub>2</sub> -based ceramic composites. Part I: Densification behavior. <i>Ceramics International</i> , <b>2016</b> , 42, 4498-4506	5.1	66
84	Spark plasma sintering of TiAl <sub>3</sub> AlC <sub>2</sub> composite. <i>Ceramics International</i> , <b>2018</b> , 44, 21759-21764	5.1	66
83	Reactive hot pressing of ZrB <sub>2</sub> -based composites with changes in ZrO <sub>2</sub> /SiC ratio and sintering conditions. Part II: Mechanical behavior. <i>Ceramics International</i> , <b>2016</b> , 42, 2724-2733	5.1	65
82	Spark plasma sintering of ZrB <sub>2</sub> -based composites co-reinforced with SiC whiskers and pulverized carbon fibers. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2019</b> , 83, 104989	4.1	64

81	Heat transfer, thermal stress and failure analyses in a TiB <sub>2</sub> gas turbine stator blade. <i>Ceramics International</i> , <b>2019</b> , 45, 19331-19339	5.1	64
80	Pressureless sintering of ZrB <sub>2</sub> ceramics codoped with TiC and graphite. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2019</b> , 81, 189-195	4.1	64
79	A novel ZrB <sub>2</sub> -Ti <sub>3</sub> N <sub>4</sub> composite with improved mechanical properties. <i>Ceramics International</i> , <b>2019</b> , 45, 21512-21519	5.1	63
78	The effect of thermal contact resistance on the temperature distribution in a WC made cutting tool. <i>Ceramics International</i> , <b>2019</b> , 45, 22196-22202	5.1	62
77	Hybrid Ti matrix composites with TiB <sub>2</sub> and TiC compounds. <i>Materials Today Communications</i> , <b>2019</b> , 20, 100576	2.5	62
76	Reactive hot pressing of ZrB <sub>2</sub> -based composites with changes in ZrO <sub>2</sub> /SiC ratio and sintering conditions. Part I: Densification behavior. <i>Ceramics International</i> , <b>2015</b> , 41, 8388-8396	5.1	62
75	A fractographical approach to the sintering process in porous ZrB <sub>2</sub> -SiC binary composites. <i>Ceramics International</i> , <b>2015</b> , 41, 379-387	5.1	61
74	Fractographical assessment of densification mechanisms in hot pressed ZrB <sub>2</sub> -SiC composites. <i>Ceramics International</i> , <b>2014</b> , 40, 15273-15281	5.1	61
73	Significance of hot pressing parameters on the microstructure and densification behavior of zirconium diboride. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2015</b> , 50, 140-145	4.1	60
72	Investigation of hot pressed ZrB <sub>2</sub> -SiC-carbon black nanocomposite by scanning and transmission electron microscopy. <i>Ceramics International</i> , <b>2019</b> , 45, 16759-16764	5.1	59
71	Significance of hot pressing parameters and reinforcement size on sinterability and mechanical properties of ZrB <sub>2</sub> -5vol% SiC UHTCs. <i>Ceramics International</i> , <b>2015</b> , 41, 9628-9636	5.1	58
70	Effects of graphite nano-flakes on thermal and microstructural properties of TiB <sub>2</sub> -SiC composites. <i>Ceramics International</i> , <b>2020</b> , 46, 11622-11630	5.1	58
69	Synergetic effects of SiC and CsF in ZrB <sub>2</sub> -based ceramic composites. Part II: Grain growth. <i>Ceramics International</i> , <b>2016</b> , 42, 18612-18619	5.1	58
68	Significance of hot pressing parameters and reinforcement size on densification behavior of ZrB <sub>2</sub> -5vol% SiC UHTCs. <i>Ceramics International</i> , <b>2015</b> , 41, 6439-6447	5.1	57
67	A Taguchi approach to the influence of hot pressing parameters and SiC content on the sinterability of ZrB <sub>2</sub> -based composites. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2015</b> , 51, 81-90	4.1	57
66	Nano-diamond reinforced ZrB <sub>2</sub> -SiC composites. <i>Ceramics International</i> , <b>2020</b> , 46, 10172-10179	5.1	57
65	Strengthening of TiC ceramics sintered by spark plasma via nano-graphite addition. <i>Ceramics International</i> , <b>2020</b> , 46, 12400-12408	5.1	56
64	A numerical approach to the heat transfer and thermal stress in a gas turbine stator blade made of HfB <sub>2</sub> . <i>Ceramics International</i> , <b>2019</b> , 45, 24060-24069	5.1	56

63	Aluminum nitride as an alternative ceramic for fabrication of microchannel heat exchangers: A numerical study. <i>Ceramics International</i> , <b>2020</b> , 46, 11647-11657	5.1	55
62	Taguchi analysis on the effect of hot pressing parameters on density and hardness of zirconium diboride. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2015</b> , 50, 313-320	4.1	52
61	Densification and toughening mechanisms in spark plasma sintered ZrB <sub>2</sub> -based composites with zirconium and graphite additives. <i>Ceramics International</i> , <b>2020</b> , 46, 13685-13694	5.1	52
60	Role of nano-WC addition on microstructural, mechanical and thermal characteristics of TiC/BiCw composites. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2020</b> , 90, 105248	4.1	51
59	Role of graphite nano-flakes on the characteristics of ZrB <sub>2</sub> -based composites reinforced with SiC whiskers. <i>Diamond and Related Materials</i> , <b>2020</b> , 105, 107786	3.5	50
58	Triplet carbide composites of TiC, WC, and SiC. <i>Ceramics International</i> , <b>2020</b> , 46, 9070-9078	5.1	49
57	Strengthening of novel TiC/AlN ceramic with in-situ synthesized Ti <sub>3</sub> Al intermetallic compound. <i>Ceramics International</i> , <b>2020</b> , 46, 14105-14113	5.1	48
56	Numerical modeling of heat transfer during spark plasma sintering of titanium carbide. <i>Ceramics International</i> , <b>2020</b> , 46, 7615-7624	5.1	48
55	Characterization of triplet Ti <sub>3</sub> Al/BiC composites: Comparison of in-situ formation and ex-situ addition of TiC. <i>Ceramics International</i> , <b>2020</b> , 46, 11726-11734	5.1	46
54	Influence of Sintering Temperature on Microstructure and Mechanical Properties of Ti <sub>3</sub> MoB <sub>4</sub> C Composites. <i>Metals and Materials International</i> , <b>2021</b> , 27, 1092-1102	2.4	45
53	On the simulation of spark plasma sintered TiB <sub>2</sub> ultra high temperature ceramics: A numerical approach. <i>Ceramics International</i> , <b>2020</b> , 46, 14787-14795	5.1	44
52	Characterization of hot-pressed Ti <sub>3</sub> SiC <sub>2</sub> BiC composites. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2020</b> , 90, 105232	4.1	42
51	Influence of TiB <sub>2</sub> content on the properties of TiC/BiCw composites. <i>Ceramics International</i> , <b>2020</b> , 46, 7403-7412	5.1	41
50	Preparation of B <sub>4</sub> C/BiC/BiF <sub>2</sub> nanocomposite by mechanically activated combustion synthesis. <i>Ceramics International</i> , <b>2020</b> , 46, 12288-12295	5.1	40
49	Modulated large-pore mesoporous silica as an efficient base catalyst for the Henry reaction. <i>Research on Chemical Intermediates</i> , <b>2018</b> , 44, 1617-1626	2.8	39
48	A microstructural approach to the chemical reactions during the spark plasma sintering of novel TiC/BN ceramics. <i>Ceramics International</i> , <b>2020</b> , 46, 15982-15990	5.1	38
47	Synthesis of novel ternary g-C <sub>3</sub> N <sub>4</sub> /SiC/C-Dots photocatalysts and their visible-light-induced activities in removal of various contaminants. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , <b>2020</b> , 392, 112431	4.7	37
46	Combined role of SiC particles and SiC whiskers on the characteristics of spark plasma sintered ZrB <sub>2</sub> ceramics. <i>Ceramics International</i> , <b>2020</b> , 46, 5773-5778	5.1	37

45	Influence of TiN dopant on microstructure of TiB <sub>2</sub> ceramic sintered by spark plasma. <i>Ceramics International</i> , <b>2019</b> , 45, 5306-5311	5.1	37
44	Solid solution formation during spark plasma sintering of ZrB <sub>2</sub> /TiC/graphite composites. <i>Ceramics International</i> , <b>2020</b> , 46, 2923-2930	5.1	27
43	Experimental investigation of heat transfer and pressure drop in a minichannel heat sink using Al <sub>2</sub> O <sub>3</sub> and TiO <sub>2</sub> water nanofluids. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , <b>2020</b> , 42, 1	2	26
42	Heat transfer and pressure drop in a ZrB <sub>2</sub> microchannel heat sink: A numerical approach. <i>Ceramics International</i> , <b>2020</b> , 46, 1730-1735	5.1	26
41	Electrophoretic deposition of spherical carbonyl iron particles on carbon fibers as a microwave absorbent composite. <i>Surfaces and Interfaces</i> , <b>2016</b> , 5, 1-7	4.1	25
40	Numerical simulation of heat transfer during spark plasma sintering of zirconium diboride. <i>Ceramics International</i> , <b>2020</b> , 46, 4998-5007	5.1	24
39	Spark plasma sintering of quadruplet ZrB <sub>2</sub> /BiC/ZrC/Cf composites. <i>Ceramics International</i> , <b>2020</b> , 46, 156-164	5.1	24
38	Hot pressing and oxidation behavior of ZrB <sub>2</sub> /BiC/TaC composites. <i>Ceramics International</i> , <b>2020</b> , 46, 3725-3730	5.1	24
37	Electrical and dielectric properties of Al/(PVP: Zn-TeO <sub>2</sub> )/p-Si heterojunction structures using current-voltage (I-V) and impedance-frequency (Z(f)) measurements. <i>Applied Physics A: Materials Science and Processing</i> , <b>2020</b> , 126, 1	2.6	22
36	Heat transfer and flow characteristics of hybrid Al <sub>2</sub> O <sub>3</sub> /TiO <sub>2</sub> water nanofluid in a minichannel heat sink. <i>Heat and Mass Transfer</i> , <b>2020</b> , 56, 2757-2767	2.2	21
35	Phase change materials as quenching media for heat treatment of 42CrMo4 steels. <i>Journal of Central South University</i> , <b>2020</b> , 27, 752-761	2.1	20
34	Nanoindentational and conventional mechanical properties of spark plasma sintered Ti-Mo alloys. <i>Journal of Materials Research and Technology</i> , <b>2020</b> , 9, 10647-10658	5.5	18
33	Characteristics of dynamically formed oxide films in aluminum-calcium foamable alloys. <i>Journal of Alloys and Compounds</i> , <b>2016</b> , 655, 433-441	5.7	16
32	Advantages and disadvantages of graphite addition on the characteristics of hot-pressed ZrB <sub>2</sub> /BiC composites. <i>Ceramics International</i> , <b>2020</b> , 46, 8561-8566	5.1	16
31	Influence of SPS temperature on the properties of TiC/BiCw composites. <i>Ceramics International</i> , <b>2020</b> , 46, 11735-11742	5.1	15
30	g-C <sub>3</sub> N <sub>4</sub> nanosheet adorned with Ag <sub>3</sub> BiO <sub>3</sub> as a perovskite: An effective photocatalyst for efficient visible-light photocatalytic processes. <i>Materials Science in Semiconductor Processing</i> , <b>2021</b> , 125, 105651	4.3	15
29	The effect of cadmium impurities in the (PVP:TeO <sub>2</sub> ) interlayer in Al/p-Si (MS) Schottky barrier diodes (SBDs): Exploring its electrophysical parameters. <i>Physica B: Condensed Matter</i> , <b>2021</b> , 604, 412617	2.8	12
28	Recent developments in voltammetric and amperometric sensors for cysteine detection.. <i>RSC Advances</i> , <b>2021</b> , 11, 5411-5425	3.7	12

27	Mathematical modeling of absorption accompanied by a non-elementary reversible chemical reaction. <i>Chemical Engineering Research and Design</i> , <b>2020</b> , 157, 58-64	5.5	11
26	Phase transformation in spark plasma sintered ZrB <sub>2</sub> /TiC composites at different temperatures. <i>Ceramics International</i> , <b>2020</b> , 46, 9415-9420	5.1	9
25	Combined role of SiC whiskers and graphene nano-platelets on the microstructure of spark plasma sintered ZrB <sub>2</sub> ceramics. <i>Ceramics International</i> , <b>2021</b> , 47, 12459-12466	5.1	9
24	BN-Fe <sub>3</sub> O <sub>4</sub> -Pd nanocomposite modified carbon paste electrode: Efficient voltammetric sensor for sulfamethoxazole. <i>Ceramics International</i> , <b>2021</b> , 47, 13903-13911	5.1	9
23	Nanostructural approach to the thickening behavior and oxidation of calcium-stabilized aluminum foams. <i>Materials Chemistry and Physics</i> , <b>2018</b> , 220, 351-359	4.4	9
22	On the electrical characteristics of Al/p-Si diodes with and without (PVP: Sn-TeO <sub>2</sub> ) interlayer using current-voltage (I-V) measurements. <i>Applied Physics A: Materials Science and Processing</i> , <b>2020</b> , 126, 1	2.6	7
21	TiO <sub>2</sub> (rutile and anatase) deposited on ordered mesoporous SiO <sub>2</sub> : effect of pore size on photocatalytic activity. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2021</b> , 32, 21909-21922		7
20	Spark plasma sintering of TiB <sub>2</sub> -based ceramics with Ti <sub>3</sub> AlC <sub>2</sub> . <i>Ceramics International</i> , <b>2021</b> , 47, 11929-11934		7
19	Synthesis and morphology optimization of electrospun SiBNC nanofibers. <i>Ceramics International</i> , <b>2020</b> , 46, 6052-6059	5.1	5
18	Characterization and FEA evaluation of a ZrB <sub>2</sub> /SiC ceramic containing TaC for beam-column joint application. <i>Ceramics International</i> , <b>2021</b> , 47, 11438-11450	5.1	5
17	Synergistic effects of Si <sub>3</sub> N <sub>4</sub> and CNT on densification and properties of TiC ceramics. <i>Ceramics International</i> , <b>2021</b> , 47, 12941-12950	5.1	5
16	Effects of SiC on densification, microstructure and nano-indentation properties of ZrB <sub>2</sub> /BN composites. <i>Ceramics International</i> , <b>2021</b> , 47, 9873-9880	5.1	5
15	Synergistic influence of SiC and C <sub>3</sub> N <sub>4</sub> reinforcements on the characteristics of ZrB <sub>2</sub> -based composites. <i>Journal of Asian Ceramic Societies</i> , <b>2021</b> , 9, 53-62	2.4	4
14	Toughening of ZrB <sub>2</sub> -based composites with in-situ synthesized ZrC from ZrO <sub>2</sub> and graphite precursors. <i>Journal of Science: Advanced Materials and Devices</i> , <b>2021</b> , 6, 42-48	4.2	4
13	Simultaneous Removal of Nickel and Cadmium During the Cold Purification of Zinc Sulfate Solution. <i>Arabian Journal for Science and Engineering</i> , <b>2020</b> , 45, 587-598	2.5	3
12	Spark plasma sinterability and thermal diffusivity of TiN ceramics with graphene additive. <i>Ceramics International</i> , <b>2021</b> , 47, 10057-10062	5.1	3
11	Microstructure, mechanical properties, and oxidation behavior of hot-pressed ZrB <sub>2</sub> /SiC/B <sub>4</sub> C composites. <i>Ceramics International</i> , <b>2021</b> , 47, 9627-9634	5.1	3
10	Effect of (CoTeO <sub>2</sub> -doped polyvinylpyrrolidone) organic interlayer on the electrophysical characteristics of Al/p-Si (MS) structures. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2021</b> , 32, 21909-21922	2.1	3



9	Effects of in-situ formed TiB whiskers on microstructure and mechanical properties of spark plasma sintered TiB <sub>4</sub> C and TiB <sub>2</sub> composites. <i>Scientia Iranica</i> , <b>2017</b> , 0-0	1.5	2
8	Finite element simulation of disk-shaped HfB <sub>2</sub> ceramics during spark plasma sintering process. <i>International Journal of Applied Ceramic Technology</i> ,	2	2
7	Fabrication of (Zr,Ti)B-ZrN-BN composites through reactive spark plasma sintering of ZrB and TiN.. <i>Micron</i> , <b>2021</b> , 154, 103203	2.3	1
6	Synthesis and Sintering of Ti <sub>3</sub> SiC <sub>2</sub> B <sub>2</sub> C Composites through Reactive Hot-Pressing of TiC and Si Precursors. <i>Silicon</i> ,1	2.4	1
5	On the oxidation behavior of ZrB <sub>2</sub> SiC <sub>0.5</sub> C composites. <i>International Journal of Applied Ceramic Technology</i> , <b>2021</b> , 18, 2306	2	1
4	A nanostructural approach to the interfacial phenomena in spark plasma sintered TiB <sub>2</sub> ceramics with vanadium and graphite additives. <i>Composites Part B: Engineering</i> , <b>2021</b> , 222, 109069	10	1
3	An interfacial survey on microstructure of ZrB <sub>2</sub> -based ceramics codoped with carbon fibers and SiC whiskers. <i>Materials Chemistry and Physics</i> , <b>2022</b> , 275, 125322	4.4	0
2	Formation of Al <sub>2</sub> O <sub>3</sub> core-shell nanosphere chains during electron beam melting of TiAl. <i>Intermetallics</i> , <b>2021</b> , 136, 107261	3.5	0
1	Fabrication and characterization of HfB <sub>2</sub> -based composites in the presence of TiC and CNT. <i>Materials Chemistry and Physics</i> , <b>2022</b> , 126244	4.4	0