

Ju Young Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3542856/publications.pdf>

Version: 2024-02-01

68
papers

4,583
citations

136950

32
h-index

98798

67
g-index

74
all docs

74
docs citations

74
times ranked

6960
citing authors

#	ARTICLE	IF	CITATIONS
1	The controlled release of active substance from one-dimensional inorganic nanocarrier for the stability enhancement of lithium batteries. <i>Chemical Engineering Journal</i> , 2022, 427, 131748.	12.7	6
2	All-solid-state hybrid electrode configuration for high-performance all-solid-state batteries: Comparative study with composite electrode and diffusion-dependent electrode. <i>Journal of Power Sources</i> , 2022, 518, 230736.	7.8	17
3	2D argyrodite LPSCI solid electrolyte for all-solid-state Li-ion battery using reduced graphene oxide template. <i>Materials Today Energy</i> , 2022, 23, 100913.	4.7	4
4	Directed high- κ block copolymer self-assembly by laser writing on silicon substrate. <i>Journal of Applied Polymer Science</i> , 2022, 139, .	2.6	3
5	Graphite-Silicon Diffusion-Dependent Electrode with Short Effective Diffusion Length for High-Performance All-Solid-State Batteries. <i>Advanced Energy Materials</i> , 2022, 12, .	19.5	34
6	Electrolyte-free graphite electrode with enhanced interfacial conduction using Li ⁺ -conductive binder for high-performance all-solid-state batteries. <i>Energy Storage Materials</i> , 2022, 49, 481-492.	18.0	10
7	Submicron interlayer for stabilizing thin Li metal powder electrode. <i>Chemical Engineering Journal</i> , 2021, 406, 126834.	12.7	12
8	Collapse-Induced Multimer Formation of Self-Assembled Nanoparticles for Surface Enhanced Raman Scattering. <i>Coatings</i> , 2021, 11, 76.	2.6	1
9	Restacked nanohybrid graphene layers with expanded interlayer distance enabled by inorganic spacer for highly efficient, flexible Na-ion battery anodes. <i>Journal of Electroanalytical Chemistry</i> , 2021, 886, 115137.	3.8	4
10	Interfacial barrier free organic-inorganic hybrid electrolytes for solid state batteries. <i>Energy Storage Materials</i> , 2021, 37, 306-314.	18.0	38
11	Self-Assembled Nano-Lotus Pod Metasurface for Light Trapping. <i>ACS Photonics</i> , 2021, 8, 1616-1622.	6.6	8
12	Revisiting TiS ₂ as a diffusion-dependent cathode with promising energy density for all-solid-state lithium secondary batteries. <i>Energy Storage Materials</i> , 2021, 41, 289-296.	18.0	28
13	Efficient cell design and fabrication of concentration-gradient composite electrodes for high-power and high-energy-density all-solid-state batteries. <i>ETRI Journal</i> , 2020, 42, 129-137.	2.0	14
14	Dimension-controlled solid oxide electrolytes for all-solid-state electrodes: Percolation pathways, specific contact area, and effective ionic conductivity. <i>Chemical Engineering Journal</i> , 2020, 391, 123528.	12.7	17
15	Effects of vinylene carbonate and 1,3-propane sultone on high-rate cycle performance and surface properties of high-nickel layered oxide cathodes. <i>Materials Research Bulletin</i> , 2020, 132, 111008.	5.2	19
16	Diffusion-Dependent Graphite Electrode for All-Solid-State Batteries with Extremely High Energy Density. <i>ACS Energy Letters</i> , 2020, 5, 2995-3004.	17.4	53
17	Insights into Lithium Surface: Stable Cycling by Controlled 10 ^{1/4} µm Deep Surface Relief, Reinterpreting the Natural Surface Defect on Lithium Metal Anode. <i>ACS Applied Energy Materials</i> , 2019, 2, 5656-5664.	5.1	16
18	Effect of the dielectric constant of a liquid electrolyte on lithium metal anodes. <i>Electrochimica Acta</i> , 2019, 300, 299-305.	5.2	27

#	ARTICLE	IF	CITATIONS
19	Electrode design methodology for all-solid-state batteries: 3D structural analysis and performance prediction. <i>Energy Storage Materials</i> , 2019, 19, 124-129.	18.0	26
20	Graphene Oxide Induced Surface Modification for Functional Separators in Lithium Secondary Batteries. <i>Scientific Reports</i> , 2019, 9, 2464.	3.3	23
21	High-rate cycling performance and surface analysis of LiNi _{1-x} Co _{2x/3} Mn _{2O2} (x=2/3, 0.4, 0.2) cathode materials. <i>Materials Chemistry and Physics</i> , 2019, 222, 1-10.	4.0	12
22	Metal Nanoparticle Array as a Tunable Refractive Index Material over Broad Visible and Infrared Wavelengths. <i>ACS Photonics</i> , 2018, 5, 1188-1195.	6.6	32
23	Mesoporous perforated Co ₃ O ₄ nanoparticles with a thin carbon layer for high performance Li-ion battery anodes. <i>Electrochimica Acta</i> , 2018, 264, 376-385.	5.2	26
24	Bimodal phase separated block copolymer/homopolymer blends self-assembly for hierarchical porous metal nanomesh electrodes. <i>Nanoscale</i> , 2018, 10, 100-108.	5.6	17
25	Ultralarge Area Sub-10 nm Plasmonic Nanogap Array by Block Copolymer Self-Assembly for Reliable High-Sensitivity SERS. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 44660-44667.	8.0	59
26	Electronic Structures: Mechanically Guided Post-Assembly of 3D Electronic Systems (<i>Adv. Funct. Mater.</i>) Tj ETQq0,0,0 rgBT /Overlock 1	14.9	2
27	Mechanically Guided Post-Assembly of 3D Electronic Systems. <i>Advanced Functional Materials</i> , 2018, 28, 1803149.	14.9	41
28	Reversible thixotropic gel electrolytes for safer and shape-versatile lithium-ion batteries. <i>Journal of Power Sources</i> , 2018, 401, 126-134.	7.8	15
29	Flash Light Millisecond Self-Assembly of High-Aspect-Ratio Block Copolymers for Wafer-Scale Sub-10 nm Nanopatterning. <i>Advanced Materials</i> , 2017, 29, 1700595.	21.0	78
30	Electric field directed self-assembly of block copolymers for rapid formation of large-area complex nanopatterns. <i>Molecular Systems Design and Engineering</i> , 2017, 2, 560-566.	3.4	29
31	Single-step self-assembly of multilayer graphene based dielectric nanostructures. <i>FlatChem</i> , 2017, 4, 61-67.	5.6	8
32	Liquid Crystals: Graphene Oxide Liquid Crystals: Discovery, Evolution and Applications (<i>Adv. Mater.</i>) Tj ETQq0,0,0 rgBT /Overlock 10 Tf 5	21.0	3
33	Graphene Oxide Liquid Crystals: Discovery, Evolution and Applications. <i>Advanced Materials</i> , 2016, 28, 3045-3068.	21.0	211
34	Complex High-Aspect-Ratio Metal Nanostructures by Secondary Sputtering Combined with Block Copolymer Self-Assembly. <i>Advanced Materials</i> , 2016, 28, 8439-8445.	21.0	26
35	Hierarchical Directed Self-Assembly of Diblock Copolymers for Modified Pattern Symmetry. <i>Advanced Functional Materials</i> , 2016, 26, 6462-6470.	14.9	16
36	Highly tunable refractive index visible-light metasurface from block copolymer self-assembly. <i>Nature Communications</i> , 2016, 7, 12911.	12.8	143

#	ARTICLE	IF	CITATIONS
37	3D Tailored Crumpling of Block Copolymer Lithography on Chemically Modified Graphene. <i>Advanced Materials</i> , 2016, 28, 1591-1596.	21.0	58
38	Laser Writing Block Copolymer Self-Assembly on Graphene Light-Absorbing Layer. <i>ACS Nano</i> , 2016, 10, 3435-3442.	14.6	102
39	High-performance nanopattern triboelectric generator by block copolymer lithography. <i>Nano Energy</i> , 2015, 12, 331-338.	16.0	146
40	Anomalous Rapid Defect Annihilation in Self-Assembled Nanopatterns by Defect Melting. <i>Nano Letters</i> , 2015, 15, 1190-1196.	9.1	37
41	Au@Ag Core-Shell Nanoparticle Array by Block Copolymer Lithography for Synergistic Broadband Plasmonic Properties. <i>ACS Nano</i> , 2015, 9, 5536-5543.	14.6	130
42	Atomic Layer Deposition Assisted Pattern Multiplication of Block Copolymer Lithography for 5 nm Scale Nanopatterning. <i>Advanced Functional Materials</i> , 2014, 24, 4343-4348.	14.9	55
43	Negative-Tone Block Copolymer Lithography by In Situ Surface Chemical Modification. <i>Small</i> , 2014, 10, 4207-4212.	10.0	6
44	Electric fields line up graphene oxide. <i>Nature Materials</i> , 2014, 13, 325-326.	27.5	66
45	25th Anniversary Article: Chemically Modified/Doped Carbon Nanotubes & Graphene for Optimized Nanostructures & Nanodevices. <i>Advanced Materials</i> , 2014, 26, 40-67.	21.0	479
46	Carbon: 25th Anniversary Article: Chemically Modified/Doped Carbon Nanotubes & Graphene for Optimized Nanostructures & Nanodevices (<i>Adv. Mater.</i> 1/2014). <i>Advanced Materials</i> , 2014, 26, 2-2.	21.0	7
47	Nanodomain Swelling Block Copolymer Lithography for Morphology Tunable Metal Nanopatterning. <i>Small</i> , 2014, 10, 3742-3749.	10.0	18
48	Wrinkle-Directed Self-Assembly of Block Copolymers for Aligning of Nanowire Arrays. <i>Advanced Materials</i> , 2014, 26, 4665-4670.	21.0	38
49	Directed self-assembly of block copolymers for next generation nanolithography. <i>Materials Today</i> , 2013, 16, 468-476.	14.2	260
50	Multicomponent Nanopatterns by Directed Block Copolymer Self-Assembly. <i>ACS Nano</i> , 2013, 7, 8899-8907.	14.6	99
51	Monodisperse Pattern Nanoalloying for Synergistic Intermetallic Catalysis. <i>Nano Letters</i> , 2013, 13, 5720-5726.	9.1	58
52	Flexible and Transferrable Self-Assembled Nanopatterning on Chemically Modified Graphene. <i>Advanced Materials</i> , 2013, 25, 1331-1335.	21.0	88
53	Directed self-assembly of block copolymers for universal nanopatterning. <i>Soft Matter</i> , 2013, 9, 2780.	2.7	62
54	Workfunction-Tunable, N-Doped Reduced Graphene Transparent Electrodes for High-Performance Polymer Light-Emitting Diodes. <i>ACS Nano</i> , 2012, 6, 159-167.	14.6	297

#	ARTICLE	IF	CITATIONS
55	DNA Origami Nanopatterning on Chemically Modified Graphene. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 912-915.	13.8	59
56	Back Cover: DNA Origami Nanopatterning on Chemically Modified Graphene (<i>Angew. Chem. Int. Ed.</i>)	13.8	0
57	Vertical ZnO nanowires/graphene hybrids for transparent and flexible field emission. <i>Journal of Materials Chemistry</i> , 2011, 21, 3432-3437.	6.7	227
58	Sub-Nanometer Level Size Tuning of a Monodisperse Nanoparticle Array Via Block Copolymer Lithography. <i>Advanced Functional Materials</i> , 2011, 21, 250-254.	14.9	70
59	Mussel-Inspired Block Copolymer Lithography for Low Surface Energy Materials of Teflon, Graphene, and Gold. <i>Advanced Materials</i> , 2011, 23, 5618-5622.	21.0	188
60	Surface Nanopatterning: Mussel-Inspired Block Copolymer Lithography for Low Surface Energy Materials of Teflon, Graphene, and Gold (<i>Adv. Mater.</i> 47/2011). <i>Advanced Materials</i> , 2011, 23, 5584-5584.	21.0	2
61	Graphene Oxide Liquid Crystals. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 3043-3047.	13.8	534
62	Ultralarge-area block copolymer lithography using self-assembly assisted photoresist pre-pattern. , 2011, , .		0
63	Soft materials nanoengineering by directed molecular assembly. , 2010, , .		0
64	Ultralarge-Area Block Copolymer Lithography Enabled by Disposable Photoresist Pre patterning. <i>ACS Nano</i> , 2010, 4, 5181-5186.	14.6	97
65	Surface Energy Modification by Spin-Cast, Large-Area Graphene Film for Block Copolymer Lithography. <i>ACS Nano</i> , 2010, 4, 5464-5470.	14.6	132
66	One-Dimensional Metal Nanowire Assembly via Block Copolymer Soft Graphoepitaxy. <i>Nano Letters</i> , 2010, 10, 3500-3505.	9.1	102
67	Methodology for Verifying the load limit point and bottle-neck of a game server using the large scale virtual clients. <i>International Conference on Advanced Communication Technology</i> , 2008, , .	0.0	1
68	Self-Assembly Nanofabrication via Mussel-Inspired Interfacial Engineering. <i>Applied Mechanics and Materials</i> , 0, 229-231, 2749-2752.	0.2	0