

Ann E Hajek

List of Publications by Citations

Source: <https://exaly.com/author-pdf/354377/ann-e-hajek-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221
papers

4,601
citations

34
h-index

57
g-index

233
ext. papers

5,152
ext. citations

2.7
avg, IF

5.84
L-index

#	Paper	IF	Citations
221	Suggestions for unifying the terminology in biological control. <i>BioControl</i> , 2001 , 46, 387-400	2.3	370
220	Ecology and management of exotic and endemic Asian longhorned beetle <i>Anoplophora glabripennis</i> . <i>Agricultural and Forest Entomology</i> , 2009 , 11, 359-375	1.9	175
219	Natural Enemies: An Introduction to Biological Control 2004 ,		159
218	Pathology and epizootiology of <i>Entomophaga maimaiga</i> infections in forest Lepidoptera. <i>Microbiology and Molecular Biology Reviews</i> , 1999 , 63, 814-35, table of contents	13.2	131
217	A review of introductions of pathogens and nematodes for classical biological control of insects and mites. <i>Biological Control</i> , 2007 , 41, 1-13	3.8	108
216	Ecology of Terrestrial Fungal Entomopathogens. <i>Advances in Microbial Ecology</i> , 1997 , 193-249		107
215	Fungal pathogens as classical biological control agents against arthropods. <i>BioControl</i> , 2010 , 55, 147-158.	2.3	106
214	Exotic biological control agents: A solution or contribution to arthropod invasions?. <i>Biological Invasions</i> , 2016 , 18, 953-969	2.7	104
213	Classical biological control of insect pests of trees: facts and figures. <i>Biological Invasions</i> , 2017 , 19, 3401-3417	2.17	96
212	Mysterious Origin of <i>Entomophaga maimaiga</i> in North America. <i>American Entomologist</i> , 1995 , 41, 31-43	0.6	76
211	Introduction and Spread of the Fungal Pathogen <i>Entomophaga maimaiga</i> (Zygomycetes: Entomophthorales) Along the Leading Edge of Gypsy Moth (Lepidoptera: Lymantriidae) Spread. <i>Environmental Entomology</i> , 1996 , 25, 1235-1247	2.1	75
210	Isolation and characterization of <i>Entomophaga maimaiga</i> sp. nov., a fungal pathogen of gypsy moth, <i>Lymantria dispar</i> , from Japan. <i>Journal of Invertebrate Pathology</i> , 1988 , 51, 229-241	2.6	62
209	Host Range of the Gypsy Moth (Lepidoptera: Lymantriidae) Pathogen <i>Entomophaga maimaiga</i> (Zygomycetes: Entomophthorales) in the Field Versus Laboratory. <i>Environmental Entomology</i> , 1996 , 25, 709-721	2.1	60
208	Novel and co-evolved associations between insects and microorganisms as drivers of forest pestilence. <i>Biological Invasions</i> , 2016 , 18, 1045-1056	2.7	58
207	Methods for Rearing the Asian Longhorned Beetle (Coleoptera: Cerambycidae) on Artificial Diet. <i>Annals of the Entomological Society of America</i> , 2002 , 95, 223-230	2	56
206	Temperature and Moisture Relations of Sporulation and Germination by <i>Entomophaga maimaiga</i> (Zygomycetes: Entomophthoraceae), a Fungal Pathogen of <i>Lymantria dispar</i> (Lepidoptera: Lymantriidae). <i>Environmental Entomology</i> , 1990 , 19, 85-90	2.1	56
205	Fungal and Viral Epizootics in Gypsy Moth (Lepidoptera: Lymantriidae) Populations in Central New York. <i>Biological Control</i> , 1997 , 10, 58-68	3.8	55

204	FOLIAR APPLICATIONS OF BEAVERIA BASSIANA (BALSAMO) VUILLEMIN FOR CONTROL OF THE COLORADO POTATO BEETLE, LEPTINOTARSA DECEMLINEATA (SAY) (COLEOPTERA: CHRYSOMELIDAE): AN OVERVIEW OF PILOT TEST RESULTS FROM THE NORTHERN UNITED STATES. <i>Canadian Entomologist</i> , 1987 , 119, 959-974	0.7	53
203	Genetic diversity in the gypsy moth fungal pathogen <i>Entomophaga maimaiga</i> from founder populations in North America and source populations in Asia. <i>Mycological Research</i> , 2005 , 109, 941-50		52
202	Field studies of control of <i>Anoplophora glabripennis</i> (Coleoptera: Cerambycidae) using fiber bands containing the entomopathogenic fungi <i>Metarhizium anisopliae</i> and <i>Beauveria brongniartii</i> . <i>Biocontrol Science and Technology</i> , 2006 , 16, 329-343	1.7	50
201	Imbibitional damage in conidia of the entomopathogenic fungi <i>Beauveria bassiana</i> , <i>Metarhizium acridum</i> , and <i>Metarhizium anisopliae</i> . <i>Biological Control</i> , 2009 , 51, 346-354	3.8	46
200	Fidelity among <i>Sirex</i> woodwasps and their fungal symbionts. <i>Microbial Ecology</i> , 2013 , 65, 753-62	4.4	45
199	Modeling the Dynamics of <i>Entomophaga maimaiga</i> (Zygomycetes: Entomophthorales) Epizootics in Gypsy Moth (Lepidoptera: Lymantriidae) Populations. <i>Environmental Entomology</i> , 1993 , 22, 1172-1187	2.1	45
198	Putative source of the invasive <i>Sirex noctilio</i> fungal symbiont, <i>Amylostereum areolatum</i> , in the eastern United States and its association with native siricid woodwasps. <i>Mycological Research</i> , 2009 , 113, 1242-53		44
197	Decline in virulence of <i>Entomophaga maimaiga</i> (Zygomycetes: Entomophthorales) with repeated in vitro subculture. <i>Journal of Invertebrate Pathology</i> , 1990 , 56, 91-97	2.6	44
196	A CLADISTIC TEST OF THE TAXON CYCLE AND TAXON PULSE HYPOTHESES.. <i>Cladistics</i> , 1990 , 6, 39-59	3.5	43
195	Ants defend aphids against lethal disease. <i>Biology Letters</i> , 2010 , 6, 205-8	3.6	42
194	Within-host interactions of <i>lymantria dispar</i> (Lepidoptera: lymantriidae) nucleopolyhedrosis virus and <i>entomophaga maimaiga</i> (Zygomycetes: entomophthorales). <i>Journal of Invertebrate Pathology</i> , 1999 , 73, 91-100	2.6	42
193	Efficacy of fiber bands impregnated with <i>Beauveria brongniartii</i> cultures against the Asian longhorned beetle, <i>Anoplophora glabripennis</i> (Coleoptera: Cerambycidae). <i>Biological Control</i> , 2004 , 31, 320-328	3.8	41
192	Density-dependent resistance of the gypsy moth <i>Lymantria dispar</i> to its nucleopolyhedrovirus, and the consequences for population dynamics. <i>Oecologia</i> , 2008 , 154, 691-701	2.9	40
191	Soil as an environment for winter survival of aphid-pathogenic Entomophthorales. <i>Biological Control</i> , 2003 , 28, 92-100	3.8	39
190	Natural Enemies: An Introduction to Biological Control 2018 ,		38
189	Types of spores produced by <i>Entomophaga maimaiga</i> infecting the gypsy moth <i>Lymantria dispar</i> . <i>Canadian Journal of Botany</i> , 1996 , 74, 708-715		37
188	Formation and germination of <i>Entomophaga maimaiga</i> azygospores. <i>Canadian Journal of Botany</i> , 1997 , 75, 1739-1747		35
187	Debilitation in conidia of the entomopathogenic fungi <i>Beauveria bassiana</i> and <i>Metarhizium anisopliae</i> and implication with respect to viability determinations and mycopesticide quality assessments. <i>Journal of Invertebrate Pathology</i> , 2010 , 105, 74-83	2.6	34

186	Reduction in fitness of female Asian longhorned beetle (<i>Anoplophora glabripennis</i>) infected with <i>Metarhizium anisopliae</i> . <i>Journal of Invertebrate Pathology</i> , 2008 , 98, 198-205	2.6	32
185	Detection and quantification of <i>Entomophaga maimaiga</i> resting spores in forest soil using real-time PCR. <i>Mycological Research</i> , 2007 , 111, 324-31		32
184	Temporal Dynamics of <i>Entomophaga maimaiga</i> After Death of Gypsy Moth (Lepidoptera: Lymantriidae) Larval Hosts. <i>Environmental Entomology</i> , 1992 , 21, 129-135	2.1	32
183	Parasitism of <i>Sirex noctilio</i> by non-sterilizing <i>Deladenus siricidicola</i> in northeastern North America. <i>Biological Control</i> , 2013 , 67, 203-211	3.8	31
182	Effect of relative humidity and origin of isolates of <i>Neozygites tanajoae</i> (Zygomycetes: Entomophthorales) on production of conidia from cassava green mite, <i>Mononychellus tanajoa</i> (Acari: Tetranychidae), cadavers. <i>Biological Control</i> , 2006 , 39, 489-496	3.8	31
181	Pathogen reservoirs as a biological control resource: Introduction of <i>Entomophaga maimaiga</i> to North American Gypsy Moth, <i>Lymantria dispar</i> , populations. <i>Biological Control</i> , 1991 , 1, 29-34	3.8	31
180	Introduced pathogens follow the invasion front of a spreading alien host. <i>Journal of Animal Ecology</i> , 2011 , 80, 1217-26	4.7	30
179	Use of cell culture media for cultivation of the mite pathogenic fungi <i>Neozygites tanajoae</i> and <i>Neozygites floridana</i> . <i>Journal of Invertebrate Pathology</i> , 2003 , 84, 119-27	2.6	30
178	Evaluating the Efficiency of Entomopathogenic Fungi Against the Asian Longhorned Beetle, <i>Anoplophora glabripennis</i> (Coleoptera: Cerambycidae), by Using Cages in the Field. <i>Environmental Entomology</i> , 2004 , 33, 62-74	2.1	29
177	Infection of grasshoppers (Orthoptera: Acrididae) by members of the <i>Entomophaga grylli</i> species complex (Zygomycetes: Entomophthorales). <i>Journal of Invertebrate Pathology</i> , 1988 , 52, 309-313	2.6	29
176	Evaluating the virulence and longevity of non-woven fiber bands impregnated with <i>Metarhizium anisopliae</i> against the Asian longhorned beetle, <i>Anoplophora glabripennis</i> (Coleoptera: Cerambycidae). <i>Biological Control</i> , 2009 , 50, 94-102	3.8	28
175	Prey-processing by avian predators enhances virus transmission in the gypsy moth. <i>Oikos</i> , 2012 , 121, 1311-1316	4	27
174	Entomopathogenic Fungi as Classical Biological Control Agents 2003 , 15-34		27
173	A pair of native fungal pathogens drives decline of a new invasive herbivore. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 9178-9180	11.5	26
172	Replacement of a dominant viral pathogen by a fungal pathogen does not alter the collapse of a regional forest insect outbreak. <i>Oecologia</i> , 2015 , 177, 785-797	2.9	26
171	Micro-managing arthropod invasions: eradication and control of invasive arthropods with microbes. <i>Biological Invasions</i> , 2010 , 12, 2895-2912	2.7	26
170	A nonpermissive entomophthoralean fungal infection increases activation of insect prophenoloxidase. <i>Journal of Invertebrate Pathology</i> , 1998 , 72, 231-8	2.6	26
169	Gypsy Moth Immune Defenses in Response to Hyphal Bodies and Natural Protoplasts of Entomophthoralean Fungi. <i>Journal of Invertebrate Pathology</i> , 1996 , 68, 278-85	2.6	26

168	North American Eradications of Asian and European Gypsy Moth 2009 , 71-89		26
167	Entomophaga maimaiga reproductive output is determined by the spore type initiating an infection. <i>Mycological Research</i> , 1997 , 101, 971-974		25
166	Distribution and Abundance of Carabidae (Coleoptera) Associated with Soybean Aphid (Hemiptera: Aphididae) Populations in Central New York. <i>Annals of the Entomological Society of America</i> , 2007 , 100, 876-886	2	25
165	Pathogenicity and specificity of Neozygites tanajoae and Neozygites floridana (Zygomycetes: Entomophthorales) isolates pathogenic to the cassava green mite. <i>Biological Control</i> , 2004 , 30, 608-616	3.8	25
164	Larval behavior in Lymantria dispar increases risk of fungal infection. <i>Oecologia</i> , 2001 , 126, 285-291	2.9	25
163	Food Consumption by Lymantria dispar (Lepidoptera: Lymantriidae) Larvae Infected with Entomophaga maimaiga (Zygomycetes: Entomophthorales). <i>Environmental Entomology</i> , 1989 , 18, 723-727 ¹		25
162	Phylogenetic analysis of Deladenus nematodes parasitizing northeastern North American Sirex species. <i>Journal of Invertebrate Pathology</i> , 2013 , 113, 177-83	2.6	24
161	Impact of Entomophaga maimaiga (Entomophthorales: Entomophthoraceae) on outbreak gypsy moth populations (Lepidoptera: Erebidae): the role of weather. <i>Environmental Entomology</i> , 2014 , 43, 632-41	2.1	24
160	Interactions between imidacloprid and Metarhizium brunneum on adult Asian longhorned beetles (Anoplophora glabripennis (Motschulsky)) (Coleoptera: Cerambycidae). <i>Journal of Invertebrate Pathology</i> , 2010 , 105, 305-11	2.6	24
159	Dynamics of Airborne Conidia of the Gypsy Moth (Lepidoptera: Lymantriidae) Fungal Pathogen Entomophaga maimaiga (Zygomycetes: Entomophthorales). <i>Biological Control</i> , 1999 , 16, 111-117	3.8	24
158	Application of Techniques for Quantification of Soil-Borne Entomophthoralean Resting Spores. <i>Journal of Invertebrate Pathology</i> , 1994 , 64, 71-73	2.6	24
157	Emergent fungal entomopathogen does not alter density dependence in a viral competitor. <i>Ecology</i> , 2013 , 94, 1217-22	4.6	23
156	Coexistence of three species of leaf-feeding aphids (Homoptera) on Betula pendula. <i>Oecologia</i> , 1986 , 68, 380-386	2.9	23
155	Methods for study of the Entomophthorales 2012 , 285-316		22
154	Attachment and germination of Entomophaga maimaiga conidia on host and non-host larval cuticle. <i>Journal of Invertebrate Pathology</i> , 2003 , 82, 12-22	2.6	22
153	Risk of Infection by the Fungal Pathogen Entomophaga maimaiga Among Lepidoptera on the Forest Floor. <i>Environmental Entomology</i> , 2000 , 29, 645-650	2.1	22
152	Use of RAPD analysis to trace the origin of the weevil pathogen Zoophthora phytonomi in North America. <i>Mycological Research</i> , 1996 , 100, 349-355		22
151	Isolating a species of entomophthorales using resting spore-bearing soil. <i>Journal of Invertebrate Pathology</i> , 2000 , 75, 298-300	2.6	21

150	Transmission of <i>Metarhizium brunneum</i> conidia between male and female <i>Anoplophora glabripennis</i> adults. <i>BioControl</i> , 2011 , 56, 771-780	2.3	20
149	Virulence of entomopathogenic hypocrealean fungi infecting <i>Anoplophora glabripennis</i> . <i>BioControl</i> , 2008 , 53, 517-528	2.3	20
148	Persistence of the fungal pathogen <i>Entomophaga maimaiga</i> and its impact on native Lymantriidae. <i>Biological Control</i> , 2004 , 30, 466-473	3.8	20
147	Sympatric occurrence of two <i>Entomophaga aulicae</i> (Zygomycetes: Entomophthorales) complex species attacking forest lepidoptera. <i>Journal of Invertebrate Pathology</i> , 1991 , 58, 373-380	2.6	20
146	Zombie soldier beetles: Epizootics in the goldenrod soldier beetle, <i>Chauliognathus pensylvanicus</i> (Coleoptera: Cantharidae) caused by <i>Eryniopsis lampyridarum</i> (Entomophthoromycotina: Entomophthoraceae). <i>Journal of Invertebrate Pathology</i> , 2017 , 148, 51-59	2.6	19
145	Microsclerotia of <i>Metarhizium brunneum</i> F52 Applied in Hydromulch for Control of Asian Longhorned Beetles (Coleoptera: Cerambycidae). <i>Journal of Economic Entomology</i> , 2015 , 108, 433-43	2.2	19
144	In vitro formation of resting spores by the insect pathogenic fungus <i>Entomophaga maimaiga</i> . <i>Journal of Invertebrate Pathology</i> , 2000 , 75, 193-201	2.6	19
143	Hijacked: Co-option of host behavior by entomophthoralean fungi. <i>PLoS Pathogens</i> , 2017 , 13, e1006274	7.6	19
142	Virulence and fitness of the fungal pathogen <i>Entomophaga maimaiga</i> in its host <i>Lymantria dispar</i> , for pathogen and host strains originating from Asia, Europe, and North America. <i>Journal of Invertebrate Pathology</i> , 2005 , 89, 232-42	2.6	18
141	Maternal Exposure of a Beetle to Pathogens Protects Offspring against Fungal Disease. <i>PLoS ONE</i> , 2015 , 10, e0125197	3.7	18
140	The importance of olfactory and visual cues in developing better monitoring tools for <i>Sirex noctilio</i> (Hymenoptera: Siricidae). <i>Agricultural and Forest Entomology</i> , 2015 , 17, 29-35	1.9	17
139	Field Diagnosis of Gypsy Moth (Lepidoptera: Lymantriidae) Larval Mortality Caused by <i>Entomophaga maimaiga</i> and the Gypsy Moth Nuclear Polyhedrosis Virus. <i>Environmental Entomology</i> , 1992 , 21, 706-713	2.1	17
138	Conidial production, persistence and pathogenicity of hydromulch formulations of <i>Metarhizium brunneum</i> F52 microsclerotia under forest conditions. <i>Biological Control</i> , 2016 , 95, 83-93	3.8	16
137	Behavioral interactions between three birch aphid species and <i>Adalia bipunctata</i> larvae. <i>Entomologia Experimentalis Et Applicata</i> , 1987 , 45, 81-87	2.1	16
136	<i>Nosema maddoxi</i> sp. nov. (Microsporidia, Nosematidae), a Widespread Pathogen of the Green Stink Bug <i>Chinavia hilaris</i> (Say) and the Brown Marmorated Stink Bug <i>Halyomorpha halys</i> (Stål). <i>Journal of Eukaryotic Microbiology</i> , 2018 , 65, 315-330	3.6	15
135	<i>Deladenus</i> (Tylenchida: Neotylenchidae) reproduction on species and strains of the white rot fungus <i>Amylostereum</i> . <i>Biological Control</i> , 2014 , 73, 50-58	3.8	15
134	PCR-RFLP is used to investigate relations among species in the entomopathogenic genera <i>Eryniopsis</i> and <i>Entomophaga</i> . <i>Mycologia</i> , 2003 , 95, 262-268	2.4	15
133	Predicting the Host Range of Entomopathogenic Fungi 2000 , 263-276		15

132	Detection of <i>Entomophaga maimaiga</i> (Zygomycetes: Entomophthorales) using enzyme-linked immunosorbent assay. <i>Journal of Invertebrate Pathology</i> , 1991 , 58, 1-9	2.6	15
131	Virulence of Commercialized Fungal Entomopathogens Against Asian Longhorned Beetle (Coleoptera: Cerambycidae). <i>Journal of Insect Science</i> , 2020 , 20,	2	14
130	Location and persistence of cadavers of gypsy moth, <i>Lymantria dispar</i> , containing <i>Entomophaga maimaiga</i> azygospores. <i>Mycologia</i> , 1998 , 90, 754-760	2.4	14
129	Inoculative Augmentation of the Fungal Entomopathogen <i>Entomophaga maimaiga</i> as a Homeowner Tactic to Control Gypsy Moth (Lepidoptera: Lymantriidae). <i>Biological Control</i> , 1999 , 14, 11-18	3.8	14
128	Effects of Larval Host Plant on the Gypsy Moth (Lepidoptera: Lymantriidae) Fungal Pathogen, <i>Entomophaga maimaiga</i> (Zygomycetes: Entomophthorales). <i>Environmental Entomology</i> , 1995 , 24, 1307-1314	2.1	14
127	Multilocus genotyping of <i>Amylostereum</i> spp. associated with <i>Sirex noctilio</i> and other woodwasps from Europe reveal clonal lineage introduced to the US. <i>Fungal Biology</i> , 2015 , 119, 595-604	2.8	13
126	Comparing virulence of North American <i>Beauveria brongniartii</i> and commercial pathogenic fungi against Asian longhorned beetles. <i>Biological Control</i> , 2014 , 72, 91-97	3.8	13
125	Release, establishment, and initial spread of the fungal pathogen <i>Entomophaga maimaiga</i> in island populations of <i>Lymantria dispar</i> . <i>Biological Control</i> , 2012 , 63, 31-39	3.8	13
124	Assessing the climatic potential for epizootics of the gypsy moth fungal pathogen <i>Entomophaga maimaiga</i> in the North Central United States. <i>Canadian Journal of Forest Research</i> , 2009 , 39, 1958-1970	1.9	13
123	Instability in pathogenicity of <i>Entomophaga maimaiga</i> after long-term cryopreservation. <i>Mycologia</i> , 1995 , 87, 483-489	2.4	13
122	Two <i>Fusarium</i> Species Pathogenic to Gypsy Moth, <i>Lymantria Dispar</i> . <i>Mycologia</i> , 1993 , 85, 937-940	2.4	13
121	Comparing methods of preservation for cultures of entomopathogenic fungi. <i>Canadian Journal of Botany</i> , 2002 , 80, 1126-1130		12
120	Location and Persistence of Cadavers of Gypsy Moth, <i>Lymantria dispar</i> , Containing <i>Entomophaga maimaiga</i> Azygospores. <i>Mycologia</i> , 1998 , 90, 754	2.4	12
119	Control of Gypsy Moth, <i>Lymantria dispar</i> , in North America since 1878 2009 , 181-212		12
118	Eat or be eaten: fungus and nematode switch off as predator and prey. <i>Fungal Ecology</i> , 2014 , 11, 114-121	1.1	11
117	Chytrid mycoparasitism of entomophthoralean azygospores. <i>Journal of Invertebrate Pathology</i> , 2013 , 114, 333-6	2.6	11
116	The first entomophthoralean killing millipedes, <i>Arthropaga myriapodina</i> n. gen. n. sp., causes climbing before host death. <i>Journal of Invertebrate Pathology</i> , 2017 , 149, 135-140	2.6	11
115	Efficacy of imidacloprid, trunk-injected into <i>Acer platanoides</i> , for control of adult Asian longhorned beetles (Coleoptera: Cerambycidae). <i>Journal of Economic Entomology</i> , 2012 , 105, 2015-28	2.2	11

114	Entomopathogenic hyphomycetes associated with gypsy moth larvae. <i>Mycologia</i> , 1997 , 89, 825-829	2.4	11
113	Prevalence and biology of <i>Furia gastropachae</i> (Zygomycetes: Entomophthorales) in populations of forest tent caterpillar (Lepidoptera: Lasiocampidae). <i>Canadian Entomologist</i> , 2003 , 135, 359-378	0.7	11
112	Two <i>Fusarium</i> Species Pathogenic to Gypsy Moth, <i>Lymantria dispar</i> . <i>Mycologia</i> , 1993 , 85, 937	2.4	11
111	Fatal diseases and parasitoids: from competition to facilitation in a shared host. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283,	4.4	11
110	Evaluating different carriers of <i>Metarhizium brunneum</i> F52 microsclerotia for control of adult Asian longhorned beetles (Coleoptera: Cerambycidae). <i>Biocontrol Science and Technology</i> , 2016 , 26, 1212-1229 ^{1.7}		10
109	Comparing fungal band formulations for Asian longhorned beetle biological control. <i>Journal of Invertebrate Pathology</i> , 2013 , 113, 240-6	2.6	10
108	Conidial acquisition and survivorship of adult Asian longhorned beetles exposed to flat versus shaggy agar fungal bands. <i>Journal of Invertebrate Pathology</i> , 2013 , 113, 247-9	2.6	10
107	Instability in Pathogenicity of <i>Entomophaga maimaiga</i> after Long-Term Cryopreservation. <i>Mycologia</i> , 1995 , 87, 483	2.4	10
106	Protoplast plasma membrane glycoproteins in two species of entomophthoralean fungi. <i>Mycological Research</i> , 1996 , 100, 1094-1098		10
105	Biological control of <i>Sirex noctilio</i> (Hymenoptera: Siricidae) in the northeastern United States using an exotic parasitic nematode. <i>Biological Control</i> , 2017 , 107, 77-86	3.8	9
104	The effect of time postexposure and sex on the horizontal transmission of <i>Metarhizium brunneum</i> conidia between Asian longhorned beetle (Coleoptera: Cerambycidae) mates. <i>Environmental Entomology</i> , 2014 , 43, 1552-60	2.1	9
103	Climbing behaviour and aphid predation by <i>Agonum muelleri</i> (Coleoptera: Carabidae). <i>Canadian Entomologist</i> , 2008 , 140, 203-207	0.7	9
102	Nondormancy in <i>Entomophaga maimaiga</i> azygospores: effects of isolate and cold exposure. <i>Mycologia</i> , 2008 , 100, 833-42	2.4	9
101	Environmental contamination with <i>Metarhizium anisopliae</i> from fungal bands for control of the Asian longhorned beetle, <i>Anoplophora glabripennis</i> (Coleoptera: Cerambycidae). <i>Biocontrol Science and Technology</i> , 2008 , 18, 109-120	1.7	9
100	Preservation of in vitro cultures of the mite pathogenic fungus <i>Neozygites tanajoae</i> . <i>Canadian Journal of Microbiology</i> , 2004 , 50, 579-86	3.2	9
99	Effects of transferring gypsy moth, <i>Lymantria dispar</i> , larvae between artificial diet and <i>Quercus rubra</i> foliage. <i>Entomologia Experimentalis Et Applicata</i> , 1989 , 51, 141-148	2.1	9
98	Effects of two cryopreservation techniques on viability and pathogenicity of entomophthoralean fungi. <i>Canadian Journal of Botany</i> , 2001 , 79, 861-864		9
97	<i>Neozygites tanajoae</i> sp. nov., a pathogen of the cassava green mite. <i>Mycologia</i> , 2004 , 96, 1002-9	2.4	9

96	Influence of mating and age on susceptibility of the beetle <i>Anoplophora glabripennis</i> to the fungal pathogen <i>Metarhizium brunneum</i> . <i>Journal of Invertebrate Pathology</i> , 2016 , 136, 142-8	2.6	8
95	<i>Metarhizium microsclerotia</i> and hydrogel versus hydromulch: testing fungal formulations against Asian longhorned beetles. <i>Biocontrol Science and Technology</i> , 2017 , 27, 918-930	1.7	8
94	Evaluating <i>Metarhizium brunneum</i> F52 microsclerotia in hydromulch formulations using different tackifiers under forest and orchard conditions. <i>BioControl</i> , 2017 , 62, 769-778	2.3	8
93	The effect of exposure to imidacloprid on Asian longhorned beetle (Coleoptera: Cerambycidae) survival and reproduction. <i>Journal of Economic Entomology</i> , 2011 , 104, 1942-9	2.2	8
92	Suitability of <i>Acer saccharum</i> and <i>Acer pensylvanicum</i> (Aceraceae) for rearing <i>Anoplophora glabripennis</i> (Coleoptera: Cerambycidae). <i>Canadian Entomologist</i> , 2007 , 139, 751-755	0.7	8
91	Influence of Temperature and Moisture on Infection of Forest Tent Caterpillars (Lepidoptera: Lasiocampidae) Exposed to Resting Spores of the Entomopathogenic Fungus <i>Furia gastropachae</i> (Zygomycetes: Entomophthorales). <i>Environmental Entomology</i> , 2004 , 33, 1127-1136	2.1	8
90	Using bioassays to estimate abundance of <i>Entomophaga maimaiga</i> resting spores in soil. <i>Journal of Invertebrate Pathology</i> , 2004 , 86, 61-4	2.6	8
89	Within-tree location of gypsy moth, <i>Lymantria dispar</i> , larvae killed by <i>Entomophaga maimaiga</i> (Zygomycetes: Entomophthorales). <i>Journal of Invertebrate Pathology</i> , 1991 , 58, 468-469	2.6	8
88	A method for recovering resting spores of Entomophthorales (Zygomycetes) from soil. <i>Journal of Invertebrate Pathology</i> , 1988 , 52, 18-26	2.6	8
87	INSECT AND MITE ASSOCIATES OF <i>SCOLYTUS MULTISTRIATUS</i> (COLEOPTERA: SCOLYTIDAE) IN CALIFORNIA1. <i>Canadian Entomologist</i> , 1985 , 117, 409-421	0.7	8
86	Applications of <i>Beauveria bassiana</i> (Hypocreales: Cordycipitaceae) to Control Populations of Spotted Lanternfly (Hemiptera: Fulgoridae), in Semi-Natural Landscapes and on Grapevines. <i>Environmental Entomology</i> , 2020 , 49, 854-864	2.1	7
85	Investigating the effects of symbiotic fungi on the flight behaviour of <i>Sirex noctilio</i> (Hymenoptera: Siricidae). <i>Canadian Entomologist</i> , 2016 , 148, 543-551	0.7	7
84	Sleeping Beauties: Horizontal Transmission via Resting Spores of Species in the Entomophthoromycotina. <i>Insects</i> , 2018 , 9,	2.8	7
83	Relating Aerial Deposition of <i>Entomophaga maimaiga</i> Conidia (Zoopagomycota: Entomophthorales) to Mortality of Gypsy Moth (Lepidoptera: Erebididae) Larvae and Nearby Defoliation. <i>Environmental Entomology</i> , 2019 , 48, 1214-1222	2.1	7
82	Entomopathogenic Hyphomycetes Associated with Gypsy Moth Larvae. <i>Mycologia</i> , 1997 , 89, 825	2.4	7
81	Effect of host insects on activation of <i>Entomophaga maimaiga</i> resting spores. <i>Journal of Invertebrate Pathology</i> , 2001 , 77, 290-1	2.6	7
80	Storage of Resting Spores of the Gypsy Moth Fungal Pathogen, <i>Entomophaga maimaiga</i> . <i>Biocontrol Science and Technology</i> , 2001 , 11, 637-647	1.7	7
79	A disjunct Californian strain of <i>Entomophaga aulicae</i> infecting <i>Orgyia vetusta</i> . <i>Journal of Invertebrate Pathology</i> , 1996 , 68, 260-8	2.6	7

78	Impact of <i>Nosema maddoxi</i> on the survival, development, and female fecundity of <i>Halyomorpha halys</i> . <i>Journal of Invertebrate Pathology</i> , 2020 , 169, 107303	2.6	7
77	Starvation and Imidacloprid Exposure Influence Immune Response by <i>Anoplophora glabripennis</i> (Coleoptera: Cerambycidae) to a Fungal Pathogen. <i>Journal of Economic Entomology</i> , 2017 , 110, 1451-1459 ²		6
76	Asian longhorned beetle bioassays to evaluate formulation and dose-response effects of <i>Metarhizium microsclerotia</i> . <i>Journal of Invertebrate Pathology</i> , 2019 , 163, 64-66	2.6	6
75	Context-dependent interactions of insects and defensive symbionts: insights from a novel system in siricid woodwasps. <i>Current Opinion in Insect Science</i> , 2019 , 33, 77-83	5.1	6
74	Growth of the <i>Sirex</i> -parasitic nematode <i>Deladenus siricidicola</i> on the white rot fungus <i>Amylostereum</i> . <i>Journal of Invertebrate Pathology</i> , 2016 , 134, 12-14	2.6	6
73	Deposition and germination of conidia of the entomopathogen <i>Entomophaga maimaiga</i> infecting larvae of gypsy moth, <i>Lymantria dispar</i> . <i>Journal of Invertebrate Pathology</i> , 2002 , 79, 37-43	2.6	6
72	Multiple introductions of <i>Sirex noctilio</i> (Hymenoptera: Siricidae) in northeastern North America based on microsatellite genotypes, and implications for biological control. <i>Biological Invasions</i> , 2017 , 19, 1431-1447	2.7	5
71	Modification of a Pollen Trap Design To Capture Airborne Conidia of <i>Entomophaga maimaiga</i> and Detection of Conidia by Quantitative PCR. <i>Applied and Environmental Microbiology</i> , 2017 , 83,	4.8	5
70	Comparing two methods for quantifying soil-borne <i>Entomophaga maimaiga</i> resting spores. <i>Journal of Invertebrate Pathology</i> , 2012 , 111, 193-5	2.6	5
69	<i>Papilio polyxenes</i> densovirus has an iteravirus-like genome organization. <i>Journal of Virology</i> , 2012 , 86, 9534-5	6.6	5
68	Microbial control of wood-boring insects attacking forest and shade trees 2007 , 505-525		5
67	Survival and differential development of <i>Entomophaga maimaiga</i> and <i>Entomophaga aulicae</i> (Zygomycetes: Entomophthorales) in <i>Lymantria dispar</i> hemolymph. <i>Journal of Invertebrate Pathology</i> , 2001 , 78, 201-9	2.6	5
66	Seasonal decline in plant defence is associated with relaxed offensive oviposition behaviour in the viburnum leaf beetle <i>Pyrrhalta viburni</i> . <i>Ecological Entomology</i> , 2014 , 39, 589-594	2.1	4
65	The within-season and between-tree distribution of imidacloprid trunk-injected into <i>Acer platanoides</i> (Sapindales: Sapindaceae). <i>Journal of Economic Entomology</i> , 2013 , 106, 874-82	2.2	4
64	Formation of appressoria by two species of lepidopteran-pathogenic Entomophthorales. <i>Canadian Journal of Botany</i> , 2002 , 80, 220-225		4
63	FACTORS INFLUENCING THE MORTALITY OF <i>SCOLYTUS MULTISTRIATUS</i> (COLEOPTERA: SCOLYTIDAE) IN ELM BRANCHES IN CALIFORNIA ¹ . <i>Canadian Entomologist</i> , 1985 , 117, 819-828	0.7	4
62	Comparing functional traits and abundance of invasive versus native woodwasps. <i>NeoBiota</i> , 36 , 39-55	4.2	4
61	<i>Nosema maddoxi</i> (Microsporidia: Nosematidae) in brown marmorated stink bug, <i>Halyomorpha halys</i> (Hemiptera: Pentatomidae), populations in the United States. <i>Biological Control</i> , 2020 , 144, 104213 ^{3.8}		4

60	Phylogenetic placement of two species known only from resting spores: <i>Zoophthora independentia</i> sp. nov. and <i>Z. porteri</i> comb nov. (Entomophthorales: Entomophthoraceae). <i>Journal of Invertebrate Pathology</i> , 2016 , 140, 68-74	2.6	4
59	Symbiont Spillover from Invasive to Native Woodwasps. <i>Microbial Ecology</i> , 2018 , 75, 7-9	4.4	4
58	Introduction of exotic pathogens and documentation of their establishment and impact 2007 , 299-325		4
57	Leveraging the Ecology of Invertebrate Pathogens in Microbial Control 2017 , 469-493		3
56	Phytophagous larvae occurring in Central and Southeastern European oak forests as a potential host of <i>Entomophaga maimaiga</i> (Entomophthorales: Entomophthoraceae) - A field study. <i>Journal of Invertebrate Pathology</i> , 2018 , 155, 52-54	2.6	3
55	Characterisation of the dimorphic <i>Deladenus beddingi</i> n. sp. and its associated woodwasp and fungus. <i>Nematology</i> , 2018 , 20, 939-955	0.9	3
54	Variability in thermal responses among <i>Furia gastropachae</i> isolates from different geographic origins. <i>Journal of Invertebrate Pathology</i> , 2007 , 96, 109-17	2.6	3
53	Asian Longhorned Beetle 2007 , 21-24		3
52	Gypsy moth larval necropsy guide		3
51	Tylenchid entomoparasites isolated from <i>Spondylis buprestoides</i> (L.) and <i>Asemum striatum</i> (L.) (Coleoptera: Cerambycidae). <i>Nematology</i> , 2016 , 18, 775-780	0.9	3
50	Summary of classical biological control introductions of entomopathogens and nematodes for insect control. <i>BioControl</i> , 2021 , 66, 167-180	2.3	3
49	Invasive Arthropods and Approaches for Their Microbial Control 2009 , 3-15		3
48	Methods for Studying the Ecology of Invertebrate Diseases and Pathogens 2017 , 19-47		2
47	<i>Nosema maddoxi</i> infecting the brown marmorated Stink bug, <i>Halyomorpha halys</i> (Stål) (Hemiptera: Pentatomidae), in the Republic of Georgia. <i>Biocontrol Science and Technology</i> , 2020 , 30, 1083-1089	1.7	2
46	Symbionts mediate oviposition behaviour in invasive and native woodwasps. <i>Agricultural and Forest Entomology</i> , 2018 , 20, 442-450	1.9	2
45	Ecology of Emerging Infectious Diseases of Invertebrates 2017 , 587-625		2
44	Detection of presumptive mycoparasites associated with <i>Entomophaga maimaiga</i> resting spores in forest soils. <i>Journal of Invertebrate Pathology</i> , 2015 , 124, 87-9	2.6	2
43	Variability in azygospore production among <i>Entomophaga maimaiga</i> isolates. <i>Journal of Invertebrate Pathology</i> , 2010 , 104, 157-9	2.6	2

42	Evaluation of potential versus realized primary infection of gypsy moth (Lepidoptera: Lymantriidae) by <i>Entomophaga maimaiga</i> (Zygomycetes: Entomophthorales). <i>Environmental Entomology</i> , 2012 , 41, 1115-24	2.1	2
41	Incorporation of <i>Quercus rubra</i> foliage into artificial diet alters development of a fungal pathogen of <i>Lymantria dispar</i> . <i>Entomologia Experimentalis Et Applicata</i> , 1993 , 68, 265-267	2.1	2
40	Discriminating Patterns of Variation in Aphid (Homoptera: Drepanosiphidae) Distribution on <i>Betula pendula</i> . <i>Environmental Entomology</i> , 1986 , 15, 1145-1148	2.1	2
39	Efficacy of Kamona strain <i>Deladenus siricidicola</i> nematodes for biological control of <i>Sirex noctilio</i> in North America and hybridisation with invasive conspecifics. <i>NeoBiota</i> , 44 , 39-55	4.2	2
38	Compatibility of a microsclerotial granular formulation of the entomopathogenic fungus <i>Metarhizium brunneum</i> with fungicides. <i>BioControl</i> , 2020 , 65, 113-123	2.3	2
37	Optimizing Application Rates of <i>Metarhizium brunneum</i> (Hypocreales: Clavicipitaceae) Microsclerotia for Infecting the Invasive Asian Longhorned Beetle (Coleoptera: Cerambycidae). <i>Journal of Economic Entomology</i> , 2020 , 113, 2650-2656	2.2	2
36	Inoculative Releases and Natural Spread of the Fungal Pathogen <i>Entomophaga maimaiga</i> (Entomophthorales: Entomophthoraceae) into U.S. Populations of Gypsy Moth, <i>Lymantria dispar</i> (Lepidoptera: Erebidae). <i>Environmental Entomology</i> , 2021 , 50, 1007-1015	2.1	2
35	A double-edged sword: <i>Amylostereum areolatum</i> odors attract both <i>Sirex noctilio</i> (Hymenoptera: Siricidae) and its parasitoid, <i>Ibalia leucospoides</i> . <i>Fungal Ecology</i> , 2021 , 54, 101108	4.1	2
34	PCR-RFLP is used to investigate relations among species in the entomopathogenic genera <i>Eryniopsis</i> and <i>Entomophaga</i> . <i>Mycologia</i> , 2003 , 95, 262-8	2.4	2
33	Impacts of <i>Metarhizium brunneum</i> F52 infection on the flight performance of Asian longhorned beetles, <i>Anoplophora glabripennis</i> . <i>PLoS ONE</i> , 2019 , 14, e0221997	3.7	1
32	Biology and Ecology of Microorganisms for Control of Plant Diseases 2018 , 291-307		1
31	Fungal pathogens as classical biological control agents against arthropods 2009 , 147-158		1
30	Discovery of two hypocrealean fungi infecting spotted lanternflies, <i>Lycorma delicatula</i> : <i>Metarhizium pemphigi</i> and a novel species, <i>Ophiocordyceps delicatula</i> . <i>Journal of Invertebrate Pathology</i> , 2021 , 186, 107689	2.6	1
29	Historical change in the outbreak dynamics of an invading forest insect. <i>Biological Invasions</i> , 1	2.7	1
28	Modeling Insect Epizootics and their Population-Level Consequences 441-467		1
27	Considerations for the Practical Use of Pathogens for Control and Eradication of Arthropod Invasive Pests 2009 , 331-349		1
26	Genetic variability among native and introduced strains of the parasitic nematode <i>Deladenus siricidicola</i> . <i>Journal of Invertebrate Pathology</i> , 2020 , 173, 107385	2.6	0
25	Microbial Antagonists Combating Plant Pathogens and Plant Parasitic Nematodes 2018 , 308-324		0

- 24 The Biotic Environment **2017**, 187-212 ○
- 23 The Pathogen Population **2017**, 49-99 ○
- 22 Season-long infection of diverse hosts by the entomopathogenic fungus *Batkoa major*.. *PLoS ONE*, **2022**, 17, e0261912 3.7 ○
- 21 Why Use Natural Enemies? **2018**, 3-21
- 20 Introduction to Biological Control **2018**, 22-38
- 19 Classical Biological Control **2018**, 41-65
- 18 Augmentation: Inundative and Inoculative Biological Control **2018**, 66-84
- 17 Conservation and Enhancement of Natural Enemies **2018**, 85-106
- 16 Ecological Basis for Use of Predators, Parasitoids, and Pathogens to Control Pests **2018**, 109-136
- 15 Predators **2018**, 137-160
- 14 Insect Parasitoids: Attack by Aliens **2018**, 161-188
- 13 Parasitic Nematodes **2018**, 189-201
- 12 Bacterial Pathogens of Invertebrates **2018**, 202-214
- 11 Viral Pathogens of Invertebrates and Vertebrates **2018**, 215-228
- 10 Fungal Pathogens of Invertebrates **2018**, 229-242
- 9 Biology and Ecology of Herbivores Used for Biological Control of Weeds **2018**, 245-262
- 8 Phytophagous Invertebrates and Vertebrates **2018**, 263-277
- 7 Plant Pathogens for Controlling Weeds **2018**, 278-288

6 Making Biological Control Safe **2018**, 327-358

5 Biological Control as Part of Integrated Pest Management **2018**, 359-375

4 Our Changing World: Moving Forward **2018**, 376-388

3 Aphid Host Preference Used to Detect a Previously Unrecognized Birch in California. *Environmental Entomology*, **1986**, 15, 771-774 2.1

2 Further spread of the gypsy moth fungal pathogen, *Entomophaga maimaiga*, to the west and north in Central Europe. *Journal of Plant Diseases and Protection*, **2021**, 128, 323-331 1.5

1 Histologic lesions of experimental infection with multicapsid nucleopolyhedrovirus and cytoplasmic polyhedrosis virus in European gypsy moth caterpillars (). *Veterinary Pathology*, **2021**, 58, 1152-1157 2.8