

# Toshihiko Mandai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3546442/publications.pdf>

Version: 2024-02-01

74  
papers

3,431  
citations

159585

30  
h-index

138484

58  
g-index

75  
all docs

75  
docs citations

75  
times ranked

3089  
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrochemical Properties and Crystal and Electronic Structures of Spinel $\text{Li}_{1-x}\text{Mg}_x\text{Co}_2\text{Mn}_x\text{O}_4$ for Magnesium Secondary Batteries. <i>Electrochemistry</i> , 2022, 90, 027002-027002.	1.4	2
2	Room Temperature Operation of Magnesium Rechargeable Batteries with a Hydrothermally Treated $\text{ZnMnO}_3$ Defect Spinel Cathode. <i>Electrochemistry</i> , 2022, 90, 027005-027005.	1.4	6
3	Ultrathin Magnesium Metal Anode – An Essential Component for High-Energy-Density Magnesium Battery Materialization. <i>Batteries and Supercaps</i> , 2022, 5, .	4.7	7
4	On the Practical Applications of the Magnesium Fluorinated Alkoxyaluminate Electrolyte in Mg Battery Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 26766-26774.	8.0	19
5	(Digital Presentation) Mass Spectroscopic Products Analysis during Charging of $\text{Li-O}_2$ Cell with Tegdme Based Electrolyte. <i>ECS Meeting Abstracts</i> , 2022, MA2022-01, 58-58.	0.0	0
6	Remarkable electrochemical and ion-transport characteristics of magnesium-fluorinated alkoxyaluminate diglyme electrolytes for magnesium batteries. <i>Materials Advances</i> , 2021, 2, 6283-6296.	5.4	30
7	Effective 3D open-channel nanostructures of a $\text{MgMn}_2\text{O}_4$ positive electrode for rechargeable Mg batteries operated at room temperature. <i>Journal of Materials Chemistry A</i> , 2021, 9, 6851-6860.	10.3	19
8	Understanding the Reductive Decomposition of Highly Concentrated Li Salt/Sulfolane Electrolytes during Li Deposition and Dissolution. <i>ACS Applied Energy Materials</i> , 2021, 4, 1851-1859.	5.1	24
9	Revisiting Delithiated $\text{Li}_{1.2}\text{Mn}_{0.54}\text{Ni}_{0.13}\text{Co}_{0.13}\text{O}_8$ Structural Analysis and Cathode Properties in Magnesium Rechargeable Battery Applications. <i>Electrochemistry</i> , 2021, 89, 329-333.	1.4	6
10	Promoting Reversible Cathode Reactions in Magnesium Rechargeable Batteries Using Metastable Cubic $\text{MgMn}_2\text{O}_4$ Spinel Nanoparticles. <i>ACS Applied Nano Materials</i> , 2021, 4, 8328-8333.	5.0	17
11	Effect of Al substitution on structure and cathode performance of $\text{MgMn}_2\text{O}_4$ spinel for magnesium rechargeable battery. <i>Journal of Alloys and Compounds</i> , 2021, 872, 159723.	5.5	21
12	Phase Transition Behavior of $\text{MgMn}_2\text{O}_4$ Spinel Oxide Cathode during Magnesium Ion Insertion. <i>Chemistry of Materials</i> , 2021, 33, 1006-1012.	6.7	24
13	Tuning the performance of a Mg negative electrode through grain boundaries and alloying toward the realization of Mg batteries. <i>Journal of Materials Chemistry A</i> , 2021, 9, 15207-15216.	10.3	10
14	Phenylphosphonate surface functionalisation of $\text{MgMn}_2\text{O}_4$ with 3D open-channel nanostructures for composite slurry-coated cathodes of rechargeable magnesium batteries operated at room temperature. <i>RSC Advances</i> , 2021, 11, 19076-19082.	3.6	14
15	Structured spinel oxide positive electrodes of magnesium rechargeable batteries: High rate performance and high cyclability by interconnected bimodal pores and vanadium oxide coating. <i>Journal of Alloys and Compounds</i> , 2020, 816, 152556.	5.5	26
16	Critical Issues of Fluorinated Alkoxyborate-Based Electrolytes in Magnesium Battery Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 39135-39144.	8.0	65
17	Synthesis, cathode property and crystal, electronic and local structures of $\text{Mg}_2\text{Mo}_3\text{O}_8$ as Mg rechargeable battery cathode material. <i>Solid State Ionics</i> , 2020, 354, 115413.	2.7	5
18	Metallurgical approach to enhance the electrochemical activity of magnesium anodes for magnesium rechargeable batteries. <i>Chemical Communications</i> , 2020, 56, 12122-12125.	4.1	30

#	ARTICLE	IF	CITATIONS
19	Effect of Interaction among Magnesium Ions, Anion, and Solvent on Kinetics of the Magnesium Deposition Process. <i>Journal of Physical Chemistry C</i> , 2020, 124, 28510-28519.	3.1	19
20	Determining Factor on the Polarization Behavior of Magnesium Deposition for Magnesium Battery Anode. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 25775-25785.	8.0	31
21	Crystal Structures and Cathode Properties of Chemically and Electrochemically Delithiated $\text{Li}_{1-x}\text{Ni}_{0.5}\text{Mn}_{0.5}\text{O}_2$ with Applications to Mg Rechargeable Batteries. <i>Journal of the Electrochemical Society</i> , 2020, 167, 100547.	2.9	9
22	Spinel-Type $\text{MgMn}_2\text{O}_4$ Nanoplates with Vanadate Coating for a Positive Electrode of Magnesium Rechargeable Batteries. <i>Langmuir</i> , 2020, 36, 8537-8542.	3.5	22
23	Critical Issues of Fluorinated Alkoxyborate-Based Electrolytes in Magnesium Battery Applications. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 864-864.	0.0	0
24	Application of Spinel $\text{MgMn}_2\text{-X Al}_x\text{O}_4$ As Cathode for Mg Rechargeable Battery. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 3473-3473.	0.0	0
25	Strategy and Issue for Li-S Batteries with High Energy Density. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 3529-3529.	0.0	0
26	Crystal Structures and Cathode Properties of Delithiated $\text{Li}_x\text{Ni}_{0.5}\text{Mn}_{0.5}\text{O}_2$ for Mg Rechargeable Batteries. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 214-214.	0.0	0
27	Magnesium Storage Performance and Mechanism of 2D Ultrathin Nanosheet-Assembled Spinel $\text{MgIn}_2\text{S}_4$ Cathode for High-Temperature Mg Batteries. <i>Small</i> , 2019, 15, e1902236.	10.0	11
28	Magnesium Batteries: Magnesium Storage Performance and Mechanism of 2D Ultrathin Nanosheet-Assembled Spinel $\text{MgIn}_2\text{S}_4$ Cathode for High-Temperature Mg Batteries ( <i>Small</i> 36/2019). <i>Small</i> , 2019, 15, 1970191.	10.0	0
29	Modifications in coordination structure of $\text{Mg}[\text{TfSA}]_2$ -based supporting salts for high-voltage magnesium rechargeable batteries. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 12100-12111.	2.8	50
30	Li-ion hopping conduction in highly concentrated lithium bis(fluorosulfonyl)amide/dinitrile liquid electrolytes. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 9759-9768.	2.8	77
31	Ionic transport in highly concentrated lithium bis(fluorosulfonyl)amide electrolytes with keto ester solvents: structural implications for ion hopping conduction in liquid electrolytes. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 5097-5105.	2.8	35
32	Solvate Ionic Liquids for Li, Na, K, and Mg Batteries. <i>Chemical Record</i> , 2019, 19, 708-722.	5.8	42
33	Interfacial Behavior of Magnesium Ions at Electrode/Electrolyte Interface during Magnesium Deposition Reaction. <i>ECS Meeting Abstracts</i> , 2019, , .	0.0	0
34	Magnesium bis(trifluoromethanesulfonyl)amide complexes with triglyme and asymmetric homologues: phase behavior, coordination structures and melting point reduction. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 7998-8007.	2.8	19
35	Enhanced electrochemical properties of $\text{MgCo}_2\text{O}_4$ mesocrystals as a positive electrode active material for Mg batteries. <i>Journal of Alloys and Compounds</i> , 2018, 739, 793-798.	5.5	38
36	Polymer Electrolytes Containing Solvate Ionic Liquids: A New Approach To Achieve High Ionic Conductivity, Thermal Stability, and a Wide Potential Window. <i>Chemistry of Materials</i> , 2018, 30, 252-261.	6.7	60

#	ARTICLE	IF	CITATIONS
37	Role of Coordination Structure of Magnesium Ions on Charge and Discharge Behavior of Magnesium Alloy Electrode. <i>Journal of Physical Chemistry C</i> , 2018, 122, 25204-25210.	3.1	30
38	Glymeâ€“Sodium Bis(fluorosulfonyl)amide Complex Electrolytes for Sodium Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2018, 122, 16589-16599.	3.1	34
39	Electrochemical Properties of Lithium-Air Secondary Batteries with Catalyst-Modified Carbon Electrodes. <i>ECS Meeting Abstracts</i> , 2018, , .	0.0	0
40	Effects of Co-Substitution of Layered Perovskite Lsfo on Oer Activity in Alkaline Media. <i>ECS Meeting Abstracts</i> , 2018, , .	0.0	0
41	Ionic Liquid Based Electrolytes for High Voltage Magnesium Rechargeable Batteries. <i>ECS Meeting Abstracts</i> , 2018, , .	0.0	0
42	A key concept of utilization of both non-Grignard magnesium chloride and imide salts for rechargeable Mg battery electrolytes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 3152-3156.	10.3	46
43	Effect of the cation on the stability of cationâ€“glyme complexes and their interactions with the [TFSA] <sup>-</sup> anion. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 18262-18272.	2.8	49
44	A Key Concept of Utilization of Both Magnesium Chloride and Imide Salts for High Temperature Rechargeable Mg Battery Electrolytes. <i>ECS Meeting Abstracts</i> , 2017, , .	0.0	0
45	Dissociation and Diffusion of Glyme-Sodium Bis(trifluoromethanesulfonyl)amide Complexes in Hydrofluoroether-Based Electrolytes for Sodium Batteries. <i>Journal of Physical Chemistry C</i> , 2016, 120, 23339-23350.	3.1	30
46	Fluorine-free salts for aqueous lithium-ion and sodium-ion battery electrolytes. <i>RSC Advances</i> , 2016, 6, 85194-85201.	3.6	15
47	Haloaluminate-Free Cationic Aluminum Complexes: Structural Characterization and Physicochemical Properties. <i>Journal of Physical Chemistry C</i> , 2016, 120, 21285-21292.	3.1	25
48	Thermal and Electrochemical Stability of Tetraglymeâ€“Magnesium Bis(trifluoromethanesulfonyl)amide Complex: Electric Field Effect of Divalent Cation on Solvate Stability. <i>Journal of Physical Chemistry C</i> , 2016, 120, 1353-1365.	3.1	88
49	Li <sup>+</sup> Local Structure in Hydrofluoroether Diluted Li-Glyme Solvate Ionic Liquid. <i>Journal of Physical Chemistry B</i> , 2016, 120, 3378-3387.	2.6	81
50	Li <sup>+</sup> Solvation and Ionic Transport in Lithium Solvate Ionic Liquids Diluted by Molecular Solvents. <i>Journal of Physical Chemistry C</i> , 2016, 120, 15792-15802.	3.1	114
51	Lithium-tin Alloy/Sulfur Battery with a Solvate Ionic Liquid Electrolyte. <i>Electrochemistry</i> , 2015, 83, 914-917.	1.4	17
52	Li <sup>+</sup> solvation in glymeâ€“Li salt solvate ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 8248-8257.	2.8	222
53	Extraordinary aluminum coordination in a novel homometallic double complex salt. <i>Dalton Transactions</i> , 2015, 44, 11259-11263.	3.3	14
54	Hydrogen-bonding supramolecular protic salt as an â€œall-in-oneâ€ precursor for nitrogen-doped mesoporous carbons for CO2 adsorption. <i>Nano Energy</i> , 2015, 13, 376-386.	16.0	64

#	ARTICLE	IF	CITATIONS
55	Solvent Activity in Electrolyte Solutions Controls Electrochemical Reactions in Li-Ion and Li-Sulfur Batteries. <i>Journal of Physical Chemistry C</i> , 2015, 119, 3957-3970.	3.1	135
56	Effect of Ionic Size on Solvate Stability of Glyme-Based Solvate Ionic Liquids. <i>Journal of Physical Chemistry B</i> , 2015, 119, 1523-1534.	2.6	92
57	Pentaglyme <sup>+</sup> K salt binary mixtures: phase behavior, solvate structures, and physicochemical properties. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 2838-2849.	2.8	27
58	Li <sup>+</sup> Ion Transport in Polymer Electrolytes Based on a Glyme-Li Salt Solvate Ionic Liquid. <i>Electrochimica Acta</i> , 2015, 175, 5-12.	5.2	70
59	Al conductive haloaluminate-free non-aqueous room-temperature electrolytes. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12230-12239.	10.3	52
60	Structures of [Li(glyme)] <sup>+</sup> complexes and their interactions with anions in equimolar mixtures of glymes and Li[TFSA]: analysis by molecular dynamics simulations. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 126-129.	2.8	87
61	Criteria for solvate ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 8761.	2.8	240
62	Physicochemical properties of pentaglyme <sup>+</sup> sodium bis(trifluoromethanesulfonyl)amide solvate ionic liquid. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 11737-11746.	2.8	60
63	Chelate Effects in Glyme/Lithium Bis(trifluoromethanesulfonyl)amide Solvate Ionic Liquids, Part 2: Importance of Solvate-Structure Stability for Electrolytes of Lithium Batteries. <i>Journal of Physical Chemistry C</i> , 2014, 118, 17362-17373.	3.1	137
64	Mechanism of Li Ion Desolvation at the Interface of Graphite Electrode and Glyme <sup>+</sup> Li Salt Solvate Ionic Liquids. <i>Journal of Physical Chemistry C</i> , 2014, 118, 20246-20256.	3.1	155
65	Chelate Effects in Glyme/Lithium Bis(trifluoromethanesulfonyl)amide Solvate Ionic Liquids. I. Stability of Solvate Cations and Correlation with Electrolyte Properties. <i>Journal of Physical Chemistry B</i> , 2014, 118, 5144-5153.	2.6	194
66	Phase Diagrams and Solvate Structures of Binary Mixtures of Glymes and Na Salts. <i>Journal of Physical Chemistry B</i> , 2013, 117, 15072-15085.	2.6	63
67	Anionic Effects on Solvate Ionic Liquid Electrolytes in Rechargeable Lithium <sup>+</sup> Sulfur Batteries. <i>Journal of Physical Chemistry C</i> , 2013, 117, 20509-20516.	3.1	166
68	Linker-Length Dependence of Crystal Structures and Thermal Properties of Bis(imidazolium) Salts with Tetrafluoroborate Anion. <i>Bulletin of the Chemical Society of Japan</i> , 2012, 85, 599-605.	3.2	11
69	Comparison between Cycloalkyl- and <i>n</i> -Alkyl-Substituted Imidazolium-Based Ionic Liquids in Physicochemical Properties and Reorientational Dynamics. <i>Journal of Physical Chemistry B</i> , 2012, 116, 2059-2064.	2.6	26
70	Linker-length dependence of the reorientational dynamics and viscosity of bis(imidazolium)-based ionic liquids incorporating bis(trifluoromethanesulfonyl)amide anions. <i>Chemical Physics Letters</i> , 2012, 543, 72-75.	2.6	13
71	Effects of Cyclic-Hydrocarbon Substituents and Linker Length on Physicochemical Properties and Reorientational Dynamics of Imidazolium-Based Ionic Liquids. <i>Journal of Physical Chemistry B</i> , 2012, 116, 2090-2095.	2.6	9
72	Comparison between Dicationic and Monocationic Ionic Liquids: Liquid Density, Thermal Properties, Surface Tension, and Shear Viscosity. <i>Journal of Chemical &amp; Engineering Data</i> , 2011, 56, 2453-2459.	1.9	314

#	ARTICLE	IF	CITATIONS
73	Correlation between hydrocarbon flexibility and physicochemical properties for cyclohexyl-imidazolium based ionic liquids studied by $^1\text{H}$ and $^{13}\text{C}$ NMR. <i>Chemical Physics Letters</i> , 2011, 507, 100-104.	2.6	12
74	Preparation of conductive $\text{Cu}_{1.5}\text{Mn}_{1.5}\text{O}_4$ and $\text{Mn}_3\text{O}_4$ spinel mixture powders as positive active materials in rechargeable Mg batteries operative at room temperature. <i>Journal of Sol-Gel Science and Technology</i> , 0, , .	2.4	0