

Jun Ni

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3548837/jun-ni-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

4,321
citations

39
h-index

58
g-index

141
ext. papers

4,908
ext. citations

4.6
avg. IF

5.82
L-index

#	Paper	IF	Citations
138	Progress in Synthesis of Highly Active and Stable Nickel-Based Catalysts for Carbon Dioxide Reforming of Methane. <i>ChemSusChem</i> , 2015 , 8, 3556-75	8.3	261
137	Analysis of process parameters effects on friction stir welding of dissimilar aluminum alloy to advanced high strength steel. <i>Materials & Design</i> , 2014 , 59, 50-62		205
136	Experimental Study of the Dry and Near-Dry Electrical Discharge Milling Processes. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2008 , 130,	3.3	125
135	Data driven bottleneck detection of manufacturing systems. <i>International Journal of Production Research</i> , 2009 , 47, 5019-5036	7.8	116
134	Carbon deposition on borated alumina supported nano-sized Ni catalysts for dry reforming of CH ₄ . <i>Nano Energy</i> , 2012 , 1, 674-686	17.1	104
133	Modeling of the Size Effects on the Behavior of Metals in Microscale Deformation Processes. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2007 , 129, 470-476	3.3	98
132	Methane steam reforming for hydrogen production using low water-ratios without carbon formation over ceria coated Ni catalysts. <i>Applied Catalysis A: General</i> , 2008 , 345, 119-127	5.1	92
131	Maintenance scheduling in manufacturing systems based on predicted machine degradation. <i>Journal of Intelligent Manufacturing</i> , 2008 , 19, 87-98	6.7	90
130	Enhancement of Au/AC acetylene hydrochlorination catalyst activity and stability via nitrogen-modified activated carbon support. <i>Chemical Engineering Journal</i> , 2015 , 262, 1152-1160	14.7	88
129	High performance of MgO mixed oxides supported Ni catalysts for dry reforming of methane: The effect of crystal structure. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 13631-13642	6.7	87
128	Electrically assisted friction stir welding for joining Al 6061 to TRIP 780 steel. <i>Journal of Materials Processing Technology</i> , 2015 , 219, 112-123	5.3	84
127	Spatter formation in selective laser melting process using multi-laser technology. <i>Materials and Design</i> , 2017 , 131, 460-469	8.1	82
126	A mechanical-electrical finite element method model for predicting contact resistance between bipolar plate and gas diffusion layer in PEM fuel cells. <i>Journal of Power Sources</i> , 2008 , 182, 153-159	8.9	82
125	Decision support systems for effective maintenance operations. <i>CIRP Annals - Manufacturing Technology</i> , 2012 , 61, 411-414	4.9	71
124	Maintenance Opportunity Planning System. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2007 , 129, 661-668	3.3	68
123	Activated-Carbon-Supported Gold-Cesium(I) as Highly Effective Catalysts for Hydrochlorination of Acetylene to Vinyl Chloride. <i>ChemPlusChem</i> , 2015 , 80, 196-201	2.8	65
122	The effects of thermal distortions on the diameter and cylindricity of dry drilled holes. <i>International Journal of Machine Tools and Manufacture</i> , 2001 , 41, 2261-2270	9.4	65

121	Experimental investigation of spark generation in electrochemical discharge machining of non-conducting materials. <i>Journal of Materials Processing Technology</i> , 2014 , 214, 892-898	5.3	64
120	A study on the effect of energy input on spatter particles creation during selective laser melting process. <i>Additive Manufacturing</i> , 2018 , 20, 33-43	6.1	55
119	Option model for joint production and preventive maintenance system. <i>International Journal of Production Economics</i> , 2009 , 119, 347-353	9.3	54
118	Dimensional Errors of Fixtures, Locating and Measurement Datum Features in the Stream of Variation Modeling in Machining. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2003 , 125, 716-730	3.3	53
117	Supported ionic-liquid-phase-stabilized Au(III) catalyst for acetylene hydrochlorination. <i>Catalysis Science and Technology</i> , 2016 , 6, 3263-3270	5.5	52
116	Microstructural evolution during friction stir welding of dissimilar aluminum alloy to advanced high-strength steel. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 82, 2183-2193	3.2	50
115	Modeling of the Anode Crater Formation in Electrical Discharge Machining. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2012 , 134,	3.3	50
114	Influence of Surface Chemistry of Activated Carbon on the Activity of Gold/Activated Carbon Catalyst in Acetylene Hydrochlorination. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 14272-14281	3.9	49
113	Tailoring supported palladium sulfide catalysts through H ₂ -assisted sulfidation with H ₂ S. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 12811	13	49
112	The location of the maximum temperature on the cutting edges of a drill. <i>International Journal of Machine Tools and Manufacture</i> , 2006 , 46, 901-907	9.4	47
111	Modeling and experimental investigation of gas film in micro-electrochemical discharge machining process. <i>International Journal of Machine Tools and Manufacture</i> , 2015 , 90, 8-15	9.4	45
110	Real time production improvement through bottleneck control. <i>International Journal of Production Research</i> , 2009 , 47, 6145-6158	7.8	45
109	A Model for Predicting the Heat Flow into the Workpiece in Dry Drilling. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2002 , 124, 773-777	3.3	44
108	Experimental study of Electro-Plastic Effect on Advanced High Strength Steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 582, 211-218	5.3	43
107	A finite element based model for electrochemical discharge machining in discharge regime. <i>International Journal of Advanced Manufacturing Technology</i> , 2011 , 54, 987-995	3.2	43
106	Optimal control of reassembly with variable quality returns in a product remanufacturing system. <i>CIRP Annals - Manufacturing Technology</i> , 2011 , 60, 25-28	4.9	43
105	Continuous fabrication of nanostructure arrays for flexible surface enhanced Raman scattering substrate. <i>Scientific Reports</i> , 2017 , 7, 39814	4.9	42
104	Supervisory Factory Control Based on Real-Time Production Feedback. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2007 , 129, 653-660	3.3	42

103	Continuous catalytic upgrading of ethanol to n-butanol over Cu-CeO/AC catalysts. <i>Chemical Communications</i> , 2016 , 52, 13749-13752	5.8	40
102	. <i>IEEE Transactions on Automation Science and Engineering</i> , 2013 , 10, 76-85	4.9	40
101	Investigation of sintered stainless steel fiber felt as gas diffusion layer in proton exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 11334-11344	6.7	40
100	Short-term decision support system for maintenance task prioritization. <i>International Journal of Production Economics</i> , 2009 , 121, 195-202	9.3	40
99	Ir promotion of TiO ₂ supported Au catalysts for selective hydrogenation of cinnamaldehyde. <i>Catalysis Communications</i> , 2014 , 54, 72-76	3.2	38
98	Nitrogen-modified activated carbon supported bimetallic gold-silver(I) as highly active and stable catalyst for the hydrochlorination of acetylene. <i>RSC Advances</i> , 2015 , 5, 6925-6931	3.7	37
97	A Method for Measuring the Temperature Distribution Along the Cutting Edges of a Drill. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2002 , 124, 921-923	3.3	36
96	Contact resistance prediction of proton exchange membrane fuel cell considering fabrication characteristics of metallic bipolar plates. <i>Energy Conversion and Management</i> , 2018 , 169, 334-344	10.6	36
95	Operating load based real-time rolling grey forecasting for machine health prognosis in dynamic maintenance schedule. <i>Journal of Intelligent Manufacturing</i> , 2015 , 26, 269-280	6.7	33
94	Micromechanics modeling of metallic alloys 3D printed by selective laser melting. <i>Materials and Design</i> , 2018 , 137, 204-213	8.1	33
93	Prediction of Passive Maintenance Opportunity Windows on Bottleneck Machines in Complex Manufacturing Systems. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2015 , 137,	3.3	33
92	Ultra-low Ru-promoted CuCl ₂ as highly active catalyst for the hydrochlorination of acetylene. <i>RSC Advances</i> , 2015 , 5, 38159-38163	3.7	30
91	Robust Machine Tool Thermal Error Modeling Through Thermal Mode Concept. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2008 , 130,	3.3	30
90	Diagnosability and sensitivity analysis for multi-station machining processes. <i>International Journal of Machine Tools and Manufacture</i> , 2007 , 47, 646-657	9.4	30
89	Maintenance Priority Assignment Utilizing On-line Production Information. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2007 , 129, 435-446	3.3	29
88	Lewis Acid Sites Stabilized Nickel Catalysts for Dry (CO ₂) Reforming of Methane. <i>ChemCatChem</i> , 2016 , 8, 3732-3739	5.2	29
87	Activated carbon supported ternary gold-silver(I)-indium(III) catalyst for the hydrochlorination of acetylene. <i>Catalysis Science and Technology</i> , 2015 , 5, 4973-4984	5.5	28
86	Thermal Mechanical Modeling of the Plunge Stage During Friction-Stir Welding of Dissimilar Al 6061 to TRIP 780 Steel. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2015 , 137,	3.3	28

85	Characterizing intestinal inflammation and fibrosis in Crohn's disease by photoacoustic imaging: feasibility study. <i>Biomedical Optics Express</i> , 2016 , 7, 2837-48	3.5	28
84	Experimental investigation of magnetohydrodynamic effect in electrochemical discharge machining. <i>International Journal of Mechanical Sciences</i> , 2018 , 142-143, 86-96	5.5	27
83	A Numerical Model for Predicting Gas Diffusion Layer Failure in Proton Exchange Membrane Fuel Cells. <i>Journal of Fuel Cell Science and Technology</i> , 2011 , 8,		27
82	Online Degradation Assessment and Adaptive Fault Detection Using Modified Hidden Markov Model. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2010 , 132,	3.3	26
81	Experimental and Numerical Investigations on Microcoining of Stainless Steel 304. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2008 , 130,	3.3	26
80	Time-Frequency Based Sensor Fusion in the Assessment and Monitoring of Machine Performance Degradation 2002 , 15		26
79	Measurement Scheme Synthesis in Multi-Station Machining Systems. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2004 , 126, 178-188	3.3	25
78	A divide and conquer approach to anomaly detection, localization and diagnosis. <i>Mechanical Systems and Signal Processing</i> , 2009 , 23, 2488-2499	7.8	24
77	Prediction of grinding force in microgrinding of ceramic materials by cohesive zone-based finite element method. <i>International Journal of Advanced Manufacturing Technology</i> , 2013 , 68, 1039-1053	3.2	23
76	Plant-level maintenance decision support system for throughput improvement. <i>International Journal of Production Research</i> , 2009 , 47, 7047-7061	7.8	23
75	Electrochemical discharge dressing of metal bond micro-grinding tools. <i>International Journal of Machine Tools and Manufacture</i> , 2011 , 51, 165-168	9.4	23
74	Bottleneck Detection of Manufacturing Systems Using Data Driven Method 2007 ,		23
73	Integrated reconfiguration and age-based preventive maintenance decision making. <i>IIE Transactions</i> , 2007 , 39, 1085-1102		23
72	Catalytic hydrogenation of sulfur-containing nitrobenzene over Pd/C catalysts: In situ sulfidation of Pd/C for the preparation of Pd _x S _y catalysts. <i>Applied Catalysis A: General</i> , 2015 , 497, 17-21	5.1	22
71	Event-Based Supervisory Control for Energy Efficient Manufacturing Systems. <i>IEEE Transactions on Automation Science and Engineering</i> , 2018 , 15, 92-103	4.9	22
70	Hidden maintenance opportunities in discrete and complex production lines. <i>Expert Systems With Applications</i> , 2013 , 40, 4353-4361	7.8	22
69	Reliability estimation based on operational data of manufacturing systems. <i>Quality and Reliability Engineering International</i> , 2008 , 24, 843-854	2.6	22
68	Joint decision making for maintenance and production scheduling of production systems. <i>International Journal of Advanced Manufacturing Technology</i> , 2013 , 66, 1135-1146	3.2	21

67	Maintenance staffing management. <i>Journal of Intelligent Manufacturing</i> , 2007 , 18, 351-360	6.7	21
66	Maintenance scheduling for a manufacturing system of machines with adjustable throughput. <i>IIE Transactions</i> , 2007 , 39, 1111-1125		21
65	Non-stationary signal analysis and transient machining process condition monitoring. <i>International Journal of Machine Tools and Manufacture</i> , 2002 , 42, 41-51	9.4	21
64	Computational Fluid Dynamics Modeling on Steady-State Friction Stir Welding of Aluminum Alloy 6061 to TRIP Steel. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2017 , 139,	3.3	20
63	Investigation of micro-drilling using electrochemical discharge machining with counter resistant feeding. <i>Journal of Materials Processing Technology</i> , 2018 , 257, 141-147	5.3	20
62	Laser Interferometry Hologram Registration for Three-Dimensional Precision Measurements. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2006 , 128, 1006-1013	3.3	20
61	Continuous Fabrication of Highly Conductive and Transparent Ag Mesh Electrodes for Flexible Electronics. <i>IEEE Nanotechnology Magazine</i> , 2017 , 16, 687-694	2.6	19
60	Identifying intestinal fibrosis and inflammation by spectroscopic photoacoustic imaging: an animal study. <i>Biomedical Optics Express</i> , 2018 , 9, 1590-1600	3.5	19
59	Molecular dynamics simulations of plastic material deformation in machining with a round cutting edge. <i>International Journal of Precision Engineering and Manufacturing</i> , 2012 , 13, 1303-1309	1.7	19
58	Condition-Based Maintenance Decision-Making for Multiple Machine Systems. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2009 , 131,	3.3	19
57	A review of friction stirBased processes for joining dissimilar materials. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 104, 1709-1731	3.2	16
56	Characterizing intestinal strictures of Crohn's disease by endoscopic photoacoustic imaging. <i>Biomedical Optics Express</i> , 2019 , 10, 2542-2555	3.5	16
55	Material behavior of rubber sealing for proton exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 5465-5473	6.7	16
54	Toward inVivo dosimetry in external beam radiotherapy using x-ray acoustic computed tomography: A soft-tissue phantom study validation. <i>Medical Physics</i> , 2018 , 45, 4191	4.4	15
53	Geometric effect of Ru/HSAG@mSiO ₂ : a catalyst for selective hydrogenation of cinnamaldehyde. <i>RSC Advances</i> , 2014 , 4, 30180-30185	3.7	14
52	Chatter Detection in Machining Using Nonlinear Energy Operator. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2010 , 132,	1.6	14
51	Growing Structure Multiple Model Systems for Anomaly Detection and Fault Diagnosis. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2009 , 131,	1.6	14
50	Dimensional errors of rollers in the stream of variation modeling in cold roll forming process of quadrate steel tube. <i>International Journal of Advanced Manufacturing Technology</i> , 2008 , 37, 1082-1092	3.2	14

49	Damage modeling of metallic alloys made by additive manufacturing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 743, 656-664	5.3	14
48	Ensemble Noise-Reconstructed Empirical Mode Decomposition for Mechanical Fault Detection. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2013 , 135,	1.6	13
47	Estimation of Milling Tool Temperature Considering Coolant and Wear. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2012 , 134,	3.3	13
46	DeviceNet network health monitoring using physical layer parameters. <i>Journal of Intelligent Manufacturing</i> , 2011 , 22, 289-299	6.7	12
45	Efficient hydrothermal hydrodeoxygenation of triglycerides with in situ generated hydrogen for production of diesel-like hydrocarbons. <i>Catalysis Communications</i> , 2017 , 90, 47-50	3.2	11
44	Modified iterative aggregation procedure for maintenance optimisation of multi-component systems with failure interaction. <i>International Journal of Systems Science</i> , 2014 , 45, 2480-2489	2.3	11
43	Forecasting product returns for remanufacturing systems. <i>Journal of Remanufacturing</i> , 2014 , 4, 1	2.6	11
42	Joint Production and Preventive Maintenance Strategy for Manufacturing Systems With Stochastic Demand. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2013 , 135,	3.3	11
41	Characterization of Surface Acidity of Carbonated Materials by IR-Sensitive Molecular Probes: Advantages of Using tert-Butyl Cyanide. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 24931-24936	3.8	11
40	Prediction of Coolant Pressure and Volume Flow Rate in the Gundrilling Process. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2003 , 125, 696-702	3.3	11
39	Extended Influence Coefficient Method for Rotor Active Balancing During Acceleration. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2004 , 126, 219-223	1.6	11
38	Effects of Process Parameters on Friction Stir Spot Welding of Aluminum Alloy to Advanced High-Strength Steel. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2017 , 139,	3.3	10
37	Tool Path Planning for Near-Dry EDM Milling With Lead Angle on Curved Surfaces. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2011 , 133,	3.3	10
36	Intelligent Maintenance Systems and Predictive Manufacturing. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2020 , 142,	3.3	10
35	Pressure Welding of Thin Sheet Metals: Experimental Investigations and Analytical Modeling. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2009 , 131,	3.3	9
34	Production line simulation using STPN for maintenance scheduling. <i>Journal of Intelligent Manufacturing</i> , 2010 , 21, 213-221	6.7	9
33	Optimized maintenance design for manufacturing performance improvement using simulation 2008 ,		9
32	Modeling of the Semi-Solid Material Behavior and Analysis of Micro-/Mesoscale Feature Forming. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2007 , 129, 237-245	3.3	9

31	Where Do We Start? Guidance for Technology Implementation in Maintenance Management for Manufacturing. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2019 , 141,	3.3	9
30	Flexible Semiconductor Technologies with Nanoholes-Provided High Areal Coverages and Their Application in Plasmonic-Enhanced Thin Film Photovoltaics. <i>Scientific Reports</i> , 2017 , 7, 13155	4.9	8
29	Experimental Investigation on Joining Dissimilar Aluminum Alloy 6061 to TRIP 780/800 Steel Through Friction Stir Welding. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2015 , 137,	1.8	8
28	DeviceNet reliability assessment using physical and data link layer parameters. <i>Quality and Reliability Engineering International</i> , 2010 , 26, 703-715	2.6	8
27	Manufacturing productivity and energy efficiency: a stochastic efficiency frontier analysis. <i>International Journal of Energy Research</i> , 2015 , 39, n/a-n/a	4.5	7
26	An improved LMI-based approach for stability of piecewise affine time-delay systems with uncertainty. <i>International Journal of Control</i> , 2012 , 85, 1218-1234	1.5	7
25	Twofold Variation Propagation Modeling and Analysis for Roll-to-Roll Manufacturing Systems. <i>IEEE Transactions on Automation Science and Engineering</i> , 2019 , 16, 599-612	4.9	6
24	Three-Dimensional Inner Surface Inspection System Based on Circle-Structured Light. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2018 , 140,	3.3	6
23	The tool electrode investigation of electrostatic field-induced electrolyte jet (E-jet) electrical discharge machining. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 82, 1455-1461	3.2	5
22	Friction Stir Resistance Spot Welding of Aluminum Alloy to Advanced High Strength Steel. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2018 , 140,	3.3	5
21	Identification of sensor-only MIMO pseudo transfer functions 2011 ,		5
20	B-Spline Wavelet-Based Multiresolution Analysis of Surface Texture in End-Milling of Aluminum. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2011 , 133,	3.3	5
19	Material Flow Visualization of Dissimilar Friction STIR Welding Process Using Nano-Computed Tomography. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2018 , 140,	3.3	4
18	Sensor-only fault detection using pseudo transfer function identification 2010 ,		4
17	Immune Systems Inspired Approach to Anomaly Detection and Fault Diagnosis for Engines. <i>Neural Networks (IJCNN), International Joint Conference on</i> , 2007 ,		4
16	Micro/Meso-scale Manufacturing. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2004 , 126, 641-641	3.3	4
15	Electrically Assisted Friction Stir Spot Welding of Aluminum Alloy to Advanced High Strength Steel 2017 ,		3
14	A new method for grinder dressing fault mitigation using real-time peak detection. <i>International Journal of Advanced Manufacturing Technology</i> , 2009 , 45, 470-480	3.2	2

13	Extension of Maintenance Opportunity Windows to General Manufacturing Systems 2012 ,		2
12	A New Method for Sensor Degradation Detection, Isolation and Compensation in Linear Systems 2007 , 1089		2
11	Machine Learning for Diagnosis of Event Synchronization Faults in Discrete Manufacturing Systems. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 1-31	3.3	2
10	Discovery of hidden maintenance opportunities in automotive assembly lines: MOW and GMOW. <i>International Journal of Advanced Manufacturing Technology</i> , 2013 , 68, 2611-2623	3.2	1
9	Deactivation of Pd/SiO ₂ catalyst in the continuous liquid-phase selective hydrogenation of an unsaturated ketone. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2015 , 116, 451-466	1.6	1
8	Threshold-type admission policy for remanufacturing systems 2014 ,		1
7	Fabrication of High Aspect Ratio Porous Microfeatures Using Hot Compaction Technique. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2008 , 130,	3.3	1
6	A dynamic dimensional accumulation with propagations of part mating gaps for series-parallel assembly operations. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2021 , 235, 1401-1417	1.3	1
5	Genetic Algorithm for Job Scheduling with Maintenance Consideration in Semiconductor Manufacturing Process. <i>Mathematical Problems in Engineering</i> , 2012 , 2012, 1-16	1.1	0
4	Multidisciplinary assessment of blade number and manufacturing parameters for the performance of centrifugal fans. <i>Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy</i> , 2021 , 235, 766-782	1.6	0
3	EveSynclAI: Event Synchronization Industrial Augmented Intelligence for Fault Diagnosis. <i>IEEE Transactions on Semiconductor Manufacturing</i> , 2022 , 1-1	2.6	0
2	A Deep Fuzzy Semi-supervised Approach to Clustering and Fault Diagnosis of Partially Labeled Semiconductor Manufacturing Data. <i>Lecture Notes in Networks and Systems</i> , 2022 , 62-73	0.5	
1	511 EXPERIMENTAL CHARACTERIZATION OF STRUCTURAL DYNAMICS OF MICRO/MESO-SCALE MACHINE TOOL (mMT). <i>The Proceedings of the JSME Materials and Processing Conference (M&P)</i> , 2002 , 10.1, 324-330		