

# Aaron M Dollar

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3549182/publications.pdf>

Version: 2024-02-01

224  
papers

10,152  
citations

87723

38  
h-index

66788

78  
g-index

227  
all docs

227  
docs citations

227  
times ranked

6064  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Lower Extremity Exoskeletons and Active Orthoses: Challenges and State-of-the-Art. , 2008, 24, 144-158.  |     | 1,031     |
| 2  | The GRASP Taxonomy of Human Grasp Types. IEEE Transactions on Human-Machine Systems, 2016, 46, 66-77.  | 2.5 | 594       |
| 3  | Mechanical design and performance specifications of anthropomorphic prosthetic hands: A review. Journal of Rehabilitation Research and Development, 2013, 50, 599. | 1.6 | 552       |
| 4  | A compliant, underactuated hand for robust manipulation. International Journal of Robotics Research, 2014, 33, 736-752.  | 5.8 | 471       |
| 5  | The Highly Adaptive SDM Hand: Design and Performance Evaluation. International Journal of Robotics Research, 2010, 29, 585-597.                                    | 5.8 | 428       |
| 6  | Benchmarking in Manipulation Research: Using the Yale-CMU-Berkeley Object and Model Set. IEEE Robotics and Automation Magazine, 2015, 22, 36-52.                   | 2.2 | 384       |
| 7  | The YCB object and Model set: Towards common benchmarks for manipulation research. , 2015, , .   |     | 326       |
| 8  | Stability of small-scale UAV helicopters and quadrotors with added payload mass under PID control. Autonomous Robots, 2012, 33, 129-142.                           | 3.2 | 252       |
| 9  | Grasping from the air: Hovering capture and load stability. , 2011, , .  |     | 228       |
| 10 | Yale-CMU-Berkeley dataset for robotic manipulation research. International Journal of Robotics Research, 2017, 36, 261-268.  | 5.8 | 205       |
| 11 | A robust compliant grasper via shape deposition manufacturing. IEEE/ASME Transactions on Mechatronics, 2006, 11, 154-161.  | 3.7 | 200       |
| 12 | Grasp Frequency and Usage in Daily Household and Machine Shop Tasks. IEEE Transactions on Haptics, 2013, 6, 296-308.   | 1.8 | 181       |
| 13 | A modular, open-source 3D printed underactuated hand. , 2013, , .  |     | 175       |
| 14 | A Hand-Centric Classification of Human and Robot Dexterous Manipulation. IEEE Transactions on Haptics, 2013, 6, 129-144.   | 1.8 | 139       |
| 15 | Analysis of Human Grasping Behavior: Object Characteristics and Grasp Type. IEEE Transactions on Haptics, 2014, 7, 311-323.  | 1.8 | 137       |
| 16 | Estimation of Quasi-Stiffness and Propulsive Work of the Human Ankle in the Stance Phase of Walking. PLoS ONE, 2013, 8, e59935.                                    | 1.1 | 120       |
| 17 | An investigation of grasp type and frequency in daily household and machine shop tasks. , 2011, , .  |     | 116       |
| 18 | Single-Grasp Object Classification and Feature Extraction with Simple Robot Hands and Tactile Sensors. IEEE Transactions on Haptics, 2016, 9, 207-220.             | 1.8 | 110       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Yale OpenHand Project: Optimizing Open-Source Hand Designs for Ease of Fabrication and Adoption. IEEE Robotics and Automation Magazine, 2017, 24, 32-40.                                     | 2.2 | 104       |
| 20 | Dexterous manipulation with underactuated elastic hands. , 2011, , .   |     | 96        |
| 21 | Performance characteristics of anthropomorphic prosthetic hands. , 2011, 2011, 5975476.  |     | 95        |
| 22 | Towards grasping in unstructured environments: grasper compliance and configuration optimization. Advanced Robotics, 2005, 19, 523-543.  | 1.1 | 93        |
| 23 | On dexterity and dexterous manipulation. , 2011, , .   |     | 91        |
| 24 | The GR2 Gripper: An Underactuated Hand for Open-Loop In-Hand Planar Manipulation. IEEE Transactions on Robotics, 2016, 32, 763-770.  | 7.3 | 91        |
| 25 | Design of a quasi-passive knee exoskeleton to assist running. , 2008, , .  |     | 90        |
| 26 | State of the Art in Artificial Wrists: A Review of Prosthetic and Robotic Wrist Design. IEEE Transactions on Robotics, 2019, 35, 261-277.  | 7.3 | 89        |
| 27 | Open-Loop Precision Grasping With Underactuated Hands Inspired by a Human Manipulation Strategy. IEEE Transactions on Automation Science and Engineering, 2013, 10, 625-633.                 | 3.4 | 87        |
| 28 | Strengthening of 3D Printed Fused Deposition Manufactured Parts Using the Fill Compositing Technique. PLoS ONE, 2015, 10, e0122915.  | 1.1 | 87        |
| 29 | Biomechanical considerations in the design of lower limb exoskeletons. , 2011, 2011, 5975366.  |     | 86        |
| 30 | Design and Evaluation of a Quasi-Passive Knee Exoskeleton for Investigation of Motor Adaptation in Lower Extremity Joints. IEEE Transactions on Biomedical Engineering, 2014, 61, 1809-1821. | 2.5 | 86        |
| 31 | Stability of Helicopters in Compliant Contact Under PD-PID Control. IEEE Transactions on Robotics, 2014, 30, 1472-1486.  | 7.3 | 83        |
| 32 | Estimation of Quasi-Stiffness of the Human Knee in the Stance Phase of Walking. PLoS ONE, 2013, 8, e59993.   | 1.1 | 82        |
| 33 | The SDM Hand as a Prosthetic Terminal Device: A Feasibility Study. , 2007, , .   |     | 80        |
| 34 | Hybrid Deposition Manufacturing: Design Strategies for Multimaterial Mechanisms Via Three-Dimensional Printing and Material Deposition. Journal of Mechanisms and Robotics, 2015, 7, .       | 1.5 | 76        |
| 35 | Classifying human manipulation behavior. , 2011, 2011, 5975408.  |     | 73        |
| 36 | The Yale human grasping dataset: Grasp, object, and task data in household and machine shop environments. International Journal of Robotics Research, 2015, 34, 251-255.                     | 5.8 | 72        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Benchmarking grasping and manipulation: Properties of the Objects of Daily Living. , 2010, , .  |     | 70        |
| 38 | Joint coupling design of underactuated hands for unstructured environments. International Journal of Robotics Research, 2011, 30, 1157-1169.  | 5.8 | 70        |
| 39 | Estimation of Quasi-Stiffness of the Human Hip in the Stance Phase of Walking. PLoS ONE, 2013, 8, e81841.   | 1.1 | 69        |
| 40 | Perching and restingâ€”A paradigm for UAV maneuvering with modularized landing gears. Science Robotics, 2019, 4, .  | 9.9 | 69        |
| 41 | Simple, Robust Autonomous Grasping in Unstructured Environments. Proceedings - IEEE International Conference on Robotics and Automation, 2007, , .  | 0.0 | 68        |
| 42 | Variable-Friction Finger Surfaces to Enable Within-Hand Manipulation via Gripping and Sliding. IEEE Robotics and Automation Letters, 2018, 3, 4116-4123.  | 3.3 | 67        |
| 43 | Contact sensing and grasping performance of compliant hands. Autonomous Robots, 2010, 28, 65-75.  | 3.2 | 66        |
| 44 | The Smooth Curvature Model: An Efficient Representation of Eulerâ€”Bernoulli Flexures as Robot Joints. IEEE Transactions on Robotics, 2012, 28, 761-772.  | 7.3 | 63        |
| 45 | Stable, open-loop precision manipulation with underactuated hands. International Journal of Robotics Research, 2015, 34, 1347-1360.   | 5.8 | 60        |
| 46 | Analysis of Human Grasping Behavior: Correlating Tasks, Objects and Grasps. IEEE Transactions on Haptics, 2014, 7, 430-441.   | 1.8 | 56        |
| 47 | An Adaptive Three-Fingered Prismatic Gripper With Passive Rotational Joints. IEEE Robotics and Automation Letters, 2016, 1, 668-675.  | 3.3 | 55        |
| 48 | Estimating thumbâ€”index finger precision grip and manipulation potential in extant and fossil primates. Journal of the Royal Society Interface, 2015, 12, 20150176.                              | 1.5 | 50        |
| 49 | Design and Functional Evaluation of a Quasi-Passive Compliant Stance Control Kneeâ€”Ankleâ€”Foot Orthosis. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 258-268. | 2.7 | 49        |
| 50 | The Yale Aerial Manipulator: Grasping in flight. , 2011, , .  |     | 48        |
| 51 | Assessing assumptions in kinematic hand models: A review. , 2012, , .   |     | 48        |
| 52 | Classifying Human Hand Use and the Activities of Daily Living. Springer Tracts in Advanced Robotics, 2014, , 201-216.   | 0.3 | 48        |
| 53 | Joint Coupling Design of Underactuated Grippers. , 2006, , 903.   |     | 47        |
| 54 | Precision grasping and manipulation of small objects from flat surfaces using underactuated fingers. , 2012, , .  |     | 46        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Mechanical analysis of avian feet: multiarticular muscles in grasping and perching. Royal Society Open Science, 2015, 2, 140350.                                   | 1.1 | 45        |
| 56 | Design and Evaluation of Shape-Changing Haptic Interfaces for Pedestrian Navigation Assistance. IEEE Transactions on Haptics, 2017, 10, 17-28.                     | 1.8 | 41        |
| 57 | State of the art in prosthetic wrists: Commercial and research devices. , 2015, , .  |     | 40        |
| 58 | Pre-Grasp Sliding Manipulation of Thin Objects Using Soft, Compliant, or Underactuated Hands. IEEE Robotics and Automation Letters, 2019, 4, 662-669.              | 3.3 | 38        |
| 59 | Linkage-Based Analysis and Optimization of an Underactuated Planar Manipulator for In-Hand Manipulation. Journal of Mechanisms and Robotics, 2014, 6, .            | 1.5 | 37        |
| 60 | The SDM Hand: A Highly Adaptive Compliant Grasper for Unstructured Environments. Springer Tracts in Advanced Robotics, 2009, , 3-11.                               | 0.3 | 37        |
| 61 | Hovering Stability of Helicopters With Elastic Constraints. , 2010, , .  |     | 36        |
| 62 | Novel differential mechanism enabling two DOF from a single actuator: Application to a prosthetic hand. , 2013, 2013, 6650441.                                     |     | 36        |
| 63 | M2 Gripper: Extending the Dexterity of a Simple, Underactuated Gripper. Mechanisms and Machine Science, 2016, , 795-805.   | 0.3 | 35        |
| 64 | Active Orthoses for the Lower-Limbs: Challenges and State of the Art. , 2007, , .  |     | 34        |
| 65 | On the mechanics of the knee during the stance phase of the gait. , 2011, 2011, 5975478.   |     | 34        |
| 66 | Finding small, versatile sets of human grasps to span common objects. , 2013, , .  |     | 33        |
| 67 | An underactuated hand for efficient finger-gaiting-based dexterous manipulation. , 2014, , .   |     | 33        |
| 68 | Design of hands for aerial manipulation: Actuator number and routing for grasping and perching. , 2014, , .  |     | 32        |
| 69 | Biomechanical Effects of Stiffness in Parallel With the Knee Joint During Walking. IEEE Transactions on Biomedical Engineering, 2015, 62, 2389-2401.               | 2.5 | 32        |
| 70 | Unplanned, model-free, single grasp object classification with underactuated hands and force sensors. , 2015, , .  |     | 30        |
| 71 | Dimensional synthesis of three-fingered robot hands for maximal precision manipulation workspace. International Journal of Robotics Research, 2015, 34, 1731-1746. | 5.8 | 28        |
| 72 | UAV rotorcraft in compliant contact: Stability analysis and simulation. , 2011, , .  |     | 25        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Vision-based model predictive control for within-hand precision manipulation with underactuated grippers. , 2017, , .   |     | 25        |
| 74 | Complex manipulation with a simple robotic hand through contact breaking and caging. Science Robotics, 2021, 6, .   | 9.9 | 25        |
| 75 | Disturbance Response of Two-Link Underactuated Serial-Link Chains. Journal of Mechanisms and Robotics, 2012, 4, .   | 1.5 | 24        |
| 76 | Analyzing dexterous hands using a parallel robots framework. Autonomous Robots, 2014, 36, 169-180.  | 3.2 | 24        |
| 77 | A two-fingered robot gripper with large object reorientation range. , 2017, , .   |     | 24        |
| 78 | On the mechanics of the ankle in the stance phase of the gait. , 2011, 2011, 8135-40.   |     | 23        |
| 79 | Spherical Hands: Toward Underactuated, In-Hand Manipulation Invariant to Object Size and Grasp Location. Journal of Mechanisms and Robotics, 2016, 8, .                     | 1.5 | 23        |
| 80 | Deriving dexterous, in-hand manipulation primitives for adaptive robot hands. , 2017, , .   |     | 23        |
| 81 | Printing Three-Dimensional Electrical Traces in Additive Manufactured Parts for Injection of Low Melting Temperature Metals. Journal of Mechanisms and Robotics, 2015, 7, . | 1.5 | 22        |
| 82 | Design for Control of Wheeled Inverted Pendulum Platforms. Journal of Mechanisms and Robotics, 2015, 7, .   | 1.5 | 22        |
| 83 | Complex In-Hand Manipulation Via Compliance-Enabled Finger Gaiting and Multi-Modal Planning. IEEE Robotics and Automation Letters, 2022, 7, 4821-4828.                      | 3.3 | 22        |
| 84 | A quasi-passive compliant stance control Knee-Ankle-Foot Orthosis. , 2013, 2013, 6650471.   |     | 21        |
| 85 | Toward robust, whole-hand caging manipulation with underactuated hands. , 2017, , .   |     | 21        |
| 86 | Learning a State Transition Model of an Underactuated Adaptive Hand. IEEE Robotics and Automation Letters, 2019, 4, 1287-1294.  | 3.3 | 21        |
| 87 | Post-contact, in-hand object motion compensation for compliant and underactuated hands. , 2016, , .   |     | 20        |
| 88 | Outdoor pedestrian navigation assistance with a shape-changing haptic interface and comparison with a vibrotactile device. , 2016, , .                                      |     | 19        |
| 89 | Guest Editorial Open Discussion of Robot Grasping Benchmarks, Protocols, and Metrics. IEEE Transactions on Automation Science and Engineering, 2018, 15, 1440-1442.         | 3.4 | 19        |
| 90 | Learning task-specific models for dexterous, in-hand manipulation with simple, adaptive robot hands. , 2016, , .  |     | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Design of a Stewart platform-inspired dexterous hand for 6-DOF within-hand manipulation. , 2017, , .  |     | 17        |
| 92  | Post-Contact, In-Hand Object Motion Compensation With Adaptive Hands. IEEE Transactions on Automation Science and Engineering, 2018, 15, 456-467.   | 3.4 | 17        |
| 93  | Modeling and Evaluation of Robust Whole-Hand Caging Manipulation. IEEE Transactions on Robotics, 2019, 35, 549-563.   | 7.3 | 17        |
| 94  | Quantifying Prosthetic and Intact Limb Use in Upper Limb Amputees via Egocentric Video: An Unsupervised, At-Home Study. IEEE Transactions on Medical Robotics and Bionics, 2021, 3, 463-484.      | 2.1 | 17        |
| 95  | External Disturbances and Coupling Mechanisms in Underactuated Hands. , 2010, , .   |     | 16        |
| 96  | A parallel robots framework to study precision grasping and dexterous manipulation. , 2013, , .   |     | 16        |
| 97  | Workspace Shape and Characteristics for Human Two- and Three-Fingered Precision Manipulation. IEEE Transactions on Biomedical Engineering, 2015, 62, 2196-2207.                                   | 2.5 | 16        |
| 98  | Analyzing at-home prosthesis use in unilateral upper-limb amputees to inform treatment & device design. , 2017, 2017, 1273-1280.  |     | 16        |
| 99  | Robust Precision Manipulation With Simple Process Models Using Visual Servoing Techniques With Disturbance Rejection. IEEE Transactions on Automation Science and Engineering, 2019, 16, 406-419. | 3.4 | 16        |
| 100 | Benchmarking Cluttered Robot Pick-and-Place Manipulation With the Box and Blocks Test. IEEE Robotics and Automation Letters, 2020, 5, 454-461.  | 3.3 | 16        |
| 101 | Manipulation for self-identification, and self-identification for better manipulation. Science Robotics, 2021, 6, .   | 9.9 | 16        |
| 102 | Intrinsic Embedded Sensors for Polymeric Mechatronics: Flexure and Force Sensing. Sensors, 2014, 14, 3861-3870.   | 2.1 | 15        |
| 103 | A Passively Adaptive Rotary-to-Linear Continuously Variable Transmission. IEEE Transactions on Robotics, 2014, 30, 1148-1160.   | 7.3 | 15        |
| 104 | In-Hand Manipulation Primitives for a Minimal, Underactuated Gripper With Active Surfaces. , 2016, , .  |     | 15        |
| 105 | Underactuated Gripper That Is Able to Convert from Precision to Power Grasp by a Variable Transmission Ratio. , 2012, , 669-679.  |     | 15        |
| 106 | Practical aerial grasping of unstructured objects. , 2011, , .  |     | 14        |
| 107 | First validation of the Haptic Sandwich: A shape changing handheld haptic navigation aid. , 2015, , .   |     | 14        |
| 108 | Vision-based precision manipulation with underactuated hands: Simple and effective solutions for dexterity. , 2016, , .   |     | 14        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Gross Motion Analysis of Fingertip-Based Within-Hand Manipulation. IEEE Transactions on Robotics, 2016, 32, 1009-1016.   | 7.3 | 13        |
| 110 | Classification and Kinematic Equivalents of Contact Types for Fingertip-Based Robot Hand Manipulation. Journal of Mechanisms and Robotics, 2016, 8, .                                  | 1.5 | 13        |
| 111 | Learning the post-contact reconfiguration of the hand object system for adaptive grasping mechanisms. , 2017, , .  |     | 13        |
| 112 | Learning Modes of Within-Hand Manipulation. , 2018, , .  |     | 13        |
| 113 | Aerial Grasping from a Helicopter UAV Platform. Springer Tracts in Advanced Robotics, 2014, , 269-283.   | 0.3 | 13        |
| 114 | Design and Evaluation of a Robust Compliant Grasper Using Shape Deposition Manufacturing. , 2005, , 1403.  |     | 12        |
| 115 | Grasp and force based taxonomy of split-hook prosthetic terminal devices. , 2014, 2014, 6613-8.  |     | 12        |
| 116 | Robust Resonant Frequency-Based Contact Detection With Applications in Robotic Reaching and Grasping. IEEE/ASME Transactions on Mechatronics, 2014, 19, 1552-1561.                     | 3.7 | 12        |
| 117 | Preliminary Design and Evaluation of a Single-Actuator Anthropomorphic Prosthetic Hand with Multiple Distinct Grasp Types. , 2018, , .   |     | 12        |
| 118 | Model Predictive Actor-Critic: Accelerating Robot Skill Acquisition with Deep Reinforcement Learning. , 2021, , .  |     | 12        |
| 119 | Performance of serial underactuated mechanisms: Number of degrees of freedom and actuators. , 2011, , .  |     | 11        |
| 120 | Dexterous manipulation with underactuated fingers: Flip-and-pinch task. , 2012, , .  |     | 11        |
| 121 | Comparative clinical evaluation of the Yale Multigrasp Hand. , 2016, , .   |     | 11        |
| 122 | Examining the Impact of Wrist Mobility on Reaching Motion Compensation Across a Discretely Sampled Workspace. , 2018, , .  |     | 11        |
| 123 | Combining Analytical Modeling and Learning to Simplify Dexterous Manipulation With Adaptive Robot Hands. IEEE Transactions on Automation Science and Engineering, 2019, 16, 1361-1372. | 3.4 | 11        |
| 124 | Exploring Dexterous Manipulation Workspaces with the iHY Hand. Journal of the Robotics Society of Japan, 2014, 32, 318-322.  | 0.0 | 10        |
| 125 | Shape Control of Compliant, Articulated Meshes: Towards Modular Active-Cell Robots (MACROs). IEEE Robotics and Automation Letters, 2017, 2, 1878-1884.                                 | 3.3 | 10        |
| 126 | Hand-€"object configuration estimation using particle filters for dexterous in-hand manipulation. International Journal of Robotics Research, 2020, 39, 1760-1774.                     | 5.8 | 10        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Dexterous workspace of human two- and three-fingered precision manipulation. , 2014, , .   |     | 9         |
| 128 | Development and experimental validation of a minimalistic shape-changing haptic navigation device. , 2016, , .   |     | 9         |
| 129 | Experiments in Underactuated In-Hand Manipulation. Springer Tracts in Advanced Robotics, 2013, , 27-40.  | 0.3 | 9         |
| 130 | Dimensionality Reduction and Motion Clustering During Activities of Daily Living: Three-, Four-, and Seven-Degree-of-Freedom Arm Movements. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 2826-2836. | 2.7 | 9         |
| 131 | Simple, reliable robotic grasping for human environments. , 2008, , .  |     | 8         |
| 132 | Robust, inexpensive resonant frequency based contact detection for robotic manipulators. , 2012, , .   |     | 8         |
| 133 | Actuation Torque Reduction in Parallel Robots Using Joint Compliance. Journal of Mechanisms and Robotics, 2014, 6, .   | 1.5 | 8         |
| 134 | Humanlike, task-specific reaching and grasping with redundant arms and low-complexity hands. , 2015, , .   |     | 8         |
| 135 | Adaptive Legged Robots Through Exactly Constrained and Non-Redundant Design. IEEE Access, 2017, 5, 11131-11141.  | 2.6 | 8         |
| 136 | Toward Modular Active-Cell Robots (MACROs): SMA Cell Design and Modeling of Compliant, Articulated Meshes. IEEE Transactions on Robotics, 2017, 33, 796-806.   | 7.3 | 8         |
| 137 | Using a Variable-Friction Robot Hand to Determine Proprioceptive Features for Object Classification During Within-Hand-Manipulation. IEEE Transactions on Haptics, 2020, 13, 600-610.  | 1.8 | 8         |
| 138 | The Connectedness of Packed Circles and Spheres with Application to Conductive Cellular Materials. PLoS ONE, 2012, 7, e51695.  | 1.1 | 8         |
| 139 | A comparison of workspace and force capabilities between classes of underactuated mechanisms. , 2011, , .  |     | 7         |
| 140 | Static analysis of parallel robots with compliant joints for in-hand manipulation. , 2012, , .   |     | 7         |
| 141 | Patterned compliance in robotic finger pads for versatile surface usage in dexterous manipulation. , 2015, , .   |     | 7         |
| 142 | Lightweight custom composite prosthetic components using an additive manufacturing-based molding technique. , 2015, 2015, 4797-802.  |     | 7         |
| 143 | A Prismatic-Revolute-Revolute Joint Hand for Grasping From Unmanned Aerial Vehicles and Other Minimally Constrained Vehicles. Journal of Mechanisms and Robotics, 2018, 10, .  | 1.5 | 7         |
| 144 | Design and Preliminary Evaluation of a 3-DOF Powered Prosthetic Wrist Device. , 2018, , .  |     | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Object-Agnostic Dexterous Manipulation of Partially Constrained Trajectories. IEEE Robotics and Automation Letters, 2020, 5, 5494-5501.  | 3.3 | 7         |
| 146 | Dimensionality Reduction and Motion Clustering During Activities of Daily Living: Decoupling Hand Location and Orientation. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 2955-2965. | 2.7 | 7         |
| 147 | Kinematic Design of an Underactuated Robot Leg for Passive Terrain Adaptability and Stability. Journal of Mechanisms and Robotics, 2013, 5, .  | 1.5 | 6         |
| 148 | Preliminary investigation of effects of a quasi-passive knee exoskeleton on gait energetics. , 2014, 2014, 3061-4.   |     | 6         |
| 149 | Strengthening of 3D printed robotic parts via fill compositing. , 2014, , .  |     | 6         |
| 150 | Analyzing human fingertip usage in dexterous precision manipulation: Implications for robotic finger design. , 2014, , .   |     | 6         |
| 151 | Injected 3D electrical traces in additive manufactured parts with low melting temperature metals. , 2015, , .  |     | 6         |
| 152 | A Clustering Approach to Categorizing 7 Degree-of-Freedom Arm Motions during Activities of Daily Living. , 2019, , .   |     | 6         |
| 153 | The Stewart Hand: A Highly Dexterous, Six-Degrees-of-Freedom Manipulator Based on the Stewart-Gough Platform. IEEE Robotics and Automation Magazine, 2021, 28, 23-36.  | 2.2 | 6         |
| 154 | Trajectory Control—An Effective Strategy for Controlling Multi-DOF Upper Limb Prosthetic Devices. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 420-430.                             | 2.7 | 6         |
| 155 | Improved grasp robustness through variable transmission ratios in underactuated fingers. , 2012, , .   |     | 5         |
| 156 | Simple, scalable active cells for articulated robot structures. , 2014, , .  |     | 5         |
| 157 | Special Issue on the Mechanics and Design of Robotic Hands. International Journal of Robotics Research, 2014, 33, 675-676.   | 5.8 | 5         |
| 158 | Human precision manipulation workspace: Effects of object size and number of fingers used. , 2015, 2015, 5768-72.  |     | 5         |
| 159 | Design of mesoscale active cells for networked, compliant robotic structures. , 2015, , .  |     | 5         |
| 160 | Effects of exoskeletal stiffness in parallel with the knee on the motion of the human body center of mass during walking. , 2015, , .  |     | 5         |
| 161 | Design Principles and Optimization of a Planar Underactuated Hand for Caging Grasps. , 2019, , .   |     | 5         |
| 162 | Towards Generalized Manipulation Learning Through Grasp Mechanics-Based Features and Self-Supervision. IEEE Transactions on Robotics, 2021, 37, 1553-1569.   | 7.3 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Path Planning for Within-Hand Manipulation over Learned Representations of Safe States. Springer Proceedings in Advanced Robotics, 2020, , 437-447.         | 0.9 | 5         |
| 164 | Underactuated grasp acquisition and stability using friction based coupling mechanisms. , 2011, , .   |     | 4         |
| 165 | Simplifying robot hands using recursively scaled power grasps. , 2012, , .  |     | 4         |
| 166 | The design of exactly constrained walking robots. , 2014, , .   |     | 4         |
| 167 | Characterization of the precision manipulation capabilities of robot hands via the continuous group of displacements. , 2014, , .                           |     | 4         |
| 168 | A two-fingered underactuated anthropomorphic manipulator based on human precision manipulation motions. , 2016, , .   |     | 4         |
| 169 | Towards Predictable Precision Manipulation of Unknown Objects with Underactuated Fingers. Mechanisms and Machine Science, 2016, , 927-937.                  | 0.3 | 4         |
| 170 | Reconfigurable Modular Chain: A Reversible Material for Folding Three-Dimensional Lattice Structures. Journal of Mechanisms and Robotics, 2017, 9, .        | 1.5 | 4         |
| 171 | Open-Source and Widely Disseminated Robot Hardware [From the Guest Editors]. IEEE Robotics and Automation Magazine, 2017, 24, 30-31.                        | 2.2 | 4         |
| 172 | Energy Gradient-Based Graphs for Planning Within-Hand Caging Manipulation. , 2019, , .  |     | 4         |
| 173 | Stability Optimization of Two-Fingered Anthropomorphic Hands for Precision Grasping with a Single Actuator. , 2019, , .                                     |     | 4         |
| 174 | Examining the Frictional Behavior of Primitive Contact Geometries for use as Robotic Finger Pads. IEEE Robotics and Automation Letters, 2020, 5, 3137-3144. | 3.3 | 4         |
| 175 | Behavioral correlates of semi-zygodactyly in Ospreys ( <i>Pandion haliaetus</i> ) based on analysis of internet images. PeerJ, 2019, 7, e6243.              | 0.9 | 4         |
| 176 | Robot Hand based on a Spherical Parallel Mechanism for Within-Hand Rotations about a Fixed Point. , 2021, , .   |     | 4         |
| 177 | Starting on the Right Track: Introducing Students to Mechanical Engineering With a Project-Based Machine Design Course. , 2005, , 363.                      |     | 3         |
| 178 | Variation in compliance in two classes of two-link underactuated mechanisms. , 2011, , .  |     | 3         |
| 179 | Energy-Based Limit Cycle Compensation for Dynamically Balancing Wheeled Inverted Pendulum Machines. , 2013, , .   |     | 3         |
| 180 | Electrically Conductive Bulk Composites through a Contact-Connected Aggregate. PLoS ONE, 2013, 8, e82260.   | 1.1 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Rotational ranges of human precision manipulation when grasping objects with two to five digits. , 2015, 2015, 5785-90.   |     | 3         |
| 182 | Investigation of a passive capstan based grasp enhancement feature in a voluntary-closing prosthetic terminal device. , 2016, 2016, 5019-5025.  |     | 3         |
| 183 | Design Optimization of a Prismatic-Revolute-Revolute Joint Hand for Grasping From Unconstrained Vehicles. , 2017, , .   |     | 3         |
| 184 | Pinbot: A Walking Robot with Locking Pin Arrays for Passive Adaptability to Rough Terrains. , 2020, , .   |     | 3         |
| 185 | Effect of Number of Digits on Human Precision Manipulation Workspaces. IEEE Transactions on Haptics, 2021, 14, 68-82.   | 1.8 | 3         |
| 186 | Active-Cells for the Construction of Redundant and Configurable Articulated Structures. , 2013, , .   |     | 3         |
| 187 | Fast, Accurate Models for Predicting the Compliance of Elastic Flexure-Jointed Robots. , 2010, , .  |     | 2         |
| 188 | Toward simpler models of bending sheet joints. , 2011, , .  |     | 2         |
| 189 | Optimization of Coupling Ratio and Kinematics of an Underactuated Robot Leg for Passive Terrain Adaptability. , 2012, , .   |     | 2         |
| 190 | Optimization of parallel spring antagonists for Nitinol shape memory alloy actuators. , 2014, , .   |     | 2         |
| 191 | A unified position analysis of the Dixon and the generalized Peaucellier linkages. Mechanism and Machine Theory, 2015, 94, 28-40.   | 2.7 | 2         |
| 192 | The Coupler Surface of the RSRS Mechanism. Journal of Mechanisms and Robotics, 2016, 8, .   | 1.5 | 2         |
| 193 | Distance-based kinematics of the five-oblique-axis thumb model with intersecting axes at the metacarpophalangeal joint. , 2017, 2017, 1331-1336.                                      |     | 2         |
| 194 | Analysis and Dimensional Synthesis of a Robotic Hand Based on the Stewart-Gough Platform. , 2018, , .   |     | 2         |
| 195 | A Data-Driven Framework for Learning Dexterous Manipulation of Unknown Objects. , 2019, , .   |     | 2         |
| 196 | Trajectory Control for 3 Degree-of-Freedom Wrist Prosthesis in Virtual Reality: A Pilot Study. , 2020, , .  |     | 2         |
| 197 | Highly Underactuated Radial Gripper for Automated Planar Grasping and Part Fixturing. , 2020, , .   |     | 2         |
| 198 | Finite Element Modeling of Internally Actuated Triangular Lattice and Its Variants for Modular Active Cell Robots (MACROs). IEEE Robotics and Automation Letters, 2022, 7, 6083-6090. | 3.3 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Force-Based Simultaneous Mapping and Object Reconstruction for Robotic Manipulation. IEEE Robotics and Automation Letters, 2022, 7, 4749-4756.                   | 3.3 | 2         |
| 200 | RoboticsCourseWare.org: An Open Repository for Robotics Pedagogical Materials [Education]. IEEE Robotics and Automation Magazine, 2008, 15, 14-15.               | 2.2 | 1         |
| 201 | Rigid 2D space-filling folds of unbroken linear chains. , 2013, , .  |     | 1         |
| 202 | Design of a Passively-Adaptive Three Degree-of-Freedom Multi-Legged Robot With Underactuated Legs. , 2015, , .   |     | 1         |
| 203 | Object stability during human precision fingertip manipulation. , 2016, , .  |     | 1         |
| 204 | Evaluation of regular planar meshes for Modular Active Cell Robots (MACROs). , 2017, , .   |     | 1         |
| 205 | Kinematic Optimization of a Novel Partially Decoupled Three Degree of Freedom Hybrid Wrist Mechanism. , 2018, , .  |     | 1         |
| 206 | Analyzing Exfordance Use by Unilateral Upper-Limb Amputees*. , 2018, , .   |     | 1         |
| 207 | Learning from Transferable Mechanics Models: Generalizable Online Mode Detection in Underactuated Dexterous Manipulation. , 2019, , .                            |     | 1         |
| 208 | Guest Editorial: Introduction to the Special Issue on Benchmarking Protocols for Robotic Manipulation. IEEE Robotics and Automation Letters, 2021, 6, 8678-8680. | 3.3 | 1         |
| 209 | Design of a Bulk Conductive Polymer Using Embedded Macroscopic Copper Cells. , 2013, , .   |     | 1         |
| 210 | Design of an Underactuated Legged Robot With Prismatic Legs for Passive Adaptability to Terrain. , 2019, , .   |     | 1         |
| 211 | Design of a Large Workspace Passive Spherical Joint via Contact Edge Design. , 2020, , .   |     | 1         |
| 212 | Mechanical Characterization of Compliant Cellular Robots. Part II: Active Strain. Journal of Mechanisms and Robotics, 2023, 15, .                                | 1.5 | 1         |
| 213 | Mechanical Characterization of Compliant Cellular Robots. Part I: Passive Stiffness. Journal of Mechanisms and Robotics, 2023, 15, .                             | 1.5 | 1         |
| 214 | Towards Hyper-Redundant and Super-Configurable Articulated Structures. , 2012, , .   |     | 0         |
| 215 | Design of cluster geometries for clusterwheel IP robots: Obstacle size and controllability. , 2014, , .  |     | 0         |
| 216 | Active cells for redundant and configurable articulated structures. Smart Materials and Structures, 2014, 23, 104003.  | 1.8 | 0         |

| #   | ARTICLE   | IF | CITATIONS |
|-----|---|----|-----------|
| 217 | Design of a Reconfigurable Modular Chain for Folding 3D Lattice Structures. , 2016, , .   |    | 0         |
| 218 | Between-leg coupling schemes for passively-adaptive non-redundant legged robots. , 2017, , .  |    | 0         |
| 219 | Fusion Clutch: A Bi-Stable Latching Mechanism for Human-Safe Robots. , 2017, , .  |    | 0         |
| 220 | Towards Understanding Complex Human Dexterous Manipulation Strategies: Kinematics of Gaiting-based Object Rotations. , 2020, 2020, 4024-4029. |    | 0         |
| 221 | Kinematic Optimization of a 2-DOF U, 2PSS Parallel Wrist Device. , 2019, , .  |    | 0         |
| 222 | Performance of serial underactuated mechanisms: number of degrees of freedom and actuators. , 2011, , .                                       |    | 0         |
| 223 | UAV rotorcraft in compliant contact: Stability analysis and simulation. , 2011, , .   |    | 0         |
| 224 | Toward simpler models of bending sheet joints. , 2011, , .  |    | 0         |