

Ziming Dong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/355006/publications.pdf>

Version: 2024-02-01

62
papers

1,274
citations

331670

21
h-index

395702

33
g-index

68
all docs

68
docs citations

68
times ranked

2370
citing authors

#	ARTICLE	IF	CITATIONS
1	Allogenic mouse cell vaccine inhibits lung cancer progression by inhibiting angiogenesis. <i>Human Vaccines and Immunotherapeutics</i> , 2021, 17, 35-50.	3.3	2
2	p21-activated kinase 4 promotes the progression of esophageal squamous cell carcinoma by targeting LASP1. <i>Molecular Carcinogenesis</i> , 2021, 60, 38-50.	2.7	9
3	Bestatin Cream Impairs Solar Simulated Light-Driven Skin Inflammation and Skin Carcinogenesis in Mice. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2699-2709.e2.	0.7	4
4	Cloperastine inhibits esophageal squamous cell carcinoma proliferation in vivo and in vitro by suppressing mitochondrial oxidative phosphorylation. <i>Cell Death Discovery</i> , 2021, 7, 166.	4.7	10
5	DNA polymerase β deficiency promotes the occurrence of esophageal precancerous lesions in mice. <i>Neoplasia</i> , 2021, 23, 663-675.	5.3	5
6	AGT serves as a potential biomarker and drives tumor progression in colorectal carcinoma. <i>International Immunopharmacology</i> , 2021, 101, 108225.	3.8	5
7	Immunogenomic Landscape Analysis of Prognostic Immune-Related Genes in Hepatocellular Carcinoma. <i>Journal of Healthcare Engineering</i> , 2021, 2021, 1-13.	1.9	4
8	Proteomics Reveal the Inhibitory Mechanism of Levodopa Against Esophageal Squamous Cell Carcinoma. <i>Frontiers in Pharmacology</i> , 2020, 11, 568459.	3.5	9
9	The Establishment of Esophageal Precancerous Lesion Model by Using <i>p53</i> Conditional Knockout Mouse in Esophageal Epithelium. <i>BioMed Research International</i> , 2020, 2020, 1-10.	1.9	2
10	Dihydroartemisinin Inhibits the Proliferation of Esophageal Squamous Cell Carcinoma Partially by Targeting AKT1 and p70S6K. <i>Frontiers in Pharmacology</i> , 2020, 11, 587470.	3.5	7
11	Improved Antitumor Efficacy of Combined Vaccine Based on the Induced HUVECs and DC-CT26 Against Colorectal Carcinoma. <i>Cells</i> , 2019, 8, 494.	4.1	9
12	Jie Du Tong Ye San Prevents N-Nitrosomethylbenzylamine-Induced Esophageal Carcinogenesis via Inhibition of Inflammation and Proliferation. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-10.	1.2	2
13	Inhibition of LTA4H by bestatin in human and mouse colorectal cancer. <i>EBioMedicine</i> , 2019, 44, 361-374.	6.1	28
14	TOPK promotes metastasis of esophageal squamous cell carcinoma by activating the Src/GSK3 β /STAT3 signaling pathway via β -catenin. <i>BMC Cancer</i> , 2019, 19, 1264.	2.6	13
15	Targeting the overexpressed USP7 inhibits esophageal squamous cell carcinoma cell growth by inducing NOXA-mediated apoptosis. <i>Molecular Carcinogenesis</i> , 2019, 58, 42-54.	2.7	24
16	Neddylaton inhibitor MLN4924 induces G2 cell cycle arrest, DNA damage and sensitizes esophageal squamous cell carcinoma cells to cisplatin. <i>Oncology Letters</i> , 2018, 15, 2583-2589.	1.8	17
17	Eupatilin inhibits the proliferation of human esophageal cancer TE1 cells by targeting the Akt-GSK3 β and MAPK/ERK signaling cascades. <i>Oncology Reports</i> , 2018, 39, 2942-2950.	2.6	12
18	The natural polyphenol curcumin induces apoptosis by suppressing STAT3 signaling in esophageal squamous cell carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 303.	8.6	63

#	ARTICLE	IF	CITATIONS
19	Human umbilical vein endothelial cell vaccine suppresses the angiogenesis of esophageal squamous cell carcinoma in a humanized mouse model. <i>Oncology Reports</i> , 2018, 40, 3006-3014.	2.6	6
20	General self-efficacy modifies the effect of stress on burnout in nurses with different personality types. <i>BMC Health Services Research</i> , 2018, 18, 667.	2.2	74
21	Ginsenoside Rg3 Suppresses Proliferation and Induces Apoptosis in Human Osteosarcoma. <i>BioMed Research International</i> , 2018, 2018, 1-9.	1.9	18
22	Quercetinâ€³methyl ether inhibits esophageal carcinogenesis by targeting the AKT/mTOR/p70S6K and MAPK pathways. <i>Molecular Carcinogenesis</i> , 2018, 57, 1540-1552.	2.7	41
23	Establishment of lung cancer patient-derived xenograft models and primary cell lines for lung cancer study. <i>Journal of Translational Medicine</i> , 2018, 16, 138.	4.4	16
24	MiR-149 sensitizes esophageal cancer cell lines to cisplatin by targeting DNA polymerase β . <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 3857-3865.	3.6	13
25	Aloe emodin suppresses EGFâ€³induced neoplastic cell transformation by inhibiting the ERK/MSK1 and AKT/GSK3 β signaling pathways. <i>Molecular Medicine Reports</i> , 2018, 18, 5215-5220.	2.4	3
26	Histone deacetylase inhibitor trichostatin A enhances the antitumor effect of the oncolytic adenovirus H101 on esophageal squamous cell carcinoma in vitro and in vivo. <i>Oncology Letters</i> , 2017, 13, 4868-4874.	1.8	15
27	RSK2 phosphorylates T-bet to attenuate colon cancer metastasis and growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 12791-12796.	7.1	17
28	Targeting the overexpressed ROC1 induces G2 cell cycle arrest and apoptosis in esophageal cancer cells. <i>Oncotarget</i> , 2017, 8, 29125-29137.	1.8	15
29	Targeting Overexpressed Activating Transcription Factor 1 (ATF1) Inhibits Proliferation and Migration and Enhances Sensitivity to Paclitaxel In Esophageal Cancer Cells. <i>Medical Science Monitor Basic Research</i> , 2017, 23, 304-312.	2.6	10
30	APIO-EE-9 is a novel Aurora A and B antagonist that suppresses esophageal cancer growth in a PDX mouse model. <i>Oncotarget</i> , 2017, 8, 53387-53404.	1.8	7
31	Metformin inhibits esophageal squamous cell carcinoma-induced angiogenesis by suppressing JAK/STAT3 signaling pathway. <i>Oncotarget</i> , 2017, 8, 74673-74687.	1.8	30
32	Constitutive activated STAT3 is an essential regulator and therapeutic target in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 88719-88729.	1.8	18
33	Knockdown of long non-coding RNA TP73-AS1 inhibits cell proliferation and induces apoptosis in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2016, 7, 19960-19974.	1.8	79
34	A method for establishing a patient-derived xenograft model to explore new therapeutic strategies for esophageal squamous cell carcinoma. <i>Oncology Reports</i> , 2016, 35, 785-792.	2.6	24
35	Involvement of p38MAPK-ATF2 signaling pathway in alternariol induced DNA polymerase β expression. <i>Oncology Letters</i> , 2016, 12, 675-679.	1.8	6
36	G648C variant of DNA polymerase β sensitizes esophageal cancer to chemotherapy. <i>Tumor Biology</i> , 2016, 37, 1941-1947.	1.8	2

#	ARTICLE	IF	CITATIONS
37	Human papillomavirus L1 protein expressed in Escherichia coli self-assembles into virus-like particles that are highly immunogenic. <i>Virus Research</i> , 2016, 220, 97-103.	2.2	21
38	Aloe-emodin suppresses esophageal cancer cell TE1 proliferation by inhibiting AKT and ERK phosphorylation. <i>Oncology Letters</i> , 2016, 12, 2232-2238.	1.8	18
39	Dendritic cells loading autologous tumor lysate promote tumor angiogenesis. <i>Tumor Biology</i> , 2016, 37, 15687-15695.	1.8	4
40	Genome-wide analysis of the effect of esophageal squamous cell carcinoma on human umbilical vein endothelial cells. <i>Oncology Reports</i> , 2016, 36, 155-164.	2.6	6
41	Chloroquine inhibits hepatocellular carcinoma cell growth in vitro and in vivo. <i>Oncology Reports</i> , 2016, 35, 43-49.	2.6	55
42	Eupatilin inhibits EGF-induced JB6 cell transformation by targeting PI3K. <i>International Journal of Oncology</i> , 2016, 49, 1148-1154.	3.3	6
43	Caveolin-1 affects tumor drug resistance in esophageal squamous cell carcinoma by regulating expressions of P-gp and MRP1. <i>Tumor Biology</i> , 2016, 37, 9189-9196.	1.8	21
44	Neddylation Inhibition Activates the Extrinsic Apoptosis Pathway through ATF4-CHOP-DR5 Axis in Human Esophageal Cancer Cells. <i>Clinical Cancer Research</i> , 2016, 22, 4145-4157.	7.0	96
45	A natural small molecule, catechol, induces c-Myc degradation by directly targeting ERK2 in lung cancer. <i>Oncotarget</i> , 2016, 7, 35001-35014.	1.8	32
46	PPMP, a novel tubulin-depolymerizing agent against esophageal cancer in patient-derived tumor xenografts. <i>Oncotarget</i> , 2016, 7, 30977-30989.	1.8	4
47	JAK/STAT3 signaling pathway mediates endothelial-like differentiation of immature dendritic cells. <i>Oncology Letters</i> , 2015, 10, 3471-3477.	1.8	12
48	Trichostatin A, a histone deacetylase inhibitor, suppresses proliferation and promotes apoptosis of esophageal squamous cell lines. <i>Molecular Medicine Reports</i> , 2015, 11, 4525-4531.	2.4	41
49	Increased expression of neuropilin 1 in melanoma progression and its prognostic significance in patients with melanoma. <i>Molecular Medicine Reports</i> , 2015, 12, 2668-2676.	2.4	26
50	Synergistic inhibition of autophagy and neddylation pathways as a novel therapeutic approach for targeting liver cancer. <i>Oncotarget</i> , 2015, 6, 9002-9017.	1.8	40
51	Eupafolin suppresses prostate cancer by targeting phosphatidylinositol 3-kinase-mediated Akt signaling. <i>Molecular Carcinogenesis</i> , 2015, 54, 751-760.	2.7	27
52	244-MPT overcomes gefitinib resistance in non-small cell lung cancer cells. <i>Oncotarget</i> , 2015, 6, 44274-44288.	1.8	15
53	Comparison of GFP-Expressing Imageable Mouse Models of Human Esophageal Squamous Cell Carcinoma Established in Various Anatomical Sites. <i>Anticancer Research</i> , 2015, 35, 4655-63.	1.1	6
54	Caffeic Acid Directly Targets ERK1/2 to Attenuate Solar UV-Induced Skin Carcinogenesis. <i>Cancer Prevention Research</i> , 2014, 7, 1056-1066.	1.5	41

#	ARTICLE	IF	CITATIONS
55	3,6,2,4,5-Pentahydroxyflavone, an Orally Bioavailable Multiple Protein Kinase Inhibitor, Overcomes Gefitinib Resistance in Non-small Cell Lung Cancer. <i>Journal of Biological Chemistry</i> , 2014, 289, 28192-28201.	3.4	17
56	Kaempferol Targets RSK2 and MSK1 to Suppress UV Radiation-Induced Skin Cancer. <i>Cancer Prevention Research</i> , 2014, 7, 958-967.	1.5	51
57	Reduced expression of SRY-box containing gene 17 correlates with an unfavorable melanoma patient survival. <i>Oncology Reports</i> , 2014, 32, 2571-2579.	2.6	8
58	DNA polymerase beta overexpression correlates with poor prognosis in esophageal cancer patients. <i>Science Bulletin</i> , 2013, 58, 3274-3279.	1.7	3
59	Sunlight UV-Induced Skin Cancer Relies upon Activation of the p38 Signaling Pathway. <i>Cancer Research</i> , 2013, 73, 2181-2188.	0.9	52
60	RNAi silencing MTA1 gene inhibits invasion and migration of esophageal carcinoma cell EC9706. <i>Chinese-German Journal of Clinical Oncology</i> , 2009, 8, 320-323.	0.1	0
61	Construction of CEA siRNA expression vector and its inhibitory effects on the expression of CEA in EC9706 cells. <i>Chinese-German Journal of Clinical Oncology</i> , 2008, 7, 623-626.	0.1	0
62	Induction of EGFR-Dependent and EGFR-Independent Signaling Pathways by Ultraviolet A Irradiation. <i>DNA and Cell Biology</i> , 2001, 20, 769-779.	1.9	25