

# Rogelio Aguilar-Aguilar

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3551670/publications.pdf>

Version: 2024-02-01

29  
papers

379  
citations

840776

11  
h-index

794594

19  
g-index

30  
all docs

30  
docs citations

30  
times ranked

203  
citing authors

#	ARTICLE	IF	CITATIONS
1	Helminth parasites in freshwater fish from the Papaloapan river basin, Mexico. <i>Parasitology Research</i> , 2005, 96, 69-89.	1.6	65
2	Parsimony Analysis of Endemicity (PAE) of Mexican hydrological basins based on helminth parasites of freshwater fishes. <i>Journal of Biogeography</i> , 2003, 30, 1861-1872.	3.0	54
3	Helminth parasites of freshwater fishes, Nazas River basin, northern Mexico. <i>Check List</i> , 2010, 6, 026.	0.4	35
4	Helminth Parasites of Freshwater Fishes of the Ayuquila River, Sierra de Manantlán Biosphere Reserve, West Central Mexico. <i>Comparative Parasitology</i> , 2004, 71, 67-72.	0.4	27
5	Helminth Parasites of <i>Chapalichthys encaustus</i> (Pisces: Goodeidae), an Endemic Freshwater Fish From Lake Chapala, Jalisco, Mexico. <i>Journal of Parasitology</i> , 2004, 90, 889-890.	0.7	23
6	Richness and endemism of helminth parasites of freshwater fishes in Mexico. <i>Biological Journal of the Linnean Society</i> , 2008, 94, 435-444.	1.6	19
7	Checklist of helminth parasites of Goodeinae (Osteichthyes: Cyprinodontiformes: Goodeidae), an endemic subfamily of freshwater fishes from Mexico. <i>Zootaxa</i> , 2014, 3856, 151-91.	0.5	18
8	HELMINTH PARASITE COMMUNITIES OF CHARACODON AUDAX AND C. LATERALIS (PISCES: GOODEIDAE), ENDEMIC FRESHWATER FISHES FROM DURANGO, MEXICO. <i>Southwestern Naturalist</i> , 2007, 52, 125-130.	0.1	16
9	Helminth parasites of freshwater fishes from Cuatro Ciénegas, Coahuila, in the Chihuahuan Desert of Mexico: inventory and biogeographical implications. <i>Integrative Zoology</i> , 2014, 9, 328-339.	2.6	16
10	NEOPHILOMETROIDES N. GEN. (NEMATODA: PHILOMETRIDAE) FOR PHILOMETROIDES CAUDATUS MORAVEC, SCHOLZ AND VIVAS-RODRÁGUEZ, 1995, WITH ERECTION OF NEOPHILOMETROIDINAE N. SUBFAM. <i>Journal of Parasitology</i> , 2002, 88, 774-777.	0.7	12
11	Two new nematodes, <i>Paraseuratoides ophisterni</i> gen. et sp. n. (Quimperiidae) and <i>Philometra ophisterni</i> sp. n. (Philometridae), from the swamp-eel <i>Ophisternon aenigmaticum</i> in Mexico. <i>Folia Parasitologica</i> , 2002, 49, 109-117.	1.3	12
12	HELMINTH PARASITES OF THE TROPICAL GAR, <i>ATRACTOSTEUS TROPICUS</i> GILL, FROM TABASCO, MEXICO. <i>Journal of Parasitology</i> , 2004, 90, 260-265.	0.7	9
13	Helminth Parasites of <i>Xenotaenia resolanae</i> (Osteichthyes: Cyprinodontiformes: Goodeidae) From the Cuzalapa Hydrological System, Jalisco, Mexico. <i>Journal of Parasitology</i> , 2009, 95, 1221-1223.	0.7	8
14	RHABDOCHONA GUERREROENSIS N. SP. (NEMATODA: RHABDOCHONIDAE) FROM THE INTESTINE OF THE GOBIID <i>SICYDIUM MULTIPUNCTATUM</i> FROM FRESH WATERS IN MEXICO. <i>Journal of Parasitology</i> , 2002, 88, 746-749.	0.7	7
15	<i>Rhabdochona ictaluri</i> sp. nov. (Nematoda, Rhabdochonidae) from ictalurid catfishes in Mexico. <i>Acta Parasitologica</i> , 2010, 55, .	1.1	7
16	A checklist of ciliate parasites (Ciliophora) of fishes from Mexico. <i>Zootaxa</i> , 2015, 4027, 270-80.	0.5	7
17	Digenea, Heterophyidae, <i>Centrocestus formosanus</i> (Nishigori, 1924) metacercariae: Distribution extension for Mexico, new state record, and geographic distribution map. <i>Check List</i> , 2009, 5, 357.	0.4	6
18	<i>Atactorhynchus duranguensis</i> n. sp. (Acanthocephala: Atactorhynchinae) from <i>Cyprinodon meeki</i> (Pisces: Cyprinodontidae) near Durango, Mexico. <i>Systematic Parasitology</i> , 2005, 60, 205-209.	1.1	5

#	ARTICLE	IF	CITATIONS
19	Cestoda, Bothriocephalidae, BothriocephalusÂacheilognathi Yamaguti, 1934; Nematoda,ÂRhabdochonidae, Rhabdochona canadensis MoravecÂand Arai, 1971: new records for the state of Puebla,ÂMexico, and a new fish host. Check List, 2010, 6, 437.	0.4	5
20	Helminth Communities of<i>Cyprinodon atrorus</i> in the Natural Protected Area of Cuatro CiÃ©negas, Coahuila, Northern Mexico. Western North American Naturalist, 2015, 75, 226-231.	0.4	5
21	Taxonomic status of Rhabdochona ictaluri (Nematoda: Rhabdochonidae) based on molecular and morphological evidence. Parasitology Research, 2019, 118, 441-452.	1.6	5
22	Trichodina mutabilis (Protozoa: Ciliophora: Trichodinidae) from the characid fish Astyanax mexicanus in the Cuatro CiÃ©negas region, northern Mexico. Revista Mexicana De Biodiversidad, 2014, 85, 613-616.	0.4	4
23	Endohelminths of<i>Gila conspersa</i> (Actinopterygii: Cyprinidae) from the Aguanaval River Basin, state of Zacatecas, Central Mexico. Southwestern Naturalist, 2016, 61, 269-273.	0.1	3
24	Helminth Community Structure of Some Freshwater Fishes of the Cuatro CiÃ©negas Basin: Patterns and Processes. Cuatro Cielnegas Basin: an Endangered Hyperdiverse Oasis, 2019, , 11-27.	0.4	3
25	Gibsonnema nom. n., a new name for the nematode genus Paraseuratoides Moravec, Salgado-Maldonado et Aguilar-Aguilar, 2002. Folia Parasitologica, 2002, 49, 217-217.	1.3	3
26	New morphological and molecular data for Xystretrum solidum (Gorgoderidae, Gorgoderinae) from Sphoeroides testudineus (Tetraodontiformes, Tetraodontidae) in Mexican waters. ZooKeys, 2020, 925, 141-161.	1.1	3
27	New host-parasite relationships for Trichodina rectuncinata (Ciliophora: Trichodinidae) on the gills of marine fishes from Mexico. Marine Biodiversity, 2016, 46, 3-4.	1.0	1
28	Distoichometra bufonis(Cestoda: Nematotaeniidae) from the Red-Spotted ToadAnaxyrus punctatus(Anura: Bufonidae) in Baja California Sur, Mexico, with a Summary of Hosts of This Helminth Species. Comparative Parasitology, 2016, 83, 279-282.	0.4	0
29	Y asÃ; ad infinitumâ€   Las especies parÃ;sitadas de los parÃ;sitos. Revista Digital Universitaria, 2022, 23, .	0.0	0