

Rogelio Aguilar-Aguilar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3551670/publications.pdf>

Version: 2024-02-01

29

papers

379

citations

840776

11

h-index

794594

19

g-index

30

all docs

30

docs citations

30

times ranked

203

citing authors

#	ARTICLE	IF	CITATIONS
1	Y asÃ; ad infinitumâ€¡ Las especies parÃjsitas de los parÃjsitos. Revista Digital Universitaria, 2022, 23, .	0.0	0
2	New morphological and molecular data for <i>Xystretrum solidum</i> (Gorgoderidae, Gorgoderinae) from <i>Sphaeroides testudineus</i> (Tetraodontiformes, Tetraodontidae) in Mexican waters. ZooKeys, 2020, 925, 141-161.	1.1	3
3	Helminth Community Structure of Some Freshwater Fishes of the Cuatro CiÃ©negas Basin: Patterns and Processes. Cuatro Cielos Basin: an Endangered Hyperdiverse Oasis, 2019, , 11-27.	0.4	3
4	Taxonomic status of <i>Rhabdochona ictaluri</i> (Nematoda: Rhabdochonidae) based on molecular and morphological evidence. Parasitology Research, 2019, 118, 441-452.	1.6	5
5	<i>Distoichometra bufonis</i> (Cestoda: Nematotaeniidae) from the Red-Spotted Toad <i>Anaxyrus punctatus</i> (Anura: Bufonidae) in Baja California Sur, Mexico, with a Summary of Hosts of This Helminth Species. Comparative Parasitology, 2016, 83, 279-282.	0.4	0
6	Endohelminths of <i>Gila conspersa</i> (Actinopterygii: Cyprinidae) from the Aguanaval River Basin, state of Zacatecas, Central Mexico. Southwestern Naturalist, 2016, 61, 269-273.	0.1	3
7	New host-parasite relationships for <i>Trichodina rectuncinata</i> (Ciliophora: Trichodinidae) on the gills of marine fishes from Mexico. Marine Biodiversity, 2016, 46, 3-4.	1.0	1
8	A checklist of ciliate parasites (Ciliophora) of fishes from Mexico. Zootaxa, 2015, 4027, 270-80.	0.5	7
9	Helminth Communities of <i>Cyprinodon atrorus</i> in the Natural Protected Area of Cuatro CiÃ©negas, Coahuila, Northern Mexico. Western North American Naturalist, 2015, 75, 226-231.	0.4	5
10	Helminth parasites of freshwater fishes from Cuatro CiÃ©negas, Coahuila, in the Chihuahuan Desert of Mexico: inventory and biogeographical implications. Integrative Zoology, 2014, 9, 328-339.	2.6	16
11	Checklist of helminth parasites of Goodeinae (Osteichthyes: Cyprinodontiformes: Goodeidae), an endemic subfamily of freshwater fishes from Mexico. Zootaxa, 2014, 3856, 151-91.	0.5	18
12	<i>Trichodina mutabilis</i> (Protozoa: Ciliophora: Trichodinidae) from the characid fish <i>Astyanax mexicanus</i> in the Cuatro Cielos region, northern Mexico. Revista Mexicana De Biodiversidad, 2014, 85, 613-616.	0.4	4
13	<i>Rhabdochona ictaluri</i> sp. nov. (Nematoda, Rhabdochonidae) from ictalurid catfishes in Mexico. Acta Parasitologica, 2010, 55, .	1.1	7
14	Cestoda, Bothricephalidae, BothricephalusÂacheilognathi Yamaguti, 1934; Nematoda,ÂRhabdochonidae, <i>Rhabdochona canadensis</i> MoravecÂand Arai, 1971: new records for the state of Puebla,ÂMexico, and a new fish host. Check List, 2010, 6, 437.	0.4	5
15	Helminth parasites of freshwater fishes, Nazas River basin, northern Mexico. Check List, 2010, 6, 026.	0.4	35
16	Digenea, Heterophyidae, Centrocestus formosanus (Nishigori, 1924) metacercariae: Distribution extension for Mexico, new state record, and geographic distribution map. Check List, 2009, 5, 357.	0.4	6
17	Helminth Parasites of <i>Xenotaenia resolanae</i> (Osteichthyes: Cyprinodontiformes: Goodeidae) From the Cuzalapa Hydrological System, Jalisco, Mexico. Journal of Parasitology, 2009, 95, 1221-1223.	0.7	8
18	Richness and endemism of helminth parasites of freshwater fishes in Mexico. Biological Journal of the Linnean Society, 2008, 94, 435-444.	1.6	19

#	ARTICLE	IF	CITATIONS
19	HELMINTH PARASITE COMMUNITIES OF CHARACODON AUDAX AND C. LATERALIS (PISCES: GOODEIDAE), ENDEMIC FRESHWATER FISHES FROM DURANGO, MEXICO. <i>Southwestern Naturalist</i> , 2007, 52, 125-130.	0.1	16
20	Helminth parasites in freshwater fish from the Papaloapan river basin, Mexico. <i>Parasitology Research</i> , 2005, 96, 69-89.	1.6	65
21	Atactorhynchus duranguensis n. sp. (Acanthocephala: Atactorhynchinae) from Cyprinodon meeki (Pisces: Cyprinodontidae) near Durango, Mexico. <i>Systematic Parasitology</i> , 2005, 60, 205-209.	1.1	5
22	Helminth Parasites of Chapalichthys encaustus (Pisces: Goodeidae), an Endemic Freshwater Fish From Lake Chapala, Jalisco, Mexico. <i>Journal of Parasitology</i> , 2004, 90, 889-890.	0.7	23
23	HELMINTH PARASITES OF THE TROPICAL GAR, ATRACTOSTEUS TROPICUS GILL, FROM TABASCO, MEXICO. <i>Journal of Parasitology</i> , 2004, 90, 260-265.	0.7	9
24	Helminth Parasites of Freshwater Fishes of the Ayuquila River, Sierra de Manantlán Biosphere Reserve, West Central Mexico. <i>Comparative Parasitology</i> , 2004, 71, 67-72.	0.4	27
25	Parsimony Analysis of Endemicity (PAE) of Mexican hydrological basins based on helminth parasites of freshwater fishes. <i>Journal of Biogeography</i> , 2003, 30, 1861-1872.	3.0	54
26	NEOPHILOMETROIDES N. GEN. (NEMATODA: PHILOMETRIDAE) FOR PHILOMETROIDES CAUDATUS MORAVEC, SCHOLZ AND VIVAS-RODRÍGUEZ, 1995, WITH ERECTION OF NEOPHILOMETROIDINAE N. SUBFAM. <i>Journal of Parasitology</i> , 2002, 88, 774-777.	0.7	12
27	RHABDOCHONA GUERREROENSIS N. SP. (NEMATODA: RHABDOCHONIDAE) FROM THE INTESTINE OF THE GOBIID SICYDUM MULTIPUNCTATUM FROM FRESH WATERS IN MEXICO. <i>Journal of Parasitology</i> , 2002, 88, 746-749.	0.7	7
28	Two new nematodes, Paraseuratooides ophisterni gen. et sp. n. (Quimperiidae) and Philometra ophisterni sp. n. (Philometridae), from the swamp-eel Ophisternon aenigmaticum in Mexico. <i>Folia Parasitologica</i> , 2002, 49, 109-117.	1.3	12
29	Gibsonnema nom. n., a new name for the nematode genus Paraseuratooides Moravec, Salgado-Maldonado et Aguilar-Aguilar, 2002. <i>Folia Parasitologica</i> , 2002, 49, 217-217.	1.3	3