

Jiejie Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3552065/publications.pdf>

Version: 2024-02-01

32
papers

1,104
citations

516215

16
h-index

433756

31
g-index

32
all docs

32
docs citations

32
times ranked

1837
citing authors

#	ARTICLE	IF	CITATIONS
1	Neurotransmitter receptors and cognitive dysfunction in Alzheimer's disease and Parkinson's disease. <i>Progress in Neurobiology</i> , 2012, 97, 1-13.	2.8	235
2	Metformin attenuates Alzheimer's disease-like neuropathology in obese, leptin-resistant mice. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 101, 564-574.	1.3	223
3	Lidocaine attenuates cognitive impairment after isoflurane anesthesia in old rats. <i>Behavioural Brain Research</i> , 2012, 228, 319-327.	1.2	78
4	High-Sensitive C-Reactive Protein Predicts Recurrent Stroke and Poor Functional Outcome. <i>Stroke</i> , 2016, 47, 2025-2030.	1.0	70
5	Meta-Analysis of Genetic Studies from Journals Published in China of Ischemic Stroke in the Han Chinese Population. <i>Cerebrovascular Diseases</i> , 2008, 26, 48-62.	0.8	65
6	Association of Lp-PLA ₂ -A and early recurrence of vascular events after TIA and minor stroke. <i>Neurology</i> , 2015, 85, 1585-1591.	1.5	43
7	Soluble CD40L Is a Useful Marker to Predict Future Strokes in Patients With Minor Stroke and Transient Ischemic Attack. <i>Stroke</i> , 2015, 46, 1990-1992.	1.0	35
8	Meta-analysis of association between variation in the PDE4D gene and ischemic cerebral infarction risk in Asian populations. <i>Neurogenetics</i> , 2010, 11, 327-333.	0.7	30
9	Residual Risk and Its Risk Factors for Ischemic Stroke with Adherence to Guideline-Based Secondary Stroke Prevention. <i>Journal of Stroke</i> , 2021, 23, 51-60.	1.4	29
10	Interleukin-6 and YKL-40 predicted recurrent stroke after ischemic stroke or TIA: analysis of 6 inflammation biomarkers in a prospective cohort study. <i>Journal of Neuroinflammation</i> , 2022, 19, .	3.1	29
11	Residual Inflammatory Risk Predicts Poor Prognosis in Acute Ischemic Stroke or Transient Ischemic Attack Patients. <i>Stroke</i> , 2021, 52, 2827-2836.	1.0	27
12	Glycated albumin predicts the effect of dual and single antiplatelet therapy on recurrent stroke. <i>Neurology</i> , 2015, 84, 1330-1336.	1.5	26
13	Effect of Stress Hyperglycemia on Neurological Deficit and Mortality in the Acute Ischemic Stroke People With and Without Diabetes. <i>Frontiers in Neurology</i> , 2020, 11, 576895.	1.1	26
14	Homocysteine and C-Reactive Protein Associated with Progression and Prognosis of Intracranial Branch Atheromatous Disease. <i>PLoS ONE</i> , 2013, 8, e73030.	1.1	24
15	Homocysteine Level Predicts Response to Dual Antiplatelet in Women With Minor Stroke or Transient Ischemic Attack. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 839-846.	1.1	18
16	High-sensitive C-reactive protein and dual antiplatelet in intracranial arterial stenosis. <i>Neurology</i> , 2018, 90, e447-e454.	1.5	17
17	Pyrrrolidine dithiocarbamate attenuates brain A β increase and improves long-term neurological outcome in rats after transient focal brain ischemia. <i>Neurobiology of Disease</i> , 2012, 45, 564-572.	2.1	16
18	Association of elevated hs-CRP and multiple infarctions with outcomes of minor stroke or TIA: subgroup analysis of CHANCE randomised clinical trial. <i>Stroke and Vascular Neurology</i> , 2021, 6, 80-86.	1.5	15

#	ARTICLE	IF	CITATIONS
19	Impact of Glycemic Control on Efficacy of Clopidogrel in Transient Ischemic Attack or Minor Stroke Patients With <i>CYP2C19</i> Genetic Variants. <i>Stroke</i> , 2017, 48, 998-1004.	1.0	14
20	Blood Biomarkers in Minor Stroke and Transient Ischemic Attack. <i>Neuroscience Bulletin</i> , 2016, 32, 463-468.	1.5	13
21	Expression of the transcription factor regulatory factor X1 in the mouse brain. <i>Folia Histochemica Et Cytobiologica</i> , 2011, 49, 344-351.	0.6	11
22	LDL-C levels, lipid-lowering treatment and recurrent stroke in minor ischaemic stroke or TIA. <i>Stroke and Vascular Neurology</i> , 2022, 7, 276-284.	1.5	10
23	A case of exacerbated multiphasic disseminated encephalomyelitis after interferon beta treatment. <i>Journal of the Neurological Sciences</i> , 2013, 325, 176-179.	0.3	9
24	Association Between High-Sensitivity C-Reactive Protein and Prognosis in Different Periods After Ischemic Stroke or Transient Ischemic Attack. <i>Journal of the American Heart Association</i> , 2022, 11, .	1.6	9
25	Lentiviral-Mediated shRNA Silencing of PDE4D Gene Inhibits Platelet-Derived Growth Factor-Induced Proliferation and Migration of Rat Aortic Smooth Muscle Cells. <i>Stroke Research and Treatment</i> , 2011, 2011, 1-7.	0.5	8
26	Glutamate transporter type 3 knockout leads to decreased heart rate possibly via parasympathetic mechanism. <i>Transgenic Research</i> , 2013, 22, 757-766.	1.3	5
27	Interleukin-6 as Predictor of One-Year Cognitive Function After Ischemic Stroke or TIA. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 391-399.	1.0	5
28	Lp-PLA2 and dual antiplatelet agents in intracranial arterial stenosis. <i>Neurology</i> , 2020, 94, e181-e189.	1.5	4
29	The Contribution of Inflammation to Stroke Recurrence Attenuates at Low LDL-C Levels. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1634-1645.	0.9	3
30	Association of residual inflammatory risk with stroke recurrence in patients with acute ischaemic stroke or transient ischaemic attack. <i>European Journal of Neurology</i> , 2022, 29, 2258-2268.	1.7	3
31	Residual Recurrence Risk of Ischemic Cerebrovascular Events: Elements and Implications. <i>Neuroscience Bulletin</i> , 2021, 37, 1361-1364.	1.5	2
32	Predictive values of baseline matrix metalloproteinase 9 levels in peripheral blood on 3-month outcomes of high-risk patients with minor stroke or transient ischemic attack. <i>European Journal of Neurology</i> , 2022, 29, 2976-2986.	1.7	2