

# Naomi Kobayashi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3553788/publications.pdf>

Version: 2024-02-01

121  
papers

2,518  
citations

185998

28  
h-index

223531

46  
g-index

125  
all docs

125  
docs citations

125  
times ranked

2358  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnosis of Periprosthetic Infection. Journal of Bone and Joint Surgery - Series A, 2006, 88, 869-882.	1.4	303
2	Diagnosis of Periprosthetic Joint Infection. Journal of Arthroplasty, 2014, 29, 77-83.	1.5	193
3	Molecular Identification of Bacteria from Aseptically Loose Implants. Clinical Orthopaedics and Related Research, 2008, 466, 1716-1725.	0.7	79
4	Repair of articular cartilage defect by autologous transplantation of basic fibroblast growth factor gene-transduced chondrocytes with adeno-associated virus vector. Arthritis and Rheumatism, 2005, 52, 164-170.	6.7	76
5	Perivascular and Diffuse Lymphocytic Inflammation are not Specific for Failed Metal-on-metal Hip Implants. Clinical Orthopaedics and Related Research, 2011, 469, 1127-1133.	0.7	73
6	Simultaneous Detection of Staphylococcus aureus and Coagulase-Negative Staphylococci in Positive Blood Cultures by Real-Time PCR with Two Fluorescence Resonance Energy Transfer Probe Sets. Journal of Clinical Microbiology, 2004, 42, 5739-5744.	1.8	69
7	Brief Ultrasonication Improves Detection of Biofilm-formative Bacteria Around a Metal Implant. Clinical Orthopaedics and Related Research, 2007, 457, 210-213.	0.7	67
8	Diagnosis of Periprosthetic Joint Infection. Journal of Orthopaedic Research, 2014, 32, S98-107.	1.2	64
9	Changes in pelvic tilt following total hip arthroplasty. Journal of Orthopaedic Science, 2011, 16, 682-688.	0.5	57
10	New Application of 18F-Fluoride PET for the Detection of Bone Remodeling in Early-Stage Osteoarthritis of the Hip. Clinical Nuclear Medicine, 2013, 38, e379-e383.	0.7	51
11	Comparison of Mechanical Stress and Change in Bone Mineral Density Between Two Types of Femoral Implant Using Finite Element Analysis. Journal of Arthroplasty, 2013, 28, 1731-1735.	1.5	48
12	Leg length discrepancy and lower limb alignment after total hip arthroplasty in unilateral hip osteoarthritis patients. Journal of Orthopaedic Science, 2013, 18, 969-976.	0.5	47
13	Use of F-18 Fluoride PET to Differentiate Septic From Aseptic Loosening in Total Hip Arthroplasty Patients. Clinical Nuclear Medicine, 2011, 36, e156-e161.	0.7	44
14	Teriparatide Versus Alendronate for the Preservation of Bone Mineral Density After Total Hip Arthroplasty – A randomized Controlled Trial. Journal of Arthroplasty, 2016, 31, 333-338.	1.5	42
15	The comparison of pyrosequencing molecular Gram stain, culture, and conventional Gram stain for diagnosing orthopaedic infections. Journal of Orthopaedic Research, 2006, 24, 1641-1649.	1.2	40
16	A Molecular Gram Stain Using Broad Range PCR and Pyrosequencing Technology. Diagnostic Molecular Pathology, 2005, 14, 83-89.	2.1	39
17	Comparison of 18F-fluoride positron emission tomography and magnetic resonance imaging in evaluating early-stage osteoarthritis of the hip. Nuclear Medicine Communications, 2015, 36, 84-89.	0.5	38
18	Little Clinical Advantage of Modified Watson-Jones Approach Over Modified Mini-Incision Direct Lateral Approach in Primary Total Hip Arthroplasty. Journal of Arthroplasty, 2011, 26, 1117-1122.	1.5	37

#	ARTICLE	IF	CITATIONS
19	Difference in Postoperative Periprosthetic Bone Mineral Density Changes Between 3 Major Designs of Uncemented Stems: A 3-Year Follow-Up Study. <i>Journal of Arthroplasty</i> , 2016, 31, 1836-1841.	1.5	37
20	Postural and Chronological Change in Pelvic Tilt Five Years After Total Hip Arthroplasty in Patients With Developmental Dysplasia of the Hip: A Three-Dimensional Analysis. <i>Journal of Arthroplasty</i> , 2016, 31, 317-322.	1.5	37
21	Effects of rotational acetabular osteotomy on the mechanical stress within the hip joint in patients with developmental dysplasia of the hip. <i>Bone and Joint Journal</i> , 2015, 97-B, 492-497.	1.9	35
22	The Distribution of Impingement Region in Cam-Type Femoroacetabular Impingement and Borderline Dysplasia of the Hip With or Without Cam Deformity: A Computer Simulation Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2017, 33, 329-334.	1.3	35
23	Association between venous thromboembolism and plasma levels of both soluble fibrin and plasminogen-activator inhibitor 1 in 170 patients undergoing total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 14-21.	1.2	33
24	Neuropathy of motor branch of median or ulnar nerve induced by midpalm ganglion. <i>Journal of Hand Surgery</i> , 2001, 26, 474-477.	0.7	32
25	A Comparison of the Effects of Alendronate and Alfacalcidol on Bone Mineral Density Around the Femoral Implant and in the Lumbar Spine After Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1203-1209.	1.4	31
26	Different diagnostic properties of C-reactive protein, real-time PCR, and histopathology of frozen and permanent sections in diagnosis of periprosthetic joint infection. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 84, 524-529.	1.2	30
27	Simultaneous Intraoperative Detection of Methicillin-Resistant Staphylococcus and Pan-Bacterial Infection During Revision Surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009, 91, 2896-2902.	1.4	28
28	Rapid and sensitive detection of methicillin-resistant Staphylococcus periprosthetic infections using real-time polymerase chain reaction. <i>Diagnostic Microbiology and Infectious Disease</i> , 2009, 64, 172-176.	0.8	28
29	Long-term evaluation of a calcium phosphate bone cement with carboxymethyl cellulose in a vertebral defect model. <i>Journal of Biomedical Materials Research - Part A</i> , 2009, 88A, 880-888.	2.1	27
30	Use of Real-Time Polymerase Chain Reaction for the Diagnosis of Infection and Differentiation Between Gram-Positive and Gram-Negative Septic Arthritis in Children. <i>Journal of Pediatric Orthopaedics</i> , 2013, 33, e28-e33.	0.6	27
31	Use of <sup>18</sup> F-fluoride PET to determine the appropriate tissue sampling region for improved sensitivity of tissue examinations in cases of suspected periprosthetic infection after total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 427-432.	1.2	26
32	Temporal Trends in Characteristics of Newly Diagnosed Nontraumatic Osteonecrosis of the Femoral Head From 1997 to 2011: A Hospital-Based Sentinel Monitoring System in Japan. <i>Journal of Epidemiology</i> , 2015, 25, 437-444.	1.1	26
33	Comparison between mechanical stress and bone mineral density in the femur after total hip arthroplasty by using subject-specific finite element analyses. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 1056-1065.	0.9	26
34	Preoperative planning for implant placement with consideration of pelvic tilt in total hip arthroplasty: postoperative efficacy evaluation. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 280.	0.8	26
35	CT-based analysis of muscle volume and degeneration of gluteus medius in patients with unilateral hip osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 457.	0.8	25
36	Histological evaluation of an impacted bone graft substitute composed of a combination of mineralized and demineralized allograft in a sheep vertebral bone defect. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 82A, 538-544.	2.1	24

#	ARTICLE	IF	CITATIONS
37	Histological and mechanical evaluation of self-setting calcium phosphate cements in a sheep vertebral bone void model. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 81A, 838-846.	2.1	24
38	Effects of hip joint center location and femoral offset on abductor muscle strength after total hip arthroplasty. <i>Modern Rheumatology</i> , 2015, 25, 630-636.	0.9	21
39	Effect of femoral canal shape on mechanical stress distribution and adaptive bone remodelling around a cementless tapered-wedge stem. <i>Bone and Joint Research</i> , 2016, 5, 362-369.	1.3	21
40	Correlation between mechanical stress by finite element analysis and <sup>18</sup> F-fluoride PET uptake in hip osteoarthritis patients. <i>Journal of Orthopaedic Research</i> , 2015, 33, 78-83.	1.2	20
41	The use of a newly developed real-time PCR for the rapid identification of bacteria in culture-negative osteomyelitis. <i>Joint Bone Spine</i> , 2006, 73, 745-747.	0.8	19
42	Histological and radiographic evaluation of polymethylmethacrylate with two different concentrations of barium sulfate in a sheep vertebroplasty model. <i>Journal of Biomedical Materials Research - Part A</i> , 2005, 75A, 123-127.	2.1	18
43	Efficacy of Alendronate for the Prevention of Bone Loss in Calcar Region Following Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 2176-2180.	1.5	18
44	Usefulness of plasma HGF level for monitoring acquired resistance to EGFR tyrosine kinase inhibitors in non-small cell lung cancer. <i>Oncology Reports</i> , 2015, 33, 391-396.	1.2	17
45	Computer-Assisted Hip Arthroscopic Surgery for Femoroacetabular Impingement. <i>Arthroscopy Techniques</i> , 2018, 7, e397-e403.	0.5	16
46	Correlation between Plasma DNA and Tumor Status in an Animal Model. <i>PLoS ONE</i> , 2014, 9, e111881.	1.1	15
47	Preoperative soft tissue laxity around knee was associated with less accurate alignment correction after hybrid closed-wedge high tibial osteotomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3022-3030.	2.3	14
48	Influence of Pelvic Tilt on Polyethylene Wear after Total Hip Arthroplasty. <i>BioMed Research International</i> , 2015, 2015, 1-6.	0.9	13
49	Computer-Assisted Rotational Acetabular Osteotomy for Patients with Acetabular Dysplasia. <i>Clinics in Orthopaedic Surgery</i> , 2016, 8, 99.	0.8	13
50	A comparison of the effect of large and small metal-on-metal bearings in total hip arthroplasty on metal ion levels and the incidence of pseudotumour. <i>Bone and Joint Journal</i> , 2018, 100-B, 1018-1024.	1.9	13
51	Prediction of femoral head collapse in osteonecrosis using <sup>18</sup> F-fluoride positron emission tomography. <i>Nuclear Medicine Communications</i> , 2015, 36, 596-603.	0.5	12
52	Clinical utility of antibiotic-loaded hydroxyapatite block for treatment of intractable periprosthetic joint infection and septic arthritis of the hip. <i>Modern Rheumatology</i> , 2015, 25, 937-942.	0.9	12
53	The current status and future prospects of computer-assisted hip surgery. <i>Journal of Orthopaedic Science</i> , 2016, 21, 107-115.	0.5	12
54	Bone metabolism and inflammatory characteristics in 14 cases of chronic nonbacterial osteomyelitis. <i>Pediatric Rheumatology</i> , 2017, 15, 56.	0.9	12

#	ARTICLE	IF	CITATIONS
55	Quantitative evaluation of periprosthetic infection by real-time polymerase chain reaction: a comparison with conventional methods. <i>Diagnostic Microbiology and Infectious Disease</i> , 2012, 74, 125-130.	0.8	11
56	Rapid sensitive molecular diagnosis of pyogenic spinal infections using methicillin-resistant <i>Staphylococcus</i> -specific polymerase chain reaction and 16S ribosomal RNA gene-based universal polymerase chain reaction. <i>Spine Journal</i> , 2014, 14, 255-262.	0.6	11
57	Volume-based Response Evaluation with Consensual Lesion Selection. <i>Academic Radiology</i> , 2015, 22, 217-225.	1.3	11
58	A new multiplex real-time polymerase chain reaction assay for the diagnosis of periprosthetic joint infection. <i>Modern Rheumatology</i> , 2017, 27, 1072-1078.	0.9	11
59	Comparison of improved range of motion between cam-type femoroacetabular impingement and borderline developmental dysplasia of the hip -evaluation by virtual osteochondroplasty using computer simulation-. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 417.	0.8	11
60	Clinical characteristics and risk factors for culture-negative periprosthetic joint infections. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 292.	0.9	11
61	Differences in sodium fluoride-18 uptake in the normal skeleton depending on the location and characteristics of the bone. <i>Nuklearmedizin - NuclearMedicine</i> , 2017, 56, 91-96.	0.3	11
62	Long-Term Results of Porous-Coated Anatomic Total Hip Arthroplasty for Patients With Osteoarthritis of the Hip. <i>Journal of Arthroplasty</i> , 2014, 29, 2251-2255.	1.5	10
63	Use of <sup>18</sup> F-fluoride positron emission tomography as a predictor of the hip osteoarthritis progression. <i>Modern Rheumatology</i> , 2015, 25, 925-930.	0.9	10
64	Effectiveness of diluted povidone-iodine lavage for preventing periprosthetic joint infection: an updated systematic review and meta-analysis. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 569.	0.9	10
65	Gene marking in adeno-associated virus vector infected periosteum derived cells for cartilage repair. <i>Journal of Rheumatology</i> , 2002, 29, 2176-80.	1.0	10
66	Plasma accumulation of fondaparinux 2.5Âmg in patients after total hip arthroplasty. <i>Journal of Thrombosis and Thrombolysis</i> , 2012, 34, 526-532.	1.0	9
67	Effect of Decreasing the Anterior Pelvic Tilt on Range of Motion in Femoroacetabular Impingement: A Computer-Simulation Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712199946.	0.8	9
68	An automated real-time PCR assay for synovial fluid improves the preoperative etiological diagnosis of periprosthetic joint infection and septic arthritis. <i>Journal of Orthopaedic Research</i> , 2021, 39, 348-355.	1.2	9
69	Mechanical Strength of the Proximal Femur After Arthroscopic Osteochondroplasty for Femoroacetabular Impingement: Finite Element Analysis and 3-Dimensional Image Analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 2377-2386.	1.3	8
70	Comparison Between 3-Dimensional Multiple-Echo Recombined Gradient Echo Magnetic Resonance Imaging and Arthroscopic Findings for the Evaluation of Acetabular Labrum Tear. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 2857-2865.	1.3	8
71	General Assembly, Diagnosis, Pathogen Isolation: Proceedings of International Consensus on Orthopedic Infections. <i>Journal of Arthroplasty</i> , 2019, 34, S207-S214.	1.5	8
72	Disseminated Nocardiosis Caused by <i>Nocardia concava</i> with Acute Respiratory Failure and Central Nervous System Involvement Treated with Linezolid. <i>Internal Medicine</i> , 2012, 51, 3281-3285.	0.3	7

#	ARTICLE	IF	CITATIONS
73	Evaluation of local bone turnover in painful hip by 18F-fluoride positron emission tomography. <i>Nuclear Medicine Communications</i> , 2016, 37, 399-405.	0.5	7
74	The Use of Real-Time Polymerase Chain Reaction for Rapid Diagnosis of Skeletal Tuberculosis. <i>Archives of Pathology and Laboratory Medicine</i> , 2006, 130, 1053-1056.	1.2	7
75	Is there any clinical advantage of capsular repair over capsular resection for total hip arthroplasty? An updated systematic review and meta-analysis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 1689-1697.	1.3	7
76	Reactive Osteochondromatous Lesion of the Femoral Neck in a Highly Active Preadolescent Patient: Is This the Pathogenesis of a Cam Deformity?. <i>Clinical Journal of Sport Medicine</i> , 2018, 28, e92-e94.	0.9	6
77	Effect of Flurbiprofen and S-Flurbiprofen Patches on Multimodal Pain Management After Total Knee Arthroplasty: A Prospective Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2020, 35, 2033-2038.	1.5	6
78	Effect of switching administration of alendronate after teriparatide for the prevention of BMD loss around the implant after total hip arthroplasty, 2-year follow-up: a randomized controlled trial. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 17.	0.9	6
79	Evaluation of the Time Period for which Real-Time Polymerase Chain Reaction Detects Dead Bacteria. <i>Polish Journal of Microbiology</i> , 2014, 63, 393-398.	0.6	6
80	Selective pharmacological prophylaxis based on individual risk assessment using plasma levels of soluble fibrin and plasminogen-activator inhibitor-1 following total hip arthroplasty. <i>Modern Rheumatology</i> , 2014, 24, 835-839.	0.9	5
81	Ten-year survival rate after rotational acetabular osteotomy in adulthood hip dysplasia. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 191.	0.8	5
82	The Relationship Between the Location of Uptake on Positron Emission Tomography/Computed Tomography and the Impingement Point by Computer Simulation in Femoroacetabular Impingement Syndrome With Cam Morphology. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 1253-1261.	1.3	5
83	The influence of patient factors on femoral rotation after total hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 189.	0.8	5
84	Current risk factors for asymptomatic venous thromboembolism in patients undergoing total hip arthroplasty. <i>Modern Rheumatology</i> , 2019, 29, 874-879.	0.9	5
85	Differences in Diagnostic Properties Between Standard and Enrichment Culture Techniques Used in Periprosthetic Joint Infections. <i>Journal of Arthroplasty</i> , 2020, 35, 235-240.	1.5	5
86	Preoperative factors predicting the severity of BMD loss around the implant after Total hip Arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 290.	0.8	5
87	DIAGNOSIS OF PERIPROSTHETIC INFECTION. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 869-882.	1.4	5
88	Accuracy of Computer Navigation-Assisted Arthroscopic Osteochondroplasty for Cam-Type Femoroacetabular Impingement Using the Model-to-Image Registration Method. <i>American Journal of Sports Medicine</i> , 2022, 50, 1272-1280.	1.9	5
89	The effectiveness of mono or combined osteoporosis drug therapy against bone mineral density loss around femoral implants after total hip arthroplasty. <i>Journal of Bone and Mineral Metabolism</i> , 2014, 32, 539-544.	1.3	4
90	Evaluation of a cloud-based local-read paradigm for imaging evaluations in oncology clinical trials for lung cancer. <i>Acta Radiologica Open</i> , 2015, 4, 205846011558810.	0.3	4

#	ARTICLE	IF	CITATIONS
91	Comparison between component designs with different femoral head size in metal-on-metal total hip arthroplasty; multicenter randomized prospective study. <i>Journal of Orthopaedics</i> , 2015, 12, 228-236.	0.6	4
92	Use of a 3D Virtually Reconstructed Patient-Specific Model to Examine the Effect of Acetabular Labral Interference on Hip Range of Motion. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712096446.	0.8	4
93	Utility of CT-based navigation in revision total hip arthroplasty for a patient with severe posterior pelvic tilt-case report-. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 249.	0.8	4
94	Prediction of Change in Pelvic Tilt After Total Hip Arthroplasty Using Machine Learning. <i>Journal of Arthroplasty</i> , 2023, 38, 2009-2016.e3.	1.5	4
95	<sup>18</sup> F-fluorodeoxy glucose and <sup>18</sup> F fluoride PET for detection of inflammation focus in periprosthetic hip joint infection cases. <i>Modern Rheumatology</i> , 2015, 25, 322-324.	0.9	3
96	Bone mineral density distribution in the proximal femur and its relationship to morphologic factors in progressed unilateral hip osteoarthritis. <i>Journal of Bone and Mineral Metabolism</i> , 2015, 33, 455-461.	1.3	3
97	Evaluation of anterior inferior iliac spine impingement after hip arthroscopic osteochondroplasty using computer simulation analysis. <i>Journal of Orthopaedic Surgery</i> , 2020, 28, 230949902093553.	0.4	3
98	Correlations and Reproducibility Between Radiographic and Radial Alpha Angles in the Evaluation of Cam Morphology. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093292.	0.8	3
99	Association of Femoral Rotation With Whole-Body Alignment in Patients Who Underwent Total Hip Arthroplasty. <i>Arthroplasty Today</i> , 2020, 6, 532-537.	0.8	3
100	Identifying factors predicting prolonged rehabilitation after simultaneous bilateral total knee arthroplasty: a retrospective observational study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 368.	0.8	3
101	Inverse correlation between Ki67 expression as a continuous variable and outcomes in luminal HER2-negative breast cancer.. , 2019, 5, 72-78.		3
102	Influence of Hydroxyapatite Coating for the Prevention of Bone Mineral Density Loss and Bone Metabolism after Total Hip Arthroplasty: Assessment Using <sup>18</sup> F-Fluoride Positron Emission Tomography and Dual-Energy X-Ray Absorptiometry by Randomized Controlled Trial. <i>BioMed Research International</i> , 2020, 2020, 1-9.	0.9	2
103	Risk factors associated with cervical spine lesions in patients with rheumatoid arthritis: an observational study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 408.	0.8	2
104	Prediction of pelvic mobility using whole-spinal and pelvic alignment in standing and sitting position in total hip arthroplasty patients. <i>Journal of Orthopaedic Surgery</i> , 2021, 29, 230949902110190.	0.4	2
105	Postoperative excessive external femoral rotation in revision total hip arthroplasty is associated with muscle weakness in iliopsoas and gluteus medius and risk for hip dislocation. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 582.	0.9	2
106	Pharmacoeconomic analysis of biologics and methotrexate for rheumatoid arthritis from the standpoint of the number needed to treat concept under the Japanese health insurance system. <i>Cost Effectiveness and Resource Allocation</i> , 2022, 20, 13.	0.6	2
107	Inflammation and nutrition based screening tests for detection of infection in cases of rapid hip destruction. <i>Scientific Reports</i> , 2022, 12, 3586.	1.6	2
108	Differences in clinicopathologic features and subtype distribution of invasive breast cancer between women older and younger than 40 years.. , 2019, 5, 92-97.		2



#	ARTICLE	IF	CITATIONS
109	Prevalence of groin pain in unicycle athletes: A nationwide questionnaire survey. <i>Journal of Orthopaedic Surgery</i> , 2020, 28, 230949902093420.	0.4	1
110	The Practice of Computer-Assisted Planning and Navigation for Hip Arthroscopy. , 2020, , .		1
111	Diagnosis of Periprosthetic Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 524-525.	1.4	1
112	Detection of mecA and 16S rRNA Genes Using Real-Time PCR Can Be Useful in Diagnosing Iliopsoas Abscess, Especially in Culture-Negative Cases: RT-PCR for Iliopsoas Abscess. <i>BioMed Research International</i> , 2022, 2022, 1-7.	0.9	1
113	Dissociation of the Harris-Galante II polyethylene liner in rheumatoid arthritis patients. <i>Journal of Orthopaedics and Traumatology</i> , 2005, 6, 91-94.	1.0	0
114	L'utilisation de la PCR en temps réel pour l'identification bactérienne rapide des ostéomyélites à cultures négatives. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2006, 73, 1419-1421.	0.0	0
115	Late-Onset Screw Migration into Iliac Vessels 21 years after Hip Arthrodesis. <i>Clinical Medicine Insights: Case Reports</i> , 2014, 7, CCRP.S16159.	0.3	0
116	Posterior acetabular uptake on 18F-fluoride positron emission tomography/computed tomography reveals a putative contrecoup region in patients with femoroacetabular impingement. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901986892.	0.4	0
117	A rare case of osteoblastoma in the femoral head combined with cam-type femoroacetabular impingement: A case report. <i>SAGE Open Medical Case Reports</i> , 2020, 8, 2050313X2097802.	0.2	0
118	Risk Factors Associated with Aggravation of Cervical Spine Lesions in Patients with Rheumatoid Arthritis. <i>Spine</i> , 2021, Publish Ahead of Print, .	1.0	0
119	Application of Ultrasonography During Sternocleidomastoid Muscle Release for Congenital Muscular Torticollis. <i>JBJS Case Connector</i> , 2021, 11, .	0.1	0
120	Volume-based response evaluations with consensual lesion selection using cloud solutions in clinical trials: A pilot study.. <i>Journal of Clinical Oncology</i> , 2014, 32, e13538-e13538.	0.8	0
121	Effects of changes in whole-body alignment on ipsilateral knee pain after total hip arthroplasty. <i>Journal of Orthopaedic Science</i> , 2022, , .	0.5	0