## Naomi Kobayashi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3553788/publications.pdf

Version: 2024-02-01

		185998	223531
121	2,518	28	46
papers	citations	h-index	g-index
105	105	105	2250
125	125	125	2358
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Is there any clinical advantage of capsular repair over capsular resection for total hip arthroplasty? An updated systematic review and meta-analysis. Archives of Orthopaedic and Trauma Surgery, 2023, 143, 1689-1697.	1.3	7
2	Prediction of Change in Pelvic Tilt After Total Hip Arthroplasty Using Machine Learning. Journal of Arthroplasty, 2023, 38, 2009-2016.e3.	1.5	4
3	Effects of changes in whole-body alignment on ipsilateral knee pain after total hip arthroplasty. Journal of Orthopaedic Science, 2022, , .	0.5	O
4	Detection of mecA and 16S rRNA Genes Using Real-Time PCR Can Be Useful in Diagnosing Iliopsoas Abscess, Especially in Culture-Negative Cases: RT-PCR for Iliopsoas Abscess. BioMed Research International, 2022, 2022, 1-7.	0.9	1
5	Pharmacoeconomic analysis of biologics and methotrexate for rheumatoid arthritis from the standpoint of the number needed to treat concept under the Japanese health insurance system. Cost Effectiveness and Resource Allocation, 2022, 20, 13.	0.6	2
6	Inflammation and nutrition based screening tests for detection of infection in cases of rapid hip destruction. Scientific Reports, 2022, 12, 3586.	1.6	2
7	Accuracy of Computer Navigation–Assisted Arthroscopic Osteochondroplasty for Cam-Type Femoroacetabular Impingement Using the Model-to-Image Registration Method. American Journal of Sports Medicine, 2022, 50, 1272-1280.	1.9	5
8	Preoperative factors predicting the severity of BMD loss around the implant after Total hip Arthroplasty. BMC Musculoskeletal Disorders, 2021, 22, 290.	0.8	5
9	Identifying factors predicting prolonged rehabilitation after simultaneous bilateral total knee arthroplasty: a retrospective observational study. BMC Musculoskeletal Disorders, 2021, 22, 368.	0.8	3
10	Effect of Decreasing the Anterior Pelvic Tilt on Range of Motion in Femoroacetabular Impingement: A Computer-Simulation Study. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712199946.	0.8	9
11	Risk factors associated with cervical spine lesions in patients with rheumatoid arthritis: an observational study. BMC Musculoskeletal Disorders, 2021, 22, 408.	0.8	2
12	Prediction of pelvic mobility using whole-spinal and pelvic alignment in standing and sitting position in total hip arthroplasty patients. Journal of Orthopaedic Surgery, 2021, 29, 230949902110190.	0.4	2
13	Clinical characteristics and risk factors for culture-negative periprosthetic joint infections. Journal of Orthopaedic Surgery and Research, 2021, 16, 292.	0.9	11
14	Effectiveness of diluted povidone-iodine lavage for preventing periprosthetic joint infection: an updated systematic review and meta-analysis. Journal of Orthopaedic Surgery and Research, 2021, 16, 569.	0.9	10
15	Risk Factors Associated with Aggravation of Cervical Spine Lesions in Patients with Rheumatoid Arthritis. Spine, 2021, Publish Ahead of Print, .	1.0	0
16	An automated realâ€time PCR assay for synovial fluid improves the preoperative etiological diagnosis of periprosthetic joint infection and septic arthritis. Journal of Orthopaedic Research, 2021, 39, 348-355.	1.2	9
17	Application of Ultrasonography During Sternocleidomastoid Muscle Release for Congenital Muscular Torticollis. JBJS Case Connector, 2021, 11, .	0.1	0
18	Postoperative excessive external femoral rotation in revision total hip arthroplasty is associated with muscle weakness in iliopsoas and gluteus medius and risk for hip dislocation. Journal of Orthopaedic Surgery and Research, 2021, 16, 582.	0.9	2

#	Article	IF	Citations
19	Differences in Diagnostic Properties Between Standard and Enrichment Culture Techniques Used in Periprosthetic Joint Infections. Journal of Arthroplasty, 2020, 35, 235-240.	1.5	5
20	Preoperative soft tissue laxity around knee was associated with less accurate alignment correction after hybrid closed-wedge high tibial osteotomy. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 3022-3030.	2.3	14
21	Prevalence of groin pain in unicycle athletes: A nationwide questionnaire survey. Journal of Orthopaedic Surgery, 2020, 28, 230949902093420.	0.4	1
22	Evaluation of anterior inferior iliac spine impingement after hip arthroscopic osteochondroplasty using computer simulation analysis. Journal of Orthopaedic Surgery, 2020, 28, 230949902093553.	0.4	3
23	Use of a 3D Virtually Reconstructed Patient-Specific Model to Examine the Effect of Acetabular Labral Interference on Hip Range of Motion. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712096446.	0.8	4
24	Correlations and Reproducibility Between Radiographic and Radial Alpha Angles in the Evaluation of Cam Morphology. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712093292.	0.8	3
25	Association of Femoral Rotation With Whole-Body Alignment in Patients Who Underwent Total Hip Arthroplasty. Arthroplasty Today, 2020, 6, 532-537.	0.8	3
26	The Practice of Computer-Assisted Planning and Navigation for Hip Arthroscopy. , 2020, , .		1
27	A rare case of osteoblastoma in the femoral head combined with cam-type femoroacetabular impingement: A case report. SAGE Open Medical Case Reports, 2020, 8, 2050313X2097802.	0.2	0
28	Effect of Flurbiprofen and S-Flurbiprofen Patches on Multimodal Pain Management After Total Knee Arthroplasty: A Prospective Randomized Controlled Trial. Journal of Arthroplasty, 2020, 35, 2033-2038.	1.5	6
29	Influence of Hydroxyapatite Coating for the Prevention of Bone Mineral Density Loss and Bone Metabolism after Total Hip Arthroplasty: Assessment Using <sup>18</sup> F-Fluoride Positron Emission Tomography and Dual-Energy X-Ray Absorptiometry by Randomized Controlled Trial. BioMed Research International, 2020, 2020, 1-9.	0.9	2
30	Effect of switching administration of alendronate after teriparatide for the prevention of BMD loss around the implant after total hip arthroplasty, 2-year follow-up: a randomized controlled trial. Journal of Orthopaedic Surgery and Research, 2020, 15, 17.	0.9	6
31	Utility of CT-based navigation in revision total hip arthroplasty for a patient with severe posterior pelvic tilt-case report BMC Musculoskeletal Disorders, 2020, 21, 249.	0.8	4
32	Comparison Between 3-Dimensional Multiple-Echo Recombined Gradient Echo Magnetic Resonance Imaging and Arthroscopic Findings for the Evaluation of Acetabular Labrum Tear. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2019, 35, 2857-2865.	1.3	8
33	Posterior acetabular uptake on 18F-fluoride positron emission tomography/computed tomography reveals a putative contrecoup region in patients with femoroacetabular impingement. Journal of Orthopaedic Surgery, 2019, 27, 230949901986892.	0.4	0
34	General Assembly, Diagnosis, Pathogen Isolation: Proceedings of International Consensus on Orthopedic Infections. Journal of Arthroplasty, 2019, 34, S207-S214.	1.5	8
35	Current risk factors for asymptomatic venous thromboembolism in patients undergoing total hip arthroplasty. Modern Rheumatology, 2019, 29, 874-879.	0.9	5
36	Inverse correlation between Ki67 expression as a continuous variable and outcomes in luminal HER2-negative breast cancer, 2019, 5, 72-78.		3

3

#	Article	IF	CITATIONS
37	Differences in clinicopathologic features and subtype distribution of invasive breast cancer between women older and younger than 40 years , 2019, 5, 92-97.		2
38	The Relationship Between the Location of Uptake on Positron Emission Tomography/Computed Tomography and the Impingement Point by Computer Simulation in Femoroacetabular Impingement Syndrome With Cam Morphology. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 1253-1261.	1.3	5
39	Computer-Assisted Hip Arthroscopic Surgery for Femoroacetabular Impingement. Arthroscopy Techniques, 2018, 7, e397-e403.	0.5	16
40	Reactive Osteochondromatous Lesion of the Femoral Neck in a Highly Active Preadolescent Patient: Is This the Pathogenesis of a Cam Deformity?. Clinical Journal of Sport Medicine, 2018, 28, e92-e94.	0.9	6
41	The influence of patient factors on femoral rotation after total hip arthroplasty. BMC Musculoskeletal Disorders, 2018, 19, 189.	0.8	5
42	A comparison of the effect of large and small metal-on-metal bearings in total hip arthroplasty on metal ion levels and the incidence of pseudotumour. Bone and Joint Journal, 2018, 100-B, 1018-1024.	1.9	13
43	Mechanical Strength of the Proximal Femur After Arthroscopic Osteochondroplasty for Femoroacetabular Impingement: Finite Element Analysis and 3-Dimensional Image Analysis. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 2377-2386.	1.3	8
44	Efficacy of Alendronate for the Prevention of Bone Loss in Calcar Region Following Total Hip Arthroplasty. Journal of Arthroplasty, 2017, 32, 2176-2180.	1.5	18
45	A new multiplex real-time polymerase chain reaction assay for the diagnosis of periprosthetic joint infection. Modern Rheumatology, 2017, 27, 1072-1078.	0.9	11
46	Ten-year survival rate after rotational acetabular osteotomy in adulthood hip dysplasia. BMC Musculoskeletal Disorders, 2017, 18, 191.	0.8	5
47	The Distribution of Impingement Region in Cam-Type Femoroacetabular Impingement and Borderline Dysplasia of the Hip With or Without Cam Deformity: A Computer Simulation Study. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 329-334.	1.3	35
48	Comparison of improved range of motion between cam-type femoroacetabular impingement and borderline developmental dysplasia of the hip -evaluation by virtual osteochondroplasty using computer simulation BMC Musculoskeletal Disorders, 2017, 18, 417.	0.8	11
49	CT-based analysis of muscle volume and degeneration of gluteus medius in patients with unilateral hip osteoarthritis. BMC Musculoskeletal Disorders, 2017, 18, 457.	0.8	25
50	Bone metabolism and inflammatory characteristics in 14 cases of chronic nonbacterial osteomyelitis. Pediatric Rheumatology, 2017, 15, 56.	0.9	12
51	Differences in sodium fluoride-18 uptake in the normal skeleton depending on the location and characteristics of the bone. Nuklearmedizin - NuclearMedicine, 2017, 56, 91-96.	0.3	11
52	Computer-Assisted Rotational Acetabular Osteotomy for Patients with Acetabular Dysplasia. Clinics in Orthopedic Surgery, 2016, 8, 99.	0.8	13
53	Evaluation of local bone turnover in painful hip by 18F-fluoride positron emission tomography. Nuclear Medicine Communications, 2016, 37, 399-405.	0.5	7
54	Effect of femoral canal shape on mechanical stress distribution and adaptive bone remodelling around a cementless tapered-wedge stem. Bone and Joint Research, 2016, 5, 362-369.	1.3	21

#	Article	IF	Citations
55	Difference in Postoperative Periprosthetic Bone Mineral Density Changes Between 3 Major Designs of Uncemented Stems: A 3-Year Follow-Up Study. Journal of Arthroplasty, 2016, 31, 1836-1841.	1.5	37
56	The current status and future prospects of computer-assisted hip surgery. Journal of Orthopaedic Science, 2016, 21, 107-115.	0.5	12
57	Preoperative planning for implant placement with consideration of pelvic tilt in total hip arthroplasty: postoperative efficacy evaluation. BMC Musculoskeletal Disorders, 2016, 17, 280.	0.8	26
58	Teriparatide Versus Alendronate for the Preservation of Bone Mineral Density After Total Hip Arthroplasty $\hat{a} \in A$ randomized Controlled Trial. Journal of Arthroplasty, 2016, 31, 333-338.	1.5	42
59	Postural and Chronological Change in Pelvic Tilt Five Years After Total Hip Arthroplasty in Patients With Developmental Dysplasia of the Hip: A Three-Dimensional Analysis. Journal of Arthroplasty, 2016, 31, 317-322.	1.5	37
60	Usefulness of plasma HGF level for monitoring acquired resistance to EGFR tyrosine kinase inhibitors in non-small cell lung cancer. Oncology Reports, 2015, 33, 391-396.	1.2	17
61	Temporal Trends in Characteristics of Newly Diagnosed Nontraumatic Osteonecrosis of the Femoral Head From 1997 to 2011: A Hospital-Based Sentinel Monitoring System in Japan. Journal of Epidemiology, 2015, 25, 437-444.	1.1	26
62	Evaluation of a cloud-based local-read paradigm for imaging evaluations in oncology clinical trials for lung cancer. Acta Radiologica Open, 2015, 4, 205846011558810.	0.3	4
63	Prediction of femoral head collapse in osteonecrosis using 18F-fluoride positron emission tomography. Nuclear Medicine Communications, 2015, 36, 596-603.	0.5	12
64	Influence of Pelvic Tilt on Polyethylene Wear after Total Hip Arthroplasty. BioMed Research International, 2015, 2015, 1-6.	0.9	13
65	Effects of hip joint center location and femoral offset on abductor muscle strength after total hip arthroplasty. Modern Rheumatology, 2015, 25, 630-636.	0.9	21
66	Volume-based Response Evaluation with Consensual Lesion Selection. Academic Radiology, 2015, 22, 217-225.	1.3	11
67	Comparison between mechanical stress and bone mineral density in the femur after total hip arthroplasty by using subject-specific finite element analyses. Computer Methods in Biomechanics and Biomedical Engineering, 2015, 18, 1056-1065.	0.9	26
68	<sup>18</sup> F-fluorodeoxy glucose and <sup>18</sup> F fluoride PET for detection of inflammation focus in periprosthetic hip joint infection cases. Modern Rheumatology, 2015, 25, 322-324.	0.9	3
69	Effects of rotational acetabular osteotomy on the mechanical stress within the hip joint in patients with developmental dysplasia of the hip. Bone and Joint Journal, 2015, 97-B, 492-497.	1.9	35
70	Comparison between component designs with different femoral head size in metal-on-metal total hip arthroplasty; multicenter randomized prospective study. Journal of Orthopaedics, 2015, 12, 228-236.	0.6	4
71	Use of $\langle \sup 18 \rangle$ use of $\langle \sup F$ -fluoride positron emission tomography as a predictor of the hip osteoarthritis progression. Modern Rheumatology, 2015, 25, 925-930.	0.9	10
72	Correlation between mechanical stress by finite element analysis and <sup>18</sup> Fâ€fluoride PET uptake in hip osteoarthritis patients. Journal of Orthopaedic Research, 2015, 33, 78-83.	1.2	20

#	Article	IF	CITATIONS
73	Bone mineral density distribution in the proximal femur and its relationship to morphologic factors in progressed unilateral hip osteoarthritis. Journal of Bone and Mineral Metabolism, 2015, 33, 455-461.	1.3	3
74	Comparison of 18F-fluoride positron emission tomography and magnetic resonance imaging in evaluating early-stage osteoarthritis of the hip. Nuclear Medicine Communications, 2015, 36, 84-89.	0.5	38
75	Clinical utility of antibiotic-loaded hydroxyapatite block for treatment of intractable periprosthetic joint infection and septic arthritis of the hip. Modern Rheumatology, 2015, 25, 937-942.	0.9	12
76	Correlation between Plasma DNA and Tumor Status in an Animal Model. PLoS ONE, 2014, 9, e111881.	1.1	15
77	Selective pharmacological prophylaxis based on individual risk assessment using plasma levels of soluble fibrin and plasminogen-activator inhibitor-1 following total hip arthroplasty. Modern Rheumatology, 2014, 24, 835-839.	0.9	5
78	Diagnosis of Periprosthetic Joint Infection. Journal of Orthopaedic Research, 2014, 32, S98-107.	1.2	64
79	The effectiveness of mono or combined osteoporosis drug therapy against bone mineral density loss around femoral implants after total hip arthroplasty. Journal of Bone and Mineral Metabolism, 2014, 32, 539-544.	1.3	4
80	Rapid sensitive molecular diagnosis of pyogenic spinal infections using methicillin-resistant Staphylococcus-specific polymerase chain reaction and 16S ribosomal RNA gene-based universal polymerase chain reaction. Spine Journal, 2014, 14, 255-262.	0.6	11
81	Diagnosis of Periprosthetic Joint Infection. Journal of Arthroplasty, 2014, 29, 77-83.	1.5	193
82	Long-Term Results of Porous-Coated Anatomic Total Hip Arthroplasty for Patients With Osteoarthritis of the Hip. Journal of Arthroplasty, 2014, 29, 2251-2255.	1.5	10
83	Late-Onset Screw Migration into Iliac Vessels 21 years after Hip Arthrodesis. Clinical Medicine Insights: Case Reports, 2014, 7, CCRep.S16159.	0.3	0
84	Evaluation of the Time Period for which Real-Time Polymerase Chain Reaction Detects Dead Bacteria. Polish Journal of Microbiology, 2014, 63, 393-398.	0.6	6
85	Volume-based response evaluations with consensual lesion selection using cloud solutions in clinical trials: A pilot study Journal of Clinical Oncology, 2014, 32, e13538-e13538.	0.8	0
86	Comparison of Mechanical Stress and Change in Bone Mineral Density Between Two Types of Femoral Implant Using Finite Element Analysis. Journal of Arthroplasty, 2013, 28, 1731-1735.	1.5	48
87	Leg length discrepancy and lower limb alignment after total hip arthroplasty in unilateral hip osteoarthritis patients. Journal of Orthopaedic Science, 2013, 18, 969-976.	0.5	47
88	Different diagnostic properties of C-reactive protein, real-time PCR, and histopathology of frozen and permanent sections in diagnosis of periprosthetic joint infection. Monthly Notices of the Royal Astronomical Society: Letters, 2013, 84, 524-529.	1.2	30
89	New Application of 18F-Fluoride PET for the Detection of Bone Remodeling in Early-Stage Osteoarthritis of the Hip. Clinical Nuclear Medicine, 2013, 38, e379-e383.	0.7	51
90	Use of Real-Time Polymerase Chain Reaction for the Diagnosis of Infection and Differentiation Between Gram-Positive and Gram-Negative Septic Arthritis in Children. Journal of Pediatric Orthopaedics, 2013, 33, e28-e33.	0.6	27

#	Article	IF	Citations
91	Association between venous thromboembolism and plasma levels of both soluble fibrin and plasminogen-activator inhibitor $1$ in $170$ patients undergoing total hip arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, $2012$ , $83$ , $14$ - $21$ .	1.2	33
92	Disseminated Nocardiosis Caused by <i>Nocardia concava</i> with Acute Respiratory Failure and Central Nervous System Involvement Treated with Linezolid. Internal Medicine, 2012, 51, 3281-3285.	0.3	7
93	Plasma accumulation of fondaparinux 2.5Âmg in patients after total hip arthroplasty. Journal of Thrombosis and Thrombolysis, 2012, 34, 526-532.	1.0	9
94	Quantitative evaluation of periprosthetic infection by real-time polymerase chain reaction: a comparison with conventional methods. Diagnostic Microbiology and Infectious Disease, 2012, 74, 125-130.	0.8	11
95	Use of F-18 Fluoride PET to Differentiate Septic From Aseptic Loosening in Total Hip Arthroplasty Patients. Clinical Nuclear Medicine, 2011, 36, e156-e161.	0.7	44
96	Little Clinical Advantage of Modified Watson-Jones Approach Over Modified Mini-Incision Direct Lateral Approach in Primary Total Hip Arthroplasty. Journal of Arthroplasty, 2011, 26, 1117-1122.	1.5	37
97	Changes in pelvic tilt following total hip arthroplasty. Journal of Orthopaedic Science, 2011, 16, 682-688.	0.5	57
98	Perivascular and Diffuse Lymphocytic Inflammation are not Specific for Failed Metal-on-metal Hip Implants. Clinical Orthopaedics and Related Research, 2011, 469, 1127-1133.	0.7	73
99	A Comparison of the Effects of Alendronate and Alfacalcidol on Bone Mineral Density Around the Femoral Implant and in the Lumbar Spine After Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2011, 93, 1203-1209.	1.4	31
100	Use of <sup>18</sup> F-fluoride PET to determine the appropriate tissue sampling region for improved sensitivity of tissue examinations in cases of suspected periprosthetic infection after total hip arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2011, 82, 427-432.	1.2	26
101	Diagnosis of Periprosthetic Infection. Journal of Bone and Joint Surgery - Series A, 2010, 92, 524-525.	1.4	1
102	Simultaneous Intraoperative Detection of Methicillin-Resistant Staphylococcus and Pan-Bacterial Infection During Revision Surgery. Journal of Bone and Joint Surgery - Series A, 2009, 91, 2896-2902.	1.4	28
103	Longâ€ŧerm evaluation of a calcium phosphate bone cement with carboxymethyl cellulose in a vertebral defect model. Journal of Biomedical Materials Research - Part A, 2009, 88A, 880-888.	2.1	27
104	Rapid and sensitive detection of methicillin-resistant Staphylococcus periprosthetic infections using real-time polymerase chain reaction. Diagnostic Microbiology and Infectious Disease, 2009, 64, 172-176.	0.8	28
105	Molecular Identification of Bacteria from Aseptically Loose Implants. Clinical Orthopaedics and Related Research, 2008, 466, 1716-1725.	0.7	79
106	Brief Ultrasonication Improves Detection of Biofilm-formative Bacteria Around a Metal Implant. Clinical Orthopaedics and Related Research, 2007, 457, 210-213.	0.7	67
107	Histological evaluation of an impacted bone graft substitute composed of a combination of mineralized and demineralized allograft in a sheep vertebral bone defect. Journal of Biomedical Materials Research - Part A, 2007, 82A, 538-544.	2.1	24
108	Histological and mechanical evaluation of self-setting calcium phosphate cements in a sheep vertebral bone void model. Journal of Biomedical Materials Research - Part A, 2007, 81A, 838-846.	2.1	24

7

#	Article	IF	CITATIONS
109	L'utilisation deÂlaÂPCR enÂtemps réel pourÂl'identification bactérienne rapide desÂostéomyélites ÃÂcu négatives. Revue Du Rhumatisme (Edition Francaise), 2006, 73, 1419-1421.	ıltures 0.0	0
110	The use ofÂnewly developed real-time PCR forÂtheÂrapid identification ofÂbacteria inÂculture-negative osteomyelitis. Joint Bone Spine, 2006, 73, 745-747.	0.8	19
111	The comparison of pyrosequencing molecular Gram stain, culture, and conventional Gram stain for diagnosing orthopaedic infections. Journal of Orthopaedic Research, 2006, 24, 1641-1649.	1.2	40
112	Diagnosis of Periprosthetic Infection. Journal of Bone and Joint Surgery - Series A, 2006, 88, 869-882.	1.4	303
113	DIAGNOSIS OF PERIPROSTHETIC INFECTION. Journal of Bone and Joint Surgery - Series A, 2006, 88, 869-882.	1.4	5
114	The Use of Real-Time Polymerase Chain Reaction for Rapid Diagnosis of Skeletal Tuberculosis. Archives of Pathology and Laboratory Medicine, 2006, 130, 1053-1056.	1.2	7
115	A Molecular Gram Stain Using Broad Range PCR and Pyrosequencing Technology. Diagnostic Molecular Pathology, 2005, 14, 83-89.	2.1	39
116	Histological and radiographic evaluation of polymethylmethacrylate with two different concentrations of barium sulfate in a sheep vertebroplasty model. Journal of Biomedical Materials Research - Part A, 2005, 75A, 123-127.	2.1	18
117	Repair of articular cartilage defect by autologous transplantation of basic fibroblast growth factor gene-transduced chondrocytes with adeno-associated virus vector. Arthritis and Rheumatism, 2005, 52, 164-170.	6.7	76
118	Dissociation of the Harris-Galante II polyethylene liner in rheumatoid arthritis patients. Journal of Orthopaedics and Traumatology, 2005, 6, 91-94.	1.0	0
119	Simultaneous Detection of Staphylococcus aureus and Coagulase-Negative Staphylococci in Positive Blood Cultures by Real-Time PCR with Two Fluorescence Resonance Energy Transfer Probe Sets. Journal of Clinical Microbiology, 2004, 42, 5739-5744.	1.8	69
120	Gene marking in adeno-associated virus vector infected periosteum derived cells for cartilage repair. Journal of Rheumatology, 2002, 29, 2176-80.	1.0	10
121	Neuropathy of motor branch of median or ulnar nerve induced by midpalm ganglion. Journal of Hand Surgery, 2001, 26, 474-477.	0.7	32