

Bernd Gludovatz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3554419/bernd-gludovatz-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

8,272
citations

38
h-index

76
g-index

76
ext. papers

10,224
ext. citations

8.6
avg, IF

6.15
L-index

#	Paper	IF	Citations
72	Impact of test environment on the fracture resistance of cortical bone.. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022 , 129, 105155	4.1	0
71	Effect of heat treatment on the strength and fracture resistance of a laser powder bed fusion-processed 18Ni-300 maraging steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 143167	5.3	1
70	Design considerations for high entropy alloys in advanced nuclear applications. <i>Journal of Nuclear Materials</i> , 2022 , 567, 153814	3.3	4
69	Medium-range order dictates local hardness in bulk metallic glasses. <i>Materials Today</i> , 2021 , 44, 48-57	21.8	17
68	Fracture resistance of AlSi10Mg fabricated by laser powder bed fusion. <i>Acta Materialia</i> , 2021 , 211, 116869	6.4	27
67	Compositional variations in equiatomic CrMnFeCoNi high-entropy alloys. <i>Materials Characterization</i> , 2021 , 180, 111437	3.9	3
66	An in situ ambient and cryogenic transmission electron microscopy study of the effects of temperature on dislocation behavior in CrCoNi-based high-entropy alloys with low stacking-fault energy. <i>Applied Physics Letters</i> , 2021 , 119, 261903	3.4	0
65	Role of pre-existing shear band morphology in controlling the fracture behavior of a ZrTiCuNiAl bulk metallic glass. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 786, 139396	5.3	5
64	Anisotropic fracture resistance of avian eggshell. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020 , 110, 103888	4.1	2
63	Real-time observations of TRIP-induced ultrahigh strain hardening in a dual-phase CrMnFeCoNi high-entropy alloy. <i>Nature Communications</i> , 2020 , 11, 826	17.4	72
62	On the Room-Temperature Mechanical Properties of an Ion-Irradiated TiZrNbHfTa Refractory High Entropy Alloy. <i>Jom</i> , 2020 , 72, 130-138	2.1	19
61	Machine-learning assisted laser powder bed fusion process optimization for AlSi10Mg: New microstructure description indices and fracture mechanisms. <i>Acta Materialia</i> , 2020 , 201, 316-328	8.4	43
60	The role of collagen in the dermal armor of the boxfish. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 13825-13841	5.5	3
59	Nacre toughening due to cooperative plastic deformation of stacks of co-oriented aragonite platelets. <i>Communications Materials</i> , 2020 , 1,	6	10
58	On the onset of deformation twinning in the CrFeMnCoNi high-entropy alloy using a novel tensile specimen geometry. <i>Intermetallics</i> , 2019 , 110, 106469	3.5	15
57	Temperature and load-ratio dependent fatigue-crack growth in the CrMnFeCoNi high-entropy alloy. <i>Journal of Alloys and Compounds</i> , 2019 , 794, 525-533	5.7	45
56	On the Origins of Fracture Toughness in Advanced Teleosts: How the Swordfish Sword's Bone Structure and Composition Allow for Slashing under Water to Kill or Stun Prey. <i>Advanced Science</i> , 2019 , 6, 1900287	13.6	8

55	Mechanical Competence and Bone Quality Develop During Skeletal Growth. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1461-1472	6.3	28
54	Real-time nanoscale observation of deformation mechanisms in CrCoNi-based medium- to high-entropy alloys at cryogenic temperatures. <i>Materials Today</i> , 2019 , 25, 21-27	21.8	81
53	On the Fracture Behavior of Bulk Metallic Glasses. <i>Structural Integrity</i> , 2019 , 331-332	0.2	
52	Biomimetics: On the Origins of Fracture Toughness in Advanced Teleosts: How the Swordfish Sword's Bone Structure and Composition Allow for Slashing under Water to Kill or Stun Prey (Adv. Sci. 12/2019). <i>Advanced Science</i> , 2019 , 6, 1970072	13.6	1
51	Bioinspired nacre-like alumina with a bulk-metallic glass-forming alloy as a compliant phase. <i>Nature Communications</i> , 2019 , 10, 961	17.4	54
50	High-temperature damage-tolerance of coextruded, bioinspired (nacre-like) alumina/nickel compliant-phase ceramics. <i>Scripta Materialia</i> , 2019 , 158, 110-115	5.6	10
49	Fracture toughness of ultra-high molecular weight polyethylene: A basis for defining the crack-initiation toughness in polymers. <i>Journal of the Mechanics and Physics of Solids</i> , 2019 , 122, 435-449 ⁵		5
48	A study of size effects in bioinspired, nacre-like metal-compliant-phase (nickel-alumina) coextruded ceramics. <i>Acta Materialia</i> , 2018 , 148, 147-155	8.4	30
47	Increasing M2(dobdc) Loading in Selective Mixed-Matrix Membranes: A Rubber Toughening Approach. <i>Chemistry of Materials</i> , 2018 , 30, 1484-1495	9.6	34
46	Contributions of Material Properties and Structure to Increased Bone Fragility for a Given Bone Mass in the UCD-T2DM Rat Model of Type 2 Diabetes. <i>Journal of Bone and Mineral Research</i> , 2018 , 33, 1066-1075	6.3	30
45	Electrically reversible cracks in an intermetallic film controlled by an electric field. <i>Nature Communications</i> , 2018 , 9, 41	17.4	42
44	On the understanding of the effects of sample size on the variability in fracture toughness of bulk metallic glasses. <i>Acta Materialia</i> , 2017 , 126, 494-506	8.4	27
43	Dislocation mechanisms and 3D twin architectures generate exceptional strength-ductility-toughness combination in CrCoNi medium-entropy alloy. <i>Nature Communications</i> , 2017 , 8, 14390	17.4	231
42	Effect of temperature on the fatigue-crack growth behavior of the high-entropy alloy CrMnFeCoNi. <i>Intermetallics</i> , 2017 , 88, 65-72	3.5	110
41	Multiscale structure and damage tolerance of coconut shells. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017 , 76, 76-84	4.1	27
40	Synchrotron X-ray micro-tomography at the Advanced Light Source: Developments in high-temperature in-situ mechanical testing. <i>Journal of Physics: Conference Series</i> , 2017 , 849, 012043	0.3	6
39	Atypical fracture with long-term bisphosphonate therapy is associated with altered cortical composition and reduced fracture resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 8722-8727	11.5	94
38	Osteocyte-Intrinsic TGF- β Signaling Regulates Bone Quality through Perilacunar/Canalicular Remodeling. <i>Cell Reports</i> , 2017 , 21, 2585-2596	10.6	71

37	Damage tolerance of nuclear graphite at elevated temperatures. <i>Nature Communications</i> , 2017 , 8, 15942	7.4	20
36	Intrinsic mechanical behavior of femoral cortical bone in young, osteoporotic and bisphosphonate-treated individuals in low- and high energy fracture conditions. <i>Scientific Reports</i> , 2016 , 6, 21072	4.9	44
35	Exceptional damage-tolerance of a medium-entropy alloy CrCoNi at cryogenic temperatures. <i>Nature Communications</i> , 2016 , 7, 10602	17.4	711
34	Notch fatigue of ultrahigh molecular weight polyethylene (UHMWPE) used in total joint replacements. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016 , 60, 267-279	4.1	15
33	High temperature x-ray micro-tomography 2016 ,		3
32	Bioinspired Hydroxyapatite/Poly(methyl methacrylate) Composite with a Nacre-Mimetic Architecture by a Bidirectional Freezing Method. <i>Advanced Materials</i> , 2016 , 28, 50-6	24	245
31	A Novel Approach to Developing Biomimetic ("Nacre-Like") Metal-Compliant-Phase (Nickel-Alumina) Ceramics through Coextrusion. <i>Advanced Materials</i> , 2016 , 28, 10061-10067	24	53
30	Developing strength and toughness in bio-inspired silicon carbide hybrid materials containing a compliant phase. <i>Acta Materialia</i> , 2015 , 98, 141-151	8.4	87
29	On the tear resistance of skin. <i>Nature Communications</i> , 2015 , 6, 6649	17.4	206
28	Alendronate treatment alters bone tissues at multiple structural levels in healthy canine cortical bone. <i>Bone</i> , 2015 , 81, 352-363	4.7	45
27	Processing, Microstructure and Mechanical Properties of the CrMnFeCoNi High-Entropy Alloy. <i>Jom</i> , 2015 , 67, 2262-2270	2.1	135
26	Modifications to nano- and microstructural quality and the effects on mechanical integrity in Paget's disease of bone. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 264-73	6.3	40
25	Nanoscale origins of the damage tolerance of the high-entropy alloy CrMnFeCoNi. <i>Nature Communications</i> , 2015 , 6, 10143	17.4	451
24	Size-dependent fracture toughness of bulk metallic glasses. <i>Acta Materialia</i> , 2014 , 70, 198-207	8.4	79
23	Fracture resistance of human cortical bone across multiple length-scales at physiological strain rates. <i>Biomaterials</i> , 2014 , 35, 5472-81	15.6	100
22	Protective role of Arapaima gigas fish scales: structure and mechanical behavior. <i>Acta Biomaterialia</i> , 2014 , 10, 3599-614	10.8	115
21	A fracture-resistant high-entropy alloy for cryogenic applications. <i>Science</i> , 2014 , 345, 1153-8	33.3	2700
20	On the development of ice-templated silicon carbide scaffolds for nature-inspired structural materials. <i>Acta Materialia</i> , 2013 , 61, 6948-6957	8.4	73

19	A brief summary of the progress on the EFDA tungsten materials program. <i>Journal of Nuclear Materials</i> , 2013 , 442, S173-S180	3.3	63
18	Structure and fracture resistance of alligator gar (<i>Atractosteus spatula</i>) armored fish scales. <i>Acta Biomaterialia</i> , 2013 , 9, 5876-89	10.8	86
17	Enhanced fatigue endurance of metallic glasses through a staircase-like fracture mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 18419-24	11.5	36
16	Mechanical adaptability of the Bouligand-type structure in natural dermal armour. <i>Nature Communications</i> , 2013 , 4, 2634	17.4	202
15	A study into the crack propagation resistance of pure tungsten. <i>Engineering Fracture Mechanics</i> , 2013 , 100, 76-85	4.2	18
14	Tetrapod nanocrystals as fluorescent stress probes of electrospun nanocomposites. <i>Nano Letters</i> , 2013 , 13, 3915-22	11.5	54
13	Recent progress in research on tungsten materials for nuclear fusion applications in Europe. <i>Journal of Nuclear Materials</i> , 2013 , 432, 482-500	3.3	494
12	A Highly Fatigue-Resistant Zr-Based Bulk Metallic Glass. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2013 , 44, 5688-5693	2.3	28
11	Natural flexible dermal armor. <i>Advanced Materials</i> , 2013 , 25, 31-48	24	241
10	Nanocomposites of Titanium Dioxide and Polystyrene-Poly(ethylene oxide) Block Copolymer as Solid-State Electrolytes for Lithium Metal Batteries. <i>Journal of the Electrochemical Society</i> , 2013 , 160, A1611-A1617	3.9	89
9	On the fracture toughness of fine-grained Mo-3Si-1B (wt.%) alloys at ambient to elevated (1300°C) temperatures. <i>Intermetallics</i> , 2012 , 20, 141-154	3.5	34
8	Review on the EFDA programme on tungsten materials technology and science. <i>Journal of Nuclear Materials</i> , 2011 , 417, 463-467	3.3	139
7	Fracture behaviour of tungsten-manganese and tungsten-tantalum alloys and composites. <i>Journal of Nuclear Materials</i> , 2011 , 413, 166-176	3.3	85
6	Influence of impurities on the fracture behaviour of tungsten. <i>Philosophical Magazine</i> , 2011 , 91, 3006-3020	3.0	74
5	High temperature fracture experiments on tungsten-rhenium alloys. <i>International Journal of Refractory Metals and Hard Materials</i> , 2010 , 28, 692-697	4.1	65
4	Fracture toughness of polycrystalline tungsten alloys. <i>International Journal of Refractory Metals and Hard Materials</i> , 2010 , 28, 674-678	4.1	131
3	Technical parameters affecting grain refinement by high pressure torsion. <i>International Journal of Materials Research</i> , 2009 , 100, 1653-1661	0.5	142
2	Atom Probe Analysis of a Zr-based Bulk Metallic Glass. <i>Microscopy and Microanalysis</i> , 1-11	0.5	

1 Fracture properties of high-entropy alloys. *MRS Bulletin*,1

3.2 0