

Thomas Clausen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3554924/publications.pdf>

Version: 2024-02-01

124
papers

3,052
citations

201385

27
h-index

189595

50
g-index

133
all docs

133
docs citations

133
times ranked

3697
citing authors

#	ARTICLE	IF	CITATIONS
1	Cross-cultural adaptation of research instruments: language, setting, time and statistical considerations. <i>BMC Medical Research Methodology</i> , 2010, 10, 13.	1.4	453
2	Mortality prior to, during and after opioid maintenance treatment (OMT): A national prospective cross-registry study. <i>Drug and Alcohol Dependence</i> , 2008, 94, 151-157.	1.6	240
3	Prevalence and clinical relevance of corrected QT interval prolongation during methadone and buprenorphine treatment: a mortality assessment study. <i>Addiction</i> , 2009, 104, 993-999.	1.7	130
4	Mortality among opiate users: opioid maintenance therapy, age and causes of death. <i>Addiction</i> , 2009, 104, 1356-1362.	1.7	114
5	Engagement with opioid maintenance treatment and reductions in crime: a longitudinal national cohort study. <i>Addiction</i> , 2012, 107, 393-399.	1.7	94
6	High risk of overdose death following release from prison: variations in mortality during a 15-year observation period. <i>Addiction</i> , 2017, 112, 1432-1439.	1.7	92
7	COVID-19 and Substance Use Disorders as Brain Diseases: Recommendations to a Comprehensive Healthcare Response. An International Society of Addiction Medicine (ISAM) Practice and Policy Interest Group Position Paper. <i>Basic and Clinical Neuroscience</i> , 2020, 11, 133-150.	0.3	74
8	Quality of life improved following in-patient substance use disorder treatment. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 35.	1.0	70
9	Prescribed opioid analgesic use developments in three Nordic countries, 2006–2017. <i>Scandinavian Journal of Pain</i> , 2019, 19, 345-353.	0.5	66
10	Many correlates of poor quality of life among substance users entering treatment are not addiction-specific. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 39.	1.0	64
11	Group exercise to improve quality of life among substance use disorder patients. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 146-152.	1.2	62
12	Predictors of food variety and dietary diversity among older persons in Botswana. <i>Nutrition</i> , 2005, 21, 86-95.	1.1	59
13	Alcohol abstinence and drinking among African women: data from the World Health Surveys. <i>BMC Public Health</i> , 2011, 11, 160.	1.2	59
14	Diverse alcohol drinking patterns in 20 African countries. <i>Addiction</i> , 2009, 104, 1147-1154.	1.7	58
15	How handling missing data may impact conclusions: A comparison of six different imputation methods for categorical questionnaire data. <i>SAGE Open Medicine</i> , 2019, 7, 205031211882291.	0.7	54
16	Criminal convictions among dependent heroin users during a 3-year period prior to opioid maintenance treatment: A longitudinal national cohort study. <i>Journal of Substance Abuse Treatment</i> , 2011, 41, 407-414.	1.5	46
17	Rapid widespread distribution of intranasal naloxone for overdose prevention. <i>Drug and Alcohol Dependence</i> , 2017, 173, 17-23.	1.6	45
18	Diversity in causes and characteristics of drug-induced deaths in an urban setting. <i>Scandinavian Journal of Public Health</i> , 2013, 41, 119-125.	1.2	39

#	ARTICLE	IF	CITATIONS
19	Motivational intervention to enhance post-detoxification 12-step group affiliation: a randomized controlled trial. <i>Addiction</i> , 2014, 109, 766-773.	1.7	38
20	Naloxone distribution and possession following a large-scale naloxone programme. <i>Addiction</i> , 2019, 114, 92-100.	1.7	35
21	'Diversion'™ of methadone or buprenorphine: 'harm'™ versus 'helping'™. <i>Harm Reduction Journal</i> , 2013, 10, 24.	1.3	33
22	From methadone to buprenorphine: Changes during a 10-year period within a national opioid maintenance treatment programme. <i>Journal of Substance Abuse Treatment</i> , 2014, 46, 291-294.	1.5	33
23	Diminished mental- and physical function and lack of social support are associated with shorter survival in community dwelling older persons of Botswana. <i>BMC Public Health</i> , 2007, 7, 144.	1.2	32
24	Cardiovascular disease among people with drug use disorders. <i>International Journal of Public Health</i> , 2015, 60, 659-668.	1.0	31
25	Methadone, QTc interval prolongation and <i>torsade de pointes</i> : Case reports offer the best understanding of this problem. <i>Therapeutic Advances in Psychopharmacology</i> , 2013, 3, 219-232.	1.2	30
26	Methadone-Related Overdose Deaths in a Liberal Opioid Maintenance Treatment Programme. <i>European Addiction Research</i> , 2016, 22, 249-258.	1.3	29
27	Mortality and causes of death among patients with opioid use disorder receiving opioid agonist treatment: a national register study. <i>BMC Health Services Research</i> , 2019, 19, 440.	0.9	29
28	Reductions in convictions for violent crime during opioid maintenance treatment: A longitudinal national cohort study. <i>Drug and Alcohol Dependence</i> , 2012, 124, 307-310.	1.6	27
29	Factors associated with dropout among patients in opioid maintenance treatment (OMT) and predictors of re-entry. A national registry-based study. <i>Addictive Behaviors</i> , 2014, 39, 1504-1509.	1.7	27
30	Improved drug-use patterns at 6 months post-discharge from inpatient substance use disorder treatment: results from compulsorily and voluntarily admitted patients. <i>BMC Health Services Research</i> , 2016, 16, 291.	0.9	27
31	Open drug scenes: responses of five European cities. <i>BMC Public Health</i> , 2014, 14, 853.	1.2	25
32	Utilizing a train-the-trainer model for multi-site naloxone distribution programs. <i>Drug and Alcohol Dependence</i> , 2016, 163, 153-156.	1.6	24
33	Perceived quality of life, 6 months after detoxification: Is abstinence a modifying factor?. <i>Quality of Life Research</i> , 2016, 25, 2315-2322.	1.5	23
34	Substance use pattern, self-control and social network are associated with crime in a substance-using population. <i>Drug and Alcohol Review</i> , 2017, 36, 245-252.	1.1	22
35	Attitudes towards 12-step groups and referral practices in a 12-step naive treatment culture; a survey of addiction professionals in Norway. <i>BMC Health Services Research</i> , 2009, 9, 147.	0.9	21
36	Building abstinent networks is an important resource in improving quality of life. <i>Drug and Alcohol Dependence</i> , 2017, 180, 431-438.	1.6	21

#	ARTICLE	IF	CITATIONS
37	Differences in combinations and concentrations of drugs of abuse in fatal intoxication and driving under the influence cases. <i>Forensic Science International</i> , 2017, 281, 127-133.	1.3	21
38	Dissatisfaction with opioid maintenance treatment partly explains reported side effects of medications. <i>Drug and Alcohol Dependence</i> , 2018, 187, 22-28.	1.6	21
39	COVID-19 survey among people who use drugs in three cities in Norway. <i>Drug and Alcohol Dependence</i> , 2020, 217, 108302.	1.6	21
40	Obstacles to 12-step group participation as seen by addiction professionals: Comparing Norway to the United States. <i>Journal of Substance Abuse Treatment</i> , 2010, 39, 210-217.	1.5	19
41	Quality of life and social engagement of alcohol abstainers and users among older adults in South Africa. <i>BMC Public Health</i> , 2014, 14, 316.	1.2	18
42	Depression and Its Correlates in South Africa and Ghana among People Aged 50 and Above: Findings from the WHO Study on Global Ageing and Adult Health. <i>African Journal of Psychiatry</i> , 2014, 17, .	0.1	18
43	Attention Deficit Hyperactivity Disorder Symptoms are Common in Patients in Opioid Maintenance Treatment. <i>European Addiction Research</i> , 2017, 23, 298-305.	1.3	17
44	Treatment of polydrug-using opiate dependents during withdrawal: towards a standardisation of treatment. <i>BMC Psychiatry</i> , 2006, 6, 54.	1.1	16
45	Factors associated with involuntary admissions among patients with substance use disorders and comorbidity: a cross-sectional study. <i>BMC Health Services Research</i> , 2013, 13, 57.	0.9	16
46	Predicting patient post-detoxification engagement in 12-step groups with an extended version of the theory of planned behavior. <i>Addiction Science & Clinical Practice</i> , 2015, 10, 15.	1.2	16
47	Validating the generic quality of life tool "QOL10" in a substance use disorder treatment cohort exposes a unique social construct. <i>BMC Medical Research Methodology</i> , 2016, 16, 60.	1.4	16
48	Readiness to change among involuntarily and voluntarily admitted patients with substance use disorders. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019, 14, 47.	1.0	16
49	Staff attitudes and the associations with treatment organisation, clinical practices and outcomes in opioid maintenance treatment. <i>BMC Health Services Research</i> , 2010, 10, 194.	0.9	15
50	Opioid maintenance patients with QTc prolongation: Congenital long QT syndrome mutation may be a contributing risk factor. <i>Drug and Alcohol Dependence</i> , 2010, 112, 216-219.	1.6	15
51	A day-by-day investigation of changes in criminal convictions before and after entering and leaving opioid maintenance treatment: a national cohort study. <i>BMC Psychiatry</i> , 2013, 13, 262.	1.1	15
52	Perceived coercion to enter treatment among involuntarily and voluntarily admitted patients with substance use disorders. <i>BMC Health Services Research</i> , 2016, 16, 656.	0.9	15
53	Benzodiazepine prescription for patients in treatment for drug use disorders: a nationwide cohort study in Denmark, 2000-2010. <i>BMC Psychiatry</i> , 2016, 16, 168.	1.1	15
54	Mental distress following inpatient substance use treatment, modified by substance use; comparing voluntary and compulsory admissions. <i>BMC Health Services Research</i> , 2017, 17, 5.	0.9	15

#	ARTICLE	IF	CITATIONS
55	Performance of the WHOQOL-BREF among Norwegian substance use disorder patients. <i>BMC Medical Research Methodology</i> , 2019, 19, 44.	1.4	15
56	Quality of Life in Patients with Substance Use Disorders Admitted to Detoxification Compared with those Admitted to Hospitals for Medical Disorders: Follow-Up Results. <i>Substance Abuse: Research and Treatment</i> , 2016, 10, SART.S39192.	0.5	14
57	Large and non-specific somatic disease burdens among ageing, long-term opioid maintenance treatment patients. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020, 15, 87.	1.0	14
58	The courage to change: Patient perceptions of 12-Step fellowships. <i>BMC Health Services Research</i> , 2011, 11, 339.	0.9	13
59	Ambulance-Attended Opioid Overdoses: An Examination into Overdose Locations and the Role of a Safe Injection Facility. <i>Substance Abuse</i> , 2019, 40, 383-388.	1.1	13
60	The collectivity of drinking cultures: is the theory applicable to African settings?. <i>Addiction</i> , 2013, 108, 1612-1617.	1.7	12
61	Alcohol Consumption at Any Level Increases Risk of Injury Caused by Others: Data from the Study on Global AGEing and Adult Health. <i>Substance Abuse: Research and Treatment</i> , 2015, 9s2, SART.S23549.	0.5	12
62	The Norwegian Offender Mental Health and Addiction Study – Design and Implementation of a National Survey and Prospective Cohort Study. <i>Substance Abuse: Research and Treatment</i> , 2015, 9s2, SART.S23546.	0.5	12
63	Circumstances surrounding non-fatal opioid overdoses attended by ambulance services. <i>Drug and Alcohol Review</i> , 2017, 36, 288-294.	1.1	12
64	Prescription of analgesics to patients in opioid maintenance therapy: A pharmacoepidemiological study. <i>Drug and Alcohol Dependence</i> , 2011, 116, 158-162.	1.6	11
65	Postmortem toxicological analyses of blood samples from 107 patients receiving opioid agonist treatment: substances detected and pooled opioid and benzodiazepine concentrations. <i>Addiction</i> , 2021, 116, 845-855.	1.7	11
66	Opioid related deaths in Norway in 2000–2019. <i>Drug and Alcohol Dependence</i> , 2022, 232, 109281.	1.6	11
67	Perceived Self-Control is Related to Mental Distress in Patients Entering Substance Use Disorder Treatment. <i>Substance Use and Misuse</i> , 2018, 53, 1454-1462.	0.7	10
68	Standards for opioid use disorder care: An assessment of Nordic approaches. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2019, 36, 286-298.	0.7	10
69	Execution of control among “non-compliant”™, imprisoned individuals in opioid maintenance treatment. <i>International Journal of Drug Policy</i> , 2014, 25, 480-485.	1.6	9
70	Factors associated with ongoing criminal engagement while in opioid maintenance treatment. <i>Journal of Substance Abuse Treatment</i> , 2017, 77, 52-56.	1.5	9
71	The clinical consequences of variable selection in multiple regression models: a case study of the Norwegian Opioid Maintenance Treatment program. <i>American Journal of Drug and Alcohol Abuse</i> , 2020, 46, 13-21.	1.1	9
72	The Mortality After Release from Incarceration Consortium (MARIC): Protocol for a multi-national, individual participant data meta-analysis. <i>International Journal of Population Data Science</i> , 2020, 5, 1145.	0.1	9

#	ARTICLE	IF	CITATIONS
73	Variations in treatment organisation, practices and outcomes within the Norwegian Opioid Maintenance Treatment Programme. <i>Norsk Epidemiologi</i> , 2011, 21, .	0.2	9
74	Patterns of Alcohol Consumption among Older Persons in Botswana. <i>Contemporary Drug Problems</i> , 2005, 32, 171-193.	0.7	8
75	The role of substance use and morality in violent crime - a qualitative study among imprisoned individuals in opioid maintenance treatment. <i>Harm Reduction Journal</i> , 2014, 11, 24.	1.3	8
76	Tramadol use in Norway: A register-based population study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 54-61.	0.9	7
77	Levels of Impulsivity, Hyperactivity, and Inattention and the Association with Mental Health and Substance Use Severity in Opioid-Dependent Patients Seeking Treatment with Extended-Release Naltrexone. <i>Journal of Clinical Medicine</i> , 2021, 10, 4558.	1.0	7
78	Kartlegging av alkoholbruk og røyking hos pasienter innlagt i medisinsk avdeling. <i>Tidsskrift for Den Norske Lægeforening</i> , 2015, 135, 1251-1255.	0.2	7
79	Opioid overdose deaths and the expansion of opioid agonist treatment: a population-based prospective cohort study. <i>Addiction</i> , 2022, 117, 1363-1371.	1.7	7
80	A rapid assessment of take-home naloxone provision during COVID-19 in Europe. <i>International Journal of Drug Policy</i> , 2022, 107, 103787.	1.6	7
81	Mortality is reduced while on opiate maintenance treatment, but there is a temporary increase in mortality immediately after starting and stopping treatment, a finding that may vary by setting. <i>Evidence-Based Medicine</i> , 2011, 16, 94-95.	0.6	6
82	Driving under the influence (DUI) among patients in opioid maintenance treatment (OMT): a registry-based national cohort study. <i>Addiction</i> , 2013, 108, 1954-1961.	1.7	6
83	Accounting for individual differences and timing of events: estimating the effect of treatment on criminal convictions in heroin users. <i>BMC Medical Research Methodology</i> , 2014, 14, 68.	1.4	6
84	Assessing understandings of substance use disorders among Norwegian treatment professionals, patients and the general public. <i>BMC Health Services Research</i> , 2016, 16, 52.	0.9	6
85	Principles for managing OUD related to chronic pain in the Nordic countries based on a structured assessment of current practice. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2018, 13, 22.	1.0	6
86	Opioid maintenance treatment in the Czech Republic, Norway and Denmark: a study protocol of a comparative registry linkage study. <i>BMJ Open</i> , 2021, 11, e047028.	0.8	6
87	Substance abuse in patients admitted voluntarily and involuntarily to acute psychiatric wards: a national cross-sectional study. <i>Norsk Epidemiologi</i> , 2011, 21, .	0.2	6
88	What lessons from Norway's experience could be applied in the United States in response to the addiction and overdose crisis?. <i>Addiction</i> , 2022, 117, 1192-1194.	1.7	6
89	Similarities and Differences in Victimization Risk Factors for Nonoffending and Offending Substance Users. <i>Victims and Offenders</i> , 2018, 13, 526-541.	1.0	5
90	Rethinking "carriage" of take-home naloxone. <i>International Journal of Drug Policy</i> , 2021, 95, 103253.	1.6	5

#	ARTICLE	IF	CITATIONS
91	Pasienter som avbryter LAR-behandling – hvordan går det med dem?. Tidsskrift for Den Norske Lægeforening, 2014, 134, 1146-1149.	0.2	5
92	Take-Home Naloxone Kits: Attitudes and Likelihood-Of-Use Outcomes from a European Survey of Potential Overdose Witnesses. European Addiction Research, 2022, 28, 220-225.	1.3	5
93	Radical red tape reduction by government supported nasal naloxone: the Norwegian pilot project is innovative, safe and an important contribution to further development and dissemination of take-home naloxone. Addiction, 2016, 111, 586-587.	1.7	4
94	HRQoL and its association with clinical severity and service needs among individuals with a substance use disorder. Journal of Substance Use, 2017, 22, 524-530.	0.3	4
95	Emergency service use is common in the year before death among drug users who die from an overdose. Journal of Substance Use, 2017, 22, 331-336.	0.3	4
96	Hazardous Drinking Prevalence and Correlates in Older New Zealanders: A Comparison of the AUDIT-C and the CARET. Journal of Aging and Health, 2019, 31, 1770-1789.	0.9	4
97	A retrospective cohort study of medication dispensing at pharmacies: Administration matters!. Drug and Alcohol Dependence, 2021, 225, 108792.	1.6	4
98	Effects of acute exercise on drug craving in adults with poly-substance use disorder. A randomized controlled trial. Mental Health and Physical Activity, 2021, 21, 100423.	0.9	4
99	Fastlegers syn på legemiddelasistert rehabilitering. Tidsskrift for Den Norske Lægeforening, 2012, 132, 1861-1866.	0.2	4
100	Describing long-term opioid use utilizing Nordic prescription registers – A Norwegian example. Basic and Clinical Pharmacology and Toxicology, 2022, 130, 481-491.	1.2	4
101	PriSUD-Nordic – Diagnosing and Treating Substance Use Disorders in the Prison Population: Protocol for a Mixed Methods Study. JMIR Research Protocols, 2022, 11, e35182.	0.5	4
102	Turn something bad into something good. British Journal of General Practice, 2012, 62, 32-32.	0.7	3
103	Coherent long-term treatment approaches – superior in the treatment of opioid dependence. Addiction, 2015, 110, 1006-1007.	1.7	3
104	The use of public health infrastructure probably the best strategy for national and large-scale naloxone distribution programmes. Addiction, 2016, 111, 1309-1310.	1.7	3
105	Misuse of prescription drugs and overdose deaths. Journal of Substance Use, 2016, 21, 515-520.	0.3	3
106	Confirming the factor structure of a generic quality of life instrument among pre-treatment substance use disorder patients. Health and Quality of Life Outcomes, 2019, 17, 84.	1.0	3
107	Organ pathologies detected post-mortem in patients receiving opioid agonist treatment for opioid use disorder: a nationwide 2-year cross-sectional study. Addiction, 2022, 117, 977-985.	1.7	3
108	Addiction Research Centres and the Nurturing of Creativity The Norwegian Centre for Addiction Research (SERAF). Addiction, 2011, 106, 1381-1385.	1.7	2

#	ARTICLE	IF	CITATIONS
109	Drug-related community issues and the required interventions in open drug scenes in Tehran, Iran: a qualitative study protocol. <i>BMJ Open</i> , 2019, 9, e030488.	0.8	2
110	Treatment Status and Use of Psychoactive Substances in Deceased Drug Users. <i>European Addiction Research</i> , 2020, 26, 57-65.	1.3	2
111	Injury Prevention and long-term Outcomes following Trauma—the IPOT project: a protocol for prospective nationwide registry-based studies in Norway. <i>BMJ Open</i> , 2021, 11, e046954.	0.8	2
112	Filled prescriptions for opioids among children and adolescents — a nationwide study from 2010 to 2018. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1475-1483.	0.7	2
113	The influence of programme differences on crime reduction in opioid maintenance treatment. An analysis of regional patterns in Norway. <i>Norsk Epidemiologi</i> , 2011, 21, .	0.2	2
114	Desistance from crime following substance use treatment: the role of treatment retention, social network and self-control. <i>BMC Psychiatry</i> , 2021, 21, 563.	1.1	2
115	Indicators of Drug-Related Community Impacts of Open Drug Scenes: A Scoping Review. <i>European Addiction Research</i> , 2022, 28, 87-102.	1.3	2
116	Who is using take-home naloxone? An examination of supersavers. <i>Harm Reduction Journal</i> , 2022, 19, .	1.3	2
117	A COVID-19 Survey among People Who Use Drugs in Norway. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7002.	1.2	2
118	Successful outcomes with low-threshold intervention for cannabis use disorders in Norway - an observational study. <i>PLoS ONE</i> , 2022, 17, e0269988.	1.1	2
119	Twenty-five years of expectation: where are the services for older people with mental illness in Africa?. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2010, 7, 32-34.	0.2	1
120	Re: Pasienter som avbryter LAR-behandling — hvordan går det med dem?. <i>Tidsskrift for Den Norske Lægeforening</i> , 2014, 134, 1548-1549.	0.2	1
121	Staff preferences towards electronic data collection from a national take-home naloxone program: a cross-sectional study. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2022, 17, 13.	1.0	1
122	Psychiatric disorders in a population of deceased drug users. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 472-478.	0.7	0
123	Standardisert avrusning ved blandingsmisbruk. <i>Tidsskrift for Den Norske Lægeforening</i> , 2016, 136, 1639-1642.	0.2	0
124	Twenty-five years of expectation: where are the services for older people with mental illness in Africa?. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2010, 7, 32-34.	0.2	0