

Gunther Marsche

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3555455/gunther-marsche-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

4,510
citations

37
h-index

63
g-index

138
ext. papers

5,260
ext. citations

6.2
avg, IF

5.39
L-index

#	Paper	IF	Citations
122	The matrix component biglycan is proinflammatory and signals through Toll-like receptors 4 and 2 in macrophages. <i>Journal of Clinical Investigation</i> , 2005 , 115, 2223-33	15.9	621
121	Uremia alters HDL composition and function. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 1631-41	12.7	203
120	Role of serum amyloid A during metabolism of acute-phase HDL by macrophages. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 763-72	9.4	200
119	Modification of low-density lipoprotein by myeloperoxidase-derived oxidants and reagent hypochlorous acid. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006 , 1761, 392-415	5.5	138
118	Human endothelial cells of the placental barrier efficiently deliver cholesterol to the fetal circulation via ABCA1 and ABCG1. <i>Circulation Research</i> , 2009 , 104, 600-8	15.7	129
117	Psoriasis alters HDL composition and cholesterol efflux capacity. <i>Journal of Lipid Research</i> , 2012 , 53, 1618-24	6.3	109
116	Protein carbamylation renders high-density lipoprotein dysfunctional. <i>Antioxidants and Redox Signaling</i> , 2011 , 14, 2337-46	8.4	109
115	E-type prostanoid receptor 4 (EP4) in disease and therapy. <i>Pharmacology & Therapeutics</i> , 2013 , 138, 485-502	5.9	101
114	2-chlorohexadecanal derived from hypochlorite-modified high-density lipoprotein-associated plasmalogen is a natural inhibitor of endothelial nitric oxide biosynthesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 2302-6	9.4	100
113	Hypochlorite-modified high density lipoprotein, a high affinity ligand to scavenger receptor class B, type I, impairs high density lipoprotein-dependent selective lipid uptake and reverse cholesterol transport. <i>Journal of Biological Chemistry</i> , 2002 , 277, 32172-9	5.4	100
112	Hypochlorite-modified low density lipoprotein inhibits nitric oxide synthesis in endothelial cells via an intracellular dislocalization of endothelial nitric-oxide synthase. <i>Journal of Biological Chemistry</i> , 2001 , 276, 14212-21	5.4	91
111	Inflammation alters HDL composition and function: implications for HDL-raising therapies. <i>Pharmacology & Therapeutics</i> , 2013 , 137, 341-51	13.9	77
110	Plasma-advanced oxidation protein products are potent high-density lipoprotein receptor antagonists in vivo. <i>Circulation Research</i> , 2009 , 104, 750-7	15.7	76
109	Myeloperoxidase-mediated oxidation of high-density lipoproteins: fingerprints of newly recognized potential proatherogenic lipoproteins. <i>Archives of Biochemistry and Biophysics</i> , 2006 , 445, 245-55	4.1	76
108	Understanding high-density lipoprotein function in disease: recent advances in proteomics unravel the complexity of its composition and biology. <i>Progress in Lipid Research</i> , 2014 , 56, 36-46	14.3	73
107	Redox state of human serum albumin in terms of cysteine-34 in health and disease. <i>Methods in Enzymology</i> , 2010 , 474, 181-95	1.7	72
106	Aging affects high-density lipoprotein composition and function. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013 , 1831, 1442-8	5	69

105	Myeloperoxidase-derived chlorinating species induce protein carbamylation through decomposition of thiocyanate and urea: novel pathways generating dysfunctional high-density lipoprotein. <i>Antioxidants and Redox Signaling</i> , 2012 , 17, 1043-52	8.4	66
104	The prostaglandin E2 receptor EP4 is expressed by human platelets and potently inhibits platelet aggregation and thrombus formation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 2416-23	9.4	64
103	Butyrate ameliorates allergic airway inflammation by limiting eosinophil trafficking and survival. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 144, 764-776	11.5	63
102	The GPR55 antagonist CID16020046 protects against intestinal inflammation. <i>Neurogastroenterology and Motility</i> , 2015 , 27, 1432-45	4	61
101	Association between higher plasma lutein, zeaxanthin, and vitamin C concentrations and longer telomere length: results of the Austrian Stroke Prevention Study. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 222-9	5.6	59
100	Identification of the human analog of SR-BI and LOX-1 as receptors for hypochlorite-modified high density lipoprotein on human umbilical venous endothelial cells. <i>FASEB Journal</i> , 2001 , 15, 1095-7	0.9	59
99	Dialysis Modalities and HDL Composition and Function. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 2267-76	12.7	58
98	Class B scavenger receptors CD36 and SR-BI are receptors for hypochlorite-modified low density lipoprotein. <i>Journal of Biological Chemistry</i> , 2003 , 278, 47562-70	5.4	57
97	Anti-psoriatic therapy recovers high-density lipoprotein composition and function. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 635-642	4.3	56
96	Early remodeling of perinuclear Ca ²⁺ stores and nucleoplasmic Ca ²⁺ signaling during the development of hypertrophy and heart failure. <i>Circulation</i> , 2014 , 130, 244-55	16.7	54
95	Hypochlorite-modified albumin colocalizes with RAGE in the artery wall and promotes MCP-1 expression via the RAGE-Erk1/2 MAP-kinase pathway. <i>FASEB Journal</i> , 2007 , 21, 1145-52	0.9	50
94	Human neutrophils employ the myeloperoxidase/hydrogen peroxide/chloride system to oxidatively damage apolipoprotein A-I. <i>FEBS Journal</i> , 2001 , 268, 3523-31		47
93	Liver disease alters high-density lipoprotein composition, metabolism and function. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016 , 1861, 630-8	5	47
92	The lipidation status of acute-phase protein serum amyloid A determines cholesterol mobilization via scavenger receptor class B, type I. <i>Biochemical Journal</i> , 2007 , 402, 117-24	3.8	45
91	Activated prostaglandin D2 receptors on macrophages enhance neutrophil recruitment into the lung. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 137, 833-43	11.5	42
90	Endothelial E-type prostanoid 4 receptors promote barrier function and inhibit neutrophil trafficking. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 532-40.e1-2	11.5	42
89	The urea decomposition product cyanate promotes endothelial dysfunction. <i>Kidney International</i> , 2014 , 86, 923-31	9.9	40
88	Distinct composition of human fetal HDL attenuates its anti-oxidative capacity. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013 , 1831, 737-46	5	40

87	EP4 receptor stimulation down-regulates human eosinophil function. <i>Cellular and Molecular Life Sciences</i> , 2011 , 68, 3573-87	10.3	40
86	Hypochlorite-modified high-density lipoprotein acts as a sink for myeloperoxidase in vitro. <i>Cardiovascular Research</i> , 2008 , 79, 187-94	9.9	37
85	Cardiovascular complications in inflammatory bowel disease. <i>Current Drug Targets</i> , 2015 , 16, 181-8	3	36
84	HDL Cholesterol Efflux Capacity and Cardiovascular Events in Patients With Chronic Kidney Disease. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 246-247	15.1	33
83	Restoration of renal function does not correct impairment of uremic HDL properties. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 565-75	12.7	32
82	HDL-related biomarkers are robust predictors of survival in patients with chronic liver failure. <i>Journal of Hepatology</i> , 2020 , 73, 113-120	13.4	29
81	Impaired capacity of acute-phase high density lipoprotein particles to deliver cholesteryl ester to the human HUH-7 hepatoma cell line. <i>International Journal of Biochemistry and Cell Biology</i> , 2002 , 34, 370-81	5.6	29
80	Neutrophil effector responses are suppressed by secretory phospholipase A2 modified HDL. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2015 , 1851, 184-93	5	28
79	Gestational diabetes mellitus modulates neonatal high-density lipoprotein composition and its functional heterogeneity. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014 , 1841, 1619-27	5	28
78	Hydrolase Domain-containing 6 (ABHD6) Degrades the Late Endosomal/Lysosomal Lipid Bis(monoacylglycero)phosphate. <i>Journal of Biological Chemistry</i> , 2015 , 290, 29869-81	5.4	28
77	Cyanate is a novel inducer of endothelial icam-1 expression. <i>Antioxidants and Redox Signaling</i> , 2012 , 16, 129-37	8.4	28
76	Endothelium-derived prostaglandin I(2) controls the migration of eosinophils. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 125, 1105-13	11.5	27
75	Refined purification strategy for reliable proteomic profiling of HDL: Impact on proteomic complexity. <i>Scientific Reports</i> , 2016 , 6, 38533	4.9	27
74	O-1602, an atypical cannabinoid, inhibits tumor growth in colitis-associated colon cancer through multiple mechanisms. <i>Journal of Molecular Medicine</i> , 2013 , 91, 449-58	5.5	26
73	Microwave-assisted high-throughput acid hydrolysis in silicon carbide microtiter platforms--a rapid and low volume sample preparation technique for total amino acid analysis in proteins and peptides. <i>Journal of Chromatography A</i> , 2010 , 1217, 7826-32	4.5	25
72	Adiponectin Predicts High-Density Lipoprotein Cholesterol Efflux Capacity in Adults Irrespective of Body Mass Index and Fat Distribution. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 4117-4123	5.6	24
71	Opposing roles of prostaglandin D2 receptors in ulcerative colitis. <i>Journal of Immunology</i> , 2014 , 193, 827-39	5.3	24
70	HDL structure and function is profoundly affected when stored frozen in the absence of cryoprotectants. <i>Journal of Lipid Research</i> , 2017 , 58, 2220-2228	6.3	23

69	Interaction of eosinophils with endothelial cells is modulated by prostaglandin EP4 receptors. <i>European Journal of Immunology</i> , 2011 , 41, 2379-89	6.1	22
68	Soluble RAGE blocks scavenger receptor CD36-mediated uptake of hypochlorite-modified low-density lipoprotein. <i>FASEB Journal</i> , 2007 , 21, 3075-82	0.9	22
67	HDL functionality and cardiovascular outcome among nondialysis chronic kidney disease patients. <i>Journal of Lipid Research</i> , 2018 , 59, 1256-1265	6.3	22
66	The Role of PGE in Alveolar Epithelial and Lung Microvascular Endothelial Crosstalk. <i>Scientific Reports</i> , 2017 , 7, 7923	4.9	21
65	The myeloperoxidase product hypochlorous acid generates irreversible high-density lipoprotein receptor inhibitors. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 1020-7	9.4	21
64	Eosinophils Contribute to Intestinal Inflammation via Chemoattractant Receptor-homologous Molecule Expressed on Th2 Cells, CRTH2, in Experimental Crohn's Disease. <i>Journal of Crohn's and Colitis</i> , 2016 , 10, 1087-95	1.5	19
63	Fetal HDL/apoE: a novel regulator of gene expression in human placental endothelial cells. <i>Physiological Genomics</i> , 2011 , 43, 1255-62	3.6	19
62	Phospholipid transfer protein in the placental endothelium is affected by gestational diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 437-45	5.6	19
61	Effects of a multispecies synbiotic on glucose metabolism, lipid marker, gut microbiome composition, gut permeability, and quality of life in diabetes: a randomized, double-blind, placebo-controlled pilot study. <i>European Journal of Nutrition</i> , 2020 , 59, 2969-2983	5.2	19
60	Metrics of High-Density Lipoprotein Function and Hospital Mortality in Acute Heart Failure Patients. <i>PLoS ONE</i> , 2016 , 11, e0157507	3.7	19
59	Human myeloperoxidase (hMPO) is expressed in neurons in the substantia nigra in Parkinson's disease and in the hMPO-β-synuclein-A53T mouse model, correlating with increased nitration and aggregation of β-synuclein and exacerbation of motor impairment. <i>Free Radical Biology and Medicine</i> , 2019 , 141, 115-140	7.8	18
58	A biased non-GiαOXE-R antagonist demonstrates that Giα protein subunit is not directly involved in neutrophil, eosinophil, and monocyte activation by 5-oxo-EET. <i>Journal of Immunology</i> , 2014 , 192, 4774-4782	5.2	18
57	Atrial fibrillation is associated with alterations in HDL function, metabolism, and particle number. <i>Basic Research in Cardiology</i> , 2019 , 114, 27	11.8	17
56	An Updated Review of Pro- and Anti-Inflammatory Properties of Plasma Lysophosphatidylcholines in the Vascular System. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	17
55	Oxidized plasma albumin promotes platelet-endothelial crosstalk and endothelial tissue factor expression. <i>Scientific Reports</i> , 2016 , 6, 22104	4.9	17
54	Abnormal composition and function of high-density lipoproteins in atopic dermatitis patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 398-402	9.3	17
53	Serum Concentration of HDL Particles Predicts Mortality in Acute Heart Failure Patients. <i>Scientific Reports</i> , 2017 , 7, 46642	4.9	16
52	Activation of EP receptors prevents endotoxin-induced neutrophil infiltration into the airways and enhances microvascular barrier function. <i>British Journal of Pharmacology</i> , 2015 , 172, 4454-4468	8.6	16

51	Antipsoriatic treatment extends beyond the skin: recovering of high-density lipoprotein function. <i>Experimental Dermatology</i> , 2014 , 23, 701-4	4	16
50	Obesity-Related Changes in High-Density Lipoprotein Metabolism and Function. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	16
49	Allergic rhinitis is associated with complex alterations in high-density lipoprotein composition and function. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019 , 1864, 1280-1292	5	15
48	Impact of Endothelial Lipase on Cholesterol Efflux Capacity of Serum and High-density Lipoprotein. <i>Scientific Reports</i> , 2017 , 7, 12485	4.9	14
47	Secretory phospholipase A modified HDL rapidly and potently suppresses platelet activation. <i>Scientific Reports</i> , 2017 , 7, 8030	4.9	14
46	Current Understanding of the Relationship of HDL Composition, Structure and Function to Their Cardioprotective Properties in Chronic Kidney Disease. <i>Biomolecules</i> , 2020 , 10,	5.9	14
45	Endothelial lipase increases antioxidative capacity of high-density lipoprotein. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019 , 1864, 1363-1374	5	13
44	Lysophosphatidylcholines inhibit human eosinophil activation and suppress eosinophil migration in vivo. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020 , 1865, 158686	5	13
43	Apolipoprotein A-IV acts as an endogenous anti-inflammatory protein and is reduced in treatment-naïve allergic patients and allergen-challenged mice. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 392-402	9.3	13
42	Metabolic disease and ABHD6 alter the circulating bis(monoacylglycerol)phosphate profile in mice and humans. <i>Journal of Lipid Research</i> , 2019 , 60, 1020-1031	6.3	12
41	DP1 receptor signaling prevents the onset of intrinsic apoptosis in eosinophils and functions as a transcriptional modulator. <i>Journal of Leukocyte Biology</i> , 2018 , 104, 159-171	6.5	10
40	Mode of renal replacement therapy determines endotoxemia and neutrophil dysfunction in chronic kidney disease. <i>Scientific Reports</i> , 2016 , 6, 34534	4.9	10
39	Circulating cord blood HDL-S1P complex preserves the integrity of the fetoplacental vasculature. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020 , 1865, 158632	5	9
38	Identification of the human analog of SR-BI and LOX-1 as receptors for hypochlorite-modified high-density lipoprotein on human umbilical venous endothelial cells. <i>FASEB Journal</i> , 2001 , 15, 1095-1099	9	9
37	Obesity Affects HDL Metabolism, Composition and Subclass Distribution. <i>Biomedicines</i> , 2021 , 9,	4.8	9
36	Attenuation of atherogenic apo B-48-dependent hyperlipidemia and high density lipoprotein remodeling induced by vitamin C and E combination and their beneficial effect on lethal ischemic heart disease in mice. <i>Biological Research</i> , 2018 , 51, 34	7.6	9
35	Laropiprant attenuates EP3 and TP prostanoid receptor-mediated thrombus formation. <i>PLoS ONE</i> , 2012 , 7, e40222	3.7	8
34	High-Density Lipoprotein (HDL) in Allergy and Skin Diseases: Focus on Immunomodulating Functions. <i>Biomedicines</i> , 2020 , 8,	4.8	8

33	Metabolic Syndrome Modulates Association between Endothelial Lipase and Lipid/Lipoprotein Plasma Levels in Acute Heart Failure Patients. <i>Scientific Reports</i> , 2017 , 7, 1165	4.9	7
32	Maternal Gestational Diabetes Mellitus increases placental and foetal lipoprotein-associated Phospholipase A2 which might exert protective functions against oxidative stress. <i>Scientific Reports</i> , 2017 , 7, 12628	4.9	7
31	The EP3 Agonist Sulprostone Enhances Platelet Adhesion But Not Thrombus Formation Under Flow Conditions. <i>Pharmacology</i> , 2015 , 96, 137-43	2.3	7
30	Imatinib stimulates prostaglandin E and attenuates cytokine release via EP4 receptor activation. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 794-797.e10	11.5	7
29	Frontline Science: Superior mouse eosinophil depletion in vivo targeting transgenic Siglec-8 instead of endogenous Siglec-F: Mechanisms and pitfalls. <i>Journal of Leukocyte Biology</i> , 2020 , 108, 43-58	6.5	6
28	Current Understanding of the Immunomodulatory Activities of High-Density Lipoproteins. <i>Biomedicines</i> , 2021 , 9,	4.8	6
27	HDL subclasses and mortality in acute heart failure patients. <i>Clinica Chimica Acta</i> , 2019 , 490, 81-87	6.2	5
26	Metabolic regulation of the lysosomal cofactor bis(monoacylglycero)phosphate in mice. <i>Journal of Lipid Research</i> , 2020 , 61, 995-1003	6.3	5
25	Acute stimulation of the soluble guanylate cyclase does not impact on left ventricular capacitance in normal and hypertrophied porcine hearts in vivo. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 315, H669-H680	5.2	5
24	Myeloperoxidase: Growing importance in cancer pathogenesis and potential drug target. <i>Pharmacology & Therapeutics</i> , 2021 , 108052	13.9	5
23	Endothelial lipase increases eNOS activating capacity of high-density lipoprotein. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020 , 1865, 158612	5	5
22	Platelet-derived factors impair placental chorionic gonadotropin beta-subunit synthesis. <i>Journal of Molecular Medicine</i> , 2020 , 98, 193-207	5.5	5
21	Lipid-modifying therapy in chronic kidney disease: Pathophysiological and clinical considerations. <i>Pharmacology & Therapeutics</i> , 2020 , 207, 107459	13.9	5
20	Fetal High-Density Lipoproteins: Current Knowledge on Particle Metabolism, Composition and Function in Health and Disease. <i>Biomedicines</i> , 2021 , 9,	4.8	5
19	Branched-Chain Amino Acids Can Predict Mortality in ICU Sepsis Patients. <i>Nutrients</i> , 2021 , 13,	6.7	5
18	Arylesterase Activity of HDL Associated Paraoxonase as a Potential Prognostic Marker in Patients With Sepsis and Septic Shock-A Prospective Pilot Study. <i>Frontiers in Medicine</i> , 2020 , 7, 579677	4.9	4
17	High-Density Lipoprotein Function in Exudative Age-Related Macular Degeneration. <i>PLoS ONE</i> , 2016 , 11, e0154397	3.7	4
16	Role of Short Chain Fatty Acids and Apolipoproteins in the Regulation of Eosinophilia-Associated Diseases. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3

15	Endothelial Lipase Modulates Paraoxonase 1 Content and Arylesterase Activity of HDL. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
14	The anti-parasitic drug miltefosine suppresses activation of human eosinophils and ameliorates allergic inflammation in mice. <i>British Journal of Pharmacology</i> , 2021 , 178, 1234-1248	8.6	3
13	The complex high-density lipoprotein proteome: a matter of purification?. <i>Kidney International</i> , 2017 , 92, 1555	9.9	2
12	Dietary Strategies to Improve Cardiovascular Health: Focus on Increasing High-Density Lipoprotein Functionality. <i>Frontiers in Nutrition</i> , 2021 , 8, 761170	6.2	2
11	Prolonged bedrest reduces plasma high-density lipoprotein levels linked to markedly suppressed cholesterol efflux capacity. <i>Scientific Reports</i> , 2020 , 10, 15001	4.9	2
10	Emerging Role of Phospholipase-Derived Cleavage Products in Regulating Eosinophil Activity: Focus on Lysophospholipids, Polyunsaturated Fatty Acids and Eicosanoids. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
9	Comment on Mathew et al. Therapeutic Lifestyle Changes Improve HDL Function by Inhibiting Myeloperoxidase-Mediated Oxidation in Patients With Metabolic Syndrome. <i>Diabetes Care</i> 2018;41:2431-2437. <i>Diabetes Care</i> , 2019 , 42, e25	14.6	1
8	Quantifying the HDL proteome by mass spectrometry: how many proteins truly associate with HDL?. <i>European Journal of Heart Failure</i> , 2018 , 20, 1077	12.3	1
7	Impact of Sepsis on High-Density Lipoprotein Metabolism.. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 795460	5.7	1
6	Biological anti-psoriatic therapy profoundly affects high-density lipoprotein function. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021 , 1866, 158943	5	1
5	The Distinct Role of the HDL Receptor SR-BI in Cholesterol Homeostasis of Human Placental Arterial and Venous Endothelial Cells. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5364	6.3	1
4	Reply to: "Prognostic value of HDL-related biomarkers in patients with HBV-related ACLF". <i>Journal of Hepatology</i> , 2021 , 75, 245-246	13.4	0
3	Impaired cholesterol efflux capacity in patients with Helicobacter pylori infection and its relation with inflammation. <i>Journal of Clinical Lipidology</i> , 2021 , 15, 218-226.e1	4.9	0
2	Anti-inflammatory HDL effects are impaired in atrial fibrillation. <i>Heart and Vessels</i> , 2021 , 1	2.1	0
1	The authors reply. <i>Kidney International</i> , 2015 , 87, 861-2	9.9	