

Miguel A Lpez Manchado

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3556783/miguel-a-lopez-manchado-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163 papers	9,074 citations	49 h-index	92 g-index
168 ext. papers	10,037 ext. citations	5.2 avg, IF	6.22 L-index

#	Paper	IF	Citations
163	Unravelling the effect of healing conditions and vulcanizing additives on the healing performance of rubber networks. <i>Polymer</i> , 2021 , 238, 124399	3.9	0
162	Sustainable mobility: The route of tires through the circular economy model. <i>Waste Management</i> , 2021 , 126, 309-322	8.6	14
161	Interrelationship between feeding profiles and chains composition-morphology-mechanical properties for forced composition copolymers synthesized by redox initiation. <i>Journal of Polymer Research</i> , 2021 , 28, 1	2.7	
160	Effect of filler content on scratch behavior and tribological performance of polyester/graphene oxide nanocomposite coating 2021 , 18, 1269-1280		0
159	Synthesis of sustainable, lightweight and electrically conductive polymer brushes grafted multi-layer graphene oxide. <i>Polymer Testing</i> , 2021 , 93, 106986	4.5	4
158	On the Use of Mechano-Chemically Modified Ground Tire Rubber (GTR) as Recycled and Sustainable Filler in Styrene-Butadiene Rubber (SBR) Composites. <i>Journal of Composites Science</i> , 2021 , 5, 68	3	12
157	Understanding the Molecular Dynamics of Dual Crosslinked Networks by Dielectric Spectroscopy. <i>Polymers</i> , 2021 , 13,	4.5	3
156	Effect of terbium(III) species on the structure and physical properties of polyurethane (TPU). <i>Polymer</i> , 2021 , 233, 124209	3.9	0
155	SEBS-Grafted Itaconic Acid as Compatibilizer for Elastomer Nanocomposites Based on BaTiO Particles. <i>Polymers</i> , 2020 , 12,	4.5	4
154	Design of Rubber Composites with Autonomous Self-Healing Capability. <i>ACS Omega</i> , 2020 , 5, 1902-1910	3.9	39
153	Dielectric Properties of All-Organic Coatings: Comparison of PEDOT and PANI in Epoxy Matrices. <i>Journal of Composites Science</i> , 2020 , 4, 26	3	2
152	Preparation and Characterization of Highly Elastic Foams with Enhanced Electromagnetic Wave Absorption Based on Ethylene-Propylene-Diene-Monomer Rubber Filled with Barium Titanate/Multiwall Carbon Nanotube Hybrid. <i>Polymers</i> , 2020 , 12,	4.5	5
151	An effective and sustainable approach for achieving self-healing in nitrile rubber. <i>European Polymer Journal</i> , 2020 , 139, 110032	5.2	18
150	Evolution of self-healing elastomers, from extrinsic to combined intrinsic mechanisms: a review. <i>Materials Horizons</i> , 2020 , 7, 2882-2902	14.4	87
149	Multifunctional metal-free rechargeable polymer composite nanoparticles boosted by CO ₂ . <i>Materials Today Sustainability</i> , 2020 , 10, 100048	5	
148	Structure, thermal and mechanical properties of poly (ε-caprolactone)/organomodified clay bionanocomposites prepared in open air by in situ polymerization. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2020 , 57, 865-875	2.2	3
147	Conductive elastomer engineering in extreme environments 2020 , 235-255		

146	HDPE/Chitosan Composites Modified with PE-g-MA. Thermal, Morphological and Antibacterial Analysis. <i>Polymers</i> , 2019 , 11,	4.5	8
145	Structural characterization and thermal degradation of poly(methylmethacrylate)/zinc oxide nanocomposites. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2019 , 56, 189-196	2.2	6
144	Removal of Surfactant from Nanocomposites Films Based on Thermally Reduced Graphene Oxide and Natural Rubber. <i>Journal of Composites Science</i> , 2019 , 3, 31	3	4
143	Transport Properties of One-Step Compression Molded Epoxy Nanocomposite Foams. <i>Polymers</i> , 2019 , 11,	4.5	3
142	Thermo-reversible crosslinked natural rubber: A Diels-Alder route for reuse and self-healing properties in elastomers. <i>Polymer</i> , 2019 , 175, 15-24	3.9	50
141	Multifunctional Silicone Rubber Nanocomposites by Controlling the Structure and Morphology of Graphene Material. <i>Polymers</i> , 2019 , 11,	4.5	13
140	Electro-mechanical actuation performance of SEBS/PU blends. <i>Polymer</i> , 2019 , 171, 25-33	3.9	19
139	Preparation and Mechanical Properties of Graphene/Carbon Fiber-Reinforced Hierarchical Polymer Composites. <i>Journal of Composites Science</i> , 2019 , 3, 30	3	25
138	In-situ cure monitoring of epoxy/graphene nanocomposites by several spectroscopic techniques. <i>Polymer Testing</i> , 2019 , 80, 106114	4.5	5
137	Giving a Second Opportunity to Tire Waste: An Alternative Path for the Development of Sustainable Self-Healing Styrene-Butadiene Rubber Compounds Overcoming the Magic Triangle of Tires. <i>Polymers</i> , 2019 , 11,	4.5	25
136	A Methodology Towards Mechanical Properties Optimization of Three-Component Polymers by the Gradual Variation of Feed Composition in Semi-Continuous Emulsion-Free Radical Polymerization. <i>Polymers</i> , 2019 , 11,	4.5	2
135	Synergistic icephobic behaviour of swollen nitrile butadiene rubber graphene and/or carbon nanotube composites. <i>Composites Part B: Engineering</i> , 2019 , 166, 352-360	10	10
134	Synthesis of fluorinated graphene oxide by using an easy one-pot deoxyfluorination reaction. <i>Journal of Colloid and Interface Science</i> , 2018 , 524, 219-226	9.3	21
133	Nitrile butadiene rubber composites reinforced with reduced graphene oxide and carbon nanotubes show superior mechanical, electrical and icephobic properties. <i>Composites Science and Technology</i> , 2018 , 166, 109-114	8.6	31
132	Main structural features of graphene materials controlling the transport properties of epoxy resin-based composites. <i>European Polymer Journal</i> , 2018 , 101, 56-65	5.2	14
131	A comparative study on the mechanical, electrical and piezoresistive properties of polymer composites using carbon nanostructures of different topology. <i>European Polymer Journal</i> , 2018 , 99, 394-402	5.2	31
130	Epoxy Nanocomposites Filled with Carbon Nanoparticles. <i>Chemical Record</i> , 2018 , 18, 928-939	6.6	13
129	Design of a new generation of sustainable SBR compounds with good trade-off between mechanical properties and self-healing ability. <i>European Polymer Journal</i> , 2018 , 106, 273-283	5.2	22

128	Rubber Nanocomposites for Extreme Environments: Critics and Counterintuitive Solutions. <i>Frontiers in Materials</i> , 2018 , 5,	4	2
127	Customizing thermally-reduced graphene oxides for electrically conductive or mechanical reinforced epoxy nanocomposites. <i>European Polymer Journal</i> , 2017 , 93, 1-7	5.2	21
126	Facile and Scalable One-Step Method for Amination of Graphene Using Leuckart Reaction. <i>Chemistry of Materials</i> , 2017 , 29, 6698-6705	9.6	24
125	Development of conductive paraffin/graphene films laminated on fluoroelastomers with high strain recovery and anti-corrosive properties. <i>Composites Science and Technology</i> , 2017 , 149, 254-261	8.6	9
124	Influence of the morphology of carbon nanostructures on the piezoresistivity of hybrid natural rubber nanocomposites. <i>Composites Part B: Engineering</i> , 2017 , 109, 147-154	10	35
123	Effect of the morphology of thermally reduced graphite oxide on the mechanical and electrical properties of natural rubber nanocomposites. <i>Composites Part B: Engineering</i> , 2016 , 87, 350-356	10	67
122	Thermally reduced graphene is a permissive material for neurons and astrocytes and de novo neurogenesis in the adult olfactory bulb in vivo. <i>Biomaterials</i> , 2016 , 82, 84-93	15.6	35
121	Evaluation of Biocompatibility of Uncoated Thermally Reduced Graphene and Carbon Nanotube-Loaded PVDF Membranes with Adult Neural Stem Cell-Derived Neurons and Glia. <i>Frontiers in Bioengineering and Biotechnology</i> , 2016 , 4, 94	5.8	22
120	Effect of entanglements in the microstructure of cured NR/SBR blends prepared by solution and mixing in a two-roll mill. <i>European Polymer Journal</i> , 2016 , 81, 365-375	5.2	23
119	Synergistic effect of lactic acid oligomers and laminar graphene sheets on the barrier properties of polylactide nanocomposites obtained by the in situ polymerization pre-incorporation method. <i>Journal of Applied Polymer Science</i> , 2016 , 133, n/a-n/a	2.9	12
118	Synergistic effect of graphene nanoplatelets and carbon black in multifunctional EPDM nanocomposites. <i>Composites Science and Technology</i> , 2016 , 128, 123-130	8.6	58
117	Use of graphite oxide and/or thermally reduced graphite oxide for the removal of dyes from water. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2015 , 312, 88-95	4.7	10
116	Influence of the vulcanization system on the dynamics and structure of natural rubber: Comparative study by means of broadband dielectric spectroscopy and solid-state NMR spectroscopy. <i>European Polymer Journal</i> , 2015 , 68, 90-103	5.2	33
115	On the use of ball milling to develop PHBV/graphene nanocomposites (I) Morphology, thermal properties, and thermal stability. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	15
114	Increasing the performance of dielectric elastomer actuators: A review from the materials perspective. <i>Progress in Polymer Science</i> , 2015 , 51, 188-211	29.6	264
113	Gold-functionalized graphene as conductive filler in UV-curable epoxy resin. <i>Journal of Materials Science</i> , 2015 , 50, 605-610	4.3	17
112	Epoxy resin curing reaction studied by proton multiple-quantum NMR. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2015 , 53, 1324-1332	2.6	17
111	On the use of ball milling to develop poly(3-hydroxybutyrate-co-3-hydroxyvalerate)-graphene nanocomposites (II) Mechanical, barrier, and electrical properties. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	8

110	Influence of the Surfactant Nature on the Occurrence of Self-Assembly between Rubber Particles and Thermally Reduced Graphite Oxide during the Preparation of Natural Rubber Nanocomposites. <i>Journal of Nanomaterials</i> , 2015 , 2015, 1-7	3.2	9
109	Morphology and mechanical properties of nanostructured thermoset/block copolymer blends with carbon nanoparticles. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015 , 71, 136-143	8.4	23
108	Influence of carbon nanoparticles on the polymerization and EMI shielding properties of PU nanocomposite foams. <i>RSC Advances</i> , 2014 , 4, 7911	3.7	53
107	Effect of carbon nanofillers on flexible polyurethane foaming from a chemical and physical perspective. <i>RSC Advances</i> , 2014 , 4, 20761	3.7	17
106	High performance natural rubber/thermally reduced graphite oxide nanocomposites by latex technology. <i>Composites Part B: Engineering</i> , 2014 , 67, 449-454	10	47
105	Quantitative mapping of mechanical properties in polylactic acid/natural rubber/organoclay bionanocomposites as revealed by nanoindentation with atomic force microscopy. <i>Composites Science and Technology</i> , 2014 , 104, 34-39	8.6	37
104	Pyroshock testing on graphene based EPDM nanocomposites. <i>Composites Part B: Engineering</i> , 2014 , 60, 479-484	10	16
103	Thermal and bio-disintegration properties of poly(lactic acid)/natural rubber/organoclay nanocomposites. <i>Applied Clay Science</i> , 2014 , 93-94, 78-84	5.2	20
102	Effect of mesogenic organic salts on vulcanization and physical properties of rubber compounds. <i>Polymer International</i> , 2014 , 63, 136-144	3.3	3
101	SYNERGIC EFFECT OF TWO INORGANIC FILLERS ON THE MECHANICAL AND THERMAL PROPERTIES OF HYBRID POLYPROPYLENE COMPOSITES. <i>Journal of the Chilean Chemical Society</i> , 2014 , 59, 2468-2473	2.5	7
100	Semiconductive bionanocomposites of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) and MWCNTs for neural growth applications. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2014 , 52, 349-360	2.6	3
99	Bismuth complex catalysts for the in situ preparation of polycaprolactone/silicate bionanocomposites. <i>Polymer International</i> , 2014 , 63, 709-717	3.3	8
98	Graphene materials with different structures prepared from the same graphite by the Hummers and Brodie methods. <i>Carbon</i> , 2013 , 65, 156-164	10.4	272
97	Poly(lactic acid)/natural rubber/cellulose nanocrystal bionanocomposites. Part II: properties evaluation. <i>Carbohydrate Polymers</i> , 2013 , 96, 621-7	10.3	82
96	Poly(lactic acid)/natural rubber/cellulose nanocrystal bionanocomposites part I. Processing and morphology. <i>Carbohydrate Polymers</i> , 2013 , 96, 611-20	10.3	88
95	The role of carbon nanotubes in both physical and chemical liquid-solid transition of polydimethylsiloxane. <i>European Polymer Journal</i> , 2013 , 49, 1373-1380	5.2	9
94	Structure and Segmental Dynamics Relationship in Natural Rubber/Layered Silicate Nanocomposites during Uniaxial Deformation. <i>Macromolecules</i> , 2013 , 46, 3176-3182	5.5	13
93	Comparison of filler percolation and mechanical properties in graphene and carbon nanotubes filled epoxy nanocomposites. <i>European Polymer Journal</i> , 2013 , 49, 1347-1353	5.2	202

92	Multifunctional nanostructured PLA materials for packaging and tissue engineering. <i>Progress in Polymer Science</i> , 2013 , 38, 1720-1747	29.6	421
91	Graphene oxide/epoxy hybrid material as innovative photocatalyst. <i>Journal of Materials Science</i> , 2013 , 48, 5204-5208	4.3	11
90	Cationic photocured epoxy nanocomposites filled with different carbon fillers. <i>Polymer</i> , 2012 , 53, 1831-1838	3.9	48
89	Towards materials with enhanced electro-mechanical response: CaCu ₃ Ti ₄ O ₁₂ /polydimethylsiloxane composites. <i>Journal of Materials Chemistry</i> , 2012 , 22, 24705		67
88	Deformation mechanisms in polylactic acid/natural rubber/organoclay bionanocomposites as revealed by synchrotron X-ray scattering. <i>Soft Matter</i> , 2012 , 8, 8990	3.6	46
87	Overall performance of natural rubber/graphene nanocomposites. <i>Composites Science and Technology</i> , 2012 , 73, 40-46	8.6	153
86	Effect of hard segment content and carbon-based nanostructures on the kinetics of flexible polyurethane nanocomposite foams. <i>Polymer</i> , 2012 , 53, 4025-4032	3.9	20
85	Role of Vulcanizing Additives on the Segmental Dynamics of Natural Rubber. <i>Macromolecules</i> , 2012 , 45, 1070-1075	5.5	37
84	Comparing the effect of carbon-based nanofillers on the physical properties of flexible polyurethane foams. <i>Journal of Materials Science</i> , 2012 , 47, 5673-5679	4.3	47
83	Physicochemical properties of organoclay filled polylactic acid/natural rubber blend bionanocomposites. <i>Composites Science and Technology</i> , 2012 , 72, 305-313	8.6	101
82	Effects of Orientation on the Segmental Dynamics of Natural Rubber. <i>Materials Science Forum</i> , 2012 , 714, 57-61	0.4	1
81	Effect of Mesogenic Organic Salts on Vulcanization and Physical Properties of Natural Rubber Compounds. <i>Materials Research Society Symposia Proceedings</i> , 2012 , 1483, 9		
80	Vulcanization Characteristics and Curing Kinetic of Rubber/Organoclay Nanocomposites		3
79	Effects of Strain-Induced Crystallization on the Segmental Dynamics of Vulcanized Natural Rubber. <i>Macromolecules</i> , 2011 , 44, 6574-6580	5.5	45
78	Reactive Nanocomposite Foams. <i>Frontiers in Forests and Global Change</i> , 2011 , 30, 45-62	1.6	17
77	Epoxy-Graphene UV-cured nanocomposites. <i>Polymer</i> , 2011 , 52, 4664-4669	3.9	124
76	Modification of carbon nanotubes with well-controlled fluorescent styrene-based polymers using the Diels-Alder reaction. <i>Polymer</i> , 2011 , 52, 5739-5745	3.9	12
75	Structure and properties of polylactide/natural rubber blends. <i>Materials Chemistry and Physics</i> , 2011 , 129, 823-831	4.4	202

74	Functionalised graphene sheets as effective high dielectric constant fillers. <i>Nanoscale Research Letters</i> , 2011 , 6, 508	5	91
73	Thermal conductivity of carbon nanotubes and graphene in epoxy nanofluids and nanocomposites. <i>Nanoscale Research Letters</i> , 2011 , 6, 610	5	88
72	Graphene filled polymer nanocomposites. <i>Journal of Materials Chemistry</i> , 2011 , 21, 3301-3310		596
71	In situ Foaming Evolution of Flexible Polyurethane Foam Nanocomposites. <i>Macromolecular Chemistry and Physics</i> , 2011 , 212, 971-979	2.6	42
70	Novel Experimental Approach To Evaluate Filler-Elastomer Interactions. <i>Macromolecules</i> , 2010 , 43, 334-346	3.5	133
69	Use of butylamine modified graphene sheets in polymer solar cells. <i>Journal of Materials Chemistry</i> , 2010 , 20, 995-1000		92
68	Molecular dynamics of natural rubber as revealed by dielectric spectroscopy: The role of natural crosslinking. <i>Soft Matter</i> , 2010 , 6, 3636	3.6	42
67	Morphology and Photoelectrical Properties of Solution Processable Butylamine-Modified Graphene- and Pyrene-Based Organic Semiconductor. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 11252-11257	3.8	17
66	Molecular Dynamics of Natural Rubber/Layered Silicate Nanocomposites As Studied by Dielectric Relaxation Spectroscopy. <i>Macromolecules</i> , 2010 , 43, 643-651	5.5	82
65	Electrodeposition of transparent and conducting graphene/carbon nanotube thin films. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010 , 207, 2461-2466	1.6	52
64	Effects of functionalized carbon nanotubes in peroxide crosslinking of diene elastomers. <i>European Polymer Journal</i> , 2009 , 45, 1017-1023	5.2	17
63	Confinement of Functionalized Graphene Sheets by Triblock Copolymers. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 17973-17978	3.8	34
62	Phosphonium salt intercalated montmorillonites. <i>Applied Clay Science</i> , 2009 , 43, 27-32	5.2	41
61	Plasma Fluorination of Chemically Derived Graphene Sheets and Subsequent Modification With Butylamine. <i>Chemistry of Materials</i> , 2009 , 21, 3433-3438	9.6	135
60	Fluid dynamics of evolving foams. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 10860-6	3.6	26
59	Miscibility-dispersion, interfacial strength and nanoclay mobility relationships in polymer nanocomposites. <i>Soft Matter</i> , 2009 , 5, 3481	3.6	18
58	Carbon nanotubes provide self-extinguishing grade to silicone-based foams. <i>Journal of Materials Chemistry</i> , 2008 , 18, 3933		60
57	Effect of Nanoclay on Natural Rubber Microstructure. <i>Macromolecules</i> , 2008 , 41, 6763-6772	5.5	131

56	Functionalized graphene sheet filled silicone foam nanocomposites. <i>Journal of Materials Chemistry</i> , 2008 , 18, 2221		311
55	Real-Time Crystallization of Organoclay Nanoparticle Filled Natural Rubber under Stretching. <i>Macromolecules</i> , 2008 , 41, 2295-2298	5.5	56
54	The Development of Proton Conducting Polymer Membranes for Fuel Cells Using Sulfonated Carbon Nanofibres. <i>Macromolecular Rapid Communications</i> , 2008 , 29, 234-238	4.8	13
53	Sulfonation of vulcanized ethylene-propylene-diene terpolymer membranes. <i>Acta Materialia</i> , 2008 , 56, 4780-4788	8.4	11
52	Effect of montmorillonite intercalant structure on the cure parameters of natural rubber. <i>European Polymer Journal</i> , 2008 , 44, 3108-3115	5.2	53
51	Physical properties of silicone foams filled with carbon nanotubes and functionalized graphene sheets. <i>European Polymer Journal</i> , 2008 , 44, 2790-2797	5.2	99
50	Natural rubber/clay nanocomposites: Influence of poly(ethylene glycol) on the silicate dispersion and local chain order of rubber network. <i>European Polymer Journal</i> , 2008 , 44, 3493-3500	5.2	39
49	Morphology/behaviour relationship of nanocomposites based on natural rubber/epoxidized natural rubber blends. <i>Composites Science and Technology</i> , 2007 , 67, 1330-1339	8.6	141
48	Degree of functionalization of carbon nanofibers with benzenesulfonic groups in an acid medium. <i>Carbon</i> , 2007 , 45, 1669-1678	10.4	42
47	Gas transport properties of polypropylene/clay composite membranes. <i>European Polymer Journal</i> , 2007 , 43, 1132-1143	5.2	113
46	Rubber network in elastomer nanocomposites. <i>European Polymer Journal</i> , 2007 , 43, 4143-4150	5.2	65
45	Thermoplastic olefin/clay nanocomposites. Effect of matrix composition, and organoclay and compatibilizer structure on morphology/properties relationships. <i>Journal of Nanoscience and Nanotechnology</i> , 2007 , 7, 4456-64	1.3	10
44	Millable polyurethane/organoclay nanocomposites: preparation, characterization, and properties. <i>Journal of Nanoscience and Nanotechnology</i> , 2007 , 7, 634-40	1.3	8
43	Novel anhydrous unfolded structure by heating of acid pre-treated sepiolite. <i>Applied Clay Science</i> , 2007 , 36, 245-255	5.2	60
42	Relevant features of bentonite modification with a phosphonium salt. <i>Journal of Nanoscience and Nanotechnology</i> , 2006 , 6, 2151-4	1.3	13
41	Influence of reaction parameters on size and shape of silica nanoparticles. <i>Journal of Nanoscience and Nanotechnology</i> , 2006 , 6, 3343-6	1.3	14
40	Poly(2,6-dimethyl-1,4-phenylene oxide) mixed matrix pervaporation membranes. <i>Desalination</i> , 2006 , 200, 376-378	10.3	3
39	Characterization of the reactivity of a silica derived from acid activation of sepiolite with silane by ²⁹ Si and ¹³ C solid-state NMR. <i>Journal of Colloid and Interface Science</i> , 2006 , 298, 794-804	9.3	30

38	Chain Order and Cross-Link Density of Elastomers As Investigated by Proton Multiple-Quantum NMR. <i>Macromolecules</i> , 2005 , 38, 9650-9660	5.5	111
37	Chemical Shift-Related Artifacts in NMR Determinations of Proton Residual Dipolar Couplings in Elastomers. <i>Macromolecules</i> , 2005 , 38, 4040-4042	5.5	24
36	Melt grafting of itaconic acid and its derivatives onto an ethylene-propylene copolymer. <i>Reactive and Functional Polymers</i> , 2005 , 64, 169-178	4.6	20
35	Filled poly(2,6-dimethyl-1,4-phenylene oxide) dense membranes by silica and silane modified silica nanoparticles: characterization and application in pervaporation. <i>Polymer</i> , 2005 , 46, 9881-9891	3.9	78
34	Thermal and mechanical properties of single-walled carbon nanotubes/polypropylene composites prepared by melt processing. <i>Carbon</i> , 2005 , 43, 1499-1505	10.4	536
33	Preparation and Characterization of Thermoplastic Vulcanizates-Organoclay Nanocomposites. <i>Materials Science Forum</i> , 2005 , 480-481, 333-338	0.4	2
32	Mechanical properties of polypropylene matrix composites reinforced with natural fibers: A statistical approach. <i>Polymer Composites</i> , 2004 , 25, 26-36	3	66
31	Effects of carbon nanotubes on the crystallization behavior of polypropylene. <i>Polymer Engineering and Science</i> , 2004 , 44, 303-311	2.3	99
30	Cure characteristics, mechanical properties, and morphological studies of linoleum flour-filled NBR compounds. <i>Polymer Engineering and Science</i> , 2004 , 44, 909-916	2.3	5
29	Organoclay/natural rubber nanocomposites synthesized by mechanical and solution mixing methods. <i>Polymer International</i> , 2004 , 53, 1766-1772	3.3	106
28	Behavior of poly(ethylene-co-olefin) polymers as elastomeric materials. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 3008-3015	2.9	13
27	Dynamic mechanical and Raman spectroscopy studies on interaction between single-walled carbon nanotubes and natural rubber. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 3394-3400	2.9	116
26	Novel Approach of Evaluating Polymer Nanocomposite Structure by Measurements of the Freezing-Point Depression. <i>Macromolecular Rapid Communications</i> , 2004 , 25, 1309-1313	4.8	24
25	Use of Monomethyl Itaconate Grafted Poly(propylene) (PP) and Ethylene Propylene Rubber (EPR) as Compatibilizers for PP/EPR Blends. <i>Macromolecular Materials and Engineering</i> , 2003 , 288, 875-885	3.9	16
24	Vulcanization kinetics of natural rubber/organoclay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 1-15	2.9	164
23	Physical and mechanical behavior of single-walled carbon nanotube/polypropylene/ethylene/propylene/ene rubber nanocomposites. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 2657-2663	2.9	116
22	Effect of monomethyl itaconate-grafted HDPE and EPR on the compatibility and properties of HDPE/EPR blends. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 2239-2248	2.9	9
21	Enhancement of mechanical properties and interfacial adhesion of PP/EPDM/flax fiber composites using maleic anhydride as a compatibilizer. <i>Journal of Applied Polymer Science</i> , 2003 , 90, 2170-2178	2.9	89

20	Organo-montmorillonite as substitute of carbon black in natural rubber compounds. <i>Polymer</i> , 2003 , 44, 2447-2453	3.9	542
19	Preparation and characterization of organoclay nanocomposites based on natural rubber. <i>Polymer International</i> , 2003 , 52, 1070-1077	3.3	110
18	Ternary composites based on PP-EPDM blends reinforced with flax fibers. Part I: Processing and thermal behavior. <i>Polymer Engineering and Science</i> , 2003 , 43, 1018-1030	2.3	10
17	Ternary composites based on PP-EPDM blends reinforced with flax fibers. Part II: Mechanical properties/morphology relationship. <i>Polymer Engineering and Science</i> , 2003 , 43, 1031-1043	2.3	13
16	Optimisation of nanocomposites based on polypropylene/polyethylene blends and organo-bentonite. <i>Journal of Materials Chemistry</i> , 2003 , 13, 2915-2921		20
15	Analysis of the effects of the polymerization route of ethylene-propylene-diene rubbers (EPDM) on the properties of polypropylene-EPDM blends. <i>Journal of Applied Polymer Science</i> , 2002 , 85, 25-37	2.9	4
14	Short fibers as reinforcement of rubber compounds. <i>Polymer Composites</i> , 2002 , 23, 666-673	3	30
13	Comparative study of the effects of different fibers on the processing and properties of ternary composites based on PP-EPDM blends. <i>Polymer Composites</i> , 2002 , 23, 779-789	3	33
12	Comparative Study of the Effects of Different Fibers on the Processing and Properties of Polypropylene Matrix Composites. <i>Journal of Thermoplastic Composite Materials</i> , 2002 , 15, 337-353	1.9	19
11	Rheological behavior and processability of polypropylene blends with rubber ethylene propylene diene terpolymer. <i>Journal of Applied Polymer Science</i> , 2001 , 81, 1-10	2.9	33
10	Kinetic crystallization of polypropylene in ternary composites based on fiber-reinforced PP-EPDM blends. <i>Journal of Applied Polymer Science</i> , 2001 , 81, 1063-1074	2.9	9
9	Effect of Grafted PP on the Properties of Thermoplastic Elastomers Based on PP-EPDM Blends. <i>Macromolecular Chemistry and Physics</i> , 2001 , 202, 1909-1916	2.6	12
8	Effect of the incorporation of pet fibers on the properties of thermoplastic elastomer based on PP/elastomer blends. <i>Polymer</i> , 2001 , 42, 6557-6563	3.9	27
7	Effects of reinforcing fibers on the crystallization of polypropylene. <i>Polymer Engineering and Science</i> , 2000 , 40, 2194-2204	2.3	71
6	Polypropylene Crystallization in an Ethylene-propylene-diene Rubber Matrix. <i>Magyar Árvad Kémia</i> , 2000 , 61, 437-450	0	20
5	Effect of interface on the morphology and properties of composites comprising poly(propylene) and short organic fibers. <i>Angewandte Makromolekulare Chemie</i> , 1999 , 265, 20-24		6
4	Processing, properties and morphology of polypropylene-epdm blends. <i>Macromolecular Symposia</i> , 1999 , 148, 345-360	0.8	11
3	Crystallization kinetics of polypropylene: 1. Effect of small additions of low-density polyethylene. <i>Polymer</i> , 1996 , 37, 5681-5688	3.9	66

- 2 Impact Behaviour of Modified Talc Filled PP/LDPE Blends. *Journal of Polymer Engineering*, **1995**, 14, 1.4 3
- 1 PP/LDPE blends filled with short polyamide fibers. *Angewandte Makromolekulare Chemie*, **1995**, 226, 129-141 7